



PRODUCT GUIDE



TOGETHER, WE GET IT DONE.™



1958 Born in a Pennsylvania garage
with a single product
Now a **GLOBAL LEADER**



CRC Industries, Inc. is a global leader in the production of specialty products and formulations for the do-it-yourself and maintenance professional—the people who keep everyone moving forward in a world that never stops. For more than 65 years, we've been rolling up our sleeves to create products and solutions that are born from, and tested in, the important work that gets done every day around the world. Serving the automotive, industrial, electrical, marine, heavy truck, hardware, and aviation markets, CRC trademarked brands include: CRC®, Brakleen®, Evapo-Rust®, K&W®, Marykate®, SmartWasher®, and Weld-Aid®.

CRC has a rich history of innovation, driven by a core focus on identifying unmet needs in the marketplace and providing differentiated solutions for its customers. CRC has been first-to-market with many industry-leading products such as CRC Brakleen®, the #1 selling brake parts cleaner worldwide. That passion for innovation continues today as the company creates high quality formulations that are custom-matched to specific application needs while keeping the health and safety of the user at the forefront in a highly-regulated environment.

CRC is dedicated to ensuring users have immediate access to important information and documentation. For example, on our Food Grade products, CRC includes a QR Code that provides instant, direct access to essential documentation, including Allergen Certificates, NSF Registration Letters, Safety Data Sheets, and Food Certificates.


As an ISO (International Organization for Standardization) 9001:2015 certified manufacturer, CRC places strict controls on every step of the product development and manufacturing process; starting with the finest raw materials and continuing with consistent, quality manufacturing techniques. The benefits of achieving and maintaining ISO 9001:2015 certification reach CRC customers through the consistent conformity of its products and services, and the assurance of superior quality, environmental responsibility, safety and reliability.

Product Selector Guides	2-3	Welding & Metalworking	28
Industrial Cleaners	4-6	Anti-Spatter	28
Heavy-Duty Degreasers	4-5	Nozzle and Substrate Protectants	28
Aqueous Cleaners	6	Wire Cleaners & Lubricants	28
Specialty Cleaners	6	Marine Maintenance	29
Industrial Lubricants	7-10	Cleaners	29
Heavy-Duty Lubricants	7-8	Lubricants	29
Penetrating Lubricants	9	Greases	29
Multi-Purpose Lubricants	10	Corrosion Inhibitors	29
Industrial Greases	11	Parts Washers	30-32
Corrosion Inhibitors	12	CRC SmartWasher®	30-31
Rust Removers	13	OzzyJuice®	32
Electrical	14-17	OzzyMat®	32
Precision Cleaners	14-15	Specialty Products	33
Heavy-Duty Degreasers	16	Glossary of Terms	34
How to Restore Water-Damaged Equipment ...	17	NSF Category Codes	35
Food Grade	18-21	Product Name Index	36-37
Packaging	18	Part Number Index	38-39
Lubricants	19-20	CRC Programs	40-41
Greases	21	Risk Reduction Partner Program	40
Vehicle Maintenance	22-27	Risk Reduction Mobile	41
Cleaners	22-24	StopLight Food Safety Program	41
Lubricants	25		
Fuel Additives	26		
Diesel Fuel Additives	26		
Oil Additives	26		
Head Gasket & Block Repair	26		
Winter Products	27		
Undercoating	27		
Corrosion Inhibitors	27		

CRC®, Bräkleen®, Weld-Aid®, K&W®, Marykate®, SmartWasher®, Evapo-Rust®, and all products denoted w/™ and ® are trademarks or registered trademarks of CRC Industries, Inc.


Visit crcindustries.ca or call 800-556-5074 for more information.

LOOKING FOR A PRECISION CLEANER?



Visit crcindustries.ca or call 800-556-5074 for more information.

LOOKING FOR A SOLVENT DEGREASER?



MANUFACTURING AND PROCESSING APPLICATIONS ONLY

For assistance with selecting products, contact Technical Service at techservice@crcind.com or call 1-800-521-3168.

Visit crcindustries.ca or call 800-556-5074 for more information.

HEAVY-DUTY DEGREASERS

CHLOR-FREE™ DEGREASER

Non-chlorinated degreasing solvent that removes oil, grease and other contaminants. Perfect for applications requiring quick turnaround and where a low flashpoint solvent can be used.

Part#	Item#	Case/Order#	Size	Units/cs
73185 ^{1 2}	1006186	1006185	396 g Aerosol	12



SUPER CITRUS™ DEGREASER

Removes grease, oil and lubricants with no water wash-off needed. Evaporates quickly and leaves no residue. Pleasant citrus scent. NSF C1 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
73170 ^{1 2}	1006184	1006183	425 g Aerosol	12



HEAVY-DUTY DEGREASER

A versatile degreaser that is extremely effective in most heavy-duty applications. It aggressively dissolves grease, oil and sludge for more efficient operation of mechanical equipment. CFIA Accepted.

Part#	Item#	Case/Order#	Size	Units/cs
73095	1006174	1006173	538 g Aerosol	12



FOAMING COIL CLEANER

An industrial strength, foaming coil cleaner that dissolves grease, oil and sludge from air conditioning and refrigeration coils. The low odor formula does not require rinsing in most coil cleaning applications.

Part#	Item#	Case/Order#	Size	Units/cs
1752305	1752305	1752306	510 g Aerosol	12

INDUSTRIAL DEGREASER MPA
Non-Chlorinated

Non-chlorinated degreasing solvent that removes oil, grease and other contaminants. Perfect for applications requiring quick turnaround and where a low flashpoint solvent can be used. Applications include motors, pumps, generators, compressors, mechanical equipment, corroded machinery, air tools, chains, wire ropes, bearings, dies & molds.

Part#	Item#	Case/Order#	Size	Units/cs
1754943 ²	1754943	1754943	19 L Pail	1



T-FORCE™ DEGREASER

A high performance, industrial strength degreaser that is non-conductive, non-corrosive, and non-staining. It quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment.

Part#	Item#	Case/Order#	Size	Units/cs
73115 ²	1006178	1006177	510 g Aerosol	12



 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

2 - Not for retail sale. Designed to be solely used in the manufacturing or processing of products and NOT the repair of products.

Visit crcindustries.ca or call 800-556-5074 for more information.

HEAVY-DUTY DEGREASER II

Non-chlorinated formula for cleaning where chlorinated solvents are not acceptable. High flashpoint of 180°F/82°C. Effectively removes soils with no residue build-up. Use caution on plastics. CFIA Accepted.

Part#	Item#	Case/Order#	Size	Units/cs
73120 ¹	1006180	1006179	425 g Aerosol	12



INDUSTRIAL | HEAVY-DUTY DEGREASERS

PRODUCT	Base Type	Cleaning Strength (KB)	Flash Point	Evaporation Rate	Dielectric Strength (V)	VOC % [∞]	NSF Category Code	Container Size
Industrial Degreaser MPA	Heptane	33	-9.4°C	Fast	Not Determined	100	N/A	19 L Pail
Chlor-Free™ Degreaser	Heptane	36	-9.0 °C	Fast	Not Determined	96	K2	396 g Aerosol
Super Citrus™ Degreaser	d-Limonene & Petroleum Distillate	54	37.8 °C	Fast	35,000 Volts	96.5	C1	425 g Aerosol
Heavy-Duty Degreaser	Chlorinated	95	None	Fast	15,710 Volts	7.9	K1	538 g Aerosol
Foaming Coil Cleaner	Water Based	N/A	None	Slow	N/A	#N/A	A1,C1	510 g Aerosol
T-Force™ Degreaser	DCE/HFE	62	None	Fast	18,890 Volts	71.9	K1	510 g Aerosol
Heavy-Duty Degreaser II	Petroleum Distillate	75	85°C	Slow	42,100 Volts	0	K1,K2	425 g Aerosol



- 1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.
 2 – Not for retail sale. Designed to be solely used in the manufacturing or processing of products and NOT the repair of products.
 ∞ - As defined by Consumer Products VOC regulations.

Visit crcindustries.ca or call 800-556-5074 for more information.

AQUEOUS CLEANERS

HYDROFORCE® ZERO VOC

General Purpose Cleaner

Provides maximum regulatory compliance without performance compromises. It is best for applications that will not allow butyl, but demand performance and versatility. Removes dirt, dust, and grime. CFIA Accepted.



Part#	Item#	Case/Order#	Size	Units/cs
74446	1006273	1006272	946 mL Spray Bottle	12

INDUSTRIAL | AQUEOUS CLEANERS

PRODUCT	Base Type	pH	Flash Point	NSF Category Code	Odor	Container Size
HydroForce® Zero VOC	H ₂ O Surfactant	10	None	A1	Mild Detergent	946 mL Spray Bottle

SPECIALTY CLEANERS

GLASS CLEANER

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces. Ready to use.



Part#	Item#	Case/Order#	Size	Units/cs
73100	1006176	1006175	510 g Aerosol	12

INDUSTRIAL | SPECIALTY CLEANERS

PRODUCT	Base Type	pH	Flash Point	Plastic Safe	NSF Category Code	Container Size
Glass Cleaner	Water Based	10.5	None	Yes	C1	510 g Aerosol



Visit crcindustries.ca or call 800-556-5074 for more information.

HEAVY-DUTY LUBRICANTS

WHITE LITHIUM GREASE

Superior lubrication and durability in any weather or temperature. Perfect for use as a break-in lubricant for bearings or as a general-purpose lubricant and corrosion inhibitor for tools, machinery and equipment.

Part#	Item#	Case/Order#	Size	Units/cs
73200 ¹	1006190	1006189	283 g Aerosol	12



EXTREME DUTY OPEN GEAR & CHAIN LUBE

A heavy-duty, extreme pressure lubricant recommended for reducing friction and wear in harsh environments. It resists heat and pressure, will not wash or wear off because of weather, and will not break down after repeated workings.

Part#	Item#	Case/Order#	Size	Units/cs
73058 ^{1,2}	1006162	1006161	340 g Aerosol	12



COPPER ANTI-SEIZE AND LUBRICATING COMPOUND

A general purpose anti-seize lubricant that prevents seizing caused by high-temperature, heavy loads, vibrations and corrosion.

Part#	Item#	Case/Order#	Size	Units/cs
72095 ¹	1006124	1006123	354 g Aerosol	12

CHUTE LUBE™
Silicone Lubricant

A silicone lubricant formulated specifically for package handling applications. It eliminates the binding and sticking of packages and boxes, while protecting most surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
73205	1006191	1006191	14 kg Drum	1



NICKEL ANTI-SEIZE AND LUBRICATING COMPOUND

Formula is free of copper, lead, sulfides and chlorides. This premium quality lubricant has extremely high temperature and excellent chemical resistance. Conductive.


Part#	Item#	Case/Order#	Size	Units/cs
72911	1006137	1006136	226 g Can	12



RED GREASE

Heavy-duty lubricant that withstands high temperature and high pressure. Red color allows for easy visual inspection of film coverage.

Part#	Item#	Case/Order#	Size	Units/cs
1750385 ¹	1750385	1750384	311 g Aerosol	12



- 1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.
2 - Not for retail sale. Designed to be solely used in the manufacturing or processing of products and NOT the repair of products.

Visit crcindustries.ca or call 800-556-5074 for more information.

HEAVY-DUTY LUBRICANTS

EXTREME DUTY SILICONE

Silicone fluid with superior lubrication and temperature viscosity characteristics. Use on all metallic and non-metallic surfaces. Reduces friction and galling even on metal-to-metal contact areas.

Part#	Item#	Case/Order#	Size	Units/cs
730301 ¹	1006145	1006144	283 g Aerosol	12



OILFIELD DRY MOLY LUBE

Fast drying film resists dirt and dust build-up. Good adhesion and long-lasting formula. Lowers friction, prevents galling and helps to reduce torque and energy consumption. High anti-friction and anti-seize properties.

Part#	Item#	Case/Order#	Size	Units/cs
1750744 ¹	1750744	1750743	311 g Aerosol	12



INDUSTRIAL | HEAVY-DUTY LUBRICANTS

PRODUCT	Base Type	Film Type	Appearance	360° Spray	Flash Point	NSF Category Code	Container Size
White Lithium Grease	Lithium	Grease	Off-White Viscous Grease	No	<-17°C	H2	238 g Aerosol
Copper Anti-Seize and Lubricating Compound	Copper	Wet	Copper Liquid	No	80.6°C	N/A	354 g Aerosol
Nickel Anti-Seize and Lubricating Compound	Nickel	Wet	Silver Paste	N/A	218°C	N/A	226 g Brush-Top Bottle
Extreme Duty Open Gear & Chain Lube	Petroleum Oil	Tacky	Black Semi-Viscous Liquid	No	-8°C	N/A	340 g Aerosol
Chute Lube™ Silicone Lubricant	Silicone	Wet	Clear Light Yellow Liquid	N/A	45°C	H2	14 Kg Drum
Red Grease	Aluminum Complex	Grease	Red Viscous Grease	No	<-5°C	N/A	311 g Aerosol
Extreme Duty Silicone	Silicone	Dry	Clear Colorless Liquid	No	<-17°C	H2	283 g Aerosol
Oilfield Dry Moly Lube	Molybdenum Disulfide	Dry	Gray Liquid	No	<-18°C	N/A	311 g Aerosol

¹ - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

PENETRATING LUBRICANTS

KNOCK'ER LOOSE™

An industrial strength lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion. Eases the disassembly of machinery, tools and equipment.

Part#	Item#	Case/Order#	Size	Units/cs
73020 	1006143	1006142	368 g Aerosol	12



PENETRATING OIL

A powerful and fast-acting penetrating solvent that attacks corrosion to loosen and clean corroded fasteners and mechanical components. Instantly penetrates minute and tightly fitted crevices.

Part#	Item#	Case/Order#	Size	Units/cs
73060 	1006164	1006163	311 g Aerosol	12



SCREWLOOSE™

Industrial Penetrating Oil

A powerful and fast-acting penetrating solvent that attacks corrosion to loosen and clean corroded fasteners and mechanical components. Instantly penetrates minute and tightly fitted crevices.

Part#	Item#	Case/Order#	Size	Units/cs
75330	1006376	1006375	311 g Aerosol	12



INDUSTRIAL | PENETRATING LUBRICANTS

PRODUCT	Base Type	Film Type	Appearance	360° Spray	Flash Point	NSF Category Code	Container Size
Knock'er Loose™	Petroleum	Non-Drying Oil	Reddish Liquid	Yes	63.9°C	H2	369 g Aerosol
Penetrating Oil	Petroleum	Non-Drying Oil	Light Amber Liquid	Yes	60.6°C	H2	312 g Aerosol
Screwloose™	Petroleum	Thin Non-Drying	Light Amber Liquid	Yes	60.6°C	N/A	311 g Aerosol

 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

MULTI-PURPOSE LUBRICANTS

3-36® MULTI-PURPOSE LUBRICANT AND CORROSION INHIBITOR

A plastic-safe lubricant, penetrant, and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values and helps stop current leakage.

Part#	Item#	Case/Order#	Size	Units/cs
73005 ¹	1006139	1006138	311 g Aerosol	12



POWER LUBE™

High Performance Lubricant w/PTFE
Contains PTFE for long-lasting lubrication and protection from friction, wear and corrosion. Helps to increase the operating efficiency of parts and equipment. Can withstand extreme load carrying situations.

Part#	Item#	Case/Order#	Size	Units/cs
73045 ¹	1006154	1006153	311 g Aerosol	12



ULTRA-LITE 3-36®

Ultra-thin, non-staining lubricant that resists oil, dirt and dust build-up. Seals out moisture and prevents corrosion with protective film. Excellent for drying out electrical/electronic components.

Part#	Item#	Case/Order#	Size	Units/cs
1752300 ¹	1752300	1752301	311 g Aerosol	12



DRY PTFE LUBE

A multi-purpose, micro-thin film lubricant containing PTFE. Penetrates and bonds to most surfaces. Prevents sticking, reducing friction and wear and is highly resistant to oil, dust and dirt build-up. NSF H2 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
73044 ¹	1006152	1006151	283 g Aerosol	12



INDUSTRIAL | MULTI-PURPOSE LUBRICANTS

PRODUCT	Base Type	Film Type	Appearance	360° Spray	Flash Point	NSF Category Code	Container Size
3-36® Multi-Purpose Lubricant & Corrosion Inhibitor	Petroleum	Non-Drying	Amber Liquid	Yes	93.3°C	H2	311 g Aerosol
Power Lube™	Petroleum/PTFE	Non-Drying	Light Amber Liquid	No	<-7°C	H2	311 g Aerosol
Ultra-Lite 3-36®	Petroleum Solvent	Ultra-Thin, Dry	Amber Liquid	Yes	90°C	H2	311 g Aerosol
Dry PTFE Lube	PTFE	Dry, Micro-Thin	White Film	No	<-7°C	H2	283 g Aerosol

- 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

GREASES

DRILLER RED GREASE

Lithium Complex-Based

Driller Red Grease is a NLGI #2 Red Grease which offers superior protection to lubricate a wide variety of severe duty drilling, industrial, mining and construction equipment. Timken load of 36 kg.

Part#	Item#	Case/Order#	Size	Units/cs
73640	1006212	1006211	396 g Cartridge	10



MOLY-GRAPH™

Extreme Pressure Multi-Purpose Lithium Grease

General purpose grease for a wide range of applications. It offers an excellent mechanical and shear-stable lithium grease with the wear protection of "moly" and graphite.

Part#	Item#	Case/Order#	Size	Units/cs
73330	1006202	1006201	396 g Cartridge	10



STA-PLEX™

PREMIUM RED GREASE

Extreme Pressure

A superior, multi-purpose lithium complex based NLGI #2 grease. Contains extreme pressure, anti-wear, and anti-oxidation additives. Ideal for high temperature and performance applications.

Part#	Item#	Case/Order#	Size	Units/cs
73190	1006188	1006187	396 g Cartridge	10



LITHIUM GENERAL PURPOSE GREASE

A high purity, NLGI Grade 2 lithium-based grease. Provides superior lubrication and durability in any weather and most temperatures. It is a versatile grease designed for light duty applications requiring a long grease life. Will not break down or run out.

Part#	Item#	Case/Order#	Size	Units/cs
73310	1006198	1006197	396 g Cartridge	10



SYNTHETIC BRAKE & CALIPER GREASE

High-temperature synthetic brake caliper grease is plastic and rubber safe. Use on metal-to-metal contact points and sliding surfaces. Resists moisture and will not washout.

Part#	Item#	Case/Order#	Size	Units/cs
75353	1006383	1006382	340 g Tub	12



INDUSTRIAL | GREASES

PRODUCT	Grease Type	NLGI Grade	Color	Working Temperature	Water Resistance	Timken OK Load	4 Ball EP Weld
Sta-Plex™ Premium Red Grease	Lithium Complex	2	Red	-23 to 163°C	Excellent	60 Lbs	315 kg
Lithium General Purpose Grease	Lithium	2	Amber	-17.8 to 121°C	Very Good	40 Lbs	215 kg
Moly-Graph™ Extreme Pressure Multi-Purpose Lithium	Lithium	2	Dark Gray	-17.8 to 143°C	Very Good	45 Lbs	200 kg
Driller Red Grease	Lithium Complex	2	Red	-23 to 204°C	Excellent	80 Lbs	315 kg
Synthetic Brake & Caliper	Synthetic	2	Black	-40 to 257°C	Excellent	60 Lbs	Not Determined

Visit crcindustries.ca or call 800-556-5074 for more information.

BRITE ZINC® Silver Finish

Professional formula, one-step color matches the shiny look of hot dip galvanizing for parts and assemblies to be top coated. Actively fights against rust and corrosion. Ideally suited for the general maintenance and repair environments. Organic 69% zinc in the dry film, consisting of 99% pure zinc dust.

Part#	Item#	Case/Order#	Size	Units/cs
1008406 ¹	1008406	1008405	354 g Aerosol	12
1008407	1008407	1008407	3.78 L Pail	1



SP-400™ Corrosion Inhibitor

Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces and assemblies subjected to long periods of storage. Indoor/Outdoor protection for up to 2 years.

Part#	Item#	Case/Order#	Size	Units/cs
73282 ¹	1006195	1006194	283 g Aerosol	12



ZINC MATE™ Instant Cold Galvanize

High performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly.

Part#	Item#	Case/Order#	Size	Units/cs
73054 ¹	1006158	1006157	368 g Aerosol	12



SP-350™ Corrosion Inhibitor

Superior lubrication and corrosion protection for metal parts and assemblies that are stored indoors. Protection lasts up to 2 years. Promotes easy start-up of stored equipment.

Part#	Item#	Case/Order#	Size	Units/cs
73262 ¹	1006193	1006192	283 g Aerosol	12



CORROSION INHIBITORS

PRODUCT	Appearance	Drying Time (to touch)	Specifications	Container Size
Brite Zinc® Silver Finish	Silver Liquid	15 Minutes	ASTM-780	354 g Aerosol 3.78 L Pail
SP-400™	Dark Amber Viscous Liquid	1 Hour	Mil-C-16173 Grade 4 (Corrosion test only) and NSF H2	283 g Aerosol
Zinc Mate™	Gray Viscous Liquid	20 Minutes	ASTM-780	368 g Aerosol

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

EVAPO-RUST®**Heavy-Duty Rust Remover**

Evapo-Rust® is a non-corrosive, water-based rust remover for easy and effective restoration. The award-winning formula is specifically designed to remove rust to bare metal, with no scrubbing or sanding required. Just pour, soak, and rinse to remove even the toughest rust. This powerful solution is also reusable, with each container providing multiple treatments and long-lasting efficacy.




Part#	Item#	Case/Order#	Size	Units/cs
ER069	1755514	1755514	946 mL Canister	6
ER070	1752826	1752827	946 mL Bottle	4
ER071	1752831	1752833	3.78 L Bottle	4
ER019	1752839	1752839	13.2 L Pail	1
ER014	1753197	1753197	208 L Drum	1
ER015	1753198	1753198	1040 L Tote	1


SOAK. RINSE. REUSE.

CORROSION INHIBITORS

RUST REMOVERS



BEFORE EVAPO-RUST®



AFTER EVAPO-RUST®



Visit crcindustries.ca or call 800-556-5074 for more information.

PRECISION CLEANERS

QD™ CONTACT CLEANER

A petroleum distillate/alcohol-based contact cleaner suitable for cleaning sensitive electronics. As a contact cleaner it evaporates quickly, leaves no residue and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF K2 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
72130 ¹ 	1006130	1006129	311 g Aerosol	12

XT-2000™
Precision Cleaner

A non-flammable, low odor, rapidly evaporating precision cleaner for use in electronic and industrial applications. Effectively removes dirt, light oils and other contaminants from electronic equipment.

Part#	Item#	Case/Order#	Size	Units/cs
72155 	1006135	1006134	340 g Aerosol	12

CONTACT CLEANER 2000™
Precision Cleaner

An aggressive general-purpose precision cleaner that effectively removes dirt, light oils and other contaminants. It evaporates quickly, leaves no residue and has no flash point.

Part#	Item#	Case/Order#	Size	Units/cs
72140 	1006133	1006132	368 g Aerosol	12



HF CONTACT CLEANER

A petroleum distillate-based precision cleaner that offers the benefit of a high flashpoint. Slow evaporating formula.

Part#	Item#	Case/Order#	Size	Units/cs
1750735 ¹ 	1750735	1750734	311 g Aerosol	12



CO® CONTACT CLEANER

The non-flammable, plastic-safe formula is an optimal alternative to flammable contact cleaners. Regular use will help prevent electrical failures, increase performance and prolong equipment life. NSF K2 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
72016 	1006114	1006113	396 g Aerosol	12



 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

DUSTER

Aerosol Dust Cleaning System

A powerful blast of product removes dirt, dust and embedded debris. Penetrates minute cracks and crevices. Non-flammable, safe on all plastics.

Part#	Item#	Case/Order#	Size	Units/cs
74085	1006225	1006224	226 g Aerosol Trigger	12



FREEZE SPRAY

An aerosol coolant system that instantly freezes surfaces, dissipating heat and cooling equipment. It also assists in locating thermal intermittent components, failures and shorts. Safe to use on sensitive components and all surface finishes.

Part#	Item#	Case/Order#	Size	Units/cs
74086	1006227	1006226	283 g Aerosol Trigger	12



ELECTRICAL | PRECISION CLEANERS

PRODUCT	Base Type	Flash Point	Evaporation Rate	Dielectric Strength	Plastic Safe	NSF Category Code	VOC % [∞]	Container Size
QD™ Contact Cleaner	Petroleum Distillate	-9.0 °C	Very Fast	39,500 Volts	Yes	K2	74.9	311 g Aerosol
CO® Contact Cleaner	HFE	None	Very Fast	27,600 Volts	Yes	K2	50.25	396 g Aerosol
XT-2000™ Precision Cleaner	HFE	None	Fast	27,780 Volts	Safe on Most Plastics (test small area)	K2	60.29	340 g Aerosol
Contact Cleaner 2000™	HFE	None	Fast	30,800 Volts	Safe on most plastics. Do NOT use on polycarbonate plastics	K2	51.1	368 g Aerosol
HF Contact Cleaner	Petroleum Distillate	95.6 °C	Slow	45,700 Volts	Safe on Most Plastics (test small area)	K2	0	311 g Aerosol
Duster	HFC	None	N/A	N/A	Yes	K2	N/A	226 g Aerosol Trigger
Freeze Spray	HFC	None	Very Fast	N/A	Yes	N/A	0	283 g Aerosol Trigger



Visit crcindustries.ca or call 800-556-5074 for more information.

HEAVY-DUTY DEGREASERS

LECTRA CLEAN®

HD Electrical Parts Degreaser

This chlorinated-based material quickly removes grease, oil and dirt from motor parts and other such energized electrical equipment to increase the operating efficiency. Offers quick and efficient degreasing action, fast evaporation and leaves no residue. Use with caution near plastics.

Part#	Item#	Case/Order#	Size	Units/cs
72018	1006116	1006115	538 g Aerosol	12



LECTRA CLEAN® II

Non-Chlorinated HD Electrical Parts Degreaser

For cleaning where chlorinated solvents are not acceptable. Effectively removes soils with no residue build-up. Use caution on plastics. High flashpoint, non-conductive, non-corrosive and low odor.

Part#	Item#	Case/Order#	Size	Units/cs
72120 ¹	1006128	1006127	425 g Aerosol	12



LECTRA-MOTIVE™

Electrical Parts Cleaner

This chlorinated based material quickly removes grease, oil and dirt from motor parts and other such energized equipment.

Part#	Item#	Case/Order#	Size	Units/cs
75018	1006290	1006289	538 g Aerosol	12



ELECTRICAL | HEAVY-DUTY DEGREASERS

PRODUCT	Base Type	Flash Point	Evaporation Rate	Dielectric Strength	Plastic Safe	NSF Category Code	VOC % [∞]	Container Size
Lectra Clean®	Chlorinated	None	Very Fast	18,340 Volts	No	K2	0	538 g Aerosol
Lectra Clean® II	Petroleum Distillate	85°C	Slow	42,100 Volts	No	K2	0	425 g Aerosol
Lectra-Motive™	Chlorinated	None	Very Fast	37,500 Volts	No	N/A	0	538 g Aerosol

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

HOW TO RESTORE WATER-DAMAGED EQUIPMENT

A CLEAN THE EQUIPMENT

To remove dirt, mud, oil, sludge and other contaminants deposited by water, follow these directions as closely as possible.

1. Remove end bells from electric motors and pumps.
2. Remove covers from switch gears and control panels.
3. Flush or spray equipment with generous amounts of clean water and a water-based cleaner such as CRC HydroForce® products to remove any water-based contaminants. If possible, dip equipment in a tank or drum of clean water and agitate while submerged.
4. Stand motors and pumps on end and allow to drain.

NOTE: Equipment already soaked with water will not be damaged by the use of clean water to flush away dirt, mud and chemical contaminants. Equipment flushed with clean water responds more quickly to treatment with CRC products.



HydroForce®
Zero VOC
General Purpose Cleaner

B APPLY A CRC CLEANER OR DEGREASER

To remove oil, grease and sludge contamination not removed by water flushing, dip equipment in a CRC Heavy-Duty Degreaser or spray thoroughly. Agitate motors and pumps while submerged. Remove and stand on end. Allow to drain. Spray switch gear and control boxes liberally. Be sure to spray all contaminated areas. Allow to air dry.

NOTE: Since CRC Heavy-Duty Degreasers are strong cleaners, they may cause crazing or softening of some plastics. It is recommended that a small area be tested before using on plastic parts.



Lectra Clean® II

C APPLY A CRC MOISTURE DISPLACING LUBRICANT

A plastic-safe lubricant, penetrant, and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values and helps stop current leakage.



3-36®

D MEASURE RESISTANCE

Take Megger readings after equipment has drained. If readings are not up to minimum resistance levels, REPEAT applications.

Minimum resistance levels have been set in the IEEE RECOMMENDED PRACTICE FOR TESTING INSULATION RESISTANCE OF ROTATING MACHINERY STD: 43-1974 reaffirmed 1984. It reads as follows:

- $R_m = kV + 1$
- Where R_m = recommended minimum insulation resistance in megohms at 40°C of the entire machine winding
- kV = rated machine terminal to terminal potential in rms kilo volts
- Minimum resistance is the 1000 ohms/volt + 1 megohm

E APPLY A CRC PRECISION CLEANER

When minimum levels have been reached, spray low voltage contacts with a CRC Precision Cleaner.

XT-2000™ Precision Cleaner
QD® Contact Cleaner
Contact Cleaner 2000®
CO Contact Cleaner




F DO NOT ENERGIZE UNTIL MINIMUM RESISTANCE LEVELS ARE OBTAINED

When Megger readings indicate minimum resistance levels have been reached, energize motors and pumps under "no load" conditions. Allow to run for a period of time to continue drying under normal conditions. When Megger readings return to normal, motors and pumps can be used in normal loaded manner.



Food Safety Program

Packaging



Recognizing the significance of ongoing enhancements in food safety, CRC has developed distinctive packaging tailored to guarantee correct utilization within facilities.



Perma-Lock™ 2-Way Integrated Actuator

Prevention. Not Detection.

Perma-Lock™ cap WILL NOT detach, safeguarding against:

- Foreign Object Contamination
- Costly Recalls

NO LOST nozzles, straws, or caps!

You Just Can't Lose

Green Band | Product Name

- A green band surrounds the entire product, guaranteeing visibility from any angle.
- A prominently displayed product name ensures immediate recognition of its designated purpose.

QR CODE

- The QR Code provides instant access to essential documentation, including allergen certs, NSF registration letters, and safety data sheets for each specific product.



New Logo

- The new CRC Food Grade logo makes recognition of products fast and easy.
- Positioned clearly in the front and center of the packaging makes each product quickly identifiable as part of the Food Grade line.

New Can Design

- A sleek, white dome-top can further differentiates food grade products from other MRO chemicals on the plant floor.
- An overall matte finish reduces glare for clear legibility.

NSF | H1

- All CRC Food Grade lubricants are registered as H1 with NSF, making them acceptable for use in areas that have incidental food contact.
- The NSF category code and registration number are prominently displayed to aid in the identification and inspection process.

Visit crcindustries.ca or call 800-556-5074 for more information.

LUBRICANTS

FOOD GRADE SILICONE

Multi-purpose silicone spray for food processing and handling applications. Forms a colorless, odorless, non-staining film. Eliminates binding and sticking in most metal to non-metal applications.

Part#	Item#	Case/Order#	Size	Units/cs
73040 ¹	1006149	1006148	283 g Aerosol	12
73041	1006150	1006150	12 kg Drum	1



FOOD GRADE MACHINE OIL

For use on food processing equipment. Penetrates to loosen rust, scale, dirt and corrosion. Non-silicone formula is virtually colorless and odorless.

Part#	Item#	Case/Order#	Size	Units/cs
73081	1006168	1006167	311 g Aerosol	12

FOOD GRADE
WATER-BASED SILICONE

A non-flammable heavy-duty silicone lubricant that eliminates sticking and binding and is safe to use on most surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
73035	1006147	1006146	368 g Aerosol	12

FOOD GRADE
PENETRATING OIL

An effective and efficient general-purpose lubricant for use on food processing equipment. It penetrates and loosens rust, scale, corrosion and dirt to free corroded parts and fasteners. Contains no silicone.

Part#	Item#	Case/Order#	Size	Units/cs
73086	1006172	1006171	311 g Aerosol	12



FOOD GRADE CHAIN LUBE

Blend of synthetic lubricants and mineral oil to keep roller drive and conveyor chains lubricated. Penetrates, lubricates, and protects moving parts by reducing friction and wear. NSF H1 rated for incidental food contact.

Part#	Item#	Case/Order#	Size	Units/cs
73056	1006160	1006159	340 g Aerosol	12



FOOD GRADE BELT DRESSING

A food grade belt dressing that extends the life of drive belts by improving traction and allowing runs under reduced belt tension.

Part#	Item#	Case/Order#	Size	Units/cs
73065 ¹	1006166	1006165	283 g Aerosol	12



 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

LUBRICANTS

FOOD GRADE BIO-BASED POWER LUBE™

A readily biodegradable, vegetable oil-based multipurpose lubricant for extended service under high and low temperature conditions ranging from -29°C to 271°C. This new and innovative product is treated with antioxidants, extreme pressure, anti-wear, and anti-corrosion additives and fortified with ceramic powder. It features the Perma-Lock™ 2-Way Integrated Actuator and is NSF H1 registered.

Part#	Item#	Case/Order#	Size	Units/cs
73090 	1755761	1755761	311 g Aerosol	12



SYNTHA-TECH™ LUBRICANT WITH PTFE

NSF H1 Registered, unique blend of synthetic lubricants that utilizes PTFE, anti-wear and extreme pressure additives to provide unparalleled lubricating performance.

Part#	Item#	Case/Order#	Size	Units/cs
1752340 	1752340	1752341	311 g Aerosol	12



FOOD GRADE DIELECTRIC GREASE

Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions. NSF H1 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
73082 ¹	1006170	1006169	283 g Aerosol	12



FOOD GRADE | LUBRICANTS

PRODUCT	Base Type	Film Type	Appearance	360° Spray	Flash Point	NSF Category Code	Container Size
FG Silicone	Silicone	Dry, Non-Hardening	Clear Colorless Liquid	Yes	<-17.8°C	H1	283 g Aerosol 12 kg Drum
FG Machine Oil	Mineral Oil	Thin, Oily, Non-Drying	Clear colorless Liquid	Yes	93.3°C	H1	311 g Aerosol
FG Water-Based Silicone	Mineral Oil	Thin, Oily, Non-Drying	Opaque White Emulsion	Yes	None	H1	368 g Aerosol
FG Penetrating Oil	Mineral Oil	Thin, Oily, Non-Drying	Clear Colorless Liquid	Yes	93.3°C	H1	311 g Aerosol
FG Chain Lube	Mineral Oil	Non-Drying	Clear Colorless Liquid	No	>188°C	H1	340 g Aerosol
FG Belt Dressing	Polyisobutene	Tacky, Non-Drying	Clear Colorless Liquid	No	<-18°C	H1	283 g Aerosol
FG Bio-Based Power Lube™	Vegetable Oil	Wet	Amber Liquid	Yes	271°C	H1	311 g Aerosol
SYNTHA-TECH™	Polyolefin/PTFE	Non-Drying	White Liquid	Yes	47°C	H1	311 g Aerosol
FG Dielectric Grease	Silicone	Non-Curing Silicone Paste	White	No	-15.6°C	H1	283 g Aerosol

 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

GREASES

FOOD GRADE
MULTI-PURPOSE GREASE

NSF H1 Registered. Aluminum complex, NLGI-2 grease. Appropriate for food processing and handling equipment. Will not pound out of bearings and bushings during shock loads.

Part#	Item#	Case/Order#	Size	Units/cs
73600	1006210	1006209	396 g Cartridge	10

FOOD GRADE BIO-BASED
POWER LUBE™ EXTREME
PRESSURE GREASE

A premium grade vegetable oil-based NLGI 2 grease treated with antioxidants, extreme pressure, anti-wear, and anti-corrosion additives and fortified with ceramic powder. This new and innovative product is readily biodegradable and registered as NSF H1 for use in food production and processing industries.

Part#	Item#	Case/Order#	Size	Units/cs
73620	1755766	1755766	396 g Cartridge	10

FOOD GRADE
SYNTHETIC GREASE

An NLGI #2 lubricating grease formulated with the highest quality synthetic NSF H1 authorized raw materials available. Because this grease has very high dropping point, it is particularly useful in high temperature applications.

Part#	Item#	Case/Order#	Size	Units/cs
1750422	1750422	1750421	396 g Cartridge	10



FOOD GRADE | GREASES

PRODUCT	Base Type	Base Oil Viscosity @ 40°C	Thickener	Drop Point	Worked Penetration	NLGI Grade	NSF Registration	Container Size
FG Multi-Purpose Grease	Mineral	100-140	Aluminum Complex	230°C	265 to 295	2	H1	396 g Cartridge
FG Synthetic Grease	PAO	60 to 65	Fumed Silica	343°C	265 to 295	2	H1	396 g Cartridge
FG Bio-Based Power Lube™ EP Grease	Vegetable Oil	35.8	Ceramic	None	265 to 295	2	H1	396 g Cartridge

Visit crcindustries.ca or call 800-556-5074 for more information.

FOOD GRADE LUBRICANTS

FOOD GRADE GREASES

CLEANERS

BRÄKLEEN®

Brake Parts Cleaner Non-Chlorinated

Powerful non-chlorinated formula meets new VOC regulations. CRC PowerJet™ Spray Nozzle on non-retail aerosols provides a powerful spray that blasts away contaminants like grease, oil, and dirt from brake part components. Fast-drying formula leaves no residue.

Part#	Item#	Case/Order#	Size	Units/cs
1754922 ¹	1754922	1754921	396 g Aerosol	12
1754932 ¹	1754932	1754931	396 g Aerosol (Retail)**	12
1755368	1755368	1755368	19 L Pail	1
74922	1755777	1755777	208 L Drum	1



ENGINE DEGREASER

Engine Degreaser quickly lifts grease and grime off engines for cooler more efficient running. Easy to use - just spray on and rinse off. Leaves no residue.

Part#	Item#	Case/Order#	Size	Units/cs
75025 ¹	1006295	1006294	425 g Aerosol	12



BRÄKLEEN®

Brake Parts Cleaner Non-Flammable

A non-flammable brake parts cleaner formulated to quickly and effectively remove grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, and pads.

Part#	Item#	Case/Order#	Size	Units/cs
75089	1006333	1006332	538 g Aerosol	12
75090	1006336	1006335	3.785 L Bottle	4
75091	1006337	1003337	19 L Pail	1
75093	1006338	1003338	208 L Drum	1



THROTTLE BODY KLEEN™ AIR INTAKE CLEANER

Cleans throttle body build-up. Safe for use on all fuel-injection system gasoline engines, whether throttle body, multi-port or GDI. Quick and easy to use delivering easier starts and smoother engine performance.

Part#	Item#	Case/Order#	Size	Units/cs
75078 ¹	1006323	1006322	340 g Aerosol	12



BRÄKLEEN® PRO SERIES

Brake Parts Cleaner Non-Flammable

Bräkleen® Pro-Series Brake Parts Cleaner uses the PowerJet® spray nozzle that sprays with force, blasting away contaminants from your brake system. The high-quality cleaning solution and stronger spray force combine to deliver a brake cleaning experience that customers prefer.

Part#	Item#	Case/Order#	Size	Units/cs
75089PS	1008014	1006334	822 g Aerosol	12



CLEAN-R-CARB®

Carburetor Cleaner

A carb and choke cleaner that is designed to maximize carburetor performance. Quickly dissolves carburetor deposits such as gum, sludge and varnish to improve fuel system performance and enhance fuel economy.

Part#	Item#	Case/Order#	Size	Units/cs
75081 ¹	1006327	1006326	453 g Aerosol	12



GASKET KLEEN™

Used for the removal of conventional and formed in place gaskets on motors, pumps and flanges.

Part#	Item#	Case/Order#	Size	Units/cs
75021 ¹	1006292	1006291	340 g Aerosol	12



 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

** - Retail product (1754932) does not have the PowerJet™ Spray Nozzle.

Visit crcindustries.ca or call 800-556-5074 for more information.

PARTS CLEANER & DEGREASER

Destroys the toughest oil, dirt, varnish, grease, and grime to clean automotive metal parts including carburetors, chokes, air intakes, throttle bodies, brake drums, rotors, calipers – up to 14X faster than competitive products*. Leaves no residue, dries fast and meets SAEJ2784 and ASTM D1353**. Using advanced cleaning technology, combined with PowerJet™ Spray Nozzle – See the New Speed of Clean™.

Part#	Item#	Case/Order#	Size	Units/cs
71863 ¹	1755528	1755527	396 g Aerosol	12

*Up to 14Xs faster than competitive average. **SAE J2784 Test Procedures FMVSS 105 and 135 (Modified).



PRO-STRENGTH DEGREASER

Low VOC Formula

Low VOC foaming water-based formula aggressive enough to break down and dissolve grease, grime, oil, rubber marks and other contaminants while remaining gentle enough to use on painted or plastic surfaces. Use on all types of hard surfaces, just spray on and wipe off - no rinsing necessary.

Part#	Item#	Case/Order#	Size	Units/cs
75481	1755538	1755537	425 g Aerosol	12



GDI IVD™

Intake Valve & Turbo Cleaner

Delivers concentrated advanced PEA detergency directly to the backs of intake valves. Dissolves baked-on carbon deposits, improves MPG, increases power and reduces rough idle. Effective for use on GDI and standard PFI engines.

Part#	Item#	Case/Order#	Size	Units/cs
75319 ¹ 	1008123	1006372	311 g Aerosol	6



GDI IVD™ PRO

Intake Valve & Turbo Cleaner

Delivers concentrated advanced PEA detergency directly to the backs of intake valves. Dissolves baked-on carbon deposits, improves MPG, increases power and reduces rough idle. Effective for use on GDI and standard PFI engines. Utilizes the PermaStraw® Dual-Action Spray System.

Part#	Item#	Case/Order#	Size	Units/cs
75320 ¹ 	1008136	1006374	311 g Aerosol	6



BATTERY CLEANER

With Acid Indicator

Instantly detects leaks and neutralizes acid. Removes corrosion by-products. Just spray on and rinse off.

Part#	Item#	Case/Order#	Size	Units/cs
75097	1006340	1006339	311 g Aerosol	12




SENSORKLEEN™

MAF Sensor Cleaner

The first product specifically developed to clean mass air flow sensors. Increases horsepower & improves air/fuel ratio and MPG. Plastic safe and it dries in seconds!

Part#	Item#	Case/Order#	Size	Units/cs
75110 ¹ 	1006347	1006346	311 g Aerosol	12



QD™ ELECTRONIC CLEANER

A petroleum distillate/alcohol-based precision cleaner. Ideal for applications where lower flashpoint materials can be tolerated. Cost effective, plastic safe and residue free.

Part#	Item#	Case/Order#	Size	Units/cs
75102 ¹ 	1006344	1006343	311 g Aerosol	12



 - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

CLEANERS

VEHICLE MAINTENANCE | CLEANERS

PRODUCT	Base Type	Appearance	360° Spray	Flash Point	Odor	Evaporation Rate	Container Size
Bräkleen® Non-Flammable	Chlorinated	Clear Colorless Liquid	N/A	None	Solvent	Very Fast	538 g Aerosol, 3.78 L Bottle, 19 L Pail, 208 L Drum
Bräkleen® Non-Chlor	Acetone	Clear Colorless Liquid	No	-17.8°C	Solvent	Fast/Moderate	396 g Aerosol, 19 L Pail, 208 L Drum
Bräkleen® Pro Series Non-Flammable	Chlorinated	Clear Liquid	No	None	Solvent	Very Fast	822 g Aerosol
Gasket Kleen™	Organic Solvents	Slightly hazy viscous liquid	No	-20.0°C	Solvent	Fast	340 g Aerosol
Engine Degreaser	Petroleum Solvent	Clear Colorless Liquid	No	85.0°C	Petroleum	Slow	425 g Aerosol
Throttle Body Kleen™	Acetone	Clear Colorless Liquid	Yes	<-17.8°C	Ketone	Fast	340 g Aerosol
Clean-R-Carb®	Organic Solvents	Clear Liquid	No	-17.8°C	Solvent	Fast	453 g Aerosol
Battery Cleaner	Water	Yellow Foam	No	None	Odorless	Slow	311 g Aerosol
SensorKleen™	Petroleum Distillate/Alcohol	Clear Colorless Liquid	Yes	<-17.8°C	Alcoholic	Very Fast	311 g Aerosol
Pro-Strength Degreaser	Water	Clear Light Yellow Liquid	No	None	Mild	Slow	425 g Aerosol
GDI IVD™	Petroleum Distillate	Amber Liquid	Yes	69.0°C	Petroleum	Moderate	311 g Aerosol
GDI IVD™ PRO	Petroleum Distillate	Amber Liquid	Yes	69.0°C	Petroleum	Moderate	311 g Aerosol
Parts Cleaner & Degreaser	Petroleum Distillate	Clear Colorless Liquid	Yes	<-17.8°C	Alcohol	Very Fast	396 g Aerosol
QD™ Electronic Cleaner	Organic Solvents/Alcohol	Colorless Liquid	No	-18 °C	Mild Solvent	Fast	311 g Aerosol

⬆ - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

LUBRICANTS

POWER LUBE™

Multi-Purpose Lubricant

This all-in-one multi-purpose lubricant quickly penetrates, lubricates, stops squeals, fights corrosion and loosens rusted parts.

Part#	Item#	Case/Order#	Size	Units/cs
75005 ¹	1006279	1006278	311 g Aerosol	12



DRY GRAPHITE LUBRICANT

Ideal where a dry lubricant is required or where petroleum products must be avoided. Resists dirt, dust and oil build-up. Wide effective temperature range.

Part#	Item#	Case/Order#	Size	Units/cs
75101 ¹	1006342	1006341	320 g Aerosol	12



HEAVY-DUTY SILICONE LUBRICANT

A multi-purpose silicone spray. Forms a colorless, odorless, non-staining film that lubricates and protects in most metal to non-metal applications. Dry film eliminates binding and sticking while protecting most surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
75074 ¹	1006320	1006319	212 g Aerosol	12



DISC BRAKE QUIET

Disc Brake Quiet forms a water resistant, high-temperature film that absorbs noise while quieting squeaks and squeals. Specially formulated to dampen the vibrations that cause brake noise. For use on the back of non-shimmed disc pads.

Part#	Item#	Case/Order#	Size	Units/cs
75016	1006286	1006285	118 mL Bottle	12



WHITE LITHIUM GREASE

Superior lubrication and durability in any weather or temperature. Perfect for use as a break-in lubricant for bearings or as a general-purpose lubricant and corrosion inhibitor for tools, machinery and equipment.

Part#	Item#	Case/Order#	Size	Units/cs
14200 ¹	1004871	1004870	283 g Aerosol	12



FREEZE-OFF®

Super Penetrant

A unique formula that immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing Freeze-Off® to reach deeper and work more effectively than other penetrants.

Part#	Item#	Case/Order#	Size	Units/cs
75222 ¹	1006366	1006365	326 g Aerosol	12



VEHICLE MAINTENANCE | LUBRICANTS

PRODUCT	Base Type	Appearance	360° Spray	Flash Point	Odor	Evaporation Rate	Container Size
White Lithium Grease	Lithium	Off-White Viscous Grease	No	<-18°C	Solvent	Fast	283 g Aerosol
Power Lube™	Petroleum Distillate	Light Amber Liquid	No	91.1°C	Mint	N/A	311 g Aerosol
Heavy-Duty Silicone	Silicone	Clear Colorless Liquid	No	<-18°C	Solvent	Fast	212 g Aerosol
Dry Graphite	Graphite	Dry Black Film	No	<-18°C	Ketone	Fast	320 g Aerosol
Freeze Off®	Petroleum Distillate	Clear Orange Liquid	Yes	52.2°C	Pine	Slow	326 g Aerosol
Disc Brake Quiet	Organic Solvents	Red Liquid	No	None	Hydrocarbon	Moderate	118 mL Bottle

① - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

FUEL ADDITIVES

GUARANTEED TO PASS®

Emissions Systems Cleaner

Powerful detergent additives super-clean the entire fuel system, reducing emissions and improving performance. Use every 3,000 miles to improve fuel economy, acceleration and reduce emissions. For use in gasoline engines.

Part#	Item#	Case/Order#	Size	Units/cs
75060	1006313	1006312	354 mL Bottle	6



GASOLINE 1-TANK POWER RENEW™

A concentrated one-tank cleanup that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry, it's the most powerful fuel system cleaner on the market. Excellent cleanup with proven results. Up to 5.7% MPG increase, 97% total power restoration, 99% injector flow improvement and cleaner emissions. Only needed 4x per year.

Part#	Item#	Case/Order#	Size	Units/cs
75815	1006401	1006400	443 mL Bottle	6



DIESEL FUEL ADDITIVES

DIESEL FUEL THERAPY™

Diesel Injector Cleaner w/Anti-Gel

Top-tier clean up with maximum treatment. Excellent winter protection. Adds lubricity to low sulfur fuels. Prevents fuel gelling, lowers pour point. Works for Biodiesel. Increase MPG. Cleans injectors. Prevents corrosion. Improves power. Reduces smoke, stabilizes fuel.

Part#	Item#	Case/Order#	Size	Units/cs
75212	1006360	1006359	887 mL Bottle	12



OIL ADDITIVES

POSI-TRAC™

Limited Slip Gear Oil Additive

Designed to quiet chattering differentials and improve gear oil performance. Quiets noisy gears and mixes with any gear oil.

Part#	Item#	Case/Order#	Size	Units/cs
742508	1006250	1006249	207 mL Tube	6



HEAD GASKET & BLOCK REPAIR

FIBERLOCK™

Head Gasket & Block Repair

Permanent ready-to-use head gasket and block repair compatible with all types of antifreeze. Repairs cooling system leaks with 3 unique technologies: military-strength fibers, nanotechnology and Cool-X™ Conditioner-the ultimate solution for all coolant leaks.

Part#	Item#	Case/Order#	Size	Units/cs
75224	1006368	1006367	946 mL Bottle	6



Visit crcindustries.ca or call 800-556-5074 for more information.

WINTER PRODUCTS

ICE-OFF™

Windshield Spray De-Icer

Melts ice, snow, and frost on contact. Harmless to car finish. Thaws frozen locks and is effective to sub-zero temperatures.

Part#	Item#	Case/Order#	Size	Units/cs
75346 ¹	1006379	1006378	340 g Aerosol	12



JUMP START®

Starting Fluid with Lubricity

Assures fast, economical starts in cold or humid conditions. Also contains an upper cylinder lubricant to minimize wear during cold starts.

Part#	Item#	Case/Order#	Size	Units/cs
75671 ¹	1006399	1006398	311 g Aerosol	12



UNDERCOATING

RUBBERIZED UNDERCOATING

A rubberized compound that provides a tough, flexible shield against moisture, salt and road debris. It dries quickly and is exceptionally resistant to abrasion.

Part#	Item#	Case/Order#	Size	Units/cs
75034 ¹	1006301	1006300	453 g Aerosol	12




CORROSION INHIBITORS

BATTERY TERMINAL PROTECTOR

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Part#	Item#	Case/Order#	Size	Units/cs
75046 ¹	1006303	1006302	212 g Aerosol	12



① - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

ANTI-SPATTER

WELD-KLEEN® HD ANTI-SPATTER

Quick drying formula allows for pre-heat, higher duty cycles and higher temperature applications. Excellent for fixture and tooling protection. Convenient aerosol package.

Part#	Item#	Case/Order#	Size	Units/cs
1008411	1008411	1008410	566 g Aerosol	6



WELD-KLEEN 350® ANTI-SPATTER

An effective water-based anti-spatter designed for use on most base metal applications. Ideal for protecting parts, clamps, tooling and fixtures. Non-hazardous, non-flammable and paintable.



Part#	Item#	Case/Order#	Size	Units/cs
007090	1008275	1008193	3.78 L Bottle	2
007091	1008183	1008183	18.7 kg Pail	1
007092	1008184	1008184	206 kg Drum	1

WELD-KLEEN 350® AP ANTI-SPATTER

All Position (AP) is the same water-based anti-spatter as found in Weld-Kleen 350®, but in a unique, pressurized bag-on-valve aerosol can. Contains no harmful solvents or CO2.

Part#	Item#	Case/Order#	Size	Units/cs
007088	1008257	1008159	389 g Aerosol	6



NOZZLE & SUBSTRATE PROTECTANTS

NOZZLE-KLEEN #2®

High quality formula for most applications. Paintable, non-flammable and contains no fluorocarbons.

Part#	Item#	Case/Order#	Size	Units/cs
1008413	1008413	1008412	453 g Aerosol	6



NOZZLE-KLEEN® HD

Used for high temperature applications, including pulsed welding and argon-rich mixtures. Outstanding fixture protection. Excellent for stainless steel. Paintable, non-flammable and contains no fluorocarbons.

Part#	Item#	Case/Order#	Size	Units/cs
1008415	1008415	1008414	425 g Aerosol	6



WIRE CLEANERS & LUBRICANTS

LUBE-MATIC KLEENER PADS

Red pads clean rust and dirt off wire surface reducing burn backs by up to 50%. Excellent for all types of welding wire including aluminum. 6 pads per pack.

Each black pad is pre-treated with Lube-Matic® liquid allowing for smooth feeding of wire with poor cast, poor helix, rust or long feed liners. 6 pads per pack. Not recommended for aluminum.



Part#	Item#	Case/Order#	Color	Units/cs
007061	1008260	1008162	Red	6
007060	1008258	1008160	Black	6

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

CLEANERS

ON & OFF

Hull & Bottom Cleaner

Removes waterline stains, algae stains, rust and gas exhaust stains. It works instantly and is easy to use, just brush it on, then rinse it off. For use on fiberglass only.

Part#	Item#	Case/Order#	Size	Units/cs
76203	1006429	1006428	946 mL L Bottle	12
76204	1006431	1006430	3.785 L Bottle	4



LUBRICANTS

6-56™

Multi-Purpose Lubricant & Corrosion Inhibitor

Plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values and helps stop current leakage.

Part#	Item#	Case/Order#	Size	Units/cs
76007 ¹	1006412	1006411	311 g Aerosol	12



GREASES

BOAT TRAILER AND 4X4 WHEEL BEARING GREASE

A blue tacky, calcium sulfonate complex grease using a highly refined base oil. It has been formulated with a polymer to provide adhesive, non-blend and water wash-out characteristics. Will resist water under the most severe water conditions.

Part#	Item#	Case/Order#	Size	Units/cs
73312	1006200	1006199	396 g Cartridge	10



CORROSION INHIBITORS

HEAVY-DUTY CORROSION INHIBITOR

A long term, flexible corrosion inhibitor that protects and preserves metal surfaces, electrical connections, engine components and fasteners subjected to salt spray and high humidity. Also provides effective protection for steering and throttle linkages.

Part#	Item#	Case/Order#	Size	Units/cs
76026 ¹	1006415	1006414	283 g Aerosol	12



1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

THE CRC SMARTWASHER® A SMARTER & SAFER SOLUTION

The CRC SmartWasher® is a manual parts washer that replaces traditional solvent or aqueous alternatives. Its non-hazardous, non-flammable, water-based degreasing solution offers superior cleaning performance that's just as powerful as solvent-based solutions, and it's safer for the user.

The CRC SmartWasher® meets the parts cleaning needs of modern businesses, while eliminating the hassle and cost of solvent waste disposal. The natural process of bioremediation breaks down and converts oil, grease and carbon-based contaminants into harmless by-products of CO₂ and water.

The bioremediation process reduces liquid hazardous waste streams and the release of harmful pollutants into the environment.



AN EASY & EFFECTIVE 3-STEP SOLUTION

1



The SmartWasher®

A high-quality, durable Parts Washer that heats the OzzyJuice™ fluid and allows for the magic of bioremediation to take place. Designed specifically for heavy-duty applications, with the flexibility to suit almost any working environment.

2



The OzzyJuice™

A water-based, industrial strength, pH neutral, non-corrosive and non-flammable cleaning fluid for use in the CRC SmartWasher® system. The advanced OzzyJuice™ formula cleans as well, if not better, than traditional solvent technologies. All OzzyJuice™ solutions are NSF A1 Registered.

3



The OzzyMat®

A revolutionary, Multi-Layer Filter Mat that not only traps particulates, but most importantly contains the advanced Microbes that will fall into the OzzyJuice™ solution as it passes through. The microbes then get to work breaking down and cleaning the fluid so it can be re-used over and over again.

CERTIFICATION & APPROVALS

The SmartWasher® system is a safer and highly-effective alternative to manual solvent and aqueous-based parts washers. It makes operations better and safer for the user and the environment. All OzzyJuice™ solutions used in the SmartWasher® are non-corrosive, pH-neutral, non-flammable and non-hazardous. When used in accordance with directions, the SmartWasher® system does not generate hazardous waste or potential for cradle-to-grave legal liability.

Meets US EPA Safer Product Standards

OzzyJuice™ SW-4 and OzzyBooster® Microbial Enhancer have been awarded the SAFER CHOICE label and seal of approval by the EPA.

NSF Registered Products

All OzzyJuice™ formulas are registered A1 for use in food manufacturing facilities.



Visit crcindustries.ca or call 800-556-5074 for more information.



SW-23

SW-23 MOBILE PARTS/ BRAZE WASHER

SW-23 – fits every application with its unique design and features, large sink size, and mobility. It includes an extra long angled brush/hose for those hard to reach places and a customized dolly with a footstep for easy movement.

Part#	Case/Order#	Unit Size	Units/cs
14161	1004858	41.5"H x 42.5"W x 27"D	1

SW-28 SUPERSINK PARTS WASHER

SW-28 – loaded with features and includes an extra large work surface for all jobs. A second workstation can easily be added allowing two people to work at the same time.

Part#	Case/Order#	Unit Size	Units/cs
14144	1004851	43"H x 47"W x 38"D	1

SW-37 MOBILE HEAVYWEIGHT PARTS WASHER

SW-37 – features a 1000 lbs. load capacity. It's tough enough for the big jobs and can easily be moved through the shop area on its mobile dolly or can stay in place with locking casters. It has a large, oversized sink to accommodate multi-sized parts.

Part#	Case/Order#	Unit Size	Units/cs
14162	1004859	45"H x 48"W x 35"D	1

SMARTWASHER® BENCHTOPPRO™ Bioremediating Parts Washer

The BenchtopPRO™ is a bench-top parts washer for the small shop or home garage when a standard SmartWasher® unit is too large. Featuring bioremediation technology and a solvent-free professional grade cleaning solution, the BenchtopPRO™ cleans greasy, dirty, oily parts without the need for waste disposal. Non-hazardous and non-flammable, this revolutionary parts washer offers a safer alternative to hazardous solvents without compromising cleaning performance.

CLEAN. CLOSE. STORE.™

Part#	Case/Order#	Unit Size	Units/cs
6370-BTPKT	1000872	28.69"H x 17.81"W x 13.19"D	1



SW-28



SW-37



BENCHTOPPRO™

BENCHTOPPRO™ BT5 READY TO USE DEGREASING SOLUTION

Degreasing solution to top off the BenchtopPRO™.

Part#	Case/Order#	Unit Size	Units/cs
3130-GALBT-5	1750987	1 gal Bottle	6

BENCHTOPPRO™ MICROPRO PACK®

Packets of the naturally occurring microbes to eat the grease, carbon, and grime in the BenchtopPRO™.

Part#	Case/Order#	Unit Size	Units/cs
3375-MPROP-4	1751154	1.5 oz Packet	6x4-packs

SINK COVERS

Heavy-duty woven fabric withstands industrial and shop environments to keep dust and dirt out of the SmartWasher® sink.

Part#	Case/Order#	Description	Units/cs
14889	1005152	Cover for SmartWasher® SW-23 Mobile Parts Washer Fits 14161	1
14891	1005154	Cover for SmartWasher® SW-28 SuperSink Parts Washer Fits 14144	1
14893	1005156	Cover for SmartWasher® SW-37 Mobile Heavyweight Parts Washer Fits 14162	1

CRC SmartWasher®

Visit crcindustries.ca or call 800-556-5074 for more information.

OZZYJUICE™ DEGREASING/ CLEANING SOLUTION

OzzyJuice™ is a powerful, aqueous-based degreasing/cleaning solution that is pH-neutral, non-irritating, non-flammable and non-hazardous. Armed with superior cleaning capability, OzzyJuice™ solutions will match or surpass the performance of premium solvents without the associated risks. All OzzyJuice™ solutions are NSF A1 Registered.

Part#	Case/Order#	Description	Size	Units/cs
14720	1005005	SW-3 Truck Grade Degreasing Solution	5 gal Pail	1
14726	1005011	SW-3 Truck Grade Degreasing Solution	55 gal Drum	1
14148	1004853	SW-4 Heavy-Duty Degreasing Solution	5 gal Pail	1
14728	1005013	SW-4 Heavy-Duty Degreasing Solution	55 gal Drum	1
14721	1005006	SW-7 Parts/Brake Cleaning Solution	5 gal Pail	1
14723	1005008	SW-7 Parts/Brake Cleaning Solution	55 gal Drum	1
14722	1005007	SW-8 Aircraft, Weapons & Select Metals Degreasing Solution	5 gal Pail	1
14724	1005009	SW-8 Aircraft, Weapons & Select Metals Degreasing Solution	55 gal Drum	1
3210-BXCRC-X1	1751304	SW-X1 High Performance Degreasing Solution	5 gal Pail	1
3250-DRMSW-X1	1751309	SW-X1 High Performance Degreasing Solution	55 gal Drum	1

FL-4 OZZYMAT® MULTI-LAYER FLUID ACTIVATION MAT

Designed for applications with normal to heavy usage, the FL-4 Multi-Layer OzzyMat® has (4) white layers and (1) blue layer. The white layers on the mat trap any particulate larger than 50 microns and should be peeled away once per week for optimum performance. The blue layer is the support structure that contains the microbes (Ozzy®) and delivers them into the system. These microbes (Ozzy®) migrate from the OzzyMat® into the OzzyJuice™, located in the SmartWasher® tank, and break down oil and grease.

Part#	Item#	Case/Order#	Description	Units/cs
14124	1004844	1004843	FL-4 OzzyMat® Multi-Layer Fluid Activation Mat	6

OZZYBOOSTER® Microbial Enhancer


OzzyBooster® is a microbial enhancer that can be used to enhance or "boost" microbial activity in the SmartWasher® system. It increases the density of Ozzy® (microbes) within the OzzyJuice™. When a machine is overused, there may be a need for extra microbes to help ease the load.

Part#	Item#	Case/Order#	Size	Units/cs
14131	1007982	1004849	250 mL Bottle	6



SMARTWASHER® START-UP KITS

Each SmartWasher® can be ordered as a complete start-up kit. Each kit contains the solution and the filter necessary to get you up and running quickly. Select the SmartWasher® model and solution type based on your cleaning needs. Please visit our website, crcindustries.ca, and search "kit" for options.



Visit crcindustries.ca or call 800-556-5074 for more information.

GLASS CLEANER

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
14100	1004837	1004836	510 g Aerosol	12



LEAK DETECTOR

Formulated for the quick and easy site detection of gas leaks and air leaks. The water-based formula contains no oils, silicones or harmful solvents.

Part#	Item#	Case/Order#	Size	Units/cs
74503	1006277	1006276	510 g Aerosol	12



FOAM

Minimal Expansion

Fill, seal, bond, retrofit, insulate and deaden sound in and around cracks and cavities. Forms a permanent, waterproof and airtight bond to most surfaces. UL classified as a caulking sealant.

Part#	Item#	Case/Order#	Size	Units/cs
74077 ¹	1006223	1006222	340 g Aerosol	12

COMPRESSOR OIL
SAE 30

Helps promote longer life in all types of reciprocating and rotary compressors. Solvent refined and clay filtered for long lasting, anti-foul operation. Cleans valve seat deposits and extends life.

Part#	Item#	Case/Order#	Size	Units/cs
75133	1006351	1006350	3.785 L Bottle	4



BUG BLAST

Wasp & Hornet Killer

Fast acting, high strength insecticide. Ergonomic trigger that provides control, even with gloved hands, and is accurate up to 4.57m away. Plastic safe – will not damage plastic connectors and other insulating materials.

Part#	Item#	Case/Order#	Size	Units/cs
72010 ¹	1006112	1006111	396 g Aerosol Trigger	12



FLUID OIL PUMP

Constructed of durable PVC plastic. For all fluid reservoirs including differentials, transmissions and gear cases. Dispenses 1 fl oz of product with each depression. Designed to fit all STA-LUBE quart, half-gallon and gallon containers.

Part#	Item#	Case/Order#	Units/cs
SL4344	1007963	1007962	6



SMOKE TEST®

Smoke Detector Tester

Convenient, easy and safe product to test the functional ability of a smoke detector. It also checks for obstructions or debris which clog detector vents and prevent smoke from properly entering the sensing chamber.

Part#	Item#	Case/Order#	Size	Units/cs
72105 ¹	1006126	1006125	70 g Aerosol	12

CUTTING OIL
Thread Lubricant

Thread cutting lubricant for use on all types of metals, including brass, copper and aluminum.

Part#	Item#	Case/Order#	Size	Units/cs
73500 ¹	1006208	1006207	340 g Aerosol	12



① - 360° spray valve can be sprayed in the UP or DOWN position.

1 - This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Visit crcindustries.ca or call 800-556-5074 for more information.

BIODEGRADABLE

A substance that is capable of being broken down into harmless products by the action of living things. The rate at which compounds may be chemically broken down by bacteria and/or natural environmental factors.

DIELECTRIC STRENGTH

The minimum electrical gradient that a material can withstand without decomposition, usually specified in volts per millimeter of thickness. Also known as the breakdown voltage.

ELONGATION PERCENT

Directly related to Tensile Strength. Elongation is the deformation that results from the application of a tensile force and is calculated as the change in length divided by the original length.

EMULSION

A mixture of water-soluble and water-insoluble groups held together by a surfactant. Emulsions are usually milky white.

FALEX TEST

A method for determining the extreme pressure (EP) or anti-wear properties of oils and greases. Vee blocks (with large "V-shaped notch) are placed on opposite sides of rotating steel shaft, and the apparatus is immersed in the test lubricant. Load is automatically increased until seizure occurs. Measurable wear scars are formed on the blocks.

FERROUS

Metals related to or containing iron.

FLASH POINT

The lowest temperature of a liquid or solid at which it gives off vapors that will ignite but not continue to burn when a small flame is periodically passed over the surface.

GALLING

Destructive wear of a metal surface characterized by large chunks of metal being removed.

KB VALUE

The Kauri Butanol (KB) value is a measure of the solvent power of a hydrocarbon liquid. Kauri gum is readily soluble in butanol but insoluble in hydrocarbons. The KB value is the measure of the volume of solvent required to produce turbidity in a standard solution containing kauri gum dissolved in butanol. The higher the KB value, the more powerful the solvent.

NLGI GRADE

National Lubricating Grease Institute. A numerical scale for classifying the consistency of a particular grease. The most common consistency number is #2. Softer grades, especially #0 and #1, are often used for improved pumpability or low-temperature service. High consistency numbers, #3 through #6 are used for certain high-speed bearings where leakage and sealing are particular concerns.

NSF RATING

National Sanitation Foundation Registration Program for Proprietary Substances and Nonfood Compounds. This program mirrors the prior USDA program. Product evaluation is based on formulation and label review. Approved products receive a Letter of Authorization and are included on the NSF White Book List of Proprietary Substances and Nonfood Compounds.

NON-FERROUS

Metals that contain no iron.

ODCs

Ozone Depleting Compounds. Substances that contribute to the deterioration of the ozone. There are two types of ODCs: Class I and Class II ozone depleters. Class I ODCs are the most harmful to the ozone. Currently listed as Class I ODCs are chlorofluorocarbons (CFCs), carbon tetrachloride, and 1,1,1-Trichloroethane. Class II ODCs are less harmful but still pose a threat. Currently listed as Class II ODCs are HCFCs.

PH

A scale ranging from 0 to 14 used to measure acidity and alkalinity. The lower the number the more acidic; the higher the number, the more alkaline; 7 is neutral.

SAE

Society of Automotive Engineers.

SUBSTRATE

The surface being cleaned; the substrate may be metal, plastic, ceramic, etc.

SURFACTANT

A specialized molecule that connects water soluble and water-insoluble groups.

TENSILE STRENGTH

The strength of different metals to support different loads (masses) before going through the point at which they change from being elastic to being plastic. The tensile strength test measures the elastic and plastic properties of metal.

TIMKEN OK LOAD

The highest load that can be applied without abrasive wear to a rotating test cup containing a grease sample. The higher the OK number, the better protection a grease provides under severe service. The highest number typically given to any sample is 80.

VISCOSITY

The resistance to flow or degree of thickening fluid. Flow requires stress; liquids such as additive-free lubricating oils are known as Newtonian fluids in that shear rate is proportional to the pressure or stress applied. This proportion is the coefficient of viscosity.

VOCS

Volatile Organic Compounds. A class of chemicals that contain carbon and have the potential to form ground-level ozone (smog). Many common items including gasoline, oil-based paints and alcohols produce VOCs.

VISIT THE CRC STOPLIGHT®
WEB PAGE TO LEARN MORE ABOUT
OUR FOOD SAFETY PROGRAM & NSF!



Need a QR code reader? Visit your app store today!



VISIT CRC ON THE WEB
TO ACCESS CURRENT
VOC INFORMATION!

Need a QR code reader?
Visit your app store today!



Visit crcindustries.ca or call 800-556-5074 for more information.

CATEGORY CODE 3H

This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing.

CATEGORY CODE A1

This product is acceptable for use as a general cleaning agent on all surfaces, or for use with steam or mechanical cleaning devices in all departments. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. After using this compound, surfaces must be thoroughly rinsed with potable water. Permission for the use of this compound on loading docks and other similar areas is left to the discretion of the Inspector-In-Charge of the establishment.

CATEGORY CODE C1

This product is acceptable for use as a general cleaner/degreaser in inedible product processing areas, and/or exterior areas of official establishments operating under the Federal Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs provided that it is not used to mask odors resulting from unsanitary conditions, and that any characteristic odor or fragrance does not penetrate into an edible area. Permission for the use of this compound on loading docks and other similar areas is left to the discretion of the Inspector-In-Charge of the establishment.

CATEGORY CODE C3

The product is acceptable for use in official establishments operating under the Federal Meats and Poultry Products Inspection Program. This compound may be acceptable in areas of food processing facilities where edible products are neither processed nor stored in open containers. This category also covers paint removers and snow and ice melting products intended for use in non-processing areas.

CATEGORY CODE D2

This product is acceptable for use in and around food processing areas as a sanitizer on all surfaces not always requiring a rinse. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following the use of this compound on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have a deleterious effect on edible products. A potable water rinse is required following use of this compound under conditions other than stated above. The compound must always be used according to applicable label directions.

CATEGORY CODE E4

The product is acceptable for use as a hand cream, lotion or cleaner in non-processing areas. The use of such products is limited to toilets, dressing rooms and other non-processing areas. Employees who handle edible products may use such compounds only when leaving the plant.

CATEGORY CODE H1

This product is acceptable as a lubricant with incidental food contact for use in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is potential exposure of lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred to food being processed. The final granting of authorization for the proposed use of such compound is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE H2

This product is acceptable as a lubricant where there is no possibility of food contact in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Such compounds may be used as lubricants, release agents, or anti-rust films on equipment and machine parts or in closed systems (ex. Hydraulic systems) in locations where there is no possibility of the lubricant or lubricated part contacting edible products. The final granting of authorization for the proposed use of such compound is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K1

This product is chemically acceptable as a solvent cleaner for use in non-processing areas of official establishments operating under the Federal Meat and Poultry Products Inspection Program. After using the product, equipment and utensils must be thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of the cleaner before being returned to the processing area. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K2

This product is chemically acceptable as a solvent for cleaning electronic instruments and devices which will not tolerate aqueous cleaning solutions in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging material are re-exposed in the area. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K3

This product is acceptable for use as an adhesive or glue remover, for removing adhesive or glue from food packaging materials in and around food processing areas, where its use is not intended for direct food contact. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. After using these compounds, all surfaces must be thoroughly washed with an acceptable detergent solution, and rinsed with potable water. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging materials are re-exposed in the area.

CATEGORY CODE P1

This product is chemically acceptable for use in official establishments operating under the Federal Meat and Poultry Products Inspection Program. This compound must be used in a manner which prevents direct or indirect contamination of edible products or potable water. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE M1

This product is acceptable for use as a mold release agent on molds that are used to produce packaging materials that will contact food to prevent the finished product from adhering to the mold. The amount used on the equipment should be the minimum required to accomplish the effect.

CATEGORY CODE R2

This product is acceptable for use as a coating where there is no possibility of food contact such as floors, walls, and ceilings. The coating must be applied in a manner which prevents direct or indirect contamination of edible products. Before the food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination. As a safety precaution, smooth coatings should not be applied to walking or standing surfaces in processing area.



NSF logo is a registered trademark of NSF international.

Visit crcindustries.ca or call 800-556-5074 for more information.

O – 9

- 1-Tank Power Renew™
Gasoline 26
- 3-36® Multi-Purpose
Precision Lubricant 10
- 6-56™ Multi Purpose Lubricant . . 29

B

- Battery Cleaner with
Acid Indicator 23
- Battery Terminal Protector 27
- Boat Trailer and 4x4 Wheel
Bearing Grease 29
- Brake & Caliper Synthetic Grease. 11
- Bräkleen® Brake Parts Cleaner
Non-Chlorinated 22
- Bräkleen® Brake Parts Cleaner
Non-Flammable. 22
- Bräkleen® Brake Parts Cleaner
Pro Series Non-Flammable. . . . 22
- Brite Zinc® Silver Finish. 12
- Bug Blast 33

C

- Chlor-Free™ Degreaser 4
- Chute Lube™ Silicone Lubricant . . 7
- Clean-R-Carb®
Carburetor Cleaner 22
- CO® Contact Cleaner 14
- Compressor Oil. 33
- Contact Cleaner 2000™
Precision Cleaner. 14
- Copper Anti-Seize &
Lubricating Compound. 7
- Cutting Oil Thread Lubricant . . . 33

D

- Diesel Fuel Therapy™ Injector Cleaner
w/AG 26
- Disc Brake Quiet. 25
- Driller Red Grease Lithium
Complex Grease 11
- Dry Graphite Lubricant 25
- Dry PTFE Lube 10
- Duster Aerosol Dust Cleaning
System 15

E

- Engine Degreaser 22
- Evapo-Rust® Heavy-Duty
Rust Remover 13
- Extreme Duty Open Gear &
Chain Lube 7
- Extreme Duty Silicone 8

F

- Fiberlock® Head Gasket &
Block Repair 26
- Fluid Oil Pump 33
- Foaming Coil Cleaner 4
- Food Grade Belt Dressing 19
- Food Grade Bio-Based
Power Lube™ 20
- Food Grade Bio-Based
Power Lube™ EP Grease. 21
- Food Grade Chain Lube 19
- Food Grade Dielectric Grease. . . 20
- Food Grade Machine Oil 19
- Food Grade Multi-Purpose
Grease 21
- Food Grade Penetrating Oil 19
- Food Grade Silicone Lubricant . . 19
- Food Grade Synthetic Grease. . . 21
- Food Grade Water-Based
Silicone. 19
- Freeze Spray 15
- Freeze-Off® Super Penetrant. . . 25

G

- Gasket Kleen™ 22
- GDI IVD™ Intake Valve &
Turbo Cleaner. 23
- GDI IVD™ Intake Valve &
Turbo Cleaner PRO. 23
- Glass Cleaner (Industrial) 6
- Glass Cleaner (Specialty) 33
- Guaranteed To Pass® Emissions
System Cleaner 26

H

- Heavy-Duty Corrosion Inhibitor. . . 29
- Heavy-Duty Degreaser. 4
- Heavy-Duty Degreaser II 5
- Heavy-Duty Silicone Lubricant . . 25
- HF Contact Cleaner. 14
- HydroForce® Zero VOC
General Purpose Cleaner 6

I

- Ice-Off™ Windshield
Spray De-Icer 27

J

- Jump Start® Starting Fluid with
Lubricity 27

K

- Knock'er Loose™
Penetrating Solvent 9

L

- Leak Detector 33
- Lectra Clean® HD Electrical
Parts Degreaser. 16
- Lectra Clean® II Non-Chlorinated
HD Degreaser 16
- Lectra-Motive™ Electric
Parts Cleaner 16
- Lithium General Purpose Grease . 11
- Lube-Matic® Black Pre-Treated
Lube Pad 28
- Lube-Matic®
Red Cleaning Pad 28

M

- Minimal Expansion Foam. 33
- Moly-Graph™ EP Multi-Purpose
Lithium Grease 11

N

- Nickel Anti-Seize &
Lubricating Compound. 7
- Non-Chlor Industrial Degreaser
MPA 4
- Nozzle-Kleen #2® Anti-Spatter. . . 28
- Nozzle-Kleen® HD Anti-Spatter . . 28

O

Oilfield Dry Moly Lube 8
On & Off Hull & Bottom Cleaner . . 29

P

Parts Cleaner & Degreaser 23
Penetrating Oil 9
Posi Trac™ Limited Slip Gear
Oil Additive 26
Power Lube™ High Performance
Lubricant w/PTFE 10
Power Lube™ Multi-Purpose
Lubricant 25
Pro-Strength Degreaser,
Low VOC Formula 23

Q

QD™ Contact Cleaner 14
QD™ Electronic Cleaner 23

R

Red Grease 7
Rubberized Spray Undercoating . . 27

S

Screwloose™ Industrial
Penetrating Oil. 9
SensorKleen™ MAF
Sensor Cleaner 23
SmartWasher® BenchTopPRO™ . . 31
SmartWasher® BenchtopPRO™ BT5
Ready to Use Solution 31
SmartWasher® BenchtopPRO™
MicroPRO Pack® 31
SmartWasher® FL-4 OzzyMat®
Multi-Layer Fluid Active Mat . . . 32
SmartWasher® OzzyBooster®
Microbial Enhancer 32
SmartWasher® OzzyJuice™ SW-3 Truck
Grade Degreasing Solution 32
SmartWasher® OzzyJuice™ SW-4 HD
Degreasing Solution. 32
SmartWasher® OzzyJuice™ SW-7
Parts/Brake Clean Solution. . . . 32
SmartWasher® OzzyJuice™ SW-8
Degreasing Solution. 32
SmartWasher® OzzyJuice™ SW-X1
HP Degreasing Solution 32
SmartWasher® SW-23 110v Mobile
Parts & Brake Washer 31

SmartWasher® SW-23
Sink Cover 31
SmartWasher® SW-28 110v
SuperSink Parts Washer. 31
SmartWasher® SW-28
Sink Cover 31
SmartWasher® SW-323 Mobile
Parts Washer Kit 32
SmartWasher® SW-328 SuperSink
Parts Washer Kit 32
SmartWasher® SW-337 Mobile
Heavyweight Part Washer Kit . . . 32
SmartWasher® SW-37 110v Mobile
Heavyweight Washer 31
SmartWasher® SW-37
Sink Cover 31
SmartWasher® SW-423 Mobile
Parts Washer Kit 32
SmartWasher® SW-428 SuperSink
Parts Washer Kit 32
SmartWasher® SW-437 Mobile
Heavyweight Part Washer Kit . . . 32
SmartWasher® SW-723 Mobile
Parts Washer Kit 32
SmartWasher® SW-728 SuperSink
Parts Washer Kit 32
SmartWasher® SW-737 Mobile
Heavyweight Part Washer Kit . . . 32
SmartWasher® SW-823 Mobile
Parts Washer Kit 32
SmartWasher® SW-828 SuperSink
Parts Washer Kit 32
SmartWasher® SW-837 Mobile
Heavyweight Part Washer Kit . . . 32
SmartWasher® SW-X123 Mobile
Parts Washer Kit 32
SmartWasher® SW-X128 SuperSink
Parts Washer Kit 32
SmartWasher® SW-X137 Mobile
Parts Washer Kit 32
Smoke Test® Smoke Detector
Tester 33
SP-350™ Corrosion Inhibitor . . . 27
SP-400™ Corrosion Inhibitor . . . 12
Sta-Plex™ EP Premium
Red Grease 11
Super Citrus™ Degreaser 4
Syntha-Tech™ Lubricant
w/PTFE 20

T

T-Force™ Degreaser 5
Throttle Body Kleen™
Air Intake Cleaner 22

U

Ultra Lite 3-36® Multi-Purpose
Ultra-Thin Lubricant. 10

W

Weld-Kleen 350®
Anti-Spatter. 28
Weld-Kleen 350®
AP Anti-Spatter 28
Weld-Kleen® HD
Anti-Spatter. 28
White Lithium Grease
(Automotive) 25
White Lithium Grease
(Industrial) 7

X

XT-2000™ Precision Cleaner . . . 14

Z

Zinc Mate™. 12

007060 Lube-Matic® Black Pre-Treated Lube Pad 28	14756 SmartWasher® SW-328 SuperSink Parts Washer Kit 32	73058 Extreme Duty Open Gear & Chain Lube 7
007061 Lube-Matic® Red Cleaning Pad 28	14757 SmartWasher® SW-428 SuperSink Parts Washer Kit 32	73060 Penetrating Oil 9
007088 Weld-Kleen 350® AP Anti-Spatter 28	14759 SmartWasher® SW-728 SuperSink Parts Washer Kit 32	73065 Food Grade Belt Dressing . . 19
007090 Weld-Kleen 350® Anti-Spatter 28	14760 SmartWasher® SW-828 SuperSink Parts Washer Kit 32	73081 Food Grade Machine Oil . . 19
007091 Weld-Kleen 350® Anti-Spatter 28	14768 SmartWasher® SW-337 Mobile Heavyweight Part Washer Kit . . . 32	73082 Food Grade Dielectric Grease 20
007092 Weld-Kleen 350® Anti-Spatter 28	14770 SmartWasher® SW-837 Mobile Heavyweight Part Washer Kit . . . 32	73086 Food Grade Penetrating Oil 19
14100 Glass Cleaner (Specialty) . . 33	14889 SmartWasher® SW-23 Sink Cover 31	73090 Food Grade Bio-Based Power Lube 20
14124 SmartWasher® FL-4 OzzyMat® Multi-Layer Fluid Active Mat . . . 32	14891 SmartWasher® SW-28 Sink Cover 31	73095 Heavy-Duty Degreaser . . . 4
14131 SmartWasher® OzzyBooster® Microbial Enhancer 32	14893 SmartWasher® SW-37 Sink Cover 31	73100 Glass Cleaner (Industrial) . . 6
14144 SmartWasher® SW-28 110v SuperSink Parts Washer 31	71863 Parts Cleaner & Degreaser . . 23	73115 T-Force™ Degreaser 5
14148 SmartWasher® OzzyJuice™ SW-4 HD Degreasing Solution . . 32	72010 Bug Blast 33	73120 Heavy-Duty Degreaser II . . . 5
14161 SmartWasher® SW-23 110v Mobile Parts & Brake Washer . . . 31	72016 CO® Contact Cleaner . . . 14	73170 Super Citrus™ Degreaser 4
14162 SmartWasher® SW-37 110v Mobile Heavyweight Washer 31	72018 Lectra Clean® HD Electrical Parts Degreaser 16	73185 Chlor-Free™ Degreaser . . . 4
14200 White Lithium Grease (Automotive) 25	72095 Copper Anti-Seize & Lubricating Compound 7	73190 Sta-Plex™ EP Premium Red Grease 11
14720 SmartWasher® OzzyJuice™ SW-3 Truck Grade Degreasing Solution 32	72105 Smoke Test® Smoke Detector Tester 33	73200 White Lithium Grease (Industrial) 7
14721 SmartWasher® OzzyJuice™ SW-7 Parts/Brake Clean Solution 32	72120 Lectra Clean® II Non-Chlorinated HD Degreaser 16	73205 Chute Lube™ Silicone Lubricant 7
14722 SmartWasher® OzzyJuice™ SW-8 Degreasing Solution 32	72130 QD™ Contact Cleaner . . . 14	73262 SP-350™ Corrosion Inhibitor 27
14723 SmartWasher® OzzyJuice™ SW-7 Parts/Brake Clean Solution 32	72140 Contact Cleaner 2000™ Precision Cleaner 14	73282 SP-400™ Corrosion Inhibitor 12
14724 SmartWasher® OzzyJuice™ SW-8 Degreasing Solution 32	72155 XT-2000™ Precision Cleaner 14	73310 Lithium General Purpose Grease 11
14726 SmartWasher® OzzyJuice™ SW-3 Truck Grade Degreasing Solution 32	72911 Nickel Anti-Seize & Lubricating Compound 7	73312 Boat Trailer and 4x4 Wheel Bearing Grease 29
14728 SmartWasher® OzzyJuice™ SW-4 HD Degreasing Solution 32	73005 3-36® Multi-Purpose Precision Lubricant 10	73330 Moly-Graph™ EP Multi-Purpose Lithium Grease 11
14740 SmartWasher® SW-423 Mobile Parts Washer Kit 32	73020 Knock'er Loose™ Penetrating Solvent 9	73500 Cutting Oil Thread Lubricant 33
14741 SmartWasher® SW-437 Mobile Heavyweight Part Washer Kit . . . 32	73030 Extreme Duty Silicone 8	73600 Food Grade Multi-Purpose Grease 21
14742 SmartWasher® SW-737 Mobile Heavyweight Part Washer Kit . . . 32	73035 Food Grade Water-Based Silicone 19	73620 Food Grade Bio-Based Power Lube™ EP Grease 21
14743 SmartWasher® SW-723 Mobile Parts Washer Kit 32	73040 Food Grade Silicone Lubricant 19	73640 Driller Red Grease Lithium Complex Grease 11
14744 SmartWasher® SW-323 Mobile Parts Washer Kit 32	73041 Food Grade Silicone Lubricant 19	74077 Minimal Expansion Foam . . 33
14748 SmartWasher® SW-823 Mobile Parts Washer Kit 32	73044 Dry PTFE Lube 10	74085 Duster Aerosol Dust Cleaning System 15
	73045 Power Lube™ High Performance Lubricant w/PTFE 10	74086 Freeze Spray 15
	73054 Zinc Mate™ 12	74446 HydroForce® Zero VOC General Purpose Cleaner 6
	73056 Food Grade Chain Lube . . 19	74503 Leak Detector 33
		74922 Brakleen® Brake Parts Cleaner Non-Chlorinated Low-VOC 22

Visit crcindustries.ca or call 800-556-5074 for more information.

75005 Power Lube™ Multi-Purpose Lubricant 25	75815 1-Tank Power Renew™ Gasoline 26	3375-MPROP-4 SmartWasher® BenchtopPRO™ MicroPRO Pack® 31
75016 Disc Brake Quiet 25	76007 6-56™ Multi Purpose Lubricant 29	6370-BTPKT SmartWasher® BenchTopPRO™ 31
75017 Disc Brake Quiet 25	76026 Heavy-Duty Corrosion Inhibitor 29	75319X6 GDI IVD™ Intake Valve & Turbo Cleaner 23
75018 Lectra-Motive™ Electric Parts Cleaner 16	76203 On & Off Hull & Bottom Cleaner 29	75320X6 GDI IVD™ Intake Valve & Turbo Cleaner PRO 23
75021 Gasket Kleen™ 22	76204 On & Off Hull & Bottom Cleaner 29	ER014 Evapo-Rust® Heavy-Duty Rust Remover 13
75025 Engine Degreaser 22	742508 Posi Trac™ Limited Slip Gear Oil Additive 26	ER015 Evapo-Rust® Heavy-Duty Rust Remover 13
75034 Rubberized Spray Undercoating 27	1008406 Brite Zinc® Silver Finish 12	ER019 Evapo-Rust® Heavy-Duty Rust Remover 13
75046 Battery Terminal Protector 27	1008407 Brite Zinc® Silver Finish 12	ER069 Evapo-Rust® Heavy-Duty Rust Remover 13
75060 Guaranteed To Pass® Emissions System Cleaner 26	1008411 Weld-Kleen® HD Anti-Spatter 28	ER070 Evapo-Rust® Heavy-Duty Rust Remover 13
75074 Heavy-Duty Silicone Lubricant 25	1008413 Nozzle-Kleen #2® Anti-Spatter 28	ER071 Evapo-Rust® Heavy-Duty Rust Remover 13
75078 Throttle Body Kleen™ Air Intake Cleaner 22	1008415 Nozzle-Kleen® HD Anti-Spatter 28	SL4344 Fluid Oil Pump 33
75081 Clean-R-Carb® Carburetor Cleaner 22	1750385 Red Grease 7	
75089 Bräkleen® Brake Parts Cleaner Non-Flammable 22	1750422 Food Grade Synthetic Grease 21	
75089PS Bräkleen® Brake Parts Cleaner Pro Series Non-Flammable 22	1750735 HF Contact Cleaner 14	
75090 Bräkleen® Brake Parts Cleaner Non-Flammable 22	1750744 Oilfield Dry Moly Lube 8	
75091 Bräkleen® Brake Parts Cleaner Non-Flammable 22	1751304 SmartWasher® OzzyJuice™ SW-X1 HP Degreasing Solution 32	
75093 Bräkleen® Brake Parts Cleaner Non-Flammable 22	1751309 SmartWasher® OzzyJuice™ SW-X1 HP Degreasing Solution 32	
75097 Battery Cleaner with Acid Indicator 23	1751310 SmartWasher® SW-X123 Mobile Parts Washer Kit 32	
75101 Dry Graphite Lubricant 25	1751312 SmartWasher® SW-X128 SuperSink Parts Washer Kit 32	
75102 QD™ Electronic Cleaner 23	1751314 SmartWasher® SW-X137 Mobile Parts Washer Kit 32	
75110 SensorKleen™ MAF Sensor Cleaner 23	1752300 Ultra Lite 3-36® Multi-Purpose Ultra-Thin Lubricant 10	
75133 Compressor Oil 33	1752305 Foaming Coil Cleaner 4	
75212 Diesel Fuel Therapy™ Injector Cleaner w/AG 26	1752340 Syntha-Tech™ Lubricant w/PTFE 20	
75222 Freeze-Off® Super Penetrant 25	1754922 Bräkleen® Brake Parts Cleaner Non-Chlorinated 22	
75224 Fiberlock® Head Gasket & Block Repair 26	1754932 Bräkleen® Brake Parts Cleaner Non-Chlorinated 22	
75330 Screwloose™ Industrial Penetrating Oil 9	1754943 Non-Chlor Industrial Degreaser MPA 4	
75346 Ice-Off™ Windshield Spray De-Icer 27	1755368 Bräkleen® Brake Parts Cleaner Non-Chlorinated 22	
75353 Brake & Caliper Synthetic Grease 11	3130-GALBT-5 SmartWasher® BenchtopPRO™ BT5 Ready to Use Solution 31	
75481 Pro-Strength Degreaser, Low VOC Formula 23		
75671 Jump Start® Starting Fluid with Lubricity 27		

Visit crcindustries.ca or call 800-556-5074 for more information.



RISK REDUCTION PARTNER PROGRAM

Get Access to CRC Consulting, Training, and Tools to Optimize your Total Cost of Ownership

The CRC Risk Reduction Partner Program helps you address challenges head on so that operating your business and passing audits with confidence is second nature, while providing thousands of dollars in value.



1. Initial Consultation

- Determine goals and target improvement areas
- Conduct an in-depth survey to analyze product use and applications



2. Analysis + Recommendations

- Evaluate chemical products
- Identify product duplications and risks
- Evaluate total ownership costs
- Quantify and document savings
- Review recommendations



3. Implementation Support + Training

- Resources, tools, on-site support, and training provided by experienced sales team



4. Process Improvements + Continuous Education

- CRC StopLight® system
- Safety training with "Safety Shorts" seminars
- Educational materials
- Audit prep



CHEMICAL CABINET EVALUATION

Reduce Your Chemical Risks and Optimize Your TCO with Risk Reduction Mobile


With our Risk Reduction Mobile program, you can now receive an assessment of your maintenance chemical inventory with faster results and without the need for an in-person sales call! Simply use your mobile device to receive the same invaluable benefits from CRC to help decrease risk and identify cost savings opportunities.

The program works in 3 easy steps:

1. Provide information on how you procure and manage the chemicals utilized in the maintenance department (typically, the ones stored in yellow flammable cabinets).
2. Email pictures or a list of products to your distributor partner.
3. CRC and your distributor partner do the rest!

You will be provided with:

- A complete survey of the existing inventory with recommended CRC products.
- A "Value Document" highlighting SKU reductions and vendor consolidation.
- Product samples (as requested) and follow up to answer any questions or concerns.
- Product recommendations based on identified needs.




Food Safety Program



StopLight

CRC StopLight is a visual identification labeling program designed to mitigate risk of MRO chemicals in food processing and non-production zones. It entails the application of color-coded stickers on CRC MRO chemical products, specifying permissible use areas, authorized users, and designated storage locations. These stickers offer adaptability within the program, allowing each facility to independently determine how to color-code processing areas, applications, and products in alignment with HACCP initiatives.

Color Coding Visual Management



Cabinet Control



Stickers



CRC Canada Co.
83 Galaxy Blvd, Unit 36 Toronto, ON M9W 5X6
canadaorders@crcind.com | techservice@crcind.com
416-847-7750



CRC®, Bräkleen®, Weld Aid®, K&W®, Marykate®, SmartWasher®, Evapo-Rust®, and all products denoted with ® and ™ are trademarks of CRC Industries, Inc.
©2024 CRC Industries, Inc. Printed in USA

2024A