## Check out these COOL deals!

# ZX-1 PREMIUM TOUCHSCREEN COMPATIBLE GLOVES

- Sanitized coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for optimal grip in dry, wet and oily conditions
- Grey seamless nylon/spandex
   15-gauge shell for optimal dexterity
- Foam nitrile coating improves abrasion resistance
- EN 388 Performance Levels: 4131
- EN 420 Dexterity Level: 5
- Must be ordered in multiples of 12



SDP438

Model		PROMO
No.	Size	PRICE
SDP438	X-Small, 6	3.20/Pair
SDP439	Small, 7	3.20/Pair
SDP440	Medium, 8	3.20/Pair
SDP441	Large, 9	3.20/Pair
SDP442	X-Large, 10	3.20/Pair
SDP443	2X-Large, 11	3.20/Pair

# COMPLIANCE FALL PROTECTION ROOFER'S KIT

• Includes: V8229100 Reusable Roof Anchor Bracket, FBH-10002A Compliance Harness, SA-3206-2 SP Lanyard with Integral ADP Rope Grab, VL-1825-50 Vertical Lifeline, 15 L (4 gal.) Waterproof Pail



Model No. SHE932 MFG No. V8257045



## HORIZONTAL AIR CONDITIONER

- For 300 to 350 sq.ft rooms
- 3 fan speeds
- Washable filter
- · Remote control included
- Type: Window
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0
- Includes:

Window filler panel; Mounting hardware



EB119

Model	BTU	PROMO
No.	Rating	PRICE
18-1/2" W X 15-1	11/16" D X 13-3/8" H	
EB119	8000	418.00
19" W X 14-19/3	2" D X 21-13/32" H	
EB236	12000	519.00

## **CHILL-ITS® 6602 COOLING TOWELS**

A hyper-evaporative poly vinyl acetal (PVA) material that retains water while remaining dry to the touch to provide sweet cooling relief

- Activates quickly and easily when run under water for one minute
  - Wear for hours, or wipe off for quick relief
  - Lightweight and low profile for use with hard hats and helmets
    - Reusable, just re-soak
      - Machine washable



Model	MFG	
No.	No.	Colour
SEI753	12439	Hi-Vis Lime
SE1754	12441	Hi-Vis Orange
SE1755	12442	Pink
SE1756	12438	Grey



## **OSCILLATING DESK FANS WITH PUSH BUTTON**

- 3-speed push button control
- · Rotating or fixed air direction
- Portable and easy to assemble
  - Topple resistant base



Model		PROMO
No.	Diameter"	PRICE
EA305	12	36.10
EA306	16	40.95

## 20" BOX FAN

- 3-speed control
- · Five slim blades
- · Fully assembled and ready to use
- Designed to efficiently circulate airflow to reach desired comfort levels with a three speed-settings feature
- Top-mounted controls

Model No. EA527





## **DEHUMIDIFIER**

- Water bucket full indicator
- · Omni-directional casters
- 24-hour timer
- 6 L tank capacity
- Auto restart function and auto defrosting
- Energy-Star Certified
- · Washable filter
- LED display



Model	Capacity	Coverage	
No.	Pt.	sq. ft.	
EA831	50	4000	

## **CLIP-ON & DESK FAN**

- 2-speed, low and high settings
- Tilting head

MATRIX

- · Fully assembled and ready for use
- Convertible clip and desk feature





Model		
No.	Diameter"	
EA304	6	





## AIR CURTAINS WITH REMOTE CONTROL

- · Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- · Airflow directed by oscillating louvers
- Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- No. of Speeds: 2
- Voltage: 120 V
- Maximum Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60

Model			Dim.			CFM	PROMO
No.	W"	X	D"	X	Η"	High Low	PRICE
EB290	36	х	8-1/2	х	8-5/8	815 670	214.00
EB291	48	x	8-1/2	x	8-5/8	990 816	253.00







## HIGH VELOCITY FLOOR FAN

- Powerful fan output with 3 speed settings
- Vertical tilt feature and a rotating grill
- Aluminum base
- Diameter: 18"
- No. of Speeds: 3
- Power: 0.087HP (65W)
- Max. Speed Rating: 1300 RPM
- Voltage: 120 V
- Power Cord Length: 6'



Model No. EB289



PROMO PRICE

## **TURBO FAN**

- 3-speed
- · Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W



Model			CFM	
No.	Dia."	High	Med	Low
EB117	20	2600	2100	1800





# COMMERCIAL OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- · Rotating or fixed air direction
- Easy to assemble



Model No.	Dia."	Min. Height"	Max. Height"	PROMO PRICE
EA658	16	41	49	36.35
EA551	18	45	52	53.95



# RECHARGEABLE INDOOR/OUTDOOR FAN

- Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- USB charging port on the control box can be used to recharge digital devices
- · Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor Voltage: 24 V
- Power: 25 W RPM: 1700
- Re-Charge time: 4-5 Hrs
- USB: 5 V, 1 A

Model No.	Dia"	CFM High	
EA828	12	1600	





## **OSCILLATING TOWER FAN**

- Wide-angle oscillation
- Stable base
- Type: Pedestal
- No. of Speeds: 3
- · Colour: Black
- Voltage: 120 V
- Power: 40 W
- Frequency: 60 Hz
- Overall Height: 32"





Model		
No.	Dia."	
EA827	6	

# WALL MOUNT OSCILLATING FAN

- · Rotating or fixed air direction
- · Easy to assemble
- · Remote with timer mode included
- 3 speed with Eco mode feature
- Diameter: 16"

**MATRIX** 

• Motor: 120 V/55 Hz





Model CFM					
No.	High	Med	Low	Eco mode	
EA526	1600	1400	1220	940	


**OUTDOOR MISTING & OSCILLATING PEDESTAL FAN** 

• Features a misting hub, adjustable height and heavy-duty round base for added stability

- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- · Misting kit included with direct hose connection
- · Can be used indoor/outdoor
- Diameter: 30"
- No. of Speeds: 3
- HP: 1/7
- Base Diameter: 27"

Model		CFM		
No.	High	Med	Low	Watts
EA829	7200	5470	3780	220





9' power cord

Features 8" casters with easy moving handle

• No. of speeds: 2

Motor: 120V/60 Hz

• Power: 900 W

• Amps: 7.5 A



Model CFM					
No.	Dia."	HP	High	Low	
EA662	42	3/4	17900	7400	



## **HIGH VELOCITY FLOOR FAN**

- · All-metal construction
- · Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3
- HP: 1/5





Model		CFM		
No.	High	Med	Low	
EA661	4900	4400	4150	



**MATRIX** 

## LIGHT INDUSTRIAL DIRECT-DRIVE **SLIM DRUM FANS**

· All-metal construction, painted black & chrome with aluminum blades

6' SJT power cord

- 5" casters and easy-moving handle
- Open motor type
- Motor: 120 V/60 Hz
- Power: 215 W
- 360° vertical tilt angle

**EA778** 





No. Di						
140.	a." Speed	s HP	High	Med	Low	PRICE
<b>EA778</b> 2	4 3	3/10	7770	6000	4200	189.00
<b>EB114</b> 3	0 2	1/3	9500	-	6700	380.00

## LIGHT INDUSTRIAL **DIRECT-DRIVE DRUM FANS**

- 120 V/60 Hz
- All-metal construction, painted black
- 6' SJT type power cord
- 6" casters and easy moving handle
- No. of Speeds: 2







					-		
Model			CFM				
No.	Dia."	HP	High	Low	Watts	PRICE	
EA286	28	2/5	8050	6650	290	234.00	
EA288	36	3/5	11200	9100	405	509.00	

## HIGH VELOCITY FLOOR FANS

• 3-speed, 120 V/60 Hz, 1/4 HP motor

Dia."

- All-metal construction
- 3-prong plug with ground industrial wire
- Rotates up for vertical airflow

**MATRIX** 

**BLACK FINISH** 

Model

No.





CFM High Med		Low	PROMO PRICE	
2370	1950	1560	80.20	

**EA528** 16 2 **CHROME FINISH** 4725 **EA290** 18 3850 2975 117.00

## **HIGH VELOCITY OSCILLATING WALL FAN**

- Adjustable tilting fan head
- · Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
- Diameter: 20"



Model		CFM		
No.	High	Med	Low	
EA660	4800	4500	4000	



## 24" ROLL-ABOUT AIR FAN

- 3-speed, 1/5 HP, 120 V motor
- · Cart-mounted fan for increased air circulation and optimal mobility
- · Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord
- Open motor
- Non-oscillating

Model		CFM	
No.	High	Med	Low
EA476	10760	7770	7040



## **OUTDOOR OSCILLATING PEDESTAL FAN**

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- · Voltage: 120 V
- Power: 220 W
- Diameter: 30"
- No. of Speeds: 3

Model				
No.	High	Med	Low	
EA779	7200	5470	3780	Ī






## 20" HIGH VELOCITY **PEDESTAL FAN**

- 3-speed, 120 V/60 Hz, 1/5 HP motor
- All-metal construction
- · Chrome grill, black painted base
- Head tilting capability of 360°
- Adjustable height

**MATRIX** 

· 6' SJT type power cord





## **FOLDABLE PEDESTAL FAN**

- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4

Model

No. **EB116** 

- No. of Speeds: 3
- Drive System: Direct Drive
- Non-Oscillating
- Open Motor; 120 V/60Hz

Dia."

24

• Power Cord: 9.8'



**CFM** High Med Low

4500 3500



## **OUTDOOR OSCILLATING WALL FAN**

- 9' power cord with UL GFCI plug
- Enclosed/waterproof motor type
- All-metal construction
- · Chrome grill stand and base painted black
- Diameter: 30"
- No. of Speeds: 3
- Usage Type: Industrial
- HP: 1/7
- Motor: 120 V/60 Hz, waterproof
- Drive System: Direct Drive



Model No.	High	CFM Med	Low	
EB115	7200	5500	3800	





7000

## LIGHT INDUSTRIAL AIR CIRCULATING FANS

• All-metal construction, with densely chrome-plated guard

Can be used in oscillating or non-oscillating mode

· 6' SJT power cord

• Open motor

• Voltage: 120 V





**EA282** 


## MATRIX\* INDUSTRIAL PRODUCTS

Model				CFM		PROMO
No.	Description	HP	High	Med	Low	PRICE
OSCILL	ATING, 3 SPEEDS	5				
EA282*	26" Pedestal	1/4	7525	6060	4050	285.00
EA283*	30" Pedestal	1/3	8775	7500	6780	378.00
EA284	26" Wall Mount	1/4	7525	6060	4050	249.00
EA654	30" Wall Mount	1/3	8775	7500	6780	295.00
NON OS	SCILLATING, 2 SI	PEEDS				
EA657*	26" Pedestal	1/4	7700	-	6060	380.00
EA571*	30" Pedestal	1/3	8000	-	7000	269.00
EA655	26" Wall Mount	1/4	7700	-	6060	219.00
EA656	30" Wall Mount	1/3	8000	-	7000	252.00

\*Features adjustable height and a heavy-duty round base for added stability

## INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2
- Voltage: 120 V





## MATRIX\*

Model		Motor		CF	М	PROMO
No.	Description	Type	HP	High	Low	PRICE
OSCILL	ATING					
EA643*	24" Pedestal	Open	1/4	11800	7760	499.00
EA647*	30" Pedestal	Closed	1/3	13 200	6700	749.00
EA645	24" Wall Mount	Closed	1/4	11 500	7680	391.00
EA649	30" Wall Mount	Closed	1/4	10780	7760	470.00
NON O	SCILLATING					
EA642*	24" Pedestal	Open	1/4	11800	7760	339.00
EA646*	30" Pedestal	Closed	1/4	10780	7440	469.00
EA644	24" Wall Mount	Closed	1/4	11 500	7680	304.00
EA648	30" Wall Mount	Closed	1/4	10780	7440	339.00

\* Features adjustable height and a heavy-duty round base for added stability

# HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"
- Open motor





Model No.	Description	High	CFM Med	Low	PROMO PRICE
EA666	Pedestal	13 200	7321	4758	695.00
EA667	Wall Mount	13400	7805	5070	599.00

## **OSCILLATING PEDESTAL FAN**

- All-metal construction
- 6.5' SJT power cord
- Features adjustable height and a heavy-duty round base for added stability
- Open motor & direct drive
- Horse Power: 1/16 HP
- Motor: 120 V/60 Hz
- No. of Speeds: 3





Model No.	Dia.	High	CFM Med	Low	
EB239	22	4500	3700	2900	

## PEDESTAL FAN WITH CASTERS

- 2.5" wheels for easy manoeuvrability
- Energy efficient motor
- High-medium-low speed options
- Diameter: 30"
- No. Of Speeds: 3
- Usage Type: Industrial
- Noise Level: 74 dBA
- Output Power: 80 W
- RPM: 1100



Model No.	Description	High	CFM Medium	Low	PROMO PRICE
EB573	Non-Oscillating	5320	4272	2880	285.00
EB574	Oscillating	5320	4272	2880	329.00



## MOBILE 3-IN-1 AIR CONDITIONERS

- 3-in-1 system (A/C, fan, and dehumidifier)
  - Features Control panel with LED display on unit with remote control
    - · Equipped with casters
      - 24 hour timer
    - Window kit included
      - Portable
      - Voltage: 115 V
      - Frequency: 60 Hz

Model No.	Coverage sq.ft.	BTU Rating	Cooling Speed	PROMO PRICE
11-13/16	" W X 12-5/8"	D X 27-3/16" H		
EB118	300 - 350	8000	2	499.00
17-1/3" \	W X 12-4/5" D X	X 27-1/3" H		
EA830	450 - 550	12000	3	644.00

# INDUSTRIAL WORKSTATION FANS



- 120 V/60 Hz enclosed motor
- Durable, black powder-coated finish
- Features 1.8m power cord with UL/CUL plug





EB540

#### 180° DOUBLE LOCKING ARM WITH 2 RECEPTACLES

- Moveable arm to accommodate many locations, applications and positions
- Wide range of motion will not sag when extended
- For 12", 18" and 24" fans
- 2 AC receptacles for easy fan hook-up
- · Colour: Yellow
- Length: 40"





	No. of			PROMO
Dia."	Speeds	CFM	HP	PRICE
12	3	2600	1/12	93.95
18	3	3800	1/4	156.00
24	2	8600	1/3	230.00
	12 18	Dia."         Speeds           12         3           18         3	Dia."         Speeds         CFM           12         3         2600           18         3         3800	Dia."         Speeds         CFM         HP           12         3         2600         1/12           18         3         3800         1/4

#### **ACCESSORIES**

	25	
EB539	180° Double Locking Arm with 2 Receptacles	158.00

### **8" AIR BLOWERS**

- Lightweight, portable design
- 12 V, 22 A single-speed motor with thermal protection
- Type: Axial
- Horse Power: 1/4
- Free Air Flow Rate: 816 CFM
- Current: DC
- Housing Material: Plastic
- Colour: Blue



MATRIX\*
INDUSTRIAL PRODUCTS

Model		PROMO
No.	Description	PRICE
EB534	8" Air Blower	297.00
EB537	8" Air Blower with 15' Ducting & Canister	505.00
EB538	8" Air Blower with 25' Ducting & Canister	565.00

# ALL WEATHER TPE-RUBBER EXTENSION CORDS

- · Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding
- Type: Extra Heavy-Duty
- Gauge (AWG): 12/3
- Amps: 15 A
- Wattage: 1875 W



XH239



## **AURØRA**

Model		PROMO
No.	Length'	PRICE
1 OUTLET		
XC503	25	35.60
XC504	50	69.95
XC505	100	133.00
3 OUTLETS		
XH238	25	41.55
XH239	50	79.50
XH240	100	148.00

### INDUSTRIAL ENAMEL PAINT

- · Offers an economical solution to marking, colour coding and miscellaneous spray paint needs where long term quality and durability are not required
- Dries to touch in 12 minutes
- VT alkyd formulation
- Container Size: 16 oz. Net Volume: 10 oz.
- Paint Base Type: Solvent-Based
- Must be ordered in multiples of 12



KP091

NI478

Model	MFG	Colour		PROMO
No.	No.	Family	Finish	PRICE
PAINT				
NI478	A04402007	Black	Gloss	7.89
NI492	A04412007	Black	Very Flat	7.89
NI475	A04404007	Red	Gloss	7.89
NI474	A04413007	Orange	Gloss	7.89
NI472	A04401007	White	Gloss	7.89
PRIMER				
NI479	A04418007	Grey	Very Flat	7.89

## INDUSTRIAL OVERHEAD MARKING PAINT

- · Overhead marking paint sprays in an upright position, dries fast and is a low odour formula
- · Penetrates and clings to uneven surface
- Comes in bright, high visibility fluorescent colours
- Fast drying; dry to the touch in 10 minutes
- VOC & MIR compliant
- Container Size: 20 oz.
- Net Volume: 17 oz.
- Paint Base Type: Water-Based





Model	MFG			PROMO
No.	No.	Colour	Swatch	PRICE
KP091	K04001000	Red		14.08
<b>KP092</b>	K04003000	Orange		14.08
KP093	K04005000	Green		14.08
Note: C	olours may not			

## 2300 SYSTEM TRAFFIC **ZONE STRIPING PAINT**

**RUST-OLEUM** 

- · Apply this weather-resistant coating to concrete, gravel or pavement for durability you can count on
- Creates up to 450 linear feet/gallon with a 4" stripe
- Use with bulk-spray machine, brush or roller
- For use on: Parking lots, stadiums, curbs, athletic facilities
- Container Size: 1 gal.
- Surface Coverage: 410-540 linear feet
- Series: High Performance 2300



**KP405** 

Model No.	MFG No.	Colour Family	Finish	PROMO PRICE
KP405	2348402	Yellow	Flat	62.10
<b>KP406</b>	2391402	White	Flat	63.00
KP733	2326402	Blue	Flat	64.90

### WATER BASED MARKING PAINT

- · Best resistance to early fading and chalking
- · Excellent visibility on concrete, pavement, dirt, gravel, grass and more
- Container Size: 20 oz.. Net Volume: 17 oz.
- · Finish: Flat
- Surface Coverage: 400 Linear ft at 1 Inch
- Series: Industrial Choice M1400
- Must be ordered in multiples of 12 RUST-OLEUM

Model	MFG			PROMO
No.	No.	Colour	Swatch	PRICE
KP459	264693	Clear		6.95
KP452	264692	White		6.95
KP453	264696	Red		6.95
KP455	264694	Blue		6.95
KP456	264695	High Visibility Yellow		6.95
KP457	264699	Fluorescent Red-Orange		6.95
<b>KP458</b>	264700	Fluorescent Green		6.95
<b>KP454</b>	264702	Fluorescent Pink		6.95
<b>KP460</b>	264697	Fluorescent Orange		6.95
Note: C	olours may	not be exactly as shown		

## INDUSTRIAL QUICK-MARK™ **INVERTED MARKING PAINT**

- · Bold, bright and visible markings in one pass
- · Adheres to gravel, concrete, grass and soil
- · Advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces KRYLON
- VOC compliant
- Container Size: 20 oz. Net Volume: 17 oz.
- Must be ordered in multiples of 12



**KP459** 



7.71

INDUSTRIAL

		1		TWO STORY
Model	MFG			PROMO
No.	No.	Colour	Swatch	PRICE
WATER	R-BASED AI	PWA COLOURS		
NC332	A03801004	Utility Yellow		6.80
NC331	A03901004	Brilliant White		6.80
WATER	R-BASED FL	UORESCENT COLOU	JRS	
NC334	A03610004	Safety Red		6.80
NC335	A03612004	Pink		6.80
NC336	A03620004	Caution Blue		6.80
NC337	A03630004	Safety Green		6.80
NC338	A03650004	Red/Orange		6.80
NC333	A03700004	Orange		6.80
SOLVE	NT-BASED	APWA COLOURS		
NC328	A03611007	Red		7.71
NC326	A03621007	Blue		7.71
NC329	A03631007	Green		7.71
NC327	A03731007	Bright Orange		7.71
NC325	A03821007	High Visibility Yellow		7.71
NC324	A03900007			7.71
SOLVE	NT-BASED	FLUORESCENT COLO	OURS	
NC322	A03613007	Safety Red		7.71
NC323	A03614007	Neon Green	10-9-50	7.71
<b>NE260</b>	A03615007	Purple		7.71
<b>NE262</b>	A03622007	Hot Pink		7.71
NC320	AT3701007	Red/Orange		7.71
_				

Orange

NC321 A03702007

## STRIPING PAINT APPLICATORS - LINE-UP® STRIPING WAND

- For use on line touch up and stenciling
- Rugged, durable design with trigger operation
- Material: 18-gauge steel
- Length of Wand: 34"

Model No. NI441 MFG No. K08360000





## **MULTI-USE PAINT ROLLER SLEEVES**

- Designed for smooth surfaces
- Length: 230 mm (9")
- Sleeve Material: Polyester Fibre
- Core Material: PP (Polypropylene)
- Core Diameter: 1-1/2"
- Application Type: Oil and Latex Paints




Model		PROMO
No.	NAP	PRICE
KP726	6 mm (1/4")	2.40
KP727	9.525 mm (3/8")	2.80

## **PAINT TRAY**

- Metal Tray for 9 1/2" Rollers
- General These deep wall, rustresistant metal trays and plastic trays have adder grip type legs.
- Material: Metal
- Type: A

Model No. NA196 MFG No. 70619495





**AUR** AUR



## **AP100 SERIES PAINT BRUSHES**

- Tin-plated ferrule
- Well-suited for latex-based paints
- 100% black polyester bristles
- Handle Material: Plastic
- Filament Material: Polyester
- Brush Thickness: 1/4"
- · Brush Shape: Flat
- Must be ordered in multiples of 12



PROMO PRICE

AUR⊘RA

Model No.	Brush Width"	Length Out"	PROMO PRICE
KP307	1	2-3/4	0.75
KP308	2	2-15/16	1.16
KP765	3	3-1/8	1.88
KP766	4	3-5/16	2.70

## **AP100 SERIES PAINT BRUSH SET**

- Tin-plated ferrule
- Well-suited for latex-based paints
- No. of Pieces: 4
- Brush Width: 1", 2", 3" & 4"
- Handle Material: Plastic
- Filament Material: 100% black polyester bristles
- Brush Shape: Flat

Model No. KP853





# GO BULK OIL PAINT BRUSHES

- Lowest priced line of bristle brushes
- Well suited for fibreglass applications, epoxy resins, paint remover and many industrial uses
- Handle Material: Plastic
- Filament Material: Natural Bristles
- Brush Shape: Flat



Model No.	MFG No.	Brush Width"	PROMO PRICE
NA183	70031020	2	2.40
NA184	70031030	3	3.69



## PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- · Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Distance between vertical bars is 7"
- Height: 40"
- Length: 102"
- Rail diameter: 1-5/8"

SEE395





Model No.	Colour	Finish	PROMO PRICE
SEE395	Silver	Galvanized Finish	149.00
SEE396	Yellow	Safety Yellow Finish	157.00

### POLYURETHANE COATED GLOVES

- 18G HPPE liner provides the highest level of dexterity and comfort
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Excellent cut, abrasion and tear resistance
- Cut Resistance: ASTM ANSI Level A2, EN 388 Level B
- Coating Style: Dipped Palm
- EN 388 Performance Levels: 3X41B
- Must be ordered in multiples of 12







### **RZ100 RAIN SUITS**

- 0.35 mm thick PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar, detachable hood, cape back, and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- · Ultrasonically-welded seams


Model		PROMO
No.	Size	PRICE
SEH078	Small	15.50
SEH079	Medium	15.50
SEH080	Large	15.50
SEH081	X-Large	15.50
SEH082	2X-Large	15.50
SEH083	3X-Large	16.75
SEH084	4X-Large	16.15



## **Z3300 SERIES SAFETY GLASSES**

- Flexible front frame that helps alleviate pressure on the head
- Sporty and sleek frame design
- Co-injected temple pad will not peel off easily
- Polarized lenses for outdoor activities to reduce glare and to see sharper and clearer
- Standard(s) Met: ANSI Z87+/Meets/Exceeds CSA Z94.3
- Lens Tint: Grey/Smoke
- Lens Coating: Anti-Scratch/Polarized

PROMO PRICE







## **Z3400 SERIES SAFETY GLASSES**

- Sporty and translucent temple design
- Streamline temple arm for best comfort
- Dual-injected rubber at the end of the temple that will not peel off easily
- Anatomically-shaped nose-piece that will adapt to most face contours
- Standard(s) Met: ANSI Z87+/ Meets/Exceeds CSA Z94.3
- Lens Tint: Grey/Smoke
- Lens Coating: Anti-Scratch, Polarized

Model No. SGW885





## **Z500 SERIES SAFETY GLASSES**

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Distortion-free
- Standard(s) Met: ANSI Z87+/ Meets/Exceeds CSA Z94.3
- Must be ordered in multiples of 12





Model No.	Lens Tint	Lens Coating	PROMO PRICE
SAS362	Grey/Smoke	Anti-Scratch	2.15
SEA551	Blue, Indoor/Outdoor Mirror	Anti-Scratch	2.95
SGQ769	Grey/Smoke	Anti-Fog	2.80

## **Z2500 SERIES SAFETY GLASSES**

- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible temples provide superior comfort and fit
- Distortion-free
- Standard(s) Met: ANSI Z87+/ Meets/Exceeds CSA Z94.3
- Must be ordered in multiples of 12





SDN702

Model	Lens	Lens	PROMO
No.	Tint	Coating	PRICE
SDN702	Grey/Smoke	Anti-Scratch	2.60
SDN705	Indoor/Outdoor Mirror	Anti-Scratch	2.75
SDN708*	Grey/Smoke	Anti-Scratch	4.05
SDN709*	Indoor/Outdoor Mirror	Anti-Scratch	4.35

\*With removable foam gasket

## **Z2400 SERIES SAFETY GLASSES**

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UVA/UVB protection
- The safety glasses have non-slip rubber head grips for increased user comfort
- Flexible temple for added durability and flexibility to the frame
- Distortion-free
- Standard(s) Met: ANSI Z87+/Meets/Exceeds CSA Z94.3
- Must be ordered in multiples of 12





**SET316** 

Model No.	Lens Tint	Lens Coating	PROMO PRICE
SET316	Grey/Smoke	Anti-Scratch	2.00
SET319	Blue, Indoor/Outdoor Mirror	Anti-Scratch	2.95
SGQ770	Grey/Smoke	Anti-Fog	3.05

## **Z1900 SERIES SAFETY GLASSES**

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free

ZEN/TH

- Standard(s) Met: Meets/Exceeds CSA Z94.3
- Must be ordered in multiples of 12




Model Lens Lens **PROMO** PRICE Tint Coating No. **SEK286** Grey/Smoke Anti-Scratch 4.90 **SEK289** Indoor/Outdoor Mirror Anti-Scratch 5.30

### **Z1500 SERIES SAFETY GLASSES**

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Standard(s) Met: Meets/Exceeds CSA Z94.3
- Must be ordered in multiples of 12



**SEI524** 



## **Z2900 SERIES SAFETY GLASSES**

- Narrow fit is suited for smaller facial features
- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Non-slip rubber head grips
- Distortion-free
- Standard(s) Met: ANSI Z87+/Meets/Exceeds CSA Z94.3
- Must be ordered in multiples of 12





Model	Lens	Lens	PROMO
No.	Tint	Coating	PRICE
SGQ758	Grey/Smoke	Anti-Scratch	3.75
SGQ761	Indoor/Outdoor Mirror	Anti-Scratch	4.00
SGQ764*	Grey/Smoke	Anti-Scratch	7.10
SGQ767*	Indoor/Outdoor Mirror	Anti-Scratch	7.60

## FLAME-RESISTANT SURVEYOR VESTS

 Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance

• 4" reflective stripes offer maximum night-time visibility

• 5-point tear-away feature on shoulders, sides and front for easy quick release

- Safety D-ring access slot
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: Meets/Exceeds CSA Z96 Class 2 - Level 2



**SGF140** 

		sarety research		
Model		Reflective		
No.	Colour	Stripe Colour	Size	
SGF140	High Vis. Lime-Yellow	Orange & Silver	Medium	
SGF141	High Vis. Lime-Yellow	Orange & Silver	Large	
SGF142	High Vis. Lime-Yellow	Orange & Silver	X-Large	
SGF143	High Vis. Lime-Yellow	Orange & Silver	2X-Large	
SGF136	High Vis. Orange	Yellow & Silver	Medium	
SGF137	High Vis. Orange	Yellow & Silver	Large	
SGF138	High Vis. Orange	Yellow & Silver	X-Large	
SGF139	High Vis. Orange	Yellow & Silver	2X-Large	

## 5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS



- Fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Standard(s) Met: Meets/Exceeds SA Z96 Class 2 - Level 2

Model	
No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large





SEF097

# CSA-COMPLIANT HIGH-VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable fluorescent solid polyester provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides andfront for easy quick release
- Safety D-ring access slot
- Colour: High Visibility Orange
- Standard(s) Met: Meets/Exceeds CSA 796 Class 2 - Level 2

Model	
No.	Size
SGZ627	Medium
SGZ628	Large
SGZ629	X-Large
SGZ630	2X-Large





## **CSA TRAFFIC SAFETY VESTS**

- Lightweight and comfortable, fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" reflective stripes offer maximum night-time visibility
- Front hook & loop closure permits optimal fitting
- Standard(s) Met: Meets/Exceeds CSA Z96 Class 2 - Level 2



ZENTH®
Safety Products

Safety	ty Products			
Model		Reflective		
No.	Colour	Stripe Colour	Size	
SGI277	High Vis. Lime-Yellow	Orange & Silver	Medium	
SGI278	High Vis. Lime-Yellow	Orange & Silver	Large	
SGI279	High Vis. Lime-Yellow	Orange & Silver	X-Large	
SGI280	High Vis. Lime-Yellow	Orange & Silver	2X-Large	
SGI273	High Vis. Orange	Yellow & Silver	Medium	
SGI274	High Vis. Orange	Yellow & Silver	Large	
SGI275	High Vis. Orange	Yellow & Silver	X-Large	
SGI276	High Vis. Orange	Yellow & Silver	2X-Large	

# CSA COMPLIANT HIGH VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable fluorescent sports mesh knit fabric provides daytime visibility
- 4" reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Includes: Clear plastic pocket for ID badges
- Standard(s) Met: Meets/Exceeds CSA Z96 Class 2 - Level 2 SEF101



PROMO PRICE

1 95

ZENTH\*

Safety Products



Model	Reflective		
No.	Colour	Stripe Colour	Size
SEK232	High Vis. Lime-Yellow	Orange & Silver	Medium
SEK233	High Vis. Lime-Yellow	Orange & Silver	Large
SEK234	High Vis. Lime-Yellow	Orange & Silver	X-Large
SEK235	High Vis. Lime-Yellow	Orange & Silver	2X-Large
SEF101	High Vis. Orange	Yellow & Silver	Medium
SEF102	High Vis. Orange	Yellow & Silver	Large
SEF103	High Vis. Orange	Yellow & Silver	X-Large
SEF104	High Vis. Orange	Yellow & Silver	2X-Large

## **STANDARD-DUTY SAFETY VESTS**

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° night-time visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Model	Ref	lective Str	ipe	PROMO PRICE
No.	Colour	Colour	Size	95
	High Vis. Orange	Yellow	Medium	(0) 2 0
SEF094	High Vis. Orange	Yellow	Large	
SEF095	High Vis. Orange	Yellow	X-Large	751/718
SEF096	High Vis. Orange	Yellow	2X-Large	ZEN TH®
				Salety Products

## **CSA COMPLIANT T-SHIRTS**

- Fluorescent 100% polyester "bird's eye" mesh material
- 3" fluorescent dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Standard(s) Met: Meets/Exceeds CSA Z96 Class 2 - Level 2





Model	Reflective Stripe		
No.	Colour	Colour	Size
SEF109	High Vis. Lime-Yellow	Orange, Silver	Medium
SEF110	High Vis. Lime-Yellow	Orange, Silver	Large
SEF111	High Vis. Lime-Yellow	Orange, Silver	X-Large
SEF112	High Vis. Lime-Yellow	Orange, Silver	2X-Large
SEL243	Orange	Yellow, Silver	Medium
SEL244	Orange	Yellow, Silver	Large
SEL245	Orange	Yellow, Silver	X-Large

Yellow, Silver

PROMO PRICE

## INSTANT HOT COMPRESS

Orange

- Instant warm therapy for relief of sore muscles, muscle spasms and joint stiffness
- Stays warm for up to 30 minutes
- Reaches temperatures of up to 45°C (113°F)
- Convenient and portable
- Dimensions: 6" x 9"
- Single Use

**SEL246** 

- Medical Device Class: Class 1
- Must be ordered in multiples of 18 Model No. SGX053



2X-Large

## TRAFFIC HARNESSES

- 1-1/2" reflective stripes
- Elasticized material permits optimal fit
  - Four strap adjusters and front clip for maximum adjustability
- Reflective Colour: Silver

A 4 - 4 - 1



Moaei			
No.	Colour	Size	0.0
SGZ622	High Vis. Orange	Medium	
SGZ623	High Vis. Orange	Large	() <sub>m</sub> (
SGZ624	High Vis. Orange	X-Large	LAN I
SGZ625	High Vis. Orange	2X-Large	SGZ622 📆 📅
SGZ626	High Vis. Orange	3X-Large	A1 /A
SEF117	High Vis. Lime-Yellow	Medium	
SEF118	High Vis. Lime-Yellow	Large	
SEF119	High Vis. Lime-Yellow	X-Large	•
SEF120	High Vis. Lime-Yellow	2X-Large	ZENTH
SEF121	High Vis. Lime-Yellow	3X-Large	Safety Products

## ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- · Hook and loop closure permits optimal fit
- Available in various lengths
- Sold individually

Model	
No.	Length"
SEF122	10
SEF123	12
SEF124	13.5
SEF125	15
SEF126	17
SEF127	19





## **COOLING BANDANAS**

- Helps fight heat stress and fatigue
- Soak 2-5 minutes in water to activate
- · Remains hydrated for at least 4 hours
- · One size fits all
- Material: Cotton



Safety Products
PROMO PRICE

7FN/TH®

Model Colour No. **SGO333** Blue **SGO334** Red



## **INSTANT COLD COMPRESSES**


- For relief of pain and swelling caused by sprains, strains, contusions, and other minor injuries
- Easy to use cold therapy without the mess of ice or ice cubes
- · No refrigeration needed
- · Convenient and portable

• Single Use

• Medical Device Class: Class 1

• Must be ordered in multiples of 18

SGW783





## CHILL-ITS® 6630 COOLING SKULL CAPS

- Hi Cool moisture management performance fabric transports moisture away
- · Comfortable to wear under hats, helmets, or alone
- · Wide, absorbent terrycloth headband
- · Machine washable
- · Technology: High Performance Material

**SAP942** 






Model	MFG	
No.	No.	Colour
SEC704	12510	Blue
SEC705	12507	Green Camo
SEC707	12514	Flames
<b>SEC708</b>	12505	Hi-Vis Lime
<b>SEC709</b>	12509	Navy Western
SEC710	12508	Red Western






## **CHILL-ITS® 6710 COOLING** TRIANGLE HATS



- Remains hydrated up to 4 hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue





Model	MFG	
No.	No.	Colour
SAP941	12325	Red Western
SAP942	12326	Navy Western
SAP943	12324	Camouflage





SGP156


## **GLOWEAR® 8005 HIGH** VISIBILITY NECK SHADE

- Elastic design fits most hard hats, including standard and full brim designs
- Plastic clips provide secure fit
- ANSI-compliant reflective material set on contrasting background





**SGP157** 





## CHILL-ITS® 6717 COOLING HARD HAT PAD + SHADE

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to 4 hours
- · Conveniently attaches to standard hard hat suspension with hook and loop closures
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Colour: Blue
- · Technology: Acrylic Polymer Crystals

Model No. SAP940 MFG No. 12336





## CHILL-ITS® 6665 COOLING VESTS

- · Lightweight, durable and washable
- · V-neck with zipper closure
- Water-repellent liner
- Soak in cold water 2-5 minutes to activate
- · Enjoy cooling relief and comfort for up to 4 hours
- · Reusable, just re-soak
- · High Visibility Lime-Yellow


U	•	
Model	MFG	
No.	No.	Colour
<b>SAP936</b>	12533	Medium
<b>SAP937</b>	12534	Large
<b>SAP938</b>	12535	X-Large
<b>SAP939</b>	12536	2X-Large





## **CHILL-ITS® 6260 LIGHTWEIGHT** PHASE CHANGE COOLING VEST

• Instant and lasting cooling relief; packs maintain constant 59°F (15°C) for up to 2 hours



Lightweight; 30%-60% lighter weight than other cooling vests

 100% biodegradable phase change cooling material

- Material: Poly-cotton
- Weight with packs: 4 lbs.





Model No.	Mfg No.	Size	PROMO PRICE
	IG VESTS WITH		
SGN882		Small/Medium	180.99
<b>SGN883</b>		Large/X-Large	180.99
COOLIN	IG VESTS WITH	IOUT PACKS	
<b>SGN884</b>		Small/Medium	54.99
<b>SGN885</b>	12125	Large/X-Large	54.99
COOLIN	IG VEST PACKS		
<b>SGN886</b>		4/Pkg.	127.00

## **SQWINCHER® SQWEEZE FREEZER POPS**

• The great taste and performance of Sqwincher\* in a refreshing frozen treat · Simply freeze each package, then Sqweeze!

• Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.

• Portion: 3 oz

• Servings/Package: 150

Model No. SAM804 MFG No. 11130



### **HYDRATION DRINK FREEZE POPS**

- By exceeding OHS recommendations for heat stress prevention, provides the body with crucial vitamins and minerals
- Caffeine-free, with no artificial colours
- · Formulated and made in Canada
- Flavour: Mixed Flavours
- Format: Frozen
- Serving Size: 66 ml
- Servings/Case: 252
- Model No. SHI657

MFG No. BAG1418-FRZ





## HYDRATION DRINK MIX

- Convenient and waterproof single serve stick packs reduce the transmission of germs compared to communal hydration stations
- Comes in a resealable stand-up pouch
- Add stick pack to bottle with 500 750 ml of cold water and shake well
- By exceeding OHS recommendations for heat stress prevention, provides the body with crucial vitamins, minerals and amino acids without any added sugar or artificial colours
- Format: Single Serve
- No. of Single Servings Per Bag: 40



SHI651

<b>⊕</b> TI±	RSTY
Model	MFG

Model	MFG	
No.	No.	Flavour
SHI651	BAG1040-RAZ	Blue Raspberry
SHI652	BAG1040-LEM	Lemonade
SHI653	BAG1040-FRP	Fruit Punch
SHI654	BAG1040-ORN	Orange
SHI655	BAG1040-LLM	Lemon-Lime



## **SQWINCHER ZERO® QWIK STIK™**

- · Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag



Model	MFG	
No.	No.	Flavour
SAN505	11060100-OR	Orange
SAN506	11060102-FP	Fruit Punch
SEI282	11060453-SL	Strawberry Lemonade
SAP496	11060101-MB	Mixed Berry

## **SQWINCHER® REHYDRATION DRINK FAST PACK®**

- · Convenient and cost effective packaging format
- Packet can be used as a drinking cup; simply open it and add water to fill
- · Features a no-stir formula
- Handy, portable size lets you take Sqwincher almost anywhere
- Format: Single Serve
- Serving Size oz.: 0.6
- Serving Yield (oz.): 6
- Servings/Package: 50



Model	MFG		
No.	No.	Flavour	
SAF872	11080	Lemonade	
SAF874	11082	Lemon-Lime	
<b>SAF878</b>	11086	Orange	



**SAF872** 



## **SQWINCHER® LIQUID CONCENTRATE**

- Specially formulated no-stir formula
- Screw-on cap allows you to reseal and store the bottle
  - 64-oz. bottle size yields 5 gallons

**SR933** 



PROMO PRICE	
3365	

8	
<u>U</u> M	

Model	MFG	
No.	No.	Flavour
SAP552	11027	Mixed Berry
SR933	11020	Lemonade
SR934	11021	Orange
SR935	11022	Fruit Punch
SR937	11024	Tropical Cooler

### SHIELD SUNSCREEN

- Broad spectrum protection against UVA/UVB rays
- Water resistant and sweat resistant
- · Dermatologist tested
- Provides high sunburn protection
- · PABA free
- Type: Lotion
- SPF: 30
- Format: Bottle
- 120-ml (4 oz.) bottle

Model No. JD320 MFG No. 18220









### RAID® MOSQUITO & FLY KILLER

- Contains a botanical insecticide derived from the Chrysanthemum flower
- · Non-flammable and non-staining
- Net Volume: 350 g
- Formula Base: Solvent Base

Model No. JL963 MFG No. 10062300810762







## SHIELD SUNSCREEN

- Broad spectrum protection against UVA/UVB rays
- Water resistant and sweat resistant for a period of 80 minutes
- Helps prevent sunburn
- PABA free
- SPF: 30
- Size: 6 oz.
- Format: Aerosol Can

Model No. IH417 MFG No. 18226







## **RAID® HOME INSECT KILLER**

- Kills flies, mosquitoes, fleas, flying moths, gnats, spiders, bed bugs, sow bugs, carpet beetles, centipedes, ants, silverfish and wasps
- A light spray that kills pests effectively
- Net Volume: 350 g
- Formula Base: Solvent Base

Model No. JL962 MFG No. 10062300704443







## **DEEP WOODS® OFF! INSECT REPELLENTS**

- Ideal for use during longer-term outdoor activities such as hiking, hunting or fishing
- · Repels black flies, biting midges, deer flies, stable flies, ticks, and chiggers and mosquitos for up to 8 hours
- Contains 25% DEET plus related active toluamides



JD091



Model	MFG		Container	PROMO
No.	No.	Type	Size	PRICE
JD088	10062300018564	Spray	30 ml	11.95
JD087	10062300018533	Spray	100 ml	12.95
JD091	10062300719447	Aerosol	230 g	13.95

## RAID® SPIDER BLASTER **BUG KILLER INSECTICIDE**

- Kills spiders, fleas, centipedes, bed bugs, carpet beetles, silverfish and crickets
- · Kills on contact
- Net Volume: 350 g
- Container Type: Aerosol Can
- Formula Base: Solvent Base

Model No. JM255 MFG No. 10062300060297







## **RZ PONCHO**

- 0.10-mm thick unsupported single-ply PVC material
- Ultrasonically-welded seams
- · One size fits all
- · Colour: Yellow





Model No. SEH121

ZEN(TH

## **RZ300 RAIN SUITS**

- 0.20 mm thick unsupported yellow PVC material
- Jacket features storm flap, dome snaps, two patch pockets and a detachable hood
- · Bib overall pants feature fly front
- · Ankle and cuff take-up snaps
- · Ultrasonically-welded seams

PROMO
PRICE
15.45
15.45
15.45
15.45
15.55
15.55
15.15





## **RZ600 FLAME RESISTANT RAIN SUITS**

- 0.35 mm material thickness, yellow PVC/ Polyester/PVC material
- · Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
  - Cape back and underarm vents
  - Bib overall pants come with fly front and adjustable suspenders
  - Standard(s) Met: CGSB 155.20



Model		
No.	Size	
SEH106	Small	
SEH107	Medium	
SEH108	Large	
SEH109	X-Large	

Size	
2X-Large	
3X-Large	
4X-Large	
	2X-Large 3X-Large

## **RZ200 LONG RAIN COATS**

- 0.35 mm material thickness, yellow PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Flame resistant
- · Ultrasonically welded seams



Model		PROMO
No.	Size	PRICE
SEH085	Small	13.95
SEH086	Medium	13.95
SEH087	Large	13.95
SEH088	X-Large	13.95
SEH089	2X-Large	13.95
SEH090	3X-Large	13.95
SEH091	4X-Large	14.50



## **RZ500 FLAME RESISTANT RAIN SUITS**

- 0.35 mm material thickness, yellow tear-resistant PVC/Nylon/PVC material
- · Lightweight material offers greater flexibility and comfort
- · Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Standard(s) Met: CGSB 155.20







## RZ1000 HIGH-VISIBILITY RAIN SUITS

- 100% 300D polyester oxford material
- Features ID pocket, snaps, zipper, two patch pockets and detachable hood
- Adjustable wrist cuffs
- Comes with adjustable suspenders
- · Adjustable ankle & waist snaps
- · Colour: High Visibility Lime-Yellow
- Reflective Stripe Colour: Silver

Medium

Large

X-Large

• Standard(s) Met:

Model

**SGP356** 

**SGP357** 

**SGP358** 

**SGP359** 

No.

CSA Z96 Class 3 - Level 2





## **SPLIT COWHIDE FITTERS GLOVES**

- · Premium quality
- Top split leather cowhide construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style
- Must be ordered in multiples of 12





Model			PROMO
No.	Description	Size	PRICE
SAS503	Rubberized Cuff	Ladies	3.05/Pair
SG281	Rubberized Cuff	Medium	3.00/Pair
SD602	Rubberized Cuff	Large	3.20/Pair
SD603	Rubberized Cuff	X-Large	3.40/Pair
SAP229	Rubberized Cuff	2X-Large	3.55/Pair
<b>SAP298</b>	Rubberized 4" Gauntlet Cuff	Large	3.75/Pair
<b>SAP227*</b>	Rubberized Cuff	Large	3.70/Pair
SAP226	Launderable PE Cuff	Large	3.30/Pair
SEI496	Rubberized Cuff, Kevlar, Blue	Large	3.95/Pair

#### \*Solid colour

## LIGHTWEIGHT NITRILE FOAM **PALM-COATED GLOVES**

- 13-gauge seamless knitted polyester shell
- Excellent abrasion resistance
- · Superior dexterity and comfort
- EN 388 Performance Levels: 4021
- EN 420 Dexterity Level: 5
- Must be ordered in multiples of 12

Model		
No.	Size	
SAM629	X-Small, 6	
SAM630	Small, 7	
SAM631	Medium, 8	
SAM632	Large, 9	
SAM633	X-Large, 10	
SAM634	2X-Large, 11	





## ZENOTH

## **HPPE FOAM NITRILE COATED GLOVES**

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- · Breathable foam nitrile palm coating
- Excellent abrasion and tear resistance
- Accepted for use in Canadian Food Processing Facilities
- Gauge: 13
- Cut Resistance: ANSI/ISEA 105 Level 2/EN 388 Level 3
- EN 388 Performance Levels: 4342
- · Must be ordered in multiples of 12




Model	
No.	Size
SFU852	Small (7)
SFU853	Medium (8)
SFU854	Large (9)
SFU855	X-Large (10)
SFU856	2X-Large (11)



## **GRAIN COWHIDE LINED FITTERS GLOVES**

- Superior abrasion resistance
- · Excellent comfort and durability
- · Resists oil and water well
- · Rubberized cuff
- Full leather-tipped fingers and knuckle straps
- Lining: Cotton
- SM583: 4" Gauntlet

<ul> <li>Must be ord</li> </ul>	lered in multiple:	s of 12
Model		PROMO
No.	Size	PRICE
STANDARD	QUALITY	
SAS502	Ladies	3.95/Pair
SM582	Medium	4.00/Pair
SAJ023	Large	4.15/Pair
SM583	Large	4.60/Pair
SAP232	X-Large	4.75/Pair
PREMIUM C	UALITY	
SAP223*	Large	8.40/Pair







**SAP233** 



## **DMF-FREE COATED GLOVES**

- · Lightweight gloves offer premium comfort and breathability
- · Nylon liner has inherent hydrophobic properties which dry the liner quickly after getting wet
- Dimethylformamide (DMF) Free
- Gauge: 15
- · Coating: Polyurethane
- Coating Style: Dipped Palm
- EN 388 Performance Levels: 4131
- Must be ordered in multiples of 12

Model		
No.	Size	
SGI151	Small, 7	
SGI152	Medium, 8	

Model		
No.	Size	
SGI153	Large, 9	
SGI154	X-Large, 10	



Model		
No.	Size	
SGI155	2X-Large, 11	



6.10/Pair



## **BARRICADE TAPE**

- Warns against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene









Model				PROMO
No.	Message	Colour	Size	PRICE
STANDA	ARD DUTY -	1.5 MIL		
SFJ602	Caution	Black on Yellow	3" x 300'	3.85
SEK397	Caution	Black on Yellow	3" x 1000'	8.25
<b>SEK398</b>	"Attention"	Black on Yellow	3" x 1000'	8.25
SEK399	Danger	Black on Red	3" x 1000'	8.25
SDS739	Danger	Black on Yellow	3" x 1000'	8.25
HEAVY	DUTY - 2 M	ILS		
SEK400	Caution	Black on Yellow	3" x 1000'	12.55
SEK401	"Attention"	Black on Yellow	3" x 1000'	12.55
SEK402	Danger	Black on Red	3" x 1000'	12.55
EXTRA	HEAVY-DU1	ΓY - 2.5 MILS		
SEK403	Caution	Black on Yellow	3" x 1000'	13.95
<b>SEK404</b>	"Attention"	Black on Yellow	3" x 1000'	13.95
SEK405	Danger	Black on Red	3" x 1000'	13.95
SDS740	Danger	Black on Yellow	3" x 1000'	13.95

## **SAFETY BATON LIGHT**

- High visibility LED light source to safely direct traffic
- Durable weather resistant design with carrying strap

• Two light modes include Steady On and Flashing

• Requires (2) D batteries

• Light Colour: Orange

• Length: 21"

PROMO PRICE

**Model No SGW959** 



## **FLAGGING TAPE**

- Quick and easy way to lay out boundaries
- Non-adhesive
- Brightly coloured tape offers maximum visibility
- Width: 1.1875"
- Material: Vinyl
- Must be ordered in multiples of 10

SGQ808

SGQ807

Model			PROMO
No.	Colour	Length'	PRICE
SGQ805	Fluorescent Orange	164	2.05/Roll
SGQ807	Fluorescent Pink	164	2.05/Roll
SHB928	Fluorescent Green	164	2.05/Roll
SHB929	Fluorescent Yellow	164	2.05/Roll
SGQ806	Red	164	2.05/Roll
SGQ808	Blue	328	2.20/Roll

ZENTH

## **PENNANT STRINGS**

- Used to draw attention at events, work areas or construction sites
- String Length: 60'
- Pennant Size: 9" x 12"
- Number of Pennants: 36
- Flag Material: Polyethylene





Model No.	Colour	PROMO PRICE
SGG311	Red	4.95
SGG312	Yellow	4.95
SGG313	Multicolour	6.05

## TRAFFIC SAFETY FLAGS

- Most commonly used for traffic control, job-site safety, and highway construction
- Can be used as a hand flag, or to direct vehicles using a wooden dowel (sold separately)
- Mesh flag: Heavy-duty fluorescent with plastic trim; resists tearing, fraying or snagging







Model	Flag			PROMO
No.	Material	Colour	Size	PRICE
SGG310	Mesh	Orange	18" x 18"	3.15
SHL144**	Vinyl	Red/Orange	18" x 18"	4.75
SGG314*	Polyester	Hi-Visibility Orange	16" x 16"	3.85

<sup>\*</sup> Includes 3 grommet holes

<sup>\*\*</sup> Includes 24" staff

## **PARKING CURBS**

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)
- 6" W x 4" H



Model		Spikes	PROMO
No.	Length	Required	PRICE
SEH140	3'	3	34.15
SEH141	6'	4	68.35
REBAR SPIKE			
SEH144	14"	-	3.85

### **SPEED BUMPS**

- 1-piece lightweight 100% recycled rubber
- · Resistant to corrosion, moisture, oil, weather variations and UV light
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum nighttime visibility
- Easily installed with 14" rebar spikes for permanentor temporary installation (sold separately)
- Capacity: Approx.
   18 tons at 10 km/h
- 11" W x 2" H



ZENTH



Model		Spikes	PROMO
No.	Length	Required	PRICE
SPEED BUMP	S		
SEH142	4'	5	83.65
SEH143	6'	4	119.00
END CAP			
SHA660	-	1	19.55
REBAR SPIKE			
SEH144	14"	-	3.85
SPEED BUMP	KITS		
SHF708*	4	-	139.00
SHF709*	6	-	169.00

**EVA PLASTIC TRAFFIC CONE** 

- Fluorescent orange colour provides high visibility
- Interlocking cone and base
- Can withstand temperatures -10°C to 60°C
- Material: EVA Plastic with Rubber base
- Standard(s) Met: Ontario & Alberta Ministry of Transport Regulations





Model		Base Dim.		Reflective	PROMO	
No.	Height"	W"	X	L"	Collar"	PRICE
SGU800	28	14.17	х	14.17	4	17.95



## **PVC TRAFFIC CONES**

- 100% PVC construction offers excellent flexibility and durability
  - Temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
  - Available with 6" and 4" reflective collars
    - High-density interlocking base offers maximum stability

Model Base Dim. PROMO Collar" Height" PRICE No. SEF026\* 18 10-1/4 x 10-1/4 6 13.55 SEF027\*\* 28 13-3/4 x 13-3/4 22.95 **SEF028\*** 13-3/4 x 13-3/4 28 6 & 4 25.55

## **COLOURED CONES**

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation





Model			Bas	e C	Dim.	PROMO
No.	Colour	Height"	W"	X	L"	PRICE
SEH135	White	18	10-1/4	х	10-1/4	11.55
SEH136	Blue	18	10-1/4	X	10-1/4	11.55
SEH137	Yellow	18	10-1/4	X	10-1/4	11.55
SEH138	Orange	18	10-1/4	X	10-1/4	11.55
SEH139	Green	18	10-1/4	X	10-1/4	11.55
SEK283	Red	18	10-1/4	X	10-1/4	11.55
SDP595	Orange	28	14	X	14	19.45

<sup>\*</sup>Meets Minister of Transport regulations for Quebec, Ontario and Alberta

<sup>\*\*</sup> Meets Minister of Transport regulations for Ontario and Alberta

**COLLAPSIBLE TRAFFIC CONES** 

- Made from a durable plastic base and a folding fabric cone
- · Internal light flashes for better visibility
- Collapses for easy storage
- Uses a replaceable, long-lasting lithium-ion battery
- Includes: (4) Cones, (1) Carrying case
- Colour: Orange
- Reflective Collars: 4"



Safety Products
-----------------

Model	Overall	PROMO
No.	Height"	PRICE
SHA659	18	94.95/Pkg.
SHA820	28	119.00/Pkg.

### PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- High density interlocking base offers maximum stability
- Base Dimensions: 13-3/4" W x 13-3/4" L



## IIINEW!

Model			Weight	PROMO
No.	Description	Color	lbs.	PRICE
TRAFFIC	CONE			
SHL470	12"	Orange	2	7.05
SHL471	18"	Orange	3.3	11.45
SHL473	28"	Orange	7	21.95
SHL483	18"	Lime Green	3.3	13.95
SHL482	28"	Lime Green	7	26.85
TRAFFIC	CONE WITH COLLA	R		
SHL472*	18" w/6" Collar	Orange	3.3	16.95
SHL476**	28" w/4" Collar	Orange	7	24.45
SHL474*	28" w/6" & 4" Collar	Orange	7	29.95
SHL481*	36" w/6" & 4" Collar	Orange	10	39.25
SHL479*	18"w/6" Collar	Lime Green	3.3	20.45
SHL478*	28" w/6" & 4" Collar	Lime Green	7	33.95
SHL480**	28"w/4" Collar	Blue	7	27.55
SHL484**	28"w/4" Collar	Yellow	7	27.25

- \* Meets Minister of Transport regulations for Quebec, Ontario and Alberta
- \*\* Meets Minister of Transport regulations for Ontario and Alberta

## **6" TRAFFIC CONE**

- 1 piece lightweight PVC construction offers flexibility and durability
- Ideal for sporting events, driver's education courses, and marking indoor hazards
- Base Dimensions: 5-7/8" W x 5-7/8" L

Model	PROMO
No.	PRICE
SCG920	4.25



### TRAFFIC CONE TOPPER

- 9.8' red and white striped belt
- Easier to use than traffic tape
- Fits securely to top of cone to transform traffic cones into a crowd control system
- Durable construction

ZENTH<sup>®</sup>
Safety Products

Model PROMO
No. PRICE
SGY103 24.95



### RETRACTABLE CONE BARS

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- · Made of high quality ABS materials for best durability
- Fluorescent colour for enhanced daytime visibility
- Reflective tape offers maximum nighttime visibility and safety



Model No.	Collapsed Length	Extended Length"	Color	PROMO PRICE
SGS309	4'3"	7'2	Black/Yellow	9.15
SDP614*	4'5"	7'5	Black/Orange	32.95
* 3M <sup>TM</sup> Ref	lective Tape			

## **DELINEATOR POSTS**

- Standard 42"-high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" high intensity reflective tape collars

#### **HIGH-VISIBILITY DELINEATOR POSTS**

• Perfect for parking lots, hotels and airport

#### **PREMIUM DELINEATOR POSTS**

• Superior temperature resistance in hot and cold environments

• Two pre-applied 4" 3M<sup>TM</sup> high intensity reflective tape collars

• Handle Height: 5-1/2"



SGJ239

Model			PROMO
No.	Base	Dimensions"	PRICE
HIGH-VI	SIBILITY DELINEATOR	POSTS	
SGJ239	Octagonal with handle	16 x 16	29.00
SGJ240	Rectangular	15 x 17	28.45
SGJ238	Delineator Post Only	-	17.65
PREMIU!	M DELINEATOR POSTS		
SEC153	Octagonal with handle	16 x 16	31.85
SGG105	Rectangular	15 x 17	31.85
SEB773	Delineator Post Only	-	19.35

## FIBREGLASS HANDLE SHOVELS

• Durable fibreglass handle with rubber grip • Forward turned step for extra strength

• Blade Material: Tempered Steel

**AUR** RA

Straight



	ш				
Model	Blade	Handle	Handle	Overall	PROMO
No.	Size"	Type	Length"	Length"	PRICE
ROUNI	D POINT				
NJ093	11 x 8-1/2	D-Grip	32-1/2	42	24.10
<b>TLZ465</b>	11 x 8-1/2	Straight	36-1/2	56	23.80
SQUAF	RE POINT				
NJ094	11-1/2 x 8-1/2	D-Grip	32-1/2	42	24.40
NJ095	11-1/2 x 8-1/2	Straight	48	56	24.05
DRAIN	SPADE				
NJ096	16 x 6	D-Grip	28-1/2	42-1/2	20.55

## **HEAVY-DUTY FIBREGLASS HANDLE SHOVELS**

- Durable fibreglass handle with rubber grip
- Heavy-duty, 12-gauge carbon steel blade
- Forward turned step for extra strength
- Ergonomic grip



Blade	Handle	Handle	Overall	PROMO
Size"	Type	Length"	Length"	PRICE
POINT				
11 x 9	D-Grip	30	41	31.70
11 x 9	Straight	45-1/2	56-1/2	34.65
POINT				
11 x 9	D-Grip	29-1/2	41	30.45
11 x 9	Straight	47-1/2	56-1/2	31.40
SPADE				
12 x 7-1/2	D-Grip	30-1/2	42	24.40
PADE				
14 x 5-1/2	D-Grip	29	45	25.70
16 x 6	Straight	45	61	26.20
	Size"  POINT  11 x 9  11 x 9  11 x 9  POINT  11 x 9  11 x 9  11 x 9  12 x 7-1/2  PADE  14 x 5-1/2	Size" Type	Size"         Type         Length"           POINT           11 x 9         D-Grip         30           11 x 9         Straight         45-1/2           POINT           11 x 9         D-Grip         29-1/2           11 x 9         Straight         47-1/2           I SPADE           12 x 7-1/2         D-Grip         30-1/2           PADE           14 x 5-1/2         D-Grip         29	Size"         Type         Length"         Length"           POINT           11 x 9         D-Grip         30         41           11 x 9         Straight         45-1/2         56-1/2           POINT           11 x 9         D-Grip         29-1/2         41           11 x 9         Straight         47-1/2         56-1/2           I SPADE           12 x 7-1/2         D-Grip         30-1/2         42           PADE           14 x 5-1/2         D-Grip         29         45

## WOOD HANDLE SHOVELS

- Durable hardwood handle
- Forward turned step for extra strength
- NN244 • Blade Material: Tempered Steel



NN246

NN248

<b>AUR</b> RA
TOOLS

D-Grip



Model No.	Blade Size"	Handle Type	Handle Length"	Overall Length"	PROMO PRICE
ROUNE	POINT				
NN243	11 x 8-1/2	D-Grip	29	40	24.00
NN244	11 x 8-1/2	Straight	48	59	26.00
SQUAR	E POINT				
NN245	11 x 8-1/2	D-Grip	29	40	22.80
NN246	11 x 8-1/2	Straight	48	59	27.95
DRAIN	SPADE				
NN247	14 x 6	D-Grip	30	44	23.70
NN248	14 x 6	Straight	46	60	26.85

## **HEAVY-DUTY WOOD HANDLE SHOVELS**

- Durable hardwood handle
- Heavy-duty, 12-gauge carbon steel blade
- Forward turned step for extra strength
- Ergonomic grip
- Welded fulcrum for added leverage



#### **AUR** RA TOOLS

Model No.	Blade Size"	Handle Type	Handle Length"	Overall Length"	PROMO PRICE
ROUND	POINT				
NN235	11 x 9	D-Grip	30	41	32.85
NN236	11 x 9	Straight	48	59	33.70
SQUARE	POINT				
NN237	11 x 9	D-Grip	30	41	34.25
NN238	11 x 9	Straight	48	59	37.30
DRAIN S	SPADE				
NN239	16 x 6	D-Grip	29	45	26.75
NN240	16 x 6	Straight	45	61	28.40

## **SCOOP SHOVELS**

- Perfect for moving and scooping lightweight granulated materials
- Lightweight construction for comfort and productivity
- Harwood handle with aluminum blade resistant to rust
- Blade Size: 14" x 18"



## **AURØRA**

NN138

Model No.	Handle Type	Handle Length"	O.A Length"	PROMO PRICE
TYX063	Straight	45-3/4	63-1/2	44.75
NM985	D-Grip	24-1/2	46-5/8	45.30

# BROADCAST SPREADERS WITH STAINLESS STEEL HARDWARE

• Metal gear inside of the gear box

• Stainless steel hardware in the hopper and pivot shaft

Metal control handleRate setting control on

handle for precise adjustments

• Spread Width: 10'-12'

• Includes: Raincover, screen



**Pneumatic** Model Load Coverage PROMO **PRICE** Capacity Tire Size" No. sq.ft. **NN138** 70 lbs. 15000 10 305.00 125 lbs. 27000 14 **NN139** 437.00

NN139

## **CONTRACTOR DUTY RUBBER HOSES**

- All weather flexibility even in sub-zero conditions: -30°C (-22°F) to +82°C (180°F)
- Kink resistant under pressure
- Excellent abrasion resistant outer cover
- 400 PSI maximum pressure
- Easy coiling after use
- Hose Diameter: 5/8"
- Couplings: Brass

NO486

Model	Hose	PROMO
No.	Length'	PRICE
NO486	25	34.45
NO487	50	53.35
NO488	100	93.25



AUR@RA

### **HEAVY-DUTY BOW RAKES**

- All-welded curved steel tines
- Tempered carbon steel head
- Ergonomic grip
- No. of Tines: 15
- Blade Dimension: 15" x 6"
- Overall Length: 64"



NN137

#### AURØRA TOOLS

Model Handle No. Material		PROMO PRICE	
NN242	Wood	37.80	
TLZ471	Fibreglass	42.30	

### **BROADCAST SPREADERS**

• Steel tube frame construction with chrome plated hardware

• Heavy-duty nylon gear box increases product life span

• Setting control on handle for precise adjustments

- 12" x 4" pneumatic tires
- Spread Width: 10-12'
- Includes: Raincover, screen





## **GARDEN HOSES**

- Hose made from virgin PVC, featuring good flexibility, abrasion, UV, oil and cracking resistance
- Stay flexible in temperatures: -10°C(14°F) to +65°C(150°F)
- Lightweight, kink resistant under pressure
- Abrasion resistant outer cover
- UV, Ozone, cracking, chemicals, and oil resistant
- 300 PSI maximum working pressure
- Hose Diameter: 5/8"
- · Couplings: Brass

Hose	PROMO
Length'	PRICE
25	20.80
50	30.85
100	52.40
	<b>Length'</b> 25 50








Model	Pressur	e		Body	PROMO		
No.	PSI	Water	Insulated	Material	PRICE		
VINYL A	VINYL MOLDED COMFORT GRIP						
NM814	100	Cold	No	Zinc & Vinyl	8.25		
HEAVY-	HEAVY-DUTY CONSTRUCTION & COMPONENTS						
NM815	100	Warm & Colo	d Yes	Zinc & ABS	6.20		
NM816	100	Warm & Colo	d Yes	Zinc & TPR	5.55		
NO590	60	Warm & Colo	d No	Zinc	5.65		
ERGONO	ERGONOMIC GRIP FOR LONGER USE						
NM817	100	Hot & Cold	Yes	Zinc & TPR	8.20		

#### **MEGAPHONE**

- Up to one mile carry sound range
- · Features pistol grip and trigger for 1-hand operation
- Requires 8 "C" batteries
- Includes piercing siren sound for emergency situations
- Power Output: 25-w Peak
- 15 W RMS power output
- Weight: w/o batteries 2.7 lbs., w/batteries 3.9 lbs.
- Dimensions: 15" L x 9" H (cone diameter)








ZEN/TH<sup>®</sup>

## **HYBRID GARDEN HOSES**

- All weather flexibility even in sub-zero conditions: -25°C (-13°F) to +70°C (158°F)
- Lightweight, lay flat and no memory, kink resistant under pressure
- Abrasion resistant outer cover
- UV, Ozone, cracking, chemicals, and oil resistant
- 450 PSI maximum working pressure
- Hose Diameter: 5/8"
- Hose Material: Copolymer

NO963







### **DISPOSABLE PONCHO**

• Ideal for jobsites and other outdoor events

Individually packaged for easy and convenient storage
Heat-sealed seams
Features attached

hood and roomy sleeves
• Material: LDPE

- One Size
- Colour: Blue
- Size: 50" x 80"
- Thickness: 0.02 mm
- Pack of 10

Model No. SHB893







PROUDLY
100% Canadian Owned
100% Canadian Operated
Canadians supporting Canadians

