

# MEGAPRO<sup>®</sup>

• EVERY BIT BETTER •



## 2025 PRODUCT CATALOG



## KNOW THE MEGAPRO ADVANTAGE

*PALM-SAVER CAP™  
REDUCES FATIGUE AND  
INCREASES PRODUCTIVITY*

*INDUSTRIAL GRADE  
DOUBLE-ENDED STEEL BITS*

*RETRACTABLE BIT CARTRIDGE  
FOR EASY BIT ACCESS*

*RUBBERIZED COMFORT GRIP  
HANDLE OFFERS MAXIMUM  
TWISTING FORCE*

*ULTRA-STRONG LUMID  
HANDLE FEELS GOOD TO HOLD*

*28 TOOTH RATCHETING  
MECHANISM FOR MAXIMUM TORQUE*

*EZ GUIDE COLLAR™ HELPS  
MAINTAIN SHAFT ALIGNMENT*

*BONUS 1/4" NUT DRIVER*







***THERE'S A MEGAPRO FOR YOU***

|                                            |    |
|--------------------------------------------|----|
| Master Bit Chart .....                     | 2  |
| (NEW!) Stubby Driver - Arriving 2025 ..... | 3  |
| Essential Drivers .....                    | 4  |
| Industrial Drivers.....                    | 6  |
| (NEW!) Insulated Defender Driver .....     | 8  |
| (NEW!) Insulated Defender Pliers .....     | 9  |
| Locking Drivers & Extensions.....          | 10 |
| Impact Series & Replacement Bits.....      | 11 |
| (NEW!) Worklight and Driver Kits.....      | 12 |
| Merchandising .....                        | 13 |
| Engraving & Gift Boxes .....               | 15 |
| Imprinting & Branding .....                | 16 |
| Custom OEM Services .....                  | 17 |

## 2" DOUBLE ENDED BITS

| Type              |  |  |  |  |  |  |  |                               |  |  |  |
|-------------------|--|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| S2 Steel Alloy    |  | FD2-4                                                                             | FD3-5                                                                             | FD4-6                                                                             | SD0-3                                                                             | SD1-2                                                                             | —                                                                                 | SD0-0PLR-Y                                                                                                       | SD1-1PLR-G                                                                          | SD2-2PLR-R                                                                          | SD3-3PLR-B                                                                          |
| ENP Nickel Plated |  | —                                                                                 | —                                                                                 | FD4-6S                                                                            | SD0-3S                                                                            | SD1-2S                                                                            | —                                                                                 | * Official PL Robertson Bits  |                                                                                     |                                                                                     |                                                                                     |
| Locks in ShaftLOK |  | —                                                                                 | —                                                                                 | F4D4-6                                                                            | S4D0-3                                                                            | S4D1-2                                                                            | S4D2-2                                                                            |                                                                                                                  |                                                                                     |                                                                                     |                                                                                     |
| Locks in MegaLOK  |  | —                                                                                 | —                                                                                 | F2D4-6                                                                            | S2D0-3                                                                            | S2D1-2                                                                            | —                                                                                 |                                                                                                                  |                                                                                     |                                                                                     |                                                                                     |

| Type              |  |  |  |  |  |  |  |  |  |  |  |
|-------------------|--|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| S2 Steel Alloy    |  | PD0-3                                                                             | PD1-2                                                                             | —                                                                                 | PZD0-3                                                                            | PZD1-2                                                                            | TD6-8                                                                             | TD9-40                                                                              | TD10-15                                                                             | TD20-25                                                                             | TD27-30                                                                             |
| ENP Nickel Plated |  | PD0-3S                                                                            | PD1-2S                                                                            | —                                                                                 | PZD0-3S                                                                           | PZD1-2S                                                                           | —                                                                                 | —                                                                                   | TD10-15S                                                                            | TD20-25S                                                                            | TD27-30S                                                                            |
| Locks in ShaftLOK |  | P4D0-3                                                                            | P4D1-2                                                                            | P4D2-2                                                                            | PZ4D0-3                                                                           | PZ4D1-2                                                                           | —                                                                                 | —                                                                                   | T4D10-15                                                                            | T4D20-25                                                                            | —                                                                                   |
| Locks in MegaLOK  |  | P2D0-3                                                                            | P2D1-2                                                                            | —                                                                                 | PZ2D0-3                                                                           | PZ2D1-2                                                                           | —                                                                                 | —                                                                                   | T2D10-15                                                                            | T2D20-25                                                                            | T2D27-30                                                                            |

| Type           |   |  |  |  |  |  |  |  |  |
|----------------|---|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| S2 Steel Alloy | # | HD1/16-5/64                                                                                             | HD1/8-5/32                                                                                              | HD1/8-9/64                                                                                              | HD3/32-7/64                                                                                             | HD5/32-3/16                                                                                             | HD7/32-1/4                                                                                             | HD7/64-1/8                                                                                               | AWL-VST                                                                             |

| Type             |   |  |  |  |  |  |  |  |  |  |  |
|------------------|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| S2 Steel Alloy   | # | HD1.50-2.00                                                                       | HD2.00-2.50                                                                       | HD2.00-3.00                                                                       | HD2.50-3.00                                                                       | HD2.50-4.00                                                                       | HD3.00-4.00                                                                       | HD3.50-4.00                                                                         | HD4.00-5.00                                                                         | HD4.50-5.00                                                                         | HD5.00-6.00                                                                         |
| Locks in MegaLOK |   | —                                                                                 | —                                                                                 | H2D2.00-3.00                                                                      | —                                                                                 | —                                                                                 | —                                                                                 | —                                                                                   | —                                                                                   | —                                                                                   | H2D5.00-6.00                                                                        |

## 2" DOUBLE ENDED TAMPERPROOF BITS

All bits are S2 Steel Alloy

|   |  |  |  |  |  |  |  |  |  |  |  |
|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| # | F5.5-VST                                                                            | VSTD                                                                                | HDT1/8-9/64                                                                                               | HDT5/32-3/16                                                                                              | HDT2.50-4.00                                                                        | HDT5.00-6.00                                                                        | STD6-8                                                                              | STD10-12                                                                              | TWDT2-3                                                                               | TWDT4-5                                                                               | CD3/16-5/32                                                                                                 |
|   |  |  |                        |                        |  |  |  |  |                                                                                       |                                                                                       |                                                                                                             |
| # | TDT9-40                                                                             | TDT10-15                                                                            | TDT20-25                                                                                                  | TDT27-30                                                                                                  | TPDT20-25                                                                           | TPDT27-30                                                                           | TSDT4-6                                                                             | TSDT8-10                                                                              |                                                                                       |                                                                                       |                                                                                                             |

## 1" SINGLE ENDED BITS

All bits are S2 Steel Alloy

|   |  |  |  |  |  |  |  |  |  |  |  |
|---|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| # | F(1)4                                                                               | F(1)6                                                                               | P(1)0                                                                               | P(1)1                                                                               | P(1)2                                                                               | P(1)3                                                                               | PZ(1)0                                                                              | PZ(1)1                                                                                | PZ(1)2                                                                                | PZ(1)3                                                                                | S(1)2                                                                                 |
|   |  |  |  |  |  |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| # | T(1)10                                                                              | T(1)15                                                                              | T(1)20                                                                              | T(1)27                                                                              | T(1)30                                                                              |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |

All bits made in Taiwan



# BIG NEWS...TINY DRIVER



## THE NEW 13-IN-1 MEGAPRO STUBBY - ARRIVING 2025

### PART# 131STUBBY

Introducing the compact and versatile Stubby driver. This tiny tool packs a punch with 12 drive tips stored inside a durable handle that simplifies accessing hard to turn screws in tight areas.



|               |                                  |
|---------------|----------------------------------|
| ●● S(25)1-2   | Double-Ended (25mm) Square 1-2   |
| ⊕⊕ P(25)0-3   | Double-Ended (25mm) Phillips 0-3 |
| ⊕⊕ P(25)1-2   | Double-Ended (25mm) Phillips 1-2 |
| — — F(25)4-6  | Double-Ended (25mm) Flat 4-6     |
| ✱✱ T(25)10-15 | Double-Ended (25mm) Torx 10-15   |
| ✱✱ T(25)20-25 | Double-Ended (25mm) Torx 20-25   |

### AVAILABLE CARDED OR IN A 12 PC COUNTER DISPLAY:

CARDED PART#.....131STUBBY-C  
DISPLAY PART#.....5DISP-STUBBY-12PC



THE PALM SAVER CAP ALLOWS FOR COMFORTABLE ONE-HANDED USE IN COMPACT SPACES, NO MATTER THE SIZE OR STRENGTH OF YOUR GRIP.



## ORIGINAL

PART# 151NAS



|         |                           |
|---------|---------------------------|
| SD0-3   | Double-Ended Square 0-3   |
| SD1-2   | Double-Ended Square 1-2   |
| PD0-3   | Double-Ended Phillips 0-3 |
| PD1-2   | Double-Ended Phillips 1-2 |
| FD4-6   | Double-Ended Flat 4-6     |
| TD10-15 | Double-Ended Torx 10-15   |
| TD20-25 | Double-Ended Torx 20-25   |

### HIGHLIGHTS

- Our number one best seller.
- Loaded with 7 double-ended bits giving you 14 of the most widely used tips for ultimate convenience.

## STAINLESS

PART# 151SS



|          |                               |
|----------|-------------------------------|
| SD0-3S   | ENP Double-Ended Square 0-3   |
| SD1-2S   | ENP Double-Ended Square 1-2   |
| PD0-3S   | ENP Double-Ended Phillips 0-3 |
| PD1-2S   | ENP Double-Ended Phillips 1-2 |
| FD4-6S   | ENP Double-Ended Flat 4-6     |
| TD10-15S | ENP Double-Ended Torx 10-15   |
| TD20-25S | ENP Double-Ended Torx 20-25   |

### HIGHLIGHTS

- The Original with a stainless-steel shaft and rust-resistant bits.

## ORIGINAL (PINK)

PART# 151PINK



|         |                           |
|---------|---------------------------|
| SD0-3   | Double-Ended Square 0-3   |
| SD1-2   | Double-Ended Square 1-2   |
| PD0-3   | Double-Ended Phillips 0-3 |
| PD1-2   | Double-Ended Phillips 1-2 |
| FD4-6   | Double-Ended Flat 4-6     |
| TD10-15 | Double-Ended Torx 10-15   |
| TD20-25 | Double-Ended Torx 20-25   |

### HIGHLIGHTS

- Same as our original driver...but in pink!

## HEX

PART# 151HX



|             |                       |
|-------------|-----------------------|
| HD3/32-7/64 | Dbl-End Hex 3/32-7/64 |
| HD1/8-9/64  | Dbl-End Hex 1/8-9/64  |
| HD5/32-3/16 | Dbl-End Hex 5/32-3/16 |
| HD7/32-1/4  | Dbl-End Hex 7/32-1/4  |
| HD2.00-3.00 | Dbl-End Hex 2.00-3.00 |
| HD4.00-5.00 | Dbl-End Hex 4.00-5.00 |
| HD5.50-6.00 | Dbl-End Hex 5.50-6.00 |

### HIGHLIGHTS

- Swap the Allen Key set for the comfort and versatility of a Megapro.
- Mixed Imperial and Metric hex bits.

## HOME & GARDEN

NEW PART# 151HOMEGARDEN



NEW BITLOAD

|             |                            |
|-------------|----------------------------|
| PD0-3       | Double-Ended Phillips 0-3  |
| PD1-2       | Double-Ended Phillips 1-2  |
| FD4-6       | Double-Ended Flat 4-6      |
| SD0-3       | Double-Ended Square 0-3    |
| SD1-2       | Double-Ended Square 1-2    |
| HD1/8-9/64  | Double-Ended Hex 1/8-9/64  |
| HD5/32-3/16 | Double-Ended Hex 5/32-3/16 |

### HIGHLIGHTS

- Loaded with the right mix of bits for jobs in the home and in the yard, including hex for home assembly tasks.

## PL ROBERTSON

PART# 151PLR



|            |                           |
|------------|---------------------------|
| FD4-6      | Double-Ended Flat 4-6     |
| PD0-3      | Double-Ended Phillips 0-3 |
| PD1-2      | Double-Ended Phillips 1-2 |
| SD0-0PLR-Y | Dbl-End Square Yellow 0-0 |
| SD1-1PLR-G | Dbl-End Square Green 1-1  |
| SD2-2PLR-R | Dbl-End Square Red 2-2    |
| SD3-3PLR-B | Dbl-End Square Black 3-3  |

### HIGHLIGHTS

- Includes four authentic "cling fit" P.L Robertson bits.





## 8-IN-1

PART# 8IN1NAS



|   |     |                                |
|---|-----|--------------------------------|
| ⊖ | F4  | 2" Single-Ended Flat 4         |
| ⊖ | F6  | 2" Single-Ended Flat 6         |
| ⊕ | P1  | 2" Single-Ended Phillips 1     |
| ⊕ | P2  | 2" Single-Ended Phillips 2     |
| ⊕ | P3  | 2" Single-Ended Phillips 3     |
| ⊕ | S2  | 2" Single-Ended Square 2       |
| ⊕ | T15 | 2" Single-Ended Torx (Star) 15 |

### HIGHLIGHTS

- Lighten the load with a smaller handle and seven single-ended bits.

Also available in:

- Neon Green (Part# 8IN1NAS-GRNE/BK)
- Neon Orange (Part# 8IN1NAS-NOR/BK)

## PRECISION

PART# 251PRECISION



|   |           |   |             |
|---|-----------|---|-------------|
| ⊖ | H1.0-2.0  | ⊖ | FD2.5-3.0   |
| ⊖ | H2.5-3.0  | ⊕ | SP2.6-TA2.3 |
| ⊕ | P2-5      | ⊕ | TX3-TT6     |
| ⊕ | PH1-000   | ⊕ | TX4-TT8     |
| ⊕ | PH2-00    | ⊕ | TX5-PH0     |
| ⊖ | FD1.5-2.0 | ⊕ | TT10-15     |

### HIGHLIGHTS

- This compact design is ideal for any micro task, from vacuum maintenance to watch repair and everything in between.
- Offers the smoothest battery changes at all gift-related holidays.
- 12 double-ended precision bits for incredible 24-in-1 capacity.

## POCKET DRIVER

PART# 6PDRIVER-PDM



|   |         |                            |
|---|---------|----------------------------|
| ⊕ | PD00-0  | Double-Ended Phillips 00-0 |
| ⊖ | FD1.5-2 | Double-Ended Flat 1.5-2    |

### HIGHLIGHTS

- 4-in-1 slim profile tool, easily stored in all sorts of bags and pockets.
- Contoured bits can reach a depth of up to 15mm ( $\frac{9}{16}$ ").
- Double end caps protect pockets from the screwdriver blade.
- Comes in a 5.25"x3.75"x5.5" 24 pc. cardboard cut case perfect for countertops, tills and shelves.



## ORIGINAL RATCHETING

PART# 211R2C36RD

|         |                           |
|---------|---------------------------|
| SD1-2   | Double-Ended Square 1-2   |
| PD0-3   | Double-Ended Phillips 0-3 |
| PD1-2   | Double-Ended Phillips 1-2 |
| FD4-6   | Double-Ended Flat 4-6     |
| TD10-15 | Double-Ended Torx 10-15   |
| TD20-25 | Double-Ended Torx 20-25   |

### HIGHLIGHTS

- A 28-tooth ratcheting mechanism that offers a smooth shaft rotation with incredible control.
- Zinc-alloy Solid-Core™ mechanism delivering more than 225 in/lbs of torque.
- Comfortable rubber grip allows for maximum twisting force.



## AUTOMOTIVE RATCHETING

PART# 211R1C36RD



|                  |                       |
|------------------|-----------------------|
| F(1)4 Slot 4     | T(1)10 Torx (Star) 10 |
| F(1)6 Slot 6     | T(1)15 Torx (Star) 15 |
| P(1)1 Phillips 1 | T(1)20 Torx (Star) 20 |
| P(1)2 Phillips 2 | T(1)25 Torx (Star) 25 |
| P(1)3 Phillips 3 | T(1)27 Torx (Star) 27 |
| S(1)2 Square 2   | T(1)30 Torx (Star) 30 |

### HIGHLIGHTS

- Custom bit-load full of Torx (star) options.
- 12 x 1" single-ended bits with strong magnetic pick up.
- Extra long stainless steel shaft.

## TAMPERPROOF RATCHETING

PART# 211R2CTPRD



|             |                               |
|-------------|-------------------------------|
| HDT1/8-9/64 | Dbl-End Hex Pin 1/8-9/64      |
| STD6-8      | Dbl-End Spanner 6-8           |
| STD10-12    | Dbl-End Spanner 10-12         |
| TDT10-15    | Dbl-End Torx (Star) Pin 10-15 |
| TDT20-25    | Dbl-End Torx (Star) Pin 10-25 |
| TDT27-30    | Dbl-End Torx (Star) Pin 27-30 |

### HIGHLIGHTS

- Tamper-resistant bits including the Spanner, Hex Pin, and Torx Pin.

## TAMPERPROOF

PART# 151TP



|              |                               |
|--------------|-------------------------------|
| HDT1/8-9/64  | Dbl-End Hex Pin 1/8-9/64      |
| HDT5/32-3/16 | Dbl-End Hex Pin 5/32-3/16     |
| STD6-8       | Dbl-End Spanner 6-8           |
| STD10-12     | Dbl-End Spanner 10-12         |
| TDT10-15     | Dbl-End Torx (Star) Pin 10-15 |
| TDT20-25     | Dbl-End Torx (Star) Pin 20-25 |
| TDT27-30     | Dbl-End Torx (Star) Pin 27-30 |

### HIGHLIGHTS

- Tamper-resistant bits including the Spanner, Hex Pin, and Torx Pin.
- Perfect for the belt of every Maintenance, Repair, and Operations worker across North America.

## TAMPERPROOF 2

PART# 151TP2



|           |                            |
|-----------|----------------------------|
| TWDT2-3   | Double-Ended Triwing 2-3   |
| TWDT4-5   | Double-Ended Triwing 4-5   |
| TSDT4-6   | Double-Ended Torq-Set 4-6  |
| TPDT8-10  | Double-Ended Torq-Set 8-10 |
| TPDT10-15 | Dbl-End Torx-Plus TR 10-15 |
| TPDT20-25 | Dbl-End Torx-Plus TR 20-25 |
| TPDT27-30 | Dbl-End Torx-Plus TR 27-30 |

### HIGHLIGHTS

- Next-gen tamper-resistant bits including the Tri-Wing, Torq-Set, and Torx Plus.

### THE CORRECT PASSWORD FOR SECURITY SCREWS

Our Tamperproof drivers feature an assortment of security tips that let you get the job done.







## HVAC

NEW PART# 151HVAC



### NEW BITLOAD

|    |         |                             |
|----|---------|-----------------------------|
| ⊕⊕ | PD1-2   | Double-Ended Phillips 1-2   |
| ⊖⊖ | FD3-5   | Double-Ended Flat 3-5       |
| ⊕⊕ | SD1-2   | Double-Ended Square 1-2     |
| ⊕⊕ | TD10-15 | Dbl-End Torx (Star) 10-15   |
| ⊕⊕ | TD20-25 | Dbl-End Torx (Star) 20-25   |
| ⊕⊕ | AWL-VST | Valve Stem Bit x Square Awl |
| 🔧  | 6SA1/4  | 1/4" Socket Adapter         |

### HIGHLIGHTS

- Bit load based on feedback from HVAC professionals.
- 3-5 Flat handles gauges and panels.
- Includes Schrader Valve Stem bit and new 1/4" Socket Adapter.
- 5/16" mini nut driver clips to shaft.

## AUTOMOTIVE

PART# 151AUTO



|    |          |                           |
|----|----------|---------------------------|
| ⊕⊕ | PD1-2    | Double-Ended Phillips 1-2 |
| ⊕⊕ | TD9-40   | Dbl-End Torx (Star) 9-40  |
| ⊕⊕ | TD10-15  | Dbl-End Torx (Star) 10-15 |
| ⊕⊕ | TD20-25  | Dbl-End Torx (Star) 20-25 |
| ⊕⊕ | TD27-30  | Dbl-End Torx (Star) 27-30 |
| ⊖⊖ | F5.5-VST | Flat 5.5 x Valve Stem Bit |
| 🔧  | 6SA1/4   | 1/4" Socket Adapter       |

### HIGHLIGHTS

- Custom bit-load tailored to jobs done under the hood.
- Includes 1/4" socket adapter, 8 Torx sizes and a valve-stem bit.

## ELECTRONIC

PART# 151ELEC



|    |          |                               |
|----|----------|-------------------------------|
| ⊖⊖ | FD4-6    | Double-Ended Flat 4-6         |
| ⊕⊕ | PD0-3    | Double-Ended Phillips 0-3     |
| ⊕⊕ | PD1-2    | Double-Ended Phillips 1-2     |
| ⊕⊕ | SD1-2    | Double-Ended Square 1-2       |
| ⊕⊕ | STD6-8   | Double-Ended Spanner 6-8      |
| ⊕⊕ | STD10-12 | Double-Ended Spanner 10-12    |
| ⊕⊕ | TD10-15  | Dbl-End Torx (Star) Pin 10-15 |

### HIGHLIGHTS

- Retractable cartridge is loaded with a mix of common and security bits.

## ELEVATOR

PART# 151ELEV



|    |          |                               |
|----|----------|-------------------------------|
| ⊖⊖ | FD4-6    | Double-Ended Flat 4-6         |
| ⊕⊕ | PD0-3    | Double-Ended Phillips 0-3     |
| ⊕⊕ | PD1-2    | Double-Ended Phillips 1-2     |
| ⊕⊕ | STD6-8   | Double-Ended Spanner 6-8      |
| ⊕⊕ | STD10-12 | Double-Ended Spanner 10-12    |
| ⊕⊕ | TD10-15  | Dbl-End Torx (Star) Pin 10-15 |
| ⊕⊕ | TD10-25  | Dbl-End Torx (Star) Pin 20-25 |

### HIGHLIGHTS

- Serves a niche segment, yet just perfect for anyone who commonly tackles elevator maintenance.



# INTRODUCING THE DEFENDER SERIES



© 2024, CA Ind. Design Regn. No. 221567, WINSIRE ENTERPRISES CORPORATION.

## INSULATED DRIVER

PART# VDE-DRIVER



**CERTIFIED TO 1000 VOLTS**

|   |             |                                        |
|---|-------------|----------------------------------------|
| ⬤ | P(3)1-VDE   | 3" Single-Ended Phillips 1 (Insulated) |
| ⬤ | P(3)2-VDE   | 3" Single-Ended Phillips 2 (Insulated) |
| ⬤ | S(3)2-VDE   | 3" Single-Ended Square 2 (Insulated)   |
| ⬤ | F(3)2.5-VDE | 3" Single-Ended Flat 2.5 (Insulated)   |
| ⬤ | F(3)4-VDE   | 3" Single-Ended Flat 4 (Insulated)     |
| ⬤ | F(3)5.5-VDE | 3" Single-Ended Flat 5.5 (Insulated)   |



### HIGHLIGHTS

- VDE Certified
- Insulated for safe usage up to 1000 Volts.
- Slim bits for access to recessed screws.
- Patented locking collar secures bits in shaft.
- Maximum torque rating of 6.5 NM

## INSULATED DRIVER KIT

PART# 6KIT-VDE

### HIGHLIGHTS

- Includes insulated driver and **FREE VOLTAGE TESTER**.
- Voltage Tester rated for CAT III at 1000V.
- Adjustable sensitivity on voltage tester detects as low as 12V.

**WHILE SUPPLIES LAST - CONTACT YOUR ACCOUNT MANAGER FOR AVAILABILITY.**





# VDE CERTIFIED TO 1000 VOLTS

## INSULATED PLIER 3-PACK

PART# VDE-3PACK-PLIER-C



### HIGHLIGHTS

- Insulated for safe usage up to 1000 Volts
- Designed for IEC 60900 Standard.
- Made of CR-MO Steel with > 58 HRC hardness level.
- Ergonomic rubber handle for maximum comfort in use.
- Molded handle guards prevent forward slipping.



## INDIVIDUAL INSULATED PLIERS

### PRODUCT

### PART #

8.5" COMBINATION PLIERS (BULK).....VDE-COMBOPLIER

8.5" COMBINATION PLIERS (CARDED).....VDE-COMBOPLIER-C

- Grips for flat and round objects.

8" DIAGONAL CUTTERS (BULK).....VDE-D-CUTTER

8" DIAGONAL CUTTERS (CARDED).....VDE-D-CUTTER-C

- Cuts 4.2mm medium hard wire and 2.5mm piano wire.

8" NEEDLE-NOSE PLIERS (BULK).....VDE-LONGNOSE

8" NEEDLE-NOSE PLIERS (CARDED).....VDE-LONGNOSE-C

- Cuts 3.2mm medium hard wire and 2.2mm hard wire.



## SHAFTLOK™ EXTENSIONS

## SHAFTLOK™

PART# 151SL44



PART# 6EXT-SL10



PART# 6EXT-SL6

### FOR THOSE HARD-TO-REACH AREAS!

Add a ShaftLOK™ locking extension to maximize your reach.

|              |                               |
|--------------|-------------------------------|
| □ □ S4D0-3   | ShaftLOK DbL-End Square 0-3   |
| □ □ S4D1-2   | ShaftLOK DbL-End Square 1-2   |
| ⊕ ⊕ P4D0-3   | ShaftLOK DbL-End Phillips 0-3 |
| ⊕ ⊕ P4D1-2   | ShaftLOK DbL-End Phillips 1-2 |
| ⊖ ⊖ F4D4-6   | ShaftLOK DbL-End Flat 4-6     |
| ⊕ ⊕ T4D10-15 | ShaftLOK DbL-End Torx 10-15   |
| ⊕ ⊕ T4D20-25 | ShaftLOK DbL-End Torx 20-25   |

### HIGHLIGHTS

- Patented locking mechanism holds bits and extensions tight in the shaft.
- Extensions also feature the patented locking mechanism and can be linked for even further length.

## EXTENSIONS & ADAPTERS

### EXTEND YOUR REACH!

The 6" Aluminum Extension is compatible with all our Original and Ratcheting drivers.



|                                               |           |
|-----------------------------------------------|-----------|
| 6" Aluminum Extension .....                   | 6EXT-ALUM |
| 3/16" Hex Nut Driver .....                    | 6HND3/16  |
| 5/16" Magnetic Nut Driver .....               | 6MND5/16  |
| Compact (25mm) 1/4" Magnetic Nut Driver ..... | 6MND1/4C  |
| Square Awl - Reamer .....                     | 6AWL-SQ   |
| Round Awl .....                               | 6AWL-RD   |
| 1/4" Socket Adapter .....                     | 6SA1/4    |
| 3/8" Socket Adapter .....                     | 6SA3/8    |

### OUR MOST VERSATILE DRIVER

Featuring bits that can be used in power tools and a chuck that locks in 1/4" shank accessories, this driver does it all!

## MEGALOK™

PART# 151ML



|              |                              |
|--------------|------------------------------|
| □ □ S2D0-3   | MegaLOK DbL-End Square 0-3   |
| □ □ S2D1-2   | MegaLOK DbL-End Square 1-2   |
| ⊕ ⊕ P2D0-3   | MegaLOK DbL-End Phillips 0-3 |
| ⊕ ⊕ P2D1-2   | MegaLOK DbL-End Phillips 1-2 |
| ⊖ ⊖ F2D4-6   | MegaLOK DbL-End Flat 4-6     |
| ⊕ ⊕ T2D10-15 | MegaLOK DbL-End Torx 10-15   |
| ⊕ ⊕ T2D20-25 | MegaLOK DbL-End Torx 20-25   |

### HIGHLIGHTS

- 1/4" quick change chuck locks in bits and accepts all 1/4" hex-shank power groove accessories.
- Includes 7 double-ended ANSI compatible bits can also be used in ANSI power tools.



# IMPACT SERIES & REPLACEMENT BITS

## MEGAFORCE IMPACT SERIES



### MAXIMUM IMPACT!

Megaforce Impact Bits are compatible with all of our Original, Ratcheting, and locking drivers.

### HIGHLIGHTS

- Specially modified S2 Steel built for shock absorption and maximum durability.
- Coated in black oxide for corrosion protection.
- Convenient quick-release carabiner to attach to your tool bag or belt.

### IMPACT BITS

|                                                           |            |
|-----------------------------------------------------------|------------|
| 10 Pack   #2 Square .....                                 | 9BP-I-S210 |
| 10 Pack   #2 Phillips .....                               | 9BP-I-P210 |
| 10 Pack   Assorted A.....                                 | 9BP-I-10A  |
| SQ1 - SQ2 - SQ3 - PH1 - PH2 - PH2 - PR2 - T15 - T20 - T25 |            |
| 10 Pack   Assorted B.....                                 | 9BP-I-10B  |
| SQ1 (×2) - SQ2 (×3) - SQ3 - PH1 - PH2 (×2) - PH3 - PR2    |            |
| 10 Pack   SQ Bits .....                                   | 9BP-I-S253 |
| SQ1 (×2) - SQ2 (×5) - SQ3 (×3)                            |            |
| 10 Pack   Torx Bits .....                                 | 9BP-I-TA   |
| T10 (×2) - T15 (×2) - T20 (×2) - T25 (×2) - T30 (×2)      |            |

### IMPACT NUTSETTERS

|                                    |            |
|------------------------------------|------------|
| 5 Pack   Imperial.....             | 9BP-I-HNDA |
| 1/4" - 5/16" - 3/8" - 7/16" - 1/2" |            |
| 5 Pack   Metric.....               | 9BP-I-HNDB |
| 6mm - 7mm - 8mm - 10mm - 12mm      |            |

## REPLACEMENT BIT PACKS



|                                              |                        |
|----------------------------------------------|------------------------|
| Original Replacement Pack .....              | 6REPLACEMENT-NAS       |
| Automotive Replacement Pack.....             | 6REPLACEMENT-AUTO      |
| Automotive Ratcheting Replacement Pack ..... | 6REPLACEMENT-AUTO-RD   |
| ShaftLOK™ Replacement Pack .....             | 6REPLACEMENT-SL44      |
| Stainless Steel Replacement Pack .....       | 6REPLACEMENT-SS        |
| Tamperproof Replacement Pack .....           | 6REPLACEMENT-TP        |
| Hex Replacement Pack.....                    | 6REPLACEMENT-HX        |
| MegaLOK™ Replacement Pack.....               | 6REPLACEMENT-ML        |
| Precision Replacement Pack .....             | 6REPLACEMENT-PRECISION |
| NEW! HVAC Replacement Pack.....              | 6REPLACEMENT-HVAC      |

### MAKE IT YOURS!

Get some variety by adding any 2" bit tip into any MEGAPRO Original handle.



## NEW! USB-C WORKLIGHT

PART# 6USBWORKLIGHT



### FOUR DIFFERENT LIGHT MODES THE LIGHT YOU NEED, WHEN YOU NEED IT!

#### HIGHLIGHTS

- USB-C chargeable (cable included)
- Durable, lightweight construction.
- Magnetic swivel clip for hands free use.
- Includes battery life indicator lights.




**PURCHASE IN A  
PRE-LOADED 12 PC  
COUNTER DISPLAY**

Part# USBWORKLIGHT-PDM



**LASER POINTER**



**400 LUMEN FLOODLIGHT**



**120 LUMEN SPOTLIGHT**



**365 NM UV LIGHT**

## ORIGINAL HOLSTER KIT

PART# 6KIT7



#### HIGHLIGHTS

- Includes Holster that fits on a wide range of belt sizes.
- Comes with Original 15-in-1 Driver and 6" Aluminum Extension.

Carded versions available:  
EN/FR Part# 6KIT6-CEF  
EN/ES Part# 6KIT6-CES

## SHAFTLOK™ HOLSTER KIT

PART# 6KIT8



#### HIGHLIGHTS

- Includes Holster that fits on a wide range of belt sizes.
- Comes with ShaftLOK™ 15-in-1 Driver and 6" ShaftLOK™ Extension.

Carded versions available:  
EN/FR Part# 6KIT9-CEF  
EN/ES Part# 6KIT9-CES



## COUNTERTOP DRIVER DISPLAYS\*



5DISP-12PC



5DISP-20PC



5DISP-STUBBY-12PC



5DISP-PRECISION

|                                  |                   |
|----------------------------------|-------------------|
| 12 Piece Display .....           | 5DISP-12PC        |
| L 7.5" x W 5.5" x H 13"          |                   |
| 20 Piece Display .....           | 5DISP-20PC        |
| L 9" x W 9" x H 12"              |                   |
| 12 Piece Stubby Display .....    | 5DISP-STUBBY-12PC |
| L 6" x W 5" x H 9.5"             |                   |
| 12 Piece Precision Display ..... | 5DISP-PRECISION   |
| L 6" x W 5" x H 9.5"             |                   |

*\* Displays only. Drivers for display must be ordered separately.  
No charge for counter displays when ordered with drivers.*

## CARDED PRODUCTS



### HANG 12 IN AN AISLE

Test a MEGAPRO place in your space with carded drivers on an easily hangable clip strip.

|                                | English/French      | English/Spanish     |
|--------------------------------|---------------------|---------------------|
| Original 15-in-1 .....         | 151NAS-CEF          | 151NAS-CES          |
| Original (Pink) 15-in-1 .....  | 151PINK-CEF         | 151PINK-CES         |
| Stainless Steel 15-in-1 .....  | 151SS-CEF           | 151SS-CES           |
| Tamperproof 15-in-1 .....      | 151TP-CEF           | 151TP-CES           |
| Tamperproof 2 15-in-1 .....    | 151TP2-CEF          | 151TP2-CES          |
| Automotive 14-in-1 .....       | 151AUTO-CEF         | 151AUTO-CES         |
| PL Robertson 15-in-1 .....     | 151PLR-CEF          | 151PLR-CES          |
| Electrical 15-in-1 .....       | 151ELEC-CEF         | 151ELEC-CES         |
| Elevator 15-in-1 .....         | 151ELEV-CEF         | 151ELEV-CES         |
| Hex (Allen) 15-in-1 .....      | 151HEX-CEF          | 151HEX-CES          |
| HVAC 15-in-1 .....             | 151HVAC-CEF         | 151HVAC-CES         |
| ShaftLOK™ 15-in-1 .....        | 151SL44-CEF         | 151SL44-CES         |
| Original 8-in-1 (Black) .....  | 8IN1NAS-CEF         | 8IN1NAS-CES         |
| Original 8-in-1 (Orange) ..... | 8IN1NAS-NOR/BK-CEF  | 8IN1NAS-NOR/BK-CES  |
| Original 8-in-1 (Green) .....  | 8IN1NAS-GRNE/BK-CEF | 8IN1NAS-GRNE/BK-CES |

*English/French/Spanish*

|                                                     |              |
|-----------------------------------------------------|--------------|
| NEW! Original 15-in-1 + 6" Aluminum Extension ..... | 6KIT14-C     |
| Precision 24-in-1 .....                             | 251PRECISION |
| NEW! Stubby 13-in-1 .....                           | 131STUBBY-C  |
| ShaftLOK™ 6" Extension .....                        | 6EXT-SL6-C   |
| ShaftLOK™ 10" Extension .....                       | 6EXT-SL10-C  |
| 6" Aluminum Extension .....                         | 6EXT-ALUM-C  |

## PLANOGRAM BACKERS & NEW! CLIP STRIP MERCHANDISER



### HANG YOUR CARDED DRIVERS ANYWHERE WITH THE CLIP STRIP MERCHANDISER

- Designed for placement on any rack, aisle end or pegboard.
- Measures H 42" x W 4" when loaded with drivers.
- Can hold up to 12 carded drivers (6 per side)

Part Number.....CLIPSTRIP

*Free with MOQ. Ask your account manager for details.*

## COUNTERTOP DISPLAYS\*



5DISP-USBWORKLIGHT-PDM



5DISP-14PC-IBC



5DISP-8PC-INC

### ADD A MEGAPRO PLACE TO YOUR SPACE WITH A BRANDED BACKER COMPATIBLE WITH PEGBOARD SHELVING

- Choose from 2 planogram heights.
- Backers support 4 carded drivers each row and product mix can be customized.
- Perforated holes fit with standard 3/32" (nominal 1/4") pegboard. 1" OC.

W 18" x H 43".....5DISP-PLANOGRAM43

W 18" x H 54".....5DISP-PLANOGRAM54

*Free with MOQ. Ask your account manager for details.*

NEW! USB-C Worklight Display .....5DISP-USBWORKLIGHT-PDM  
L 6.5" x W 7.5" x H 10"

14 Piece Impact Bit Display.....5DISP-14PC-IBC  
L 7.5" x W 5.5" x H 7.5"

8 Piece Impact Nut Setter Display.....5DISP-8PC-INC  
L 7.5" x W 5.5" x H 7.5"

*\*Displays only. Products for display must be ordered separately.  
No charge for counter displays when ordered with product.*



# THE GIFT OF MEGAPRO®

ENGRAVING & GIFT BOXES

**Thank your key clients and customers with their very own personalized screwdriver.**

Packaged in one of our individual gift boxes, a laser-engraved Megapro driver is the gift that's guaranteed to make a lasting impression.

## ENGRAVING

- Up to 16 characters
- MOQ 100 of the same engraving
- Ask about pricing for individual engraving

## GIFT BOXES

|                             |                              |
|-----------------------------|------------------------------|
| Black w/ Megapro Logo ..... | <b>BOX-151-BLACK-MEGAPRO</b> |
| Black .....                 | <b>BOX-151-BLACK</b>         |
| White .....                 | <b>BOX-151-WHITE</b>         |
| Kraft Brown .....           | <b>BOX-151-PLAIN</b>         |

# BRAND YOUR MEGAPRO<sup>®</sup>

CUSTOM COLOR & IMPRINT

## Keep Your Brand in Front of Customers All Year Long with Custom Imprinting


The Megapro Tools brand represents premium quality and will show your customers and clients that you do too. We offer both a co-branded option, where your logo is put on the other side of a branded Megapro driver and a private label option where only your desired logo is shown on the driver.

Original (15-in-1 and 8-in-1) Ratcheting, Precision and Pocket Drivers are all available for imprinting.


Need more options? Private label drivers can be built with customized: handle color, cap color, imprint color, and bitload (view page 2 for available bit options)

MOQ's apply. Contact your account manager for more details.

### HANDLE COLORS



### CAP COLORS






# BUILD YOUR MEGAPRO®

CUSTOM OEM SERVICES

## Design and Build a Fully Custom Screwdriver from the Ground Up

Cater to your niche like no one else can. Collaborate with Megapro to design a screwdriver unique to your brand using our proven and patented technology.

***Book a meeting with a Custom Project Manager to get started:***  
[OEM@MegaproTools.com](mailto:OEM@MegaproTools.com)





**CONTACT**

[sales@megaprotools.com](mailto:sales@megaprotools.com)  
1.866.522.3652

**[megaprotools.com](http://megaprotools.com)**