


LumaScene™ Smart Landscape LED Lights

LumaScene™ Smart LED Landscape Lights are a professional-grade outdoor lighting system designed to enhance architectural features, gardens, walkways, and outdoor living spaces with vibrant color and elegant warm white illumination. Utilizing advanced RGBW LEDs and intelligent SPI control technology, LumaScene delivers smooth dynamic lighting effects alongside a beautiful 3000K warm white for everyday landscape accent lighting. Built for durability with weather-resistant IP67 construction and efficient low-voltage operation, LumaScene fixtures provide reliable year-round performance while giving homeowners and businesses the flexibility to create stunning outdoor lighting scenes for holidays, events, and daily ambiance.



LumaScene™ Smart Landscape LED Lights




Model # L-Bullet-S6604-10W-24V

Display Colors: RGB+3000K
Dimensions: Ø85.6*H140.7mm
Control Method: SPI
Driver IC: SM16704PK
Voltage : 24VDC
Power: 10 Watts
Operating Temp: -20°C ~ 60°C
Emission Angle: 120°
Water Protection: IP67



Model # L-Flood-6602-6.5W-24V

Display Colors: RGB+3000K
Dimensions: 120.9*90.5*26.3mm
Control Method: SPI
Driver IC: SM16704PK
Voltage : 24VDC
Power: 6.5 Watts
Operating Temp: -20°C ~ 60°C
Emission Angle: 120°
Water Protection: IP67




LumaScene™ Smart Landscape LED Lights




Model # L-Path-6607-6.5W-24V

Display Colors: RGB+3000K
Dimensions: Ø80*H150mm
Control Method: SPI
Driver IC: SM16704PK
Voltage : 24VDC
Power: 6.5 Watts
Operating Temp: -20°C ~ 60°C
Emission Angle: 120°
Water Protection: IP67




Model # L-Bar-6608-10W-24V

Display Colors: RGB+3000K
Dimensions: L422*W55*H85mm
Control Method: SPI
Driver IC: SM16704PK
Voltage : 24VDC
Power: 10 Watts
Operating Temp: -20°C ~ 60°C
Emission Angle: 120°
Water Protection: IP67



LumaScene™ Smart Landscape LED Lights



Model # L-Puck-6601-1.5W-24V

Display Colors:	RGB+3000K
Dimensions:	Ø62*H103mm
Control Method:	SPI
Driver IC:	SM16704PK
Voltage :	24VDC
Power:	1.5 Watts (x15pcs)
Operating Temp:	-20°C ~ 60°C
Emission Angle:	120°
Water Protection:	IP67



Model # L-Wash-6618-18W-24V

Display Colors:	RGB+3000K
Dimensions:	L1000*W29*H66.3mm
Control Method:	SPI
Driver IC:	SM16704PK
Voltage :	24VDC
Power:	18 Watts
Operating Temp:	-20°C ~ 60°C
Emission Angle:	120°
Water Protection:	IP67



LumaScene™ Smart Landscape LED Lights



Model # L-StringBall-6605-0.7W-12V

Display Colors:	RGB+3000K
Dimensions:	Ø28.3*H96.4mm
Control Method:	SPI
Driver IC:	USC2904
Voltage :	12VDC
Power:	0.7 Watts (x15pcs)
Operating Temp:	-20°C ~ 60°C
Emission Angle:	120°
Water Protection:	IP67



Model # L-StringEdison-6507-0.7W-12V

Display Colors:	RGB+3000K
Dimensions:	Ø46*H76.2mm
Control Method:	SPI
Driver IC:	USC2904
Voltage :	12VDC
Power:	0.7 Watts (x15pcs)
Operating Temp:	-20°C ~ 60°C
Emission Angle:	120°
Water Protection:	IP67

