

I_{system}

Table of Contents

01 ZENEX MULTI & PLUS I-System

1.1 Fixture 4	
1.2 Cover Screw	5
1.3 Healing Abutment	6
1.4 Temporary Abutment	7
1.5 Cemented Abutment	8
1.6 Angled Abutment	11
1.7 FreeMilling Abutment	12
1.8 CCM Cast Abutment	12
1.9 Components of Impression	13
1.10 Multi Straight Abutment	14
1.11 Multi Angled Abutment	15
1.12 Components of Multi Abutment	15
1.13 Ball Abutment	16
1.14 ScanBody	16
1.15 Ti Link Abutment	16
1.16 Ti Blank Abutment	16

02 ZENEX KIT

2.1 ZENEX KIT	17
2.2 Drills of ZENEX KIT	17
2.3 Components of ZENEX KIT	21
2.4 Other Surgical Instruments	23

1.1 Fixture

ZENEX MULTI I-System Fixture



Code	Article	Diameter	Length
ZMSN3008	Narrow	Ø3.0	8.0mm
ZMSN3010	Narrow	Ø3.0	10.0mm
ZMSN3011	Narrow	Ø3.0	11.0mm
ZMSN3013	Narrow	Ø3.0	13.0mm
ZMSN3015	Narrow	Ø3.0	15.0mm



Code	Article	Diameter	Length
ZMSM3508	Mini	Ø3.5	8.0mm
ZMSM3510	Mini	Ø3.5	10.0mm
ZMSM3511	Mini	Ø3.5	11.0mm
ZMSM3513	Mini	Ø3.5	13.0mm
ZMSM3515	Mini	Ø3.5	15.0mm



Code	Article	Diameter	Length
ZMSR4007	Regular	Ø4.0	7.0mm
ZMSR4008	Regular	Ø4.0	8.0mm
ZMSR4010	Regular	Ø4.0	10.0mm
ZMSR4011	Regular	Ø4.0	11.0mm
ZMSR4013	Regular	Ø4.0	13.0mm
ZMSR4015	Regular	Ø4.0	15.0mm
ZMSR4018	Regular	Ø4.0	18.0mm
ZMSR4020	Regular	Ø4.0	20.0mm



Code	Article	Diameter	Length
ZMSR4507	Regular	Ø4.5	7.0mm
ZMSR4508	Regular	Ø4.5	8.0mm
ZMSR4510	Regular	Ø4.5	10.0mm
ZMSR4511	Regular	Ø4.5	11.0mm
ZMSR4513	Regular	Ø4.5	13.0mm
ZMSR4515	Regular	Ø4.5	15.0mm
ZMSR4518	Regular	Ø4.5	18.0mm
ZMSR4520	Regular	Ø4.5	20.0mm



Code	Article	Diameter	Length
ZMSW5006	Wide	Ø5.0	6.0mm
ZMSW5007	Wide	Ø5.0	7.0mm
ZMSW5008	Wide	Ø5.0	8.0mm
ZMSW5010	Wide	Ø5.0	10.0mm
ZMSW5011	Wide	Ø5.0	11.0mm
ZMSW5013	Wide	Ø5.0	13.0mm
ZMSW5015	Wide	Ø5.0	15.0mm



Code	Article	Diameter	Length
ZMSW5506	Wide	Ø5.5	6.0mm
ZMSW5507	Wide	Ø5.5	7.0mm
ZMSW5508	Wide	Ø5.5	8.0mm
ZMSW5510	Wide	Ø5.5	10.0mm
ZMSW5511	Wide	Ø5.5	11.0mm
ZMSW5513	Wide	Ø5.5	13.0mm
ZMSW5515	Wide	Ø5.5	15.0mm



Code	Article	Diameter	Length
ZMSW6006	Wide	Ø6.0	6.0mm
ZMSW6007	Wide	Ø6.0	7.0mm
ZMSW6008	Wide	Ø6.0	8.0mm
ZMSW6010	Wide	Ø6.0	10.0mm
ZMSW6011	Wide	Ø6.0	11.0mm
ZMSW6013	Wide	Ø6.0	13.0mm



Code	Article	Diameter	Length
ZMSW7006	Wide	Ø7.0	6.0mm
ZMSW7007	Wide	Ø7.0	7.0mm
ZMSW7008	Wide	Ø7.0	8.0mm
ZMSW7010	Wide	Ø7.0	10.0mm
ZMSW7011	Wide	Ø7.0	11.0mm
ZMSW7013	Wide	Ø7.0	13.0mm

ZENEX PLUS I-System Fixture



Code	Article	Diameter	Length
ZPSX3008	X-Narrow	Ø3.0	8.0mm
ZPSX3010	X-Narrow	Ø3.0	10.0mm
ZPSX3011	X-Narrow	Ø3.0	11.0mm
ZPSX3013	X-Narrow	Ø3.0	13.0mm
ZPSX3015	X-Narrow	Ø3.0	15.0mm



Code	Article	Diameter	Length
ZPSM3508	Mini	Ø3.5	8.0mm
ZPSM3510	Mini	Ø3.5	10.0mm
ZPSM3511	Mini	Ø3.5	11.0mm
ZPSM3513	Mini	Ø3.5	13.0mm
ZPSM3515	Mini	Ø3.5	15.0mm



Code	Article	Diameter	Length
ZPSR4007	Regular	Ø4.0	7.0mm
ZPSR4008	Regular	Ø4.0	8.0mm
ZPSR4010	Regular	Ø4.0	10.0mm
ZPSR4011	Regular	Ø4.0	11.0mm
ZPSR4013	Regular	Ø4.0	13.0mm
ZPSR4015	Regular	Ø4.0	15.0mm
ZPSR4018	Regular	Ø4.0	18.0mm
ZPSR4020	Regular	Ø4.0	20.0mm



Code	Article	Diameter	Length
ZPSR4507	Regular	Ø4.5	7.0mm
ZPSR4508	Regular	Ø4.5	8.0mm
ZPSR4510	Regular	Ø4.5	10.0mm
ZPSR4511	Regular	Ø4.5	11.0mm
ZPSR4513	Regular	Ø4.5	13.0mm
ZPSR4515	Regular	Ø4.5	15.0mm
ZPSR4518	Regular	Ø4.5	18.0mm
ZPSR4520	Regular	Ø4.5	20.0mm



Code	Article	Diameter	Length
ZPSW5007	Wide	Ø5.0	7.0mm
ZPSW5008	Wide	Ø5.0	8.0mm
ZPSW5010	Wide	Ø5.0	10.0mm
ZPSW5011	Wide	Ø5.0	11.0mm
ZPSW5013	Wide	Ø5.0	13.0mm
ZPSW5015	Wide	Ø5.0	15.0mm



Code	Article	Diameter	Length
ZPSW5507	Wide	Ø5.5	7.0mm
ZPSW5508	Wide	Ø5.5	8.0mm
ZPSW5510	Wide	Ø5.5	10.0mm
ZPSW5511	Wide	Ø5.5	11.0mm
ZPSW5513	Wide	Ø5.5	13.0mm
ZPSW5515	Wide	Ø5.5	15.0mm

1.2 Cover Screw



Code	Article	Height
CSSX26	X-Narrow	0.4mm
CSSN30S	Narrow	0.4mm
CSSN30M	Narrow	1.4mm
CSSN30L	Narrow	2.0mm

Code	Article	Height
CSSM30S	Mini	0.4mm
CSSM30M	Mini	1.4mm
CSSM30L	Mini	2.0mm

Code	Article	Height
CSSR40S	R/W	0.4mm
CSSR40M	R/W	1.4mm
CSSR40L	R/W	2.0mm

1.3 Healing Abutment



Code	Article	Diameter	Height
HASX403	X-Narrow	Ø4.0	3.0mm
HASX404	X-Narrow	Ø4.0	4.0mm
HASX405	X-Narrow	Ø4.0	5.0mm
HASX406	X-Narrow	Ø4.0	6.0mm
HASX407	X-Narrow	Ø4.0	7.0mm
HASX409	X-Narrow	Ø4.0	9.0mm



Code	Article	Diameter	Height
HATM403	Narrow	Ø4.3	3.0mm
HATM404	Narrow	Ø4.3	4.0mm
HATM405	Narrow	Ø4.3	5.0mm
HATM406	Narrow	Ø4.3	6.0mm
HATM407	Narrow	Ø4.3	7.0mm
HATM409	Narrow	Ø4.3	9.0mm
HATM453	Narrow	Ø4.8	3.0mm
HATM454	Narrow	Ø4.8	4.0mm
HATM455	Narrow	Ø4.8	5.0mm
HATM456	Narrow	Ø4.8	6.0mm
HATM457	Narrow	Ø4.8	7.0mm
HATM459	Narrow	Ø4.8	9.0mm



Code	Article	Diameter	Height
HASR402	M/R/W	Ø4.3	2.0mm
HASR403	M/R/W	Ø4.3	3.0mm
HASR404	M/R/W	Ø4.3	4.0mm
HASR405	M/R/W	Ø4.3	5.0mm
HASR406	M/R/W	Ø4.3	6.0mm
HASR407	M/R/W	Ø4.3	7.0mm
HASR409	M/R/W	Ø4.3	9.0mm
HASR452	M/R/W	Ø4.8	2.0mm
HASR453	M/R/W	Ø4.8	3.0mm
HASR454	M/R/W	Ø4.8	4.0mm
HASR455	M/R/W	Ø4.8	5.0mm
HASR456	M/R/W	Ø4.8	6.0mm
HASR457	M/R/W	Ø4.8	7.0mm
HASR459	M/R/W	Ø4.8	9.0mm
HASR522	M/R/W	Ø5.5	2.0mm
HASR523	M/R/W	Ø5.5	3.0mm
HASR524	M/R/W	Ø5.5	4.0mm
HASR525	M/R/W	Ø5.5	5.0mm
HASR526	M/R/W	Ø5.5	6.0mm
HASR527	M/R/W	Ø5.5	7.0mm
HASR529	M/R/W	Ø5.5	9.0mm
HASR572	M/R/W	Ø6.0	2.0mm
HASR573	M/R/W	Ø6.0	3.0mm
HASR574	M/R/W	Ø6.0	4.0mm
HASR575	M/R/W	Ø6.0	5.0mm
HASR576	M/R/W	Ø6.0	6.0mm
HASR577	M/R/W	Ø6.0	7.0mm
HASR579	M/R/W	Ø6.0	9.0mm
HASR652	M/R/W	Ø6.8	2.0mm
HASR653	M/R/W	Ø6.8	3.0mm
HASR654	M/R/W	Ø6.8	4.0mm
HASR655	M/R/W	Ø6.8	5.0mm
HASR656	M/R/W	Ø6.8	6.0mm
HASR657	M/R/W	Ø6.8	7.0mm
HASR659	M/R/W	Ø6.8	9.0mm
HASR803	M/R/W	Ø8.0	3.0mm
HASR804	M/R/W	Ø8.0	4.0mm
HASR805	M/R/W	Ø8.0	5.0mm
HASR903	M/R/W	Ø9.0	3.0mm
HASR904	M/R/W	Ø9.0	4.0mm
HASR905	M/R/W	Ø9.0	5.0mm

1.4 Temporary Abutment



Code	Article	Diameter	G/H	Connection
TASXH4010	X-Narrow	Ø4.0	1.0mm	Double-Hex
TASXN4010	X-Narrow	Ø4.0	1.0mm	Non-Hex
TASXH4030	X-Narrow	Ø4.0	3.0mm	Double-Hex
TASXN4030	X-Narrow	Ø4.0	3.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
TASRH4510	M/R/W	Ø4.5	1.0mm	Hex
TASRN4510	M/R/W	Ø4.5	1.0mm	Non-Hex
TASRH4530	M/R/W	Ø4.5	3.0mm	Hex
TASRN4530	M/R/W	Ø4.5	3.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
TATMH4010	Narrow	Ø4.0	1.0mm	Hex
TATMN4010	Narrow	Ø4.0	1.0mm	Non-Hex
TATMH4030	Narrow	Ø4.0	3.0mm	Hex
TATMN4030	Narrow	Ø4.0	3.0mm	Non-Hex

1.5 Cemented Abutment



Code	Article	Diameter	G/H	P/H	Connection
CASXD40205	X-Narrow	Ø4.0	2.0mm	5.5mm	Double-Hex
CASXD40305	X-Narrow	Ø4.0	3.0mm	5.5mm	Double-Hex
CASXD40405	X-Narrow	Ø4.0	4.0mm	5.5mm	Double-Hex
CASXD40505	X-Narrow	Ø4.0	5.0mm	5.5mm	Double-Hex
CASXD40207	X-Narrow	Ø4.0	2.0mm	7.0mm	Double-Hex
CASXD40307	X-Narrow	Ø4.0	3.0mm	7.0mm	Double-Hex
CASXD40407	X-Narrow	Ø4.0	4.0mm	7.0mm	Double-Hex
CASXD40507	X-Narrow	Ø4.0	5.0mm	7.0mm	Double-Hex



Code	Article	Diameter	G/H	P/H	Connection
CASXN40205	X-Narrow	Ø4.0	2.0mm	5.5mm	Non-Hex
CASXN40305	X-Narrow	Ø4.0	3.0mm	5.5mm	Non-Hex
CASXN40405	X-Narrow	Ø4.0	4.0mm	5.5mm	Non-Hex
CASXN40505	X-Narrow	Ø4.0	5.0mm	5.5mm	Non-Hex
CASXN40207	X-Narrow	Ø4.0	2.0mm	7.0mm	Non-Hex
CASXN40307	X-Narrow	Ø4.0	3.0mm	7.0mm	Non-Hex
CASXN40407	X-Narrow	Ø4.0	4.0mm	7.0mm	Non-Hex
CASXN40507	X-Narrow	Ø4.0	5.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMH40105	Narrow	Ø4.0	1.0mm	5.5mm	Hex
CATMH40205	Narrow	Ø4.0	2.0mm	5.5mm	Hex
CATMH40305	Narrow	Ø4.0	3.0mm	5.5mm	Hex
CATMH40405	Narrow	Ø4.0	4.0mm	5.5mm	Hex
CATMH40505	Narrow	Ø4.0	5.0mm	5.5mm	Hex
CATMH40605	Narrow	Ø4.0	6.0mm	5.5mm	Hex
CATMH40705	Narrow	Ø4.0	7.0mm	5.5mm	Hex
CATMH40107	Narrow	Ø4.0	1.0mm	7.0mm	Hex
CATMH40207	Narrow	Ø4.0	2.0mm	7.0mm	Hex
CATMH40307	Narrow	Ø4.0	3.0mm	7.0mm	Hex
CATMH40407	Narrow	Ø4.0	4.0mm	7.0mm	Hex
CATMH40507	Narrow	Ø4.0	5.0mm	7.0mm	Hex
CATMH40607	Narrow	Ø4.0	6.0mm	7.0mm	Hex
CATMH40707	Narrow	Ø4.0	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMN40105	Narrow	Ø4.0	1.0mm	5.5mm	Non-Hex
CATMN40205	Narrow	Ø4.0	2.0mm	5.5mm	Non-Hex
CATMN40305	Narrow	Ø4.0	3.0mm	5.5mm	Non-Hex
CATMN40405	Narrow	Ø4.0	4.0mm	5.5mm	Non-Hex
CATMN40505	Narrow	Ø4.0	5.0mm	5.5mm	Non-Hex
CATMN40605	Narrow	Ø4.0	6.0mm	5.5mm	Non-Hex
CATMN40705	Narrow	Ø4.0	7.0mm	5.5mm	Non-Hex
CATMN40107	Narrow	Ø4.0	1.0mm	7.0mm	Non-Hex
CATMN40207	Narrow	Ø4.0	2.0mm	7.0mm	Non-Hex
CATMN40307	Narrow	Ø4.0	3.0mm	7.0mm	Non-Hex
CATMN40407	Narrow	Ø4.0	4.0mm	7.0mm	Non-Hex
CATMN40507	Narrow	Ø4.0	5.0mm	7.0mm	Non-Hex
CATMN40607	Narrow	Ø4.0	6.0mm	7.0mm	Non-Hex
CATMN40707	Narrow	Ø4.0	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMH45105	Narrow	Ø4.5	1.0mm	5.5mm	Hex
CATMH45205	Narrow	Ø4.5	2.0mm	5.5mm	Hex
CATMH45305	Narrow	Ø4.5	3.0mm	5.5mm	Hex
CATMH45405	Narrow	Ø4.5	4.0mm	5.5mm	Hex
CATMH45505	Narrow	Ø4.5	5.0mm	5.5mm	Hex
CATMH45605	Narrow	Ø4.5	6.0mm	5.5mm	Hex
CATMH45705	Narrow	Ø4.5	7.0mm	5.5mm	Hex
CATMH45107	Narrow	Ø4.5	1.0mm	7.0mm	Hex
CATMH45207	Narrow	Ø4.5	2.0mm	7.0mm	Hex
CATMH45307	Narrow	Ø4.5	3.0mm	7.0mm	Hex
CATMH45407	Narrow	Ø4.5	4.0mm	7.0mm	Hex
CATMH45507	Narrow	Ø4.5	5.0mm	7.0mm	Hex
CATMH45607	Narrow	Ø4.5	6.0mm	7.0mm	Hex
CATMH45707	Narrow	Ø4.5	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CATMN45105	Narrow	Ø4.5	1.0mm	5.5mm	Non-Hex
CATMN45205	Narrow	Ø4.5	2.0mm	5.5mm	Non-Hex
CATMN45305	Narrow	Ø4.5	3.0mm	5.5mm	Non-Hex
CATMN45405	Narrow	Ø4.5	4.0mm	5.5mm	Non-Hex
CATMN45505	Narrow	Ø4.5	5.0mm	5.5mm	Non-Hex
CATMN45605	Narrow	Ø4.5	6.0mm	5.5mm	Non-Hex
CATMN45705	Narrow	Ø4.5	7.0mm	5.5mm	Non-Hex
CATMN45107	Narrow	Ø4.5	1.0mm	7.0mm	Non-Hex
CATMN45207	Narrow	Ø4.5	2.0mm	7.0mm	Non-Hex
CATMN45307	Narrow	Ø4.5	3.0mm	7.0mm	Non-Hex
CATMN45407	Narrow	Ø4.5	4.0mm	7.0mm	Non-Hex
CATMN45507	Narrow	Ø4.5	5.0mm	7.0mm	Non-Hex
CATMN45607	Narrow	Ø4.5	6.0mm	7.0mm	Non-Hex
CATMN45707	Narrow	Ø4.5	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRH45104	M/R/W	Ø4.5	1.0mm	4.0mm	Hex
CASRH45204	M/R/W	Ø4.5	2.0mm	4.0mm	Hex
CASRH45304	M/R/W	Ø4.5	3.0mm	4.0mm	Hex
CASRH45404	M/R/W	Ø4.5	4.0mm	4.0mm	Hex
CASRH45504	M/R/W	Ø4.5	5.0mm	4.0mm	Hex
CASRH45604	M/R/W	Ø4.5	6.0mm	4.0mm	Hex
CASRH45704	M/R/W	Ø4.5	7.0mm	4.0mm	Hex
CASRH45105	M/R/W	Ø4.5	1.0mm	5.5mm	Hex
CASRH45205	M/R/W	Ø4.5	2.0mm	5.5mm	Hex
CASRH45305	M/R/W	Ø4.5	3.0mm	5.5mm	Hex
CASRH45405	M/R/W	Ø4.5	4.0mm	5.5mm	Hex
CASRH45505	M/R/W	Ø4.5	5.0mm	5.5mm	Hex
CASRH45605	M/R/W	Ø4.5	6.0mm	5.5mm	Hex
CASRH45705	M/R/W	Ø4.5	7.0mm	5.5mm	Hex
CASRH45107	M/R/W	Ø4.5	1.0mm	7.0mm	Hex
CASRH45207	M/R/W	Ø4.5	2.0mm	7.0mm	Hex
CASRH45307	M/R/W	Ø4.5	3.0mm	7.0mm	Hex
CASRH45407	M/R/W	Ø4.5	4.0mm	7.0mm	Hex
CASRH45507	M/R/W	Ø4.5	5.0mm	7.0mm	Hex
CASRH45607	M/R/W	Ø4.5	6.0mm	7.0mm	Hex
CASRH45707	M/R/W	Ø4.5	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRN45104	M/R/W	Ø4.5	1.0mm	4.0mm	Non-Hex
CASRN45204	M/R/W	Ø4.5	2.0mm	4.0mm	Non-Hex
CASRN45304	M/R/W	Ø4.5	3.0mm	4.0mm	Non-Hex
CASRN45404	M/R/W	Ø4.5	4.0mm	4.0mm	Non-Hex
CASRN45504	M/R/W	Ø4.5	5.0mm	4.0mm	Non-Hex
CASRN45604	M/R/W	Ø4.5	6.0mm	4.0mm	Non-Hex
CASRN45704	M/R/W	Ø4.5	7.0mm	4.0mm	Non-Hex
CASRN45105	M/R/W	Ø4.5	1.0mm	5.5mm	Non-Hex
CASRN45205	M/R/W	Ø4.5	2.0mm	5.5mm	Non-Hex
CASRN45305	M/R/W	Ø4.5	3.0mm	5.5mm	Non-Hex
CASRN45405	M/R/W	Ø4.5	4.0mm	5.5mm	Non-Hex
CASRN45505	M/R/W	Ø4.5	5.0mm	5.5mm	Non-Hex
CASRN45605	M/R/W	Ø4.5	6.0mm	5.5mm	Non-Hex
CASRN45705	M/R/W	Ø4.5	7.0mm	5.5mm	Non-Hex
CASRN45107	M/R/W	Ø4.5	1.0mm	7.0mm	Non-Hex
CASRN45207	M/R/W	Ø4.5	2.0mm	7.0mm	Non-Hex
CASRN45307	M/R/W	Ø4.5	3.0mm	7.0mm	Non-Hex
CASRN45407	M/R/W	Ø4.5	4.0mm	7.0mm	Non-Hex
CASRN45507	M/R/W	Ø4.5	5.0mm	7.0mm	Non-Hex
CASRN45607	M/R/W	Ø4.5	6.0mm	7.0mm	Non-Hex
CASRN45707	M/R/W	Ø4.5	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRH52104	M/R/W	Ø5.2	1.0mm	4.0mm	Hex
CASRH52204	M/R/W	Ø5.2	2.0mm	4.0mm	Hex
CASRH52304	M/R/W	Ø5.2	3.0mm	4.0mm	Hex
CASRH52404	M/R/W	Ø5.2	4.0mm	4.0mm	Hex
CASRH52504	M/R/W	Ø5.2	5.0mm	4.0mm	Hex
CASRH52604	M/R/W	Ø5.2	6.0mm	4.0mm	Hex
CASRH52704	M/R/W	Ø5.2	7.0mm	4.0mm	Hex
CASRH52105	M/R/W	Ø5.2	1.0mm	5.5mm	Hex
CASRH52205	M/R/W	Ø5.2	2.0mm	5.5mm	Hex
CASRH52305	M/R/W	Ø5.2	3.0mm	5.5mm	Hex
CASRH52405	M/R/W	Ø5.2	4.0mm	5.5mm	Hex
CASRH52505	M/R/W	Ø5.2	5.0mm	5.5mm	Hex
CASRH52605	M/R/W	Ø5.2	6.0mm	5.5mm	Hex
CASRH52705	M/R/W	Ø5.2	7.0mm	5.5mm	Hex
CASRH52107	M/R/W	Ø5.2	1.0mm	7.0mm	Hex
CASRH52207	M/R/W	Ø5.2	2.0mm	7.0mm	Hex
CASRH52307	M/R/W	Ø5.2	3.0mm	7.0mm	Hex
CASRH52407	M/R/W	Ø5.2	4.0mm	7.0mm	Hex
CASRH52507	M/R/W	Ø5.2	5.0mm	7.0mm	Hex
CASRH52607	M/R/W	Ø5.2	6.0mm	7.0mm	Hex
CASRH52707	M/R/W	Ø5.2	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRN52104	M/R/W	Ø5.2	1.0mm	4.0mm	Non-Hex
CASRN52204	M/R/W	Ø5.2	2.0mm	4.0mm	Non-Hex
CASRN52304	M/R/W	Ø5.2	3.0mm	4.0mm	Non-Hex
CASRN52404	M/R/W	Ø5.2	4.0mm	4.0mm	Non-Hex
CASRN52504	M/R/W	Ø5.2	5.0mm	4.0mm	Non-Hex
CASRN52604	M/R/W	Ø5.2	6.0mm	4.0mm	Non-Hex
CASRN52704	M/R/W	Ø5.2	7.0mm	4.0mm	Non-Hex
CASRN52105	M/R/W	Ø5.2	1.0mm	5.5mm	Non-Hex
CASRN52205	M/R/W	Ø5.2	2.0mm	5.5mm	Non-Hex
CASRN52305	M/R/W	Ø5.2	3.0mm	5.5mm	Non-Hex
CASRN52405	M/R/W	Ø5.2	4.0mm	5.5mm	Non-Hex
CASRN52505	M/R/W	Ø5.2	5.0mm	5.5mm	Non-Hex
CASRN52605	M/R/W	Ø5.2	6.0mm	5.5mm	Non-Hex
CASRN52705	M/R/W	Ø5.2	7.0mm	5.5mm	Non-Hex
CASRN52107	M/R/W	Ø5.2	1.0mm	7.0mm	Non-Hex
CASRN52207	M/R/W	Ø5.2	2.0mm	7.0mm	Non-Hex
CASRN52307	M/R/W	Ø5.2	3.0mm	7.0mm	Non-Hex
CASRN52407	M/R/W	Ø5.2	4.0mm	7.0mm	Non-Hex
CASRN52507	M/R/W	Ø5.2	5.0mm	7.0mm	Non-Hex
CASRN52607	M/R/W	Ø5.2	6.0mm	7.0mm	Non-Hex
CASRN52707	M/R/W	Ø5.2	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRH57104	M/R/W	Ø5.7	1.0mm	4.0mm	Hex
CASRH57204	M/R/W	Ø5.7	2.0mm	4.0mm	Hex
CASRH57304	M/R/W	Ø5.7	3.0mm	4.0mm	Hex
CASRH57404	M/R/W	Ø5.7	4.0mm	4.0mm	Hex
CASRH57504	M/R/W	Ø5.7	5.0mm	4.0mm	Hex
CASRH57604	M/R/W	Ø5.7	6.0mm	4.0mm	Hex
CASRH57704	M/R/W	Ø5.7	7.0mm	4.0mm	Hex
CASRH57105	M/R/W	Ø5.7	1.0mm	5.5mm	Hex
CASRH57205	M/R/W	Ø5.7	2.0mm	5.5mm	Hex
CASRH57305	M/R/W	Ø5.7	3.0mm	5.5mm	Hex
CASRH57405	M/R/W	Ø5.7	4.0mm	5.5mm	Hex
CASRH57505	M/R/W	Ø5.7	5.0mm	5.5mm	Hex
CASRH57605	M/R/W	Ø5.7	6.0mm	5.5mm	Hex
CASRH57705	M/R/W	Ø5.7	7.0mm	5.5mm	Hex
CASRH57107	M/R/W	Ø5.7	1.0mm	7.0mm	Hex
CASRH57207	M/R/W	Ø5.7	2.0mm	7.0mm	Hex
CASRH57307	M/R/W	Ø5.7	3.0mm	7.0mm	Hex
CASRH57407	M/R/W	Ø5.7	4.0mm	7.0mm	Hex
CASRH57507	M/R/W	Ø5.7	5.0mm	7.0mm	Hex
CASRH57607	M/R/W	Ø5.7	6.0mm	7.0mm	Hex
CASRH57707	M/R/W	Ø5.7	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRN57104	M/R/W	Ø5.7	1.0mm	4.0mm	Non-Hex
CASRN57204	M/R/W	Ø5.7	2.0mm	4.0mm	Non-Hex
CASRN57304	M/R/W	Ø5.7	3.0mm	4.0mm	Non-Hex
CASRN57404	M/R/W	Ø5.7	4.0mm	4.0mm	Non-Hex
CASRN57504	M/R/W	Ø5.7	5.0mm	4.0mm	Non-Hex
CASRN57604	M/R/W	Ø5.7	6.0mm	4.0mm	Non-Hex
CASRN57704	M/R/W	Ø5.7	7.0mm	4.0mm	Non-Hex
CASRN57105	M/R/W	Ø5.7	1.0mm	5.5mm	Non-Hex
CASRN57205	M/R/W	Ø5.7	2.0mm	5.5mm	Non-Hex
CASRN57305	M/R/W	Ø5.7	3.0mm	5.5mm	Non-Hex
CASRN57405	M/R/W	Ø5.7	4.0mm	5.5mm	Non-Hex
CASRN57505	M/R/W	Ø5.7	5.0mm	5.5mm	Non-Hex
CASRN57605	M/R/W	Ø5.7	6.0mm	5.5mm	Non-Hex
CASRN57705	M/R/W	Ø5.7	7.0mm	5.5mm	Non-Hex
CASRN57107	M/R/W	Ø5.7	1.0mm	7.0mm	Non-Hex
CASRN57207	M/R/W	Ø5.7	2.0mm	7.0mm	Non-Hex
CASRN57307	M/R/W	Ø5.7	3.0mm	7.0mm	Non-Hex
CASRN57407	M/R/W	Ø5.7	4.0mm	7.0mm	Non-Hex
CASRN57507	M/R/W	Ø5.7	5.0mm	7.0mm	Non-Hex
CASRN57607	M/R/W	Ø5.7	6.0mm	7.0mm	Non-Hex
CASRN57707	M/R/W	Ø5.7	7.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRH65104	M/R/W	Ø6.5	1.0mm	4.0mm	Hex
CASRH65204	M/R/W	Ø6.5	2.0mm	4.0mm	Hex
CASRH65304	M/R/W	Ø6.5	3.0mm	4.0mm	Hex
CASRH65404	M/R/W	Ø6.5	4.0mm	4.0mm	Hex
CASRH65504	M/R/W	Ø6.5	5.0mm	4.0mm	Hex
CASRH65604	M/R/W	Ø6.5	6.0mm	4.0mm	Hex
CASRH65704	M/R/W	Ø6.5	7.0mm	4.0mm	Hex
CASRH65105	M/R/W	Ø6.5	1.0mm	5.5mm	Hex
CASRH65205	M/R/W	Ø6.5	2.0mm	5.5mm	Hex
CASRH65305	M/R/W	Ø6.5	3.0mm	5.5mm	Hex
CASRH65405	M/R/W	Ø6.5	4.0mm	5.5mm	Hex
CASRH65505	M/R/W	Ø6.5	5.0mm	5.5mm	Hex
CASRH65605	M/R/W	Ø6.5	6.0mm	5.5mm	Hex
CASRH65705	M/R/W	Ø6.5	7.0mm	5.5mm	Hex
CASRH65107	M/R/W	Ø6.5	1.0mm	7.0mm	Hex
CASRH65207	M/R/W	Ø6.5	2.0mm	7.0mm	Hex
CASRH65307	M/R/W	Ø6.5	3.0mm	7.0mm	Hex
CASRH65407	M/R/W	Ø6.5	4.0mm	7.0mm	Hex
CASRH65507	M/R/W	Ø6.5	5.0mm	7.0mm	Hex
CASRH65607	M/R/W	Ø6.5	6.0mm	7.0mm	Hex
CASRH65707	M/R/W	Ø6.5	7.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CASRN65104	M/R/W	Ø6.5	1.0mm	4.0mm	Non-Hex
CASRN65204	M/R/W	Ø6.5	2.0mm	4.0mm	Non-Hex
CASRN65304	M/R/W	Ø6.5	3.0mm	4.0mm	Non-Hex
CASRN65404	M/R/W	Ø6.5	4.0mm	4.0mm	Non-Hex
CASRN65504	M/R/W	Ø6.5	5.0mm	4.0mm	Non-Hex
CASRN65604	M/R/W	Ø6.5	6.0mm	4.0mm	Non-Hex
CASRN65704	M/R/W	Ø6.5	7.0mm	4.0mm	Non-Hex
CASRN65105	M/R/W	Ø6.5	1.0mm	5.5mm	Non-Hex
CASRN65205	M/R/W	Ø6.5	2.0mm	5.5mm	Non-Hex
CASRN65305	M/R/W	Ø6.5	3.0mm	5.5mm	Non-Hex
CASRN65405	M/R/W	Ø6.5	4.0mm	5.5mm	Non-Hex
CASRN65505	M/R/W	Ø6.5	5.0mm	5.5mm	Non-Hex
CASRN65605	M/R/W	Ø6.5	6.0mm	5.5mm	Non-Hex
CASRN65705	M/R/W	Ø6.5	7.0mm	5.5mm	Non-Hex
CASRN65107	M/R/W	Ø6.5	1.0mm	7.0mm	Non-Hex
CASRN65207	M/R/W	Ø6.5	2.0mm	7.0mm	Non-Hex
CASRN65307	M/R/W	Ø6.5	3.0mm	7.0mm	Non-Hex
CASRN65407	M/R/W	Ø6.5	4.0mm	7.0mm	Non-Hex
CASRN65507	M/R/W	Ø6.5	5.0mm	7.0mm	Non-Hex
CASRN65607	M/R/W	Ø6.5	6.0mm	7.0mm	Non-Hex
CASRN65707	M/R/W	Ø6.5	7.0mm	7.0mm	Non-Hex

1.6 Angled Abutment



Code	Article	Diameter	G/H	Angle	Connection
AASXD40152	X-Narrow	Ø4.0	2.0mm	15°	Double-Hex
AASXD40154	X-Narrow	Ø4.0	4.0mm	15°	Double-Hex
AASXN40152	X-Narrow	Ø4.0	2.0mm	15°	Non-Hex
AASXN40154	X-Narrow	Ø4.0	4.0mm	15°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AATMA40172	Narrow	Ø4.0	2.0mm	17°	A-Type
AATMA40174	Narrow	Ø4.0	4.0mm	17°	A-Type
AATMB40172	Narrow	Ø4.0	2.0mm	17°	B-Type
AATMB40174	Narrow	Ø4.0	4.0mm	17°	B-Type
AATMN40172	Narrow	Ø4.0	2.0mm	17°	Non-Hex
AATMN40174	Narrow	Ø4.0	4.0mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AASRA45152	M/R/W	Ø4.5	2.0mm	15°	A-Type
AASRA45153	M/R/W	Ø4.5	3.0mm	15°	A-Type
AASRA45154	M/R/W	Ø4.5	4.0mm	15°	A-Type
AASRB45152	M/R/W	Ø4.5	2.0mm	15°	B-Type
AASRB45153	M/R/W	Ø4.5	3.0mm	15°	B-Type
AASRB45154	M/R/W	Ø4.5	4.0mm	15°	B-Type
AASRN45152	M/R/W	Ø4.5	2.0mm	15°	Non-Hex
AASRN45153	M/R/W	Ø4.5	3.0mm	15°	Non-Hex
AASRN45154	M/R/W	Ø4.5	4.0mm	15°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AASRA57152	M/R/W	Ø5.7	2.0mm	15°	A-Type
AASRA57153	M/R/W	Ø5.7	3.0mm	15°	A-Type
AASRA57154	M/R/W	Ø5.7	4.0mm	15°	A-Type
AASRB57152	M/R/W	Ø5.7	2.0mm	15°	B-Type
AASRB57153	M/R/W	Ø5.7	3.0mm	15°	B-Type
AASRB57154	M/R/W	Ø5.7	4.0mm	15°	B-Type
AASRN57152	M/R/W	Ø5.7	2.0mm	15°	Non-Hex
AASRN57153	M/R/W	Ø5.7	3.0mm	15°	Non-Hex
AASRN57154	M/R/W	Ø5.7	4.0mm	15°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AASRA52252	M/R/W	Ø5.2	2.0mm	25°	A-Type
AASRA52253	M/R/W	Ø5.2	3.0mm	25°	A-Type
AASRA52254	M/R/W	Ø5.2	4.0mm	25°	A-Type
AASRB52252	M/R/W	Ø5.2	2.0mm	25°	B-Type
AASRB52253	M/R/W	Ø5.2	3.0mm	25°	B-Type
AASRB52254	M/R/W	Ø5.2	4.0mm	25°	B-Type
AASRN52252	M/R/W	Ø5.2	2.0mm	25°	Non-Hex
AASRN52253	M/R/W	Ø5.2	3.0mm	25°	Non-Hex
AASRN52254	M/R/W	Ø5.2	4.0mm	25°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AATMA45172	Narrow	Ø4.5	2.0mm	17°	A-Type
AATMA45174	Narrow	Ø4.5	4.0mm	17°	A-Type
AATMB45172	Narrow	Ø4.5	2.0mm	17°	B-Type
AATMB45174	Narrow	Ø4.5	4.0mm	17°	B-Type
AATMN45172	Narrow	Ø4.5	2.0mm	17°	Non-Hex
AATMN45174	Narrow	Ø4.5	4.0mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AASRA52152	M/R/W	Ø5.2	2.0mm	15°	A-Type
AASRA52153	M/R/W	Ø5.2	3.0mm	15°	A-Type
AASRA52154	M/R/W	Ø5.2	4.0mm	15°	A-Type
AASRB52152	M/R/W	Ø5.2	2.0mm	15°	B-Type
AASRB52153	M/R/W	Ø5.2	3.0mm	15°	B-Type
AASRB52154	M/R/W	Ø5.2	4.0mm	15°	B-Type
AASRN52152	M/R/W	Ø5.2	2.0mm	15°	Non-Hex
AASRN52153	M/R/W	Ø5.2	3.0mm	15°	Non-Hex
AASRN52154	M/R/W	Ø5.2	4.0mm	15°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AASRA45252	M/R/W	Ø4.5	2.0mm	25°	A-Type
AASRA45253	M/R/W	Ø4.5	3.0mm	25°	A-Type
AASRA45254	M/R/W	Ø4.5	4.0mm	25°	A-Type
AASRB45252	M/R/W	Ø4.5	2.0mm	25°	B-Type
AASRB45253	M/R/W	Ø4.5	3.0mm	25°	B-Type
AASRB45254	M/R/W	Ø4.5	4.0mm	25°	B-Type
AASRN45252	M/R/W	Ø4.5	2.0mm	25°	Non-Hex
AASRN45253	M/R/W	Ø4.5	3.0mm	25°	Non-Hex
AASRN45254	M/R/W	Ø4.5	4.0mm	25°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
AASRA57252	M/R/W	Ø5.7	2.0mm	25°	A-Type
AASRA57253	M/R/W	Ø5.7	3.0mm	25°	A-Type
AASRA57254	M/R/W	Ø5.7	4.0mm	25°	A-Type
AASRB57252	M/R/W	Ø5.7	2.0mm	25°	B-Type
AASRB57253	M/R/W	Ø5.7	3.0mm	25°	B-Type
AASRB57254	M/R/W	Ø5.7	4.0mm	25°	B-Type
AASRN57252	M/R/W	Ø5.7	2.0mm	25°	Non-Hex
AASRN57253	M/R/W	Ø5.7	3.0mm	25°	Non-Hex
AASRN57254	M/R/W	Ø5.7	4.0mm	25°	Non-Hex

1.7 FreeMilling Abutment



Code	Article	Diameter	G/H	Height
FMASXD40209	X-narrow	Ø4.0	2.0mm	9.0mm
FMASXN40209	X-narrow	Ø4.0	2.0mm	9.0mm
FMASXD40409	X-narrow	Ø4.0	4.0mm	9.0mm
FMASXN40409	X-narrow	Ø4.0	4.0mm	9.0mm



Code	Article	Diameter	G/H	Height
FMASRH45209	M/R/W	Ø4.5	2.0mm	9.0mm
FMASRN45209	M/R/W	Ø4.5	2.0mm	9.0mm
FMASRH45409	M/R/W	Ø4.5	4.0mm	9.0mm
FMASRN45409	M/R/W	Ø4.5	4.0mm	9.0mm



Code	Article	Diameter	G/H	Height
FMASRH57208	M/R/W	Ø5.7	2.0mm	8.0mm
FMASRN57208	M/R/W	Ø5.7	2.0mm	8.0mm
FMASRH57408	M/R/W	Ø5.7	4.0mm	8.0mm
FMASRN57408	M/R/W	Ø5.7	4.0mm	8.0mm



Code	Article	Diameter	G/H	Height
FMATMH40159	Narrow	Ø4.0	1.5mm	9.0mm
FMATMN40159	Narrow	Ø4.0	1.5mm	9.0mm
FMATMH40309	Narrow	Ø4.0	3.0mm	9.0mm
FMATMN40309	Narrow	Ø4.0	3.0mm	9.0mm



Code	Article	Diameter	G/H	Height
FMASRH52208	M/R/W	Ø5.2	2.0mm	8.0mm
FMASRN52208	M/R/W	Ø5.2	2.0mm	8.0mm
FMASRH52408	M/R/W	Ø5.2	4.0mm	8.0mm
FMASRN52408	M/R/W	Ø5.2	4.0mm	8.0mm



Code	Article	Diameter	G/H	Height
FMASRH65208	M/R/W	Ø6.5	2.0mm	8.0mm
FMASRN65208	M/R/W	Ø6.5	2.0mm	8.0mm
FMASRH65408	M/R/W	Ø6.5	4.0mm	8.0mm
FMASRN65408	M/R/W	Ø6.5	4.0mm	8.0mm

1.8 CCM Cast Abutment



Code	Article	Diameter	G/H	Connection
CCASXH4010	X-Narrow	Ø4.0	1.0mm	Double-Hex
CCASXN4010	X-Narrow	Ø4.0	1.0mm	Non-Hex
CCASXH4030	X-Narrow	Ø4.0	3.0mm	Double-Hex
CCASXN4030	X-Narrow	Ø4.0	3.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
CCASRH4510	M/R/W	Ø4.5	1.0mm	Hex
CCASRN4510	M/R/W	Ø4.5	1.0mm	Non-Hex
CCASRH4530	M/R/W	Ø4.5	3.0mm	Hex
CCASRN4530	M/R/W	Ø4.5	3.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
CCATMH4010	Narrow	Ø4.0	1.0mm	Hex
CCATMN4010	Narrow	Ø4.0	1.0mm	Non-Hex
CCATMH4030	Narrow	Ø4.0	3.0mm	Hex
CCATMN4030	Narrow	Ø4.0	3.0mm	Non-Hex

1.9 Components of Impression

Pick-Up Impression Coping



Code	Article	Diameter	Length	Connection
PISXH40S	X-Narrow	Ø4.0	11.0mm	Hex
PISXN40S	X-Narrow	Ø4.0	11.0mm	Non-Hex
PISXH40L	X-Narrow	Ø4.0	15.0mm	Hex
PISXN40L	X-Narrow	Ø4.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITMH40S	Narrow	Ø4.0	11.0mm	Hex
PITMN40S	Narrow	Ø4.0	11.0mm	Non-Hex
PITMH40L	Narrow	Ø4.0	15.0mm	Hex
PITMN40L	Narrow	Ø4.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PITMH45S	Narrow	Ø4.5	11.0mm	Hex
PITMN45S	Narrow	Ø4.5	11.0mm	Non-Hex
PITMH45L	Narrow	Ø4.5	15.0mm	Hex
PITMN45L	Narrow	Ø4.5	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PISRH40S	M/R/W	Ø4.0	11.0mm	Hex
PISRN40S	M/R/W	Ø4.0	11.0mm	Non-Hex
PISRH40L	M/R/W	Ø4.0	15.0mm	Hex
PISRN40L	M/R/W	Ø4.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PISRH45S	M/R/W	Ø4.8	11.0mm	Hex
PISRN45S	M/R/W	Ø4.8	11.0mm	Non-Hex
PISRH45L	M/R/W	Ø4.8	15.0mm	Hex
PISRN45L	M/R/W	Ø4.8	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PISRH52S	M/R/W	Ø5.5	11.0mm	Hex
PISRN52S	M/R/W	Ø5.5	11.0mm	Non-Hex
PISRH52L	M/R/W	Ø5.5	15.0mm	Hex
PISRN52L	M/R/W	Ø5.5	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PISRH57S	M/R/W	Ø6.0	11.0mm	Hex
PISRN57S	M/R/W	Ø6.0	11.0mm	Non-Hex
PISRH57L	M/R/W	Ø6.0	15.0mm	Hex
PISRN57L	M/R/W	Ø6.0	15.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PISRH65S	M/R/W	Ø6.8	11.0mm	Hex
PISRN65S	M/R/W	Ø6.8	11.0mm	Non-Hex
PISRH65L	M/R/W	Ø6.8	15.0mm	Hex
PISRN65L	M/R/W	Ø6.8	15.0mm	Non-Hex



Code	Article	Length
PIGPSXS	S Guide Pin (X-Narrow)	11.0mm
PIGPTMS	S Guide Pin (Narrow)	11.0mm
PIGPSRS	S Guide Pin (M/R/W)	11.0mm
PIGPSXL	L Guide Pin (X-Narrow)	15.0mm
PIGPTML	L Guide Pin (Narrow)	15.0mm
PIGPSRL	L Guide Pin (M/R/W)	15.0mm

Transfer Impression Coping



Code	Article	Diameter	Length	Connection
TISXH40S	X-Narrow	Ø4.0	9.0mm	Hex
TISXN40S	X-Narrow	Ø4.0	9.0mm	Non-Hex
TISXH40L	X-Narrow	Ø4.0	13.0mm	Hex
TISXN40L	X-Narrow	Ø4.0	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TITMH45S	Narrow	Ø4.5	9.0mm	Hex
TITMN45S	Narrow	Ø4.5	9.0mm	Non-Hex
TITMH45L	Narrow	Ø4.5	13.0mm	Hex
TITMN45L	Narrow	Ø4.5	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TISRH45S	M/R/W	Ø4.8	9.0mm	Hex
TISRN45S	M/R/W	Ø4.8	9.0mm	Non-Hex
TISRH45L	M/R/W	Ø4.8	13.0mm	Hex
TISRN45L	M/R/W	Ø4.8	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TISRH57S	M/R/W	Ø6.0	9.0mm	Hex
TISRN57S	M/R/W	Ø6.0	9.0mm	Non-Hex
TISRH57L	M/R/W	Ø6.0	13.0mm	Hex
TISRN57L	M/R/W	Ø6.0	13.0mm	Non-Hex








Code	Article	Length
TIGPSXS	S Guide Pin (X-Narrow)	9.0mm
TIGPTMS	S Guide Pin (Narrow)	9.0mm
TIGPSRS	S Guide Pin (M/R/W)	9.0mm
TIGPSXL	L Guide Pin (X-Narrow)	13.0mm
TIGPTML	L Guide Pin (Narrow)	13.0mm
TIGPSRL	L Guide Pin (M/R/W)	13.0mm



Code	Article	Diameter	Length	Connection
TITMH40S	Narrow	Ø4.0	9.0mm	Hex
TITMN40S	Narrow	Ø4.0	9.0mm	Non-Hex
TITMH40L	Narrow	Ø4.0	13.0mm	Hex
TITMN40L	Narrow	Ø4.0	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TISRH40S	M/R/W	Ø4.0	9.0mm	Hex
TISRN40S	M/R/W	Ø4.0	9.0mm	Non-Hex
TISRH40L	M/R/W	Ø4.0	13.0mm	Hex
TISRN40L	M/R/W	Ø4.0	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TISRH52S	M/R/W	Ø5.5	9.0mm	Hex
TISRN52S	M/R/W	Ø5.5	9.0mm	Non-Hex
TISRH52L	M/R/W	Ø5.5	13.0mm	Hex
TISRN52L	M/R/W	Ø5.5	13.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TISRH65S	M/R/W	Ø6.8	9.0mm	Hex
TISRN65S	M/R/W	Ø6.8	9.0mm	Non-Hex
TISRH65L	M/R/W	Ø6.8	13.0mm	Hex
TISRN65L	M/R/W	Ø6.8	13.0mm	Non-Hex

Fixture Lab Analog



Code	Article	Diameter
FLAXS300	X-Narrow	Ø3.0
FLASN300	Narrow	Ø3.2
FLASM350	Mini	Ø3.75
FLASR400	R/W	Ø4.25

1:10

Multi Straight Abutment

Move into internal oral part by using exclusive Abutment Carrier (Code: MSACR48)



Code	Article	Diameter	G/H
MSATM4810	Narrow	Ø4.8	1.0mm
MSATM4820	Narrow	Ø4.8	2.0mm
MSATM4830	Narrow	Ø4.8	3.0mm
MSATM4840	Narrow	Ø4.8	4.0mm
MSATM4850	Narrow	Ø4.8	5.0mm



Code	Article	Diameter	G/H
MSASR4815	M/R/W	Ø4.8	1.5mm
MSASR4825	M/R/W	Ø4.8	2.5mm
MSASR4835	M/R/W	Ø4.8	3.5mm
MSASR4845	M/R/W	Ø4.8	4.5mm

1.11

Multi Angled Abutment

Connect by using exclusive Abutment Carrier (Code: MAACRMC)



Code	Article	Diameter	G/H	Angle	Connection
MAATMH481725	Narrow	Ø4.8	2.5mm	17°	Hex
MAATMH481730	Narrow	Ø4.8	3.0mm	17°	Hex
MAATMH481740	Narrow	Ø4.8	4.0mm	17°	Hex



Code	Article	Diameter	G/H	Angle	Connection
MAATMH483035	Narrow	Ø4.8	3.5mm	30°	Hex
MAATMH483040	Narrow	Ø4.8	4.0mm	30°	Hex
MAATMH483050	Narrow	Ø4.8	5.0mm	30°	Hex



Code	Article	Diameter	G/H	Angle	Connection
MAASRH481725	M/R/W	Ø4.8	2.5mm	17°	Hex
MAASRN481725	M/R/W	Ø4.8	2.5mm	17°	Non-Hex
MAASRH481735	M/R/W	Ø4.8	3.5mm	17°	Hex
MAASRN481735	M/R/W	Ø4.8	3.5mm	17°	Non-Hex
MAASRH481745	M/R/W	Ø4.8	4.5mm	17°	Hex
MAASRN481745	M/R/W	Ø4.8	4.5mm	17°	Non-Hex
MAASRH481755	M/R/W	Ø4.8	5.5mm	17°	Hex
MAASRN481755	M/R/W	Ø4.8	5.5mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
MAASRH483035	M/R/W	Ø4.8	3.5mm	30°	Hex
MAASRN483035	M/R/W	Ø4.8	3.5mm	30°	Non-Hex
MAASRH483045	M/R/W	Ø4.8	4.5mm	30°	Hex
MAASRN483045	M/R/W	Ø4.8	4.5mm	30°	Non-Hex
MAASRH483055	M/R/W	Ø4.8	5.5mm	30°	Hex
MAASRN483055	M/R/W	Ø4.8	5.5mm	30°	Non-Hex
MAASRH483065	M/R/W	Ø4.8	6.5mm	30°	Hex
MAASRN483065	M/R/W	Ø4.8	6.5mm	30°	Non-Hex

1.12

Components of Multi Abutment



Code	Product	Diameter
MTCSR48	Multi Temporary Cylinder	Ø4.8



Code	Product	Diameter
MCCCSR48	Multi CCM Cast Cylinder	Ø4.8



Code	Product	Diameter
MPCCSR48	Multi Plastic Cast Cylinder	Ø4.8



Code	Product	Diameter
MTLCSR48	Multi Ti Link Cylinder	Ø4.8



Code	Product	Diameter
MHCSR48	Multi Healing Cap	Ø4.8



Code	Product	Diameter
MPICSR48	Multi Pick-Up Impression Coping	Ø4.8



Code	Product	Diameter
MTICSR48	Multi Transfer Impression Coping	Ø4.8



Code	Product
MLASR48	Multi Lab Analog



Code	Product
MSBSR4809	Multi ScanBody



Code	Product
MSADSR20	Multi Straight Abutment Driver

1.13

Ball Abutment

Ball Abutment



Code	Article	Diameter	G/H
BATM3510	Narrow	Ø3.5	1.0mm
BATM3520	Narrow	Ø3.5	2.0mm
BATM3530	Narrow	Ø3.5	3.0mm
BATM3540	Narrow	Ø3.5	4.0mm
BATM3550	Narrow	Ø3.5	5.0mm
BATM3560	Narrow	Ø3.5	6.0mm



Code	Article	Diameter	G/H
BASR3510	M/R/W	Ø3.5	1.0mm
BASR3520	M/R/W	Ø3.5	2.0mm
BASR3530	M/R/W	Ø3.5	3.0mm
BASR3540	M/R/W	Ø3.5	4.0mm
BASR3550	M/R/W	Ø3.5	5.0mm
BASR3560	M/R/W	Ø3.5	6.0mm

Components of Ball Abutment



Code	Product
BASRCS	Ball Abutment Cap Set



Code	Product
BASRRS	Ball Abutment Retainer Set



Code	Product
BASROS	Ball Abutment O-ring Set



Code	Product
BAALA	Ball Abutment Lab Analog



Code	Product
BAD24	Ball Abutment Driver

1.14

ScanBody



Code	Article	Diameter	Length
TSBM4014	Narrow	Ø4.0	14.0mm
ISBM4014	Mini	Ø4.0	14.0mm
ISBR4310	R/W	Ø4.3	10.0mm

1.15

Ti Link Abutment



Code	Article	Diameter	G/H	P/H	Connection
TLATMH4010	Narrow	Ø4.0	1.0mm	3.8mm	Hex
TLATMN4010	Narrow	Ø4.0	1.0mm	3.8mm	Non-Hex
TLATMH4020	Narrow	Ø4.0	2.0mm	3.8mm	Hex
TLATMN4020	Narrow	Ø4.0	2.0mm	3.8mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
TLASRH4510	M/R/W	Ø4.5	1.0mm	3.8mm	Hex
TLASRN4510	M/R/W	Ø4.5	1.0mm	3.8mm	Non-Hex
TLASRH4520	M/R/W	Ø4.5	2.0mm	3.8mm	Hex
TLASRN4520	M/R/W	Ø4.5	2.0mm	3.8mm	Non-Hex

1.16

Ti Blank Abutment



Code	Article	Diameter	Length	Brand	Connection
TBATMH10A	Narrow	Ø10	20.0mm	For Arum	Hex
TBATMN10A	Narrow	Ø10	20.0mm	For Arum	Non-Hex
TBASRH10A	M/R/W	Ø10	20.0mm	For Arum	Hex
TBASRN10A	M/R/W	Ø10	20.0mm	For Arum	Non-Hex



Code	Article	Diameter	Length	Brand	Connection
TBATMH10M	Narrow	Ø10	20.0mm	For Manix	Hex
TBATMN10M	Narrow	Ø10	20.0mm	For Manix	Non-Hex
TBASRH10M	M/R/W	Ø10	20.0mm	For Manix	Hex
TBASRN10M	M/R/W	Ø10	20.0mm	For Manix	Non-Hex

2.1 ZENEX KIT

ZENEX SURGERY KIT



ZENEX SIMPLE KIT



ZENEX EASY SURGERY KIT



ZENEX SUPERWIDE KIT



ZENEX PROSTHETIC KIT



2.2 Drills of ZENEX KIT

Guide Drill



Code	Min Diameter	Max Diameter	Length	Kit		
GD3F20S	Ø1.5	Ø2.0	34.8mm	●	●	●
GD3F20L	Ø1.5	Ø2.0	40.8mm	●	●	●

Lindemann Drill



Code	Min Diameter	Max Diameter	Length	Kit		
LD4F20S	Ø1.5	Ø2.0	31.5mm	●	●	●
LD4F20L	Ø1.5	Ø2.0	38.5mm	●	●	●



Code	Min Diameter	Max Diameter	Length	Kit		
LD4F25S	Ø2.0	Ø2.5	31.5mm	●	●	●
LD4F25L	Ø2.0	Ø2.5	38.5mm	●	●	●



Code	Min Diameter	Max Diameter	Length	Kit		
LD4F35M	Ø3.0	Ø3.5	35.0mm	●	●	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Twist Drill

2.2D



Code	Min Diameter	Max Diameter	Length	Kit
TD2F22S	Ø1.8	Ø2.2	36.2mm	●
TD2F22L	Ø1.8	Ø2.2	42.2mm	● ●

3.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F25S	Ø2.2	Ø2.5	36.2mm	●
TD2F25L	Ø2.2	Ø2.5	42.2mm	● ●
TD2F27S	Ø2.2	Ø2.7	36.2mm	●
TD2F27L	Ø2.2	Ø2.7	42.2mm	● ●

3.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F30S	Ø2.2	Ø3.0	36.2mm	●
TD2F30L	Ø2.2	Ø3.0	42.2mm	● ●

4.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F36S	Ø3.0	Ø3.6	36.2mm	●
TD2F36L	Ø3.0	Ø3.6	42.2mm	● ●

4.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F41S	Ø3.0	Ø4.1	36.2mm	●
TD2F41L	Ø3.0	Ø4.1	42.2mm	● ●

5.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F46S	Ø3.0	Ø4.6	36.2mm	●
TD2F46L	Ø3.0	Ø4.6	42.2mm	● ●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Drill Stopper

	Code	Length	Kit
	TDDS03B	3.0mm	●
	TDDS04P	4.0mm	●
	TDDS05Y	5.0mm	●
	TDDS06G	6.0mm	●
	TDDS07B	7.0mm	● ●

	Code	Length	Kit
	TDDS08P	8.5mm	● ●
	TDDS10Y	10.0mm	● ●
	TDDS11G	11.5mm	● ●
	TDDS13B	13.0mm	● ●
	TDDS15P	15.0mm	●

Step Drill

2.2D



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2206	Ø1.8	Ø2.2	6.0mm	●
TD2F2207	Ø1.8	Ø2.2	7.0mm	●
TD2F2208	Ø1.8	Ø2.2	8.5mm	●
TD2F2210	Ø1.8	Ø2.2	10.0mm	●
TD2F2211	Ø1.8	Ø2.2	11.5mm	●
TD2F2213	Ø1.8	Ø2.2	13.0mm	● ●
TD2F2215	Ø1.8	Ø2.2	15.0mm	●

3.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2515	Ø2.2	Ø2.5	15.0mm	●



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2715	Ø2.2	Ø2.7	15.0mm	●

3.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F3006	Ø2.2	Ø3.0	6.0mm	●
TD2F3007	Ø2.2	Ø3.0	7.0mm	●
TD2F3008	Ø2.2	Ø3.0	8.5mm	●
TD2F3010	Ø2.2	Ø3.0	10.0mm	●
TD2F3011	Ø2.2	Ø3.0	11.5mm	●
TD2F3013	Ø2.2	Ø3.0	13.0mm	● ●
TD2F3015	Ø2.2	Ø3.0	15.0mm	●
TD2F3018	Ø2.2	Ø3.0	18.0mm	●
TD2F3020	Ø2.2	Ø3.0	20.0mm	● ●

4.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F3606	Ø3.0	Ø3.6	6.0mm	●
TD2F3607	Ø3.0	Ø3.6	7.0mm	●
TD2F3608	Ø3.0	Ø3.6	8.5mm	●
TD2F3610	Ø3.0	Ø3.6	10.0mm	●
TD2F3611	Ø3.0	Ø3.6	11.5mm	●
TD2F3613	Ø3.0	Ø3.6	13.0mm	●
TD2F3615	Ø3.0	Ø3.6	15.0mm	●
TD2F3618	Ø3.0	Ø3.6	18.0mm	●
TD2F3620	Ø3.0	Ø3.6	20.0mm	● ●

4.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F4106	Ø3.0	Ø4.1	6.0mm	●
TD2F4107	Ø3.0	Ø4.1	7.0mm	●
TD2F4108	Ø3.0	Ø4.1	8.5mm	●
TD2F4110	Ø3.0	Ø4.1	10.0mm	●
TD2F4111	Ø3.0	Ø4.1	11.5mm	●
TD2F4113	Ø3.0	Ø4.1	13.0mm	●
TD2F4115	Ø3.0	Ø4.1	15.0mm	●
TD2F4118	Ø3.0	Ø4.1	18.0mm	●
TD2F4120	Ø3.0	Ø4.1	20.0mm	● ●

5.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F4606	Ø3.0	Ø4.6	6.0mm	●
TD2F4607	Ø3.0	Ø4.6	7.0mm	●
TD2F4608	Ø3.0	Ø4.6	8.5mm	●
TD2F4610	Ø3.0	Ø4.6	10.0mm	●
TD2F4611	Ø3.0	Ø4.6	11.5mm	●
TD2F4613	Ø3.0	Ø4.6	13.0mm	● ●
TD2F4615	Ø3.0	Ø4.6	15.0mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Step Drill

5.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F5206	Ø4.6	Ø5.2	6.0mm	●
TD3F5207	Ø4.6	Ø5.2	7.0mm	●
TD3F5208	Ø4.6	Ø5.2	8.5mm	●
TD3F5210	Ø4.6	Ø5.2	10.0mm	●
TD3F5211	Ø4.6	Ø5.2	11.5mm	● ●
TD3F5213	Ø4.6	Ø5.2	13.0mm	● ● ●
TD3F5215	Ø4.6	Ø5.2	15.0mm	● ●

6.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F5513	Ø4.6	Ø5.5	13.0mm	●

7.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F6213	Ø5.5	Ø6.2	13.0mm	●



Code	Min Diameter	Max Diameter	Length	Kit
TD3F6513	Ø5.5	Ø6.5	13.0mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Cortical Drill

3.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD3FXF30	Ø2.2	Ø3.1	33.6mm	● ● ●

3.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD3FNF30	Ø2.1	Ø2.7	33.6mm	● ● ●

3.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF35	Ø2.6	Ø3.7	33.6mm	● ● ●

4.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF40	Ø3.2	Ø4.1	33.6mm	● ● ●

4.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF45	Ø3.8	Ø4.6	33.6mm	● ● ●

5.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF50	Ø4.2	Ø5.0	33.6mm	● ● ●

5.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF55	Ø4.6	Ø5.5	33.6mm	● ●

6.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF60	Ø4.2	Ø5.8	28.6mm	●

7.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF70	Ø5.3	Ø6.8	28.6mm	●

2.3 Components of ZENEX KIT

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Direction Pin

		Code	Length	Kit
	X-Narrow	DPSX3510	Ø3.5	● ● ●
	Narrow	DPSN3510	Ø3.5	● ● ●
	Mini	DPSM3510	Ø3.5	● ● ●
	R/W	DPSR4509	Ø4.5	● ● ● ●

Parallel Pin



Code	Details	Kit
PP352230	Ø3.5 / 20.0mm	● ● ● ●
PP402230	Ø4.0 / 20.0mm	● ● ● ●
PP502230	Ø5.0 / 20.0mm	● ● ● ●
PP602230	Ø6.0 / 20.0mm	● ● ● ●

Fixture Driver (X-Narrow)



Code	Details	Kit
FDCSX17S	Short / Contra Angle	● ●
FDCSX17L	Long / Contra Angle	● ● ●



Code	Details	Kit
FDRSX17S	Short / Wrench	● ●
FDRSX17L	Long / Wrench	● ● ●

Fixture Driver (Narrow)



Code	Details	Kit
FDCTM21S	Short / Contra Angle	● ●
FDCTM21L	Long / Contra Angle	● ● ●



Code	Details	Kit
FDRTM21S	Short / Wrench	● ●
FDRTM21L	Long / Wrench	● ● ●

Fixture Driver (M/R/W)



Code	Details	Kit
FDCSR25S	Short / Contra Angle	● ● ● ●
FDCSR25L	Long / Contra Angle	● ● ● ●



Code	Details	Kit
FDRSR25S	Short / Wrench	● ● ● ●
FDRSR25L	Long / Wrench	● ● ● ●

1.2 Hex Driver



Code	Details	Kit
HEDR1210	10.0mm	● ● ● ● ●
HEDR1215	15.0mm	● ● ● ● ●
HEDR1225	25.0mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Drill Extension



Code	Details	Kit				
DE4513	29.5mm	●	●	●	●	

Torque Wrench




Code	Kit				
TW60B	●	●	●	●	●

Depth Gauge



Code	Kit			
DG1720	●	●	●	●

Steel Bowl



Code	Kit			
STBOWL	●		●	

1.2 Hex Machine Screw Driver



Code	Details	Kit			
HEDM1210	10.0mm				●
HEDM1215	15.0mm				●

Abutment Remover



Code	Kit			
ARRM18				●

Finger Driver for Driver Shaft



Code	Kit			
FDDS100				●

Ball Abutment Driver



Code	Kit			
BAD24				●

Multi Straight Abutment Driver



Code	Kit			
MSADSR20				●

2.4 Other Surgical Instruments

Tissue Punch



Code	Diameter	Length
TP3308	Ø3.3	26.5mm
TP3808	Ø3.8	26.5mm
TP4308	Ø4.3	26.5mm
TP4808	Ø4.8	26.5mm
TP5308	Ø5.3	26.5mm

Trephine Drill



Code	Min Diameter	Max Diameter	Length
TD3718	Ø3.7	Ø4.5	34.0mm
TD4218	Ø4.2	Ø5.0	34.0mm
TD4718	Ø4.7	Ø5.5	34.0mm
TD5218	Ø5.2	Ø6.0	34.0mm
TD5718	Ø5.7	Ø6.5	34.0mm
TD6218	Ø6.2	Ø7.0	34.0mm

Bone Profiler



Code	Article	Diameter	Length
SBP42SXS	X-Narrow	Ø4.1	25.0mm
SBP41SNS	Narrow	Ø4.1	25.0mm
SBP41SS	-	Ø4.1	25.0mm
SBP46SS	-	Ø4.6	25.0mm
SBP56SS	-	Ø5.6	25.0mm
SBP76SS	-	Ø7.6	25.0mm
SBPGSSX14	Screw/X-Narrow	-	-
SBPGSSN20	Screw/Narrow	-	-
SBPGSSM20	Screw/Mini	-	-
SBPGSSR20	Screw/Regular	-	-

izenimplant.com



HQ & Factory
1, 2Dong, 26-32, Suworam 4-gil, Seotan-myeon,
Pyeongtaek-si, Gyeonggi-do, 17703
Republic of Korea

Sales Office
#1013, #1014 Central-Tower II, 158, Magokseo-ro,
Gangseo-gu, Seoul, 07788
Republic of Korea

Tel. +82-31-662-0657 (HQ)
+82-2-3664-3666 (Sales)
Fax. +82-31-662-0658