

R_{system}

Table of Contents

01 ZENEX MULTI & PLUS R-System

1.1 Fixture 4	
1.2 Cover Screw	6
1.3 Healing Abutment	6
1.4 Temporary Abutment	6
1.5 Cemented Abutment	7
1.6 Angled Abutment	8
1.7 FreeMilling Abutment	9
1.8 CCM Cast Abutment	9
1.9 Components of Impression	9
1.10 Multi Straight Abutment	10
1.11 Multi Angled Abutment	10
1.12 Components of Multi Abutment	11
1.13 Ball Abutment	11
1.14 ScanBody	12
1.15 Ti Link Abutment	12
1.16 Ti Blank Abutment	12

02 ZENEX KIT

2.1 ZENEX KIT	13
2.2 Drills of ZENEX KIT	13
2.3 Components of ZENEX KIT	17
2.4 Other Surgical Instruments	18

1.1 Fixture

ZENEX MULTI R-System Fixture



Code	Article	Diameter	Length
ZMRM3508	Mini	Ø3.75	8.5mm
ZMRM3510	Mini	Ø3.75	10.0mm
ZMRM3511	Mini	Ø3.75	11.5mm
ZMRM3513	Mini	Ø3.75	13.0mm
ZMRM3515	Mini	Ø3.75	15.0mm



Code	Article	Diameter	Length
ZMRR4007	Regular	Ø4.25	7.0mm
ZMRR4008	Regular	Ø4.25	8.5mm
ZMRR4010	Regular	Ø4.25	10.0mm
ZMRR4011	Regular	Ø4.25	11.5mm
ZMRR4013	Regular	Ø4.25	13.0mm
ZMRR4015	Regular	Ø4.25	15.0mm



Code	Article	Diameter	Length
ZMRR4507	Regular	Ø4.6	7.0mm
ZMRR4508	Regular	Ø4.6	8.5mm
ZMRR4510	Regular	Ø4.6	10.0mm
ZMRR4511	Regular	Ø4.6	11.5mm
ZMRR4513	Regular	Ø4.6	13.0mm
ZMRR4515	Regular	Ø4.6	15.0mm



Code	Article	Diameter	Length
ZMRW5006	Wide	Ø5.05	6.0mm
ZMRW5007	Wide	Ø5.05	7.0mm
ZMRW5008	Wide	Ø5.05	8.5mm
ZMRW5010	Wide	Ø5.05	10.0mm
ZMRW5011	Wide	Ø5.05	11.5mm
ZMRW5013	Wide	Ø5.05	13.0mm
ZMRW5015	Wide	Ø5.05	15.0mm



Code	Article	Diameter	Length
ZMRW5506	Wide	Ø5.4	6.0mm
ZMRW5507	Wide	Ø5.4	7.0mm
ZMRW5508	Wide	Ø5.4	8.5mm
ZMRW5510	Wide	Ø5.4	10.0mm
ZMRW5511	Wide	Ø5.4	11.5mm
ZMRW5513	Wide	Ø5.4	13.0mm
ZMRW5515	Wide	Ø5.4	15.0mm



Code	Article	Diameter	Length
ZMRW6006	Wide	Ø5.9	6.0mm
ZMRW6007	Wide	Ø5.9	7.0mm
ZMRW6008	Wide	Ø5.9	8.5mm
ZMRW6010	Wide	Ø5.9	10.0mm
ZMRW6011	Wide	Ø5.9	11.5mm
ZMRW6013	Wide	Ø5.9	13.0mm



Code	Article	Diameter	Length
ZMRW7006	Wide	Ø6.75	6.0mm
ZMRW7007	Wide	Ø6.75	7.0mm
ZMRW7008	Wide	Ø6.75	8.5mm
ZMRW7010	Wide	Ø6.75	10.0mm
ZMRW7011	Wide	Ø6.75	11.5mm
ZMRW7013	Wide	Ø6.75	13.0mm

ZENEX PLUS R-System Fixture



Code	Article	Diameter	Length
ZPRM3508	Mini	Ø3.75	8.5mm
ZPRM3510	Mini	Ø3.75	10.0mm
ZPRM3511	Mini	Ø3.75	11.5mm
ZPRM3513	Mini	Ø3.75	13.0mm
ZPRM3515	Mini	Ø3.75	15.0mm



Code	Article	Diameter	Length
ZPRR4007	Regular	Ø4.25	7.0mm
ZPRR4008	Regular	Ø4.25	8.5mm
ZPRR4010	Regular	Ø4.25	10.0mm
ZPRR4011	Regular	Ø4.25	11.5mm
ZPRR4013	Regular	Ø4.25	13.0mm
ZPRR4015	Regular	Ø4.25	15.0mm



Code	Article	Diameter	Length
ZPRW5007	Wide	Ø5.05	7.0mm
ZPRW5008	Wide	Ø5.05	8.5mm
ZPRW5010	Wide	Ø5.05	10.0mm
ZPRW5011	Wide	Ø5.05	11.5mm
ZPRW5013	Wide	Ø5.05	13.0mm
ZPRW5015	Wide	Ø5.05	15.0mm



Code	Article	Diameter	Length
ZPRR4507	Regular	Ø4.6	7.0mm
ZPRR4508	Regular	Ø4.6	8.5mm
ZPRR4510	Regular	Ø4.6	10.0mm
ZPRR4511	Regular	Ø4.6	11.5mm
ZPRR4513	Regular	Ø4.6	13.0mm
ZPRR4515	Regular	Ø4.6	15.0mm



Code	Article	Diameter	Length
ZPRW5507	Wide	Ø5.9	7.0mm
ZPRW5508	Wide	Ø5.9	8.5mm
ZPRW5510	Wide	Ø5.9	10.0mm
ZPRW5511	Wide	Ø5.9	11.5mm
ZPRW5513	Wide	Ø5.9	13.0mm
ZPRW5515	Wide	Ø5.9	15.0mm

1.2 Cover Screw



Code	Article	Height
CSRR35S	M/R/W	0.4mm
CSRR35M	M/R/W	1.4mm
CSRR35L	M/R/W	2.0mm

1.3 Healing Abutment



Code	Article	Diameter	Height
HARR403	M/R/W	Ø4.0	3.0mm
HARR503	M/R/W	Ø5.0	3.0mm
HARR603	M/R/W	Ø6.0	3.0mm
HARR703	M/R/W	Ø7.0	3.0mm
HARR803	M/R/W	Ø8.0	3.0mm
HARR903	M/R/W	Ø9.0	3.0mm



Code	Article	Diameter	Height
HARR404	M/R/W	Ø4.0	4.0mm
HARR504	M/R/W	Ø5.0	4.0mm
HARR604	M/R/W	Ø6.0	4.0mm
HARR704	M/R/W	Ø7.0	4.0mm
HARR804	M/R/W	Ø8.0	4.0mm
HARR904	M/R/W	Ø9.0	4.0mm



Code	Article	Diameter	Height
HARR405	M/R/W	Ø4.0	5.0mm
HARR505	M/R/W	Ø5.0	5.0mm
HARR605	M/R/W	Ø6.0	5.0mm
HARR705	M/R/W	Ø7.0	5.0mm
HARR805	M/R/W	Ø8.0	5.0mm
HARR905	M/R/W	Ø9.0	5.0mm



Code	Article	Diameter	Height
HARR406	M/R/W	Ø4.0	6.0mm
HARR506	M/R/W	Ø5.0	6.0mm
HARR606	M/R/W	Ø6.0	6.0mm
HARR706	M/R/W	Ø7.0	6.0mm
HARR806	M/R/W	Ø8.0	6.0mm



Code	Article	Diameter	Height
HARR407	M/R/W	Ø4.0	7.0mm
HARR507	M/R/W	Ø5.0	7.0mm
HARR607	M/R/W	Ø6.0	7.0mm
HARR707	M/R/W	Ø7.0	7.0mm
HARR807	M/R/W	Ø8.0	7.0mm



Code	Article	Diameter	Height
HARR409	M/R/W	Ø4.0	9.0mm
HARR509	M/R/W	Ø5.0	9.0mm
HARR609	M/R/W	Ø6.0	9.0mm
HARR709	M/R/W	Ø7.0	9.0mm

1.4 Temporary Abutment



Code	Article	Diameter	G/H	Connection
TARRH4010	M/R/W	Ø4.0	1.0mm	Hex
TARRN4010	M/R/W	Ø4.0	1.0mm	Non-Hex



Code	Article	Diameter	G/H	Connection
TARRH4030	M/R/W	Ø4.0	3.0mm	Hex
TARRN4030	M/R/W	Ø4.0	3.0mm	Non-Hex

1.5 Cemented Abutment



Code	Article	Diameter	G/H	P/H	Connection
CARRH40205	M/R/W	Ø4.0	2.0mm	5.5mm	Hex
CARRH40207	M/R/W	Ø4.0	2.0mm	7.0mm	Hex
CARRH40305	M/R/W	Ø4.0	3.0mm	5.5mm	Hex
CARRH40307	M/R/W	Ø4.0	3.0mm	7.0mm	Hex
CARRH40405	M/R/W	Ø4.0	4.0mm	5.5mm	Hex
CARRH40407	M/R/W	Ø4.0	4.0mm	7.0mm	Hex
CARRH40505	M/R/W	Ø4.0	5.0mm	5.5mm	Hex
CARRH40507	M/R/W	Ø4.0	5.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRN40205	M/R/W	Ø4.0	2.0mm	5.5mm	Non-Hex
CARRN40207	M/R/W	Ø4.0	2.0mm	7.0mm	Non-Hex
CARRN40305	M/R/W	Ø4.0	3.0mm	5.5mm	Non-Hex
CARRN40307	M/R/W	Ø4.0	3.0mm	7.0mm	Non-Hex
CARRN40405	M/R/W	Ø4.0	4.0mm	5.5mm	Non-Hex
CARRN40407	M/R/W	Ø4.0	4.0mm	7.0mm	Non-Hex
CARRN40505	M/R/W	Ø4.0	5.0mm	5.5mm	Non-Hex
CARRN40507	M/R/W	Ø4.0	5.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRH50205	M/R/W	Ø5.0	2.0mm	5.5mm	Hex
CARRH50207	M/R/W	Ø5.0	2.0mm	7.0mm	Hex
CARRH50305	M/R/W	Ø5.0	3.0mm	5.5mm	Hex
CARRH50307	M/R/W	Ø5.0	3.0mm	7.0mm	Hex
CARRH50405	M/R/W	Ø5.0	4.0mm	5.5mm	Hex
CARRH50407	M/R/W	Ø5.0	4.0mm	7.0mm	Hex
CARRH50505	M/R/W	Ø5.0	5.0mm	5.5mm	Hex
CARRH50507	M/R/W	Ø5.0	5.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRN50205	M/R/W	Ø5.0	2.0mm	5.5mm	Non-Hex
CARRN50207	M/R/W	Ø5.0	2.0mm	7.0mm	Non-Hex
CARRN50305	M/R/W	Ø5.0	3.0mm	5.5mm	Non-Hex
CARRN50307	M/R/W	Ø5.0	3.0mm	7.0mm	Non-Hex
CARRN50405	M/R/W	Ø5.0	4.0mm	5.5mm	Non-Hex
CARRN50407	M/R/W	Ø5.0	4.0mm	7.0mm	Non-Hex
CARRN50505	M/R/W	Ø5.0	5.0mm	5.5mm	Non-Hex
CARRN50507	M/R/W	Ø5.0	5.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRH60205	M/R/W	Ø6.0	2.0mm	5.5mm	Hex
CARRH60207	M/R/W	Ø6.0	2.0mm	7.0mm	Hex
CARRH60305	M/R/W	Ø6.0	3.0mm	5.5mm	Hex
CARRH60307	M/R/W	Ø6.0	3.0mm	7.0mm	Hex
CARRH60405	M/R/W	Ø6.0	4.0mm	5.5mm	Hex
CARRH60407	M/R/W	Ø6.0	4.0mm	7.0mm	Hex
CARRH60505	M/R/W	Ø6.0	5.0mm	5.5mm	Hex
CARRH60507	M/R/W	Ø6.0	5.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRN60205	M/R/W	Ø6.0	2.0mm	5.5mm	Non-Hex
CARRN60207	M/R/W	Ø6.0	2.0mm	7.0mm	Non-Hex
CARRN60305	M/R/W	Ø6.0	3.0mm	5.5mm	Non-Hex
CARRN60307	M/R/W	Ø6.0	3.0mm	7.0mm	Non-Hex
CARRN60405	M/R/W	Ø6.0	4.0mm	5.5mm	Non-Hex
CARRN60407	M/R/W	Ø6.0	4.0mm	7.0mm	Non-Hex
CARRN60505	M/R/W	Ø6.0	5.0mm	5.5mm	Non-Hex
CARRN60507	M/R/W	Ø6.0	5.0mm	7.0mm	Non-Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRH70205	M/R/W	Ø7.0	2.0mm	5.5mm	Hex
CARRH70207	M/R/W	Ø7.0	2.0mm	7.0mm	Hex
CARRH70305	M/R/W	Ø7.0	3.0mm	5.5mm	Hex
CARRH70307	M/R/W	Ø7.0	3.0mm	7.0mm	Hex
CARRH70405	M/R/W	Ø7.0	4.0mm	5.5mm	Hex
CARRH70407	M/R/W	Ø7.0	4.0mm	7.0mm	Hex
CARRH70505	M/R/W	Ø7.0	5.0mm	5.5mm	Hex
CARRH70507	M/R/W	Ø7.0	5.0mm	7.0mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
CARRN70205	M/R/W	Ø7.0	2.0mm	5.5mm	Non-Hex
CARRN70207	M/R/W	Ø7.0	2.0mm	7.0mm	Non-Hex
CARRN70305	M/R/W	Ø7.0	3.0mm	5.5mm	Non-Hex
CARRN70307	M/R/W	Ø7.0	3.0mm	7.0mm	Non-Hex
CARRN70405	M/R/W	Ø7.0	4.0mm	5.5mm	Non-Hex
CARRN70407	M/R/W	Ø7.0	4.0mm	7.0mm	Non-Hex
CARRN70505	M/R/W	Ø7.0	5.0mm	5.5mm	Non-Hex
CARRN70507	M/R/W	Ø7.0	5.0mm	7.0mm	Non-Hex

1.6 Angled Abutment



Code	Article	Diameter	G/H	Angle	Connection
AARRA40152	M/R/W	Ø4.0	2.0mm	15°	A-Type
AARRB40152	M/R/W	Ø4.0	2.0mm	15°	B-Type
AARRA40153	M/R/W	Ø4.0	3.0mm	15°	A-Type
AARRB40153	M/R/W	Ø4.0	3.0mm	15°	B-Type
AARRA40154	M/R/W	Ø4.0	4.0mm	15°	A-Type
AARRB40154	M/R/W	Ø4.0	4.0mm	15°	B-Type
AARRA40155	M/R/W	Ø4.0	5.0mm	15°	A-Type
AARRB40155	M/R/W	Ø4.0	5.0mm	15°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA40252	M/R/W	Ø4.0	2.0mm	25°	A-Type
AARRB40252	M/R/W	Ø4.0	2.0mm	25°	B-Type
AARRA40253	M/R/W	Ø4.0	3.0mm	25°	A-Type
AARRB40253	M/R/W	Ø4.0	3.0mm	25°	B-Type
AARRA40254	M/R/W	Ø4.0	4.0mm	25°	A-Type
AARRB40254	M/R/W	Ø4.0	4.0mm	25°	B-Type
AARRA40255	M/R/W	Ø4.0	5.0mm	25°	A-Type
AARRB40255	M/R/W	Ø4.0	5.0mm	25°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA50152	M/R/W	Ø5.0	2.0mm	15°	A-Type
AARRB50152	M/R/W	Ø5.0	2.0mm	15°	B-Type
AARRA50153	M/R/W	Ø5.0	3.0mm	15°	A-Type
AARRB50153	M/R/W	Ø5.0	3.0mm	15°	B-Type
AARRA50154	M/R/W	Ø5.0	4.0mm	15°	A-Type
AARRB50154	M/R/W	Ø5.0	4.0mm	15°	B-Type
AARRA50155	M/R/W	Ø5.0	5.0mm	15°	A-Type
AARRB50155	M/R/W	Ø5.0	5.0mm	15°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA50252	M/R/W	Ø5.0	2.0mm	25°	A-Type
AARRB50252	M/R/W	Ø5.0	2.0mm	25°	B-Type
AARRA50253	M/R/W	Ø5.0	3.0mm	25°	A-Type
AARRB50253	M/R/W	Ø5.0	3.0mm	25°	B-Type
AARRA50254	M/R/W	Ø5.0	4.0mm	25°	A-Type
AARRB50254	M/R/W	Ø5.0	4.0mm	25°	B-Type
AARRA50255	M/R/W	Ø5.0	5.0mm	25°	A-Type
AARRB50255	M/R/W	Ø5.0	5.0mm	25°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA60152	M/R/W	Ø6.0	2.0mm	15°	A-Type
AARRB60152	M/R/W	Ø6.0	2.0mm	15°	B-Type
AARRA60153	M/R/W	Ø6.0	3.0mm	15°	A-Type
AARRB60153	M/R/W	Ø6.0	3.0mm	15°	B-Type
AARRA60154	M/R/W	Ø6.0	4.0mm	15°	A-Type
AARRB60154	M/R/W	Ø6.0	4.0mm	15°	B-Type
AARRA60155	M/R/W	Ø6.0	5.0mm	15°	A-Type
AARRB60155	M/R/W	Ø6.0	5.0mm	15°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA60252	M/R/W	Ø6.0	2.0mm	25°	A-Type
AARRB60252	M/R/W	Ø6.0	2.0mm	25°	B-Type
AARRA60253	M/R/W	Ø6.0	3.0mm	25°	A-Type
AARRB60253	M/R/W	Ø6.0	3.0mm	25°	B-Type
AARRA60254	M/R/W	Ø6.0	4.0mm	25°	A-Type
AARRB60254	M/R/W	Ø6.0	4.0mm	25°	B-Type
AARRA60255	M/R/W	Ø6.0	5.0mm	25°	A-Type
AARRB60255	M/R/W	Ø6.0	5.0mm	25°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA70152	M/R/W	Ø7.0	2.0mm	15°	A-Type
AARRB70152	M/R/W	Ø7.0	2.0mm	15°	B-Type
AARRA70153	M/R/W	Ø7.0	3.0mm	15°	A-Type
AARRB70153	M/R/W	Ø7.0	3.0mm	15°	B-Type
AARRA70154	M/R/W	Ø7.0	4.0mm	15°	A-Type
AARRB70154	M/R/W	Ø7.0	4.0mm	15°	B-Type
AARRA70155	M/R/W	Ø7.0	5.0mm	15°	A-Type
AARRB70155	M/R/W	Ø7.0	5.0mm	15°	B-Type



Code	Article	Diameter	G/H	Angle	Connection
AARRA70252	M/R/W	Ø7.0	2.0mm	25°	A-Type
AARRB70252	M/R/W	Ø7.0	2.0mm	25°	B-Type
AARRA70253	M/R/W	Ø7.0	3.0mm	25°	A-Type
AARRB70253	M/R/W	Ø7.0	3.0mm	25°	B-Type
AARRA70254	M/R/W	Ø7.0	4.0mm	25°	A-Type
AARRB70254	M/R/W	Ø7.0	4.0mm	25°	B-Type
AARRA70255	M/R/W	Ø7.0	5.0mm	25°	A-Type
AARRB70255	M/R/W	Ø7.0	5.0mm	25°	B-Type

1.7 FreeMilling Abutment



Code	Article	Diameter	G/H	Height
FMARRH40209	M/R/W	Ø4.0	2.0mm	9.0mm
FMARRH40309	M/R/W	Ø4.0	3.0mm	9.0mm
FMARRH40409	M/R/W	Ø4.0	4.0mm	9.0mm
FMARRH40509	M/R/W	Ø4.0	5.0mm	9.0mm



Code	Article	Diameter	G/H	Height
FMARRH60208	M/R/W	Ø6.0	2.0mm	8.0mm
FMARRH60308	M/R/W	Ø6.0	3.0mm	8.0mm
FMARRH60408	M/R/W	Ø6.0	4.0mm	8.0mm
FMARRH60508	M/R/W	Ø6.0	5.0mm	8.0mm



Code	Article	Diameter	G/H	Height
FMARRH50208	M/R/W	Ø5.0	2.0mm	8.0mm
FMARRH50308	M/R/W	Ø5.0	3.0mm	8.0mm
FMARRH50408	M/R/W	Ø5.0	4.0mm	8.0mm
FMARRH50508	M/R/W	Ø5.0	5.0mm	8.0mm



Code	Article	Diameter	G/H	Height
FMARRH70208	M/R/W	Ø7.0	2.0mm	8.0mm
FMARRH70308	M/R/W	Ø7.0	3.0mm	8.0mm
FMARRH70408	M/R/W	Ø7.0	4.0mm	8.0mm
FMARRH70508	M/R/W	Ø7.0	5.0mm	8.0mm

1.8 CCM Cast Abutment



Code	Article	Diameter	G/H	Connection
CCARRH4010	M/R/W	Ø4.0	1.0mm	Hex
CCARRH4030	M/R/W	Ø4.0	3.0mm	Hex



Code	Article	Diameter	G/H	Connection
CCARRN4010	M/R/W	Ø4.0	1.0mm	Non-Hex
CCARRN4030	M/R/W	Ø4.0	3.0mm	Non-Hex

1.9 Components of Impression

Pick-Up Impression Coping



Code	Article	Diameter	Length	Connection
PIRRH40S	M/R/W	Ø3.8	11.0mm	Hex
PIRRH50S	M/R/W	Ø4.8	11.0mm	Hex
PIRRH60S	M/R/W	Ø5.8	11.0mm	Hex
PIRRH70S	M/R/W	Ø6.8	11.0mm	Hex



Code	Article	Diameter	Length	Connection
PIRRH40L	M/R/W	Ø3.8	15.0mm	Hex
PIRRH50L	M/R/W	Ø4.8	15.0mm	Hex
PIRRH60L	M/R/W	Ø5.8	15.0mm	Hex
PIRRH70L	M/R/W	Ø6.8	15.0mm	Hex



Code	Article	Diameter	Length	Connection
PIRRN40S	M/R/W	Ø3.8	11.0mm	Non-Hex
PIRRN50S	M/R/W	Ø4.8	11.0mm	Non-Hex
PIRRN60S	M/R/W	Ø5.8	11.0mm	Non-Hex
PIRRN70S	M/R/W	Ø6.8	11.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
PIRRN40L	M/R/W	Ø3.8	15.0mm	Non-Hex
PIRRN50L	M/R/W	Ø4.8	15.0mm	Non-Hex
PIRRN60L	M/R/W	Ø5.8	15.0mm	Non-Hex
PIRRN70L	M/R/W	Ø6.8	15.0mm	Non-Hex



Code	Article	Length
PIGPRRS	S Guide Pin (M/R/W)	11.0mm



Code	Article	Length
PIGPRRL	L Guide Pin (M/R/W)	15.0mm

Transfer Impression Coping



Code	Article	Diameter	Length	Connection
TIRRH40S	M/R/W	Ø3.8	9.0mm	Hex
TIRRH50S	M/R/W	Ø4.8	9.0mm	Hex
TIRRH60S	M/R/W	Ø5.8	9.0mm	Hex
TIRRH70S	M/R/W	Ø6.8	9.0mm	Hex



Code	Article	Diameter	Length	Connection
TIRRH40L	M/R/W	Ø3.8	13.0mm	Hex
TIRRH50L	M/R/W	Ø4.8	13.0mm	Hex
TIRRH60L	M/R/W	Ø5.8	13.0mm	Hex
TIRRH70L	M/R/W	Ø6.8	13.0mm	Hex



Code	Article	Length
TIGPRRS	S Guide Pin (M/R/W)	9.0mm
TIGPRRL	L Guide Pin (M/R/W)	13.0mm



Code	Article	Diameter	Length	Connection
TIRRN40S	M/R/W	Ø3.8	9.0mm	Non-Hex
TIRRN50S	M/R/W	Ø4.8	9.0mm	Non-Hex
TIRRN60S	M/R/W	Ø5.8	9.0mm	Non-Hex
TIRRN70S	M/R/W	Ø6.8	9.0mm	Non-Hex



Code	Article	Diameter	Length	Connection
TIRRN40L	M/R/W	Ø3.8	13.0mm	Non-Hex
TIRRN50L	M/R/W	Ø4.8	13.0mm	Non-Hex
TIRRN60L	M/R/W	Ø5.8	13.0mm	Non-Hex
TIRRN70L	M/R/W	Ø6.8	13.0mm	Non-Hex

Fixture Lab Analog



Code	Article	Diameter
TIRRH40S	Mini	Ø3.75
TIRRH50S	R/W	Ø4.25

1.10

Multi Straight Abutment

Move into internal oral part by using exclusive Abutment Carrier (Code: MSACR48)



Code	Article	Diameter	G/H
MSARR4815	M/R/W	Ø4.8	1.5mm
MSARR4825	M/R/W	Ø4.8	2.5mm
MSARR4835	M/R/W	Ø4.8	3.5mm
MSARR4845	M/R/W	Ø4.8	4.5mm

1.11

Multi Angled Abutment

Connect by using exclusive Abutment Carrier (Code: MAACRMC)



Code	Article	Diameter	G/H	Angle	Connection
MAARRH481725	M/R/W	Ø4.8	2.5mm	17°	Hex
MAARRN481725	M/R/W	Ø4.8	2.5mm	17°	Non-Hex
MAARRH481735	M/R/W	Ø4.8	3.5mm	17°	Hex
MAARRN481735	M/R/W	Ø4.8	3.5mm	17°	Non-Hex
MAARRH481745	M/R/W	Ø4.8	4.5mm	17°	Hex
MAARRN481745	M/R/W	Ø4.8	4.5mm	17°	Non-Hex



Code	Article	Diameter	G/H	Angle	Connection
MAARRH483035	M/R/W	Ø4.8	3.5mm	30°	Hex
MAARRN483035	M/R/W	Ø4.8	3.5mm	30°	Non-Hex
MAARRH483045	M/R/W	Ø4.8	4.5mm	30°	Hex
MAARRN483045	M/R/W	Ø4.8	4.5mm	30°	Non-Hex

1.12 Components of Multi Abutment

	Code	Product	Diameter
	MTCSR48	Multi Temporary Cylinder	Ø4.8

	Code	Product	Diameter
	MPCCSR48	Multi Plastic Cast Cylinder	Ø4.8

	Code	Product	Diameter
	MHCSR48	Multi Healing Cap	Ø4.8

	Code	Product	Diameter
	MTICSR48	Multi Transfer Impression Coping	Ø4.8

	Code	Product
	MSBSR4809	Multi ScanBody

	Code	Product	Diameter
	MCCCSR48	Multi CCM Cast Cylinder	Ø4.8

	Code	Product	Diameter
	MTLCSR48	Multi Ti Link Cylinder	Ø4.8


	Code	Product	Diameter
	MPICSR48	Multi Pick-Up Impression Coping	Ø4.8

	Code	Product
	MLASR48	Multi Lab Analog

	Code	Product
	MSADSR20	Multi Straight Abutment Driver

1.13 Ball Abutment

Ball Abutment

	Code	Article	Diameter	G/H
	BARR3510	M/R/W	Ø3.5	1.0mm
	BARR3520	M/R/W	Ø3.5	2.0mm
	BARR3530	M/R/W	Ø3.5	3.0mm
	BARR3540	M/R/W	Ø3.5	4.0mm
	BARR3550	M/R/W	Ø3.5	5.0mm
	BARR3560	M/R/W	Ø3.5	6.0mm

Components of Ball Abutment

	Code	Product
	BASRCS	Ball Abutment Cap Set

	Code	Product
	BASRRS	Ball Abutment Retainer Set

	Code	Product
	BASROS	Ball Abutment O-ring Set

	Code	Product
	BAALA	Ball Abutment Lab Analog

	Code	Product
	BAD24	Ball Abutment Driver

1.14 ScanBody



Code	Article	Diameter	Length
RSBR4310	M/R/W	Ø4.3	10.0mm

1.15 Ti Link Abutment



Code	Article	Diameter	G/H	P/H	Connection
TLARRH4010	M/R/W	Ø4.0	1.0mm	3.8mm	Hex
TLARRH4020	M/R/W	Ø4.0	2.0mm	3.8mm	Hex



Code	Article	Diameter	G/H	P/H	Connection
TLARRN4010	M/R/W	Ø4.0	1.0mm	3.8mm	Non-Hex
TLARRN4020	M/R/W	Ø4.0	2.0mm	3.8mm	Non-Hex

1.16 Ti Blank Abutment



Code	Article	Diameter	Length	Brand	Connection
TBARRH10A	M/R/W	Ø10	20.0mm	For Arum	Hex
TBARRN10A	M/R/W	Ø10	20.0mm	For Arum	Non-Hex



Code	Article	Diameter	Length	Brand	Connection
TBARRH10M	M/R/W	Ø10	20.0mm	For Manix	Hex
TBARRN10M	M/R/W	Ø10	20.0mm	For Manix	Non-Hex

2.1 ZENEX KIT

ZENEX SURGERY KIT



ZENEX SIMPLE KIT



ZENEX EASY SURGERY KIT



ZENEX SUPERWIDE KIT



ZENEX PROSTHETIC KIT



2.2 Drills of ZENEX KIT

Guide Drill



Code	Min Diameter	Max Diameter	Length	Kit		
GD3F20S	Ø1.5	Ø2.0	34.8mm	●	●	●
GD3F20L	Ø1.5	Ø2.0	40.8mm	●	●	●

Lindemann Drill



Code	Min Diameter	Max Diameter	Length	Kit		
LD4F20S	Ø1.5	Ø2.0	31.5mm	●	●	●
LD4F20L	Ø1.5	Ø2.0	38.5mm	●	●	●



Code	Min Diameter	Max Diameter	Length	Kit		
LD4F25S	Ø2.0	Ø2.5	31.5mm	●	●	●
LD4F25L	Ø2.0	Ø2.5	38.5mm	●	●	●



Code	Min Diameter	Max Diameter	Length	Kit		
LD4F35M	Ø3.0	Ø3.5	35.0mm	●	●	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPER WIDE KIT ● / PROSTHETIC KIT ●

Twist Drill

2.2D



Code	Min Diameter	Max Diameter	Length	Kit
TD2F22S	Ø1.8	Ø2.2	36.2mm	●
TD2F22L	Ø1.8	Ø2.2	42.2mm	● ●

3.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F25S	Ø2.2	Ø2.5	36.2mm	●
TD2F25L	Ø2.2	Ø2.5	42.2mm	●
TD2F27S	Ø2.2	Ø2.7	36.2mm	●
TD2F27L	Ø2.2	Ø2.7	42.2mm	●

3.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F30S	Ø2.2	Ø3.0	36.2mm	●
TD2F30L	Ø2.2	Ø3.0	42.2mm	● ●

4.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F36S	Ø3.0	Ø3.6	36.2mm	●
TD2F36L	Ø3.0	Ø3.6	42.2mm	● ●

4.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F41S	Ø3.0	Ø4.1	36.2mm	●
TD2F41L	Ø3.0	Ø4.1	42.2mm	● ●

5.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F46S	Ø3.0	Ø4.6	36.2mm	●
TD2F46L	Ø3.0	Ø4.6	42.2mm	● ●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPER WIDE KIT ● / PROSTHETIC KIT ●

Drill Stopper

	Code	Length	Kit
	TDDS03B	3.0mm	●
	TDDS04P	4.0mm	●
	TDDS05Y	5.0mm	●
	TDDS06G	6.0mm	●
	TDDS07B	7.0mm	● ●

	Code	Length	Kit
	TDDS08P	8.5mm	● ●
	TDDS10Y	10.0mm	● ●
	TDDS11G	11.5mm	● ●
	TDDS13B	13.0mm	● ●
	TDDS15P	15.0mm	●

Step Drill

2.2D



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2206	Ø1.8	Ø2.2	6.0mm	●
TD2F2207	Ø1.8	Ø2.2	7.0mm	●
TD2F2208	Ø1.8	Ø2.2	8.5mm	●
TD2F2210	Ø1.8	Ø2.2	10.0mm	●
TD2F2211	Ø1.8	Ø2.2	11.5mm	●
TD2F2213	Ø1.8	Ø2.2	13.0mm	● ●
TD2F2215	Ø1.8	Ø2.2	15.0mm	●

3.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2515	Ø2.2	Ø2.5	15.0mm	●



Code	Min Diameter	Max Diameter	Length	Kit
TD2F2715	Ø2.2	Ø2.7	15.0mm	●

3.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F3006	Ø2.2	Ø3.0	6.0mm	●
TD2F3007	Ø2.2	Ø3.0	7.0mm	●
TD2F3008	Ø2.2	Ø3.0	8.5mm	●
TD2F3010	Ø2.2	Ø3.0	10.0mm	●
TD2F3011	Ø2.2	Ø3.0	11.5mm	●
TD2F3013	Ø2.2	Ø3.0	13.0mm	● ●
TD2F3015	Ø2.2	Ø3.0	15.0mm	●
TD2F3018	Ø2.2	Ø3.0	18.0mm	●
TD2F3020	Ø2.2	Ø3.0	20.0mm	● ●

4.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F3606	Ø3.0	Ø3.6	6.0mm	●
TD2F3607	Ø3.0	Ø3.6	7.0mm	●
TD2F3608	Ø3.0	Ø3.6	8.5mm	●
TD2F3610	Ø3.0	Ø3.6	10.0mm	●
TD2F3611	Ø3.0	Ø3.6	11.5mm	●
TD2F3613	Ø3.0	Ø3.6	13.0mm	●
TD2F3615	Ø3.0	Ø3.6	15.0mm	●
TD2F3618	Ø3.0	Ø3.6	18.0mm	●
TD2F3620	Ø3.0	Ø3.6	20.0mm	● ●

4.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F4106	Ø3.0	Ø4.1	6.0mm	●
TD2F4107	Ø3.0	Ø4.1	7.0mm	●
TD2F4108	Ø3.0	Ø4.1	8.5mm	●
TD2F4110	Ø3.0	Ø4.1	10.0mm	●
TD2F4111	Ø3.0	Ø4.1	11.5mm	●
TD2F4113	Ø3.0	Ø4.1	13.0mm	●
TD2F4115	Ø3.0	Ø4.1	15.0mm	●
TD2F4118	Ø3.0	Ø4.1	18.0mm	●
TD2F4120	Ø3.0	Ø4.1	20.0mm	● ●

5.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD2F4606	Ø3.0	Ø4.6	6.0mm	●
TD2F4607	Ø3.0	Ø4.6	7.0mm	●
TD2F4608	Ø3.0	Ø4.6	8.5mm	●
TD2F4610	Ø3.0	Ø4.6	10.0mm	●
TD2F4611	Ø3.0	Ø4.6	11.5mm	●
TD2F4613	Ø3.0	Ø4.6	13.0mm	● ●
TD2F4615	Ø3.0	Ø4.6	15.0mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Step Drill

5.5F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F5206	Ø4.6	Ø5.2	6.0mm	●
TD3F5207	Ø4.6	Ø5.2	7.0mm	●
TD3F5208	Ø4.6	Ø5.2	8.5mm	●
TD3F5210	Ø4.6	Ø5.2	10.0mm	●
TD3F5211	Ø4.6	Ø5.2	11.5mm	● ●
TD3F5213	Ø4.6	Ø5.2	13.0mm	● ● ●
TD3F5215	Ø4.6	Ø5.2	15.0mm	● ●

6.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F5513	Ø4.6	Ø5.5	13.0mm	●

7.0F



Code	Min Diameter	Max Diameter	Length	Kit
TD3F6213	Ø5.5	Ø6.2	13.0mm	●



Code	Min Diameter	Max Diameter	Length	Kit
TD3F6513	Ø5.5	Ø6.5	13.0mm	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPERWIDE KIT ● / PROSTHETIC KIT ●

Cortical Drill

3.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD3FXF30	Ø2.2	Ø3.1	33.6mm	● ●

3.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD3FNF30	Ø2.1	Ø2.7	33.6mm	● ●

3.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF35	Ø2.6	Ø3.7	33.6mm	● ● ●

4.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF40	Ø3.2	Ø4.1	33.6mm	● ● ●

4.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF45	Ø3.8	Ø4.6	33.6mm	● ● ●

5.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF50	Ø4.2	Ø5.0	33.6mm	● ● ●

5.5C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF55	Ø4.6	Ø5.5	33.6mm	● ●

6.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF60	Ø4.2	Ø5.8	28.6mm	●

7.0C



Code	Min Diameter	Max Diameter	Length	Kit
CD4FF70	Ø5.3	Ø6.8	28.6mm	●

2.3 Components of ZENEX KIT

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPER WIDE KIT ● / PROSTHETIC KIT ●

Direction Pin



Code	Details	Kit
DPRR4009	Ø4.0	● ● ● ●

Parallel Pin



Code	Details	Kit
PP352230	Ø3.5 / 20.0mm	● ● ● ●
PP402230	Ø4.0 / 20.0mm	● ● ● ●
PP502230	Ø5.0 / 20.0mm	● ● ● ●
PP602230	Ø6.0 / 20.0mm	● ● ● ●

Fixture Driver



Code	Details	Kit
FDCRR23S	Short / Contra Angle	● ● ● ●
FDCRR23L	Long / Contra Angle	● ● ● ●



Code	Details	Kit
FDRRR23S	Short / Wrench	● ● ● ●
FDRRR23L	Long / Wrench	● ● ● ●

1.2 Hex Driver



Code	Details	Kit
HEDR1210	10.0mm	● ● ● ● ●
HEDR1215	15.0mm	● ● ● ● ●
HEDR1225	25.0mm	● ● ● ● ●

Drill Extension



Code	Details	Kit
DE4513	29.5mm	● ● ● ●

Torque Wrench




Code	Kit
TW60B	● ● ● ● ●

Depth Gauge



Code	Kit
DG1720	● ● ● ●

Steel Bowl



Code	Kit
STBOWL	● ●

1.2 Hex Machine Screw Driver



Code	Details	Kit
HEDM1210	10.0mm	●
HEDM1215	15.0mm	●

Abutment Remover



Code	Kit
ARRM18	●

SURGERY KIT ● / SIMPLE KIT ● / EASY SURGERY KIT ● / SUPER WIDE KIT ● / PROSTHETIC KIT ●

Finger Driver for Driver Shaft



Code	Kit
FDDS100	●

Ball Abutment Driver



Code	Kit
BAD24	●

Multi Straight Abutment Driver



Code	Kit
MSADSR20	●

2.4 Other Surgical Instruments

Tissue Punch



Code	Diameter	Length
TP3308	Ø3.3	26.5mm
TP3808	Ø3.8	26.5mm
TP4308	Ø4.3	26.5mm
TP4808	Ø4.8	26.5mm
TP5308	Ø5.3	26.5mm

Trephine Drill



Code	Min Diameter	Max Diameter	Length
TD3718	Ø3.7	Ø4.5	34.0mm
TD4218	Ø4.2	Ø5.0	34.0mm
TD4718	Ø4.7	Ø5.5	34.0mm
TD5218	Ø5.2	Ø6.0	34.0mm
TD5718	Ø5.7	Ø6.5	34.0mm
TD6218	Ø6.2	Ø7.0	34.0mm

Bone Profiler



Code	Article	Diameter	Length
SBP41RS	-	Ø4.1	25.0mm
SBP46RS	-	Ø4.6	25.0mm
SBP56RS	-	Ø5.6	25.0mm
SBP76RS	-	Ø7.6	25.0mm
SBPGSRM18	Screw/Mini	-	-
SBPGSRR18	Screw/Regular	-	-

IZEN
I M P L A N T

izenimplant.com



HQ & Factory
1, 2Dong, 26-32, Suworam 4-gil, Seotan-myeon,
Pyeongtaek-si, Gyeonggi-do, 17703
Republic of Korea

Sales Office
#1013, #1014 Central-Tower II, 158, Magokseo-ro,
Gangseo-gu, Seoul, 07788
Republic of Korea

Tel. +82-31-662-0657 (HQ)
+82-2-3664-3666 (Sales)
Fax. +82-31-662-0658