

## Location : Field, woodlands and carpark

Hazard identified, risks arising	Who might be harmed and how?	How are the risks controlled? What further controls are needed?	What further controls are needed?
<p>A <b>hazard</b> is something that could cause harm, for example equipment or conditions</p> <p>The <b>Risk</b> is the harm that might occur from the hazard.</p>		<p><b>Controls</b> are actions. Equipment or procedure that will help to reduce the potential for harm from a particular hazard.</p>	
<b>Services</b>			
<p><b>Gas supply</b></p> <p>Explosion, fire, asphyxiation</p>	All Users of Horley Scout Campsite	<p>Gas supply is stored in tank owned by Calor, inspection everytime refilled</p> <p>Signs near to alert people to presence and no smoking</p>	none at this time - review 1.4.23
<p><b>Water</b></p> <p>Leaks, burst pipes</p>	All Users of Horley Scout Campsite	<p>Main supply stop tap at entrance to carpark and on each building/ stop tap</p> <p>Drain system in winter if necessary or turn off water when leaving the premises. - were required shut down over winter and run through when reinstated. Only main toilet block and building used over winter</p>	none at this time - review 1.4.23
<p><b>Sewer &amp; waste water</b></p> <p>leaks, blockages, disease.</p>	All Users of Horley Scout Campsite	Regularly inspected for emptying and damage	none at this time - review 1.4.23
<p><b>Electricity</b></p>			

Electrocution	All Users of Horley Scout Campsite	All works carried out by qualified person and as per required plan	none at this time - review 1.4.23
Fire		Isolate supply as necessary - each of the buildings has fuse board that can be closed off. Supply can be turned off at meters.	

## Entrances and exits

<b>Obstructions</b>			
Trips and falls	All Users of Horley Scout Campsite	Main track in is kept clear of abstractions and checked daily for required repair. Other exits kept clear of hazzards and obstructions to enable vehicles access - checked on walk rounds as part of plan	none at this time - review 1.4.23
<b>Poor lighting</b>		Lighting to each building provided, other areas are covered under site uses risk assessment.	
<b>Uneven Surfaces</b>		Field and woods have trip hazzards and uneven surfaces - notified to users and covered under users risk assessment	

## Storage

		Not applicable	
--	--	----------------	--

## Campfire and cooking area

Grass, rubbish uneven ground	All Users of Horley Scout Campsite	Grass regulary cut as part of maintenance plan . Appropriate PPE being used if strimmers. Rubbish cleared as required	none at this time - review 1.4.23
Risk of trips and cuts		notified to users of risks, users to cover use of this area in own risk assessment	

Risk of fire		notified to users of fires, users to cover use of this area in own risk assessment	
--------------	--	--	--

### Chemicals used on site

<b>Cleaning materials</b> Fumes, chemical burns	All Users of Horley Scout Campsite	<p>COSHH* risk assessments carried out on all chemicals on the premises. Read labels carefully. Site staff are trained as required</p> <p>All chemicals locked securely and only accessed by trained team members</p> <p style="text-align: center;">Don't mix bleach with other cleaning materials</p> <p style="text-align: center;">* COSHH - Control Of Substances Hazardous to Health regulations</p>	none at this time - review 1.4.23
--	------------------------------------	--	-----------------------------------

### Surrounding land

Grass, rubbish uneven ground	All Users of Horley Scout Campsite	<p>Grass regularly cut as part of maintenance plan . Appropriate PPE being used if strimmers. Rubbish cleared as required</p> <p>notified to users of risks for trips and falls, users to cover this in own risk assessment</p>	none at this time - review 1.4.23
Risk of fire, trips and cuts			
Trees plants and trees on site - risk of poison and harm Rotten or damagerous branches	All Users of Horley Scout Campsite	<p>trees assessed on site, especially in high risk areas that people use regularly as part of the maintenance plan - any areas of concern cordoned off and notified as out of bounds</p> <p>users should complete own risk assessment of areas being used for plants that could cause harm</p> <p>Removed at point of danger and hazard removed</p>	none at this time - review 1.4.23
<b>Traffic on site</b>	All Users of Horley Scout Campsite	Signs stating uneven surface on field, pedestrians and drive slowly management of vehicles for drop off and pick up with users.	none at this time - review 1.4.23