



Quality Timber Doors

Quality Timber Doors Pty Ltd.

Email: qualitytimberdoors@gmail.com Website: www.qualitytimberdoors.com.au

TERMS & CONDITIONS OF SALE

- **No water base paint or stained to be use on door at all time.**
- 10 mm trimming allowance on each edge of the door. Any door trimming more than allowance void warranty.
- Natural variations of colour and texture of the timber are not to be considered defects. Minor shrinking and swelling of components particularly raised panels, is a normal characteristic of timber which varies with seasonal humidity conditions and is not considered a defect.
- Doors are to be accorded reasonable treatment by the purchaser and should be stored or hung in a dry building and not in damp, moist or freshly plastered areas.
- The structural strength of the Door shall not be impaired in fitting the Door, application of Hardware, Cutting (Doors shall only be trimmed to Manufacturer's recommended maximum amount) or Altering the Door. Fitting Locks or Hardware to Stile and Rail Joints is to be avoided.
- Upon arrival, Doors must be inspected for any visible defects before hanging or applying 1ST coat of paint/ stain or varnish finish.
- Notice must be given within 5 (five) working days of delivery of any defects found to Quality Timber Doors Pty Ltd.
- Immediately after fitting and prior to hanging, the entire Door including Door Top, Sides and Bottom Edges and at cut outs (for locks, handles or hinges) two coats of paint/stain or varnish must be applied to prevent undue absorption of moisture.
- Quality Timber Doors Pty Ltd cannot be held responsible for any conditions beyond its control, such as variation in Moisture Content of the atmosphere. (Semi-Gloss or Satin finishes are recommended for all Doors to reduce "show through.")
- All finishes are to be applied in strict accordance with paint/stain or varnish manufacturer's instructions. No water base paint on timber veneer door
- Entrance and Exterior Doors should be finished in light reflective colours to reduce the risk of heat absorption which may cause warping or shrinking. **DARK COLOURS PAINT/STAIN WILL VOID WARRANTY.** Both faces should have similar colours applied.
- Entrance Doors should be hung in weather protected area with loose beading face externally. Regular inspection and maintenance should be undertaken to prevent deterioration
- Quality Timber Doors Pty Ltd will not assume responsibility for Doors which become defective due as a result of failing to follow these recommendations after Doors leave the control of Quality Timber Doors Pty Ltd.
- Quality Timber Doors Pty Ltd is not liable to reimburse any purchaser for Doors repaired or replaced without prior written consent. As set out in Australian Standards AS 2688 (1984 – Timber Doors), a warp not exceeding 5mm for 2040mm height and 6mm for 2400mm height shall not be considered a defect.
- Nothing contained herein shall exclude the rights which any purchaser may have as a result of any obligations imposed on manufacturers and suppliers by the Trade Practices Act or similar State and Territory Laws.

WARRANTY

- All Doors manufactured by Doors Depot Pty Ltd are warranted to be of good quality workmanship and material, free from defects which render them unfit or unserviceable to use for two(2) years from the date of shipment by Quality Timber Doors Pty Ltd.
- Quality Timber Doors Pty Ltd subjects to it Terms and Conditions of sale agrees to replace at its option, unfinished and without any extra charge, any door found to be defective within the meaning of this warranty

RETURN; REFUND & EXCHANGE

- Good need to be inspect on pick up or delivery. Notify our office of any damage or defect within 5 working days
- No refund will be given if customer change their mind or cancel order.
- 30% purchase and handling fee apply if customer want to return or exchange.


CONTEM PORARY GLASS ENTRANCE DOORS



GD-S02



GD-S03



GD-S04



GD-P01



SL-P01



GD-WAVE



GD-SLT



GD-FINDOR



GD-Harp

Quality Timber Doors

-: CONTEM PORARY GLASS ENTRANCE DOORS SIZES :-

GD-HARP 2100X1020X40 - 2400X1020X40 - 2040X1200X40 - 2400X1200X40

GD-FINDOR 2400X820X40 GD-S02/S03/S04 2040X820X40 - 2040X1200X40

2100X870X40 - 2100X920X40 - 2100X1020X40 - 2100X1120X40 - 2400X820X40

2400X920X40 - 2400X1020X40 - 2400X1120X40 - 2400X1200X40

GD-P01 2040X820X40 - 2100X920X40 - 2400X820X40 - 2400X920X40

SL-P01 2040X410X40

GD-SLT/WAVE/TETRIS 2040X820X40 - 2040X1200X40 - 2400X1200X40



HORIZONTAL GLASS ENTRANCE DOORS



GD-D4



SL-D4



GD-D4SG



SL-D4SG



GD-4L3P



SL-4L3P



GD-D5



SL-D5



GD-D6




SL-D6



GD-D6B



SL-D6B



GD-D7



SL-D7



GD-D8


-: HORIZONTAL GLASS ENTRANCE DOOR SIZES :-

GD-D4/D4SG/D5/D6/D7 2040X820X40 - 2040X1200X40 - 2100X870X40
 2100X920X40 - 2100X1020X40 - 2100X1120X40 - 2400X820X40
 2400X920X40 - 2400X1020X40 - 2400X1200X40

SL-D4/D4SG/D5/D6/D7 2040X410X40 - 2400X410X40 GD-D6B/D82040X820X40
 2040X1200X40 - 2400X1200X40 SL-D6B/D82040X410X40
 2400X410X40 GD-4L3P2040X820X40 2100X920X40 SL-4L3P2040X410X40



VERTICAL GLASS ENTRANCE DOORS



GD-1V



GD-15H1



GD-5V1



GD-2V



GD-3V



GD-4V

Quality Timber Doors

-: VERTICAL GLASS ENTRANCE DOORS SIZES :-

GD-1V/2V/3V/4V/5V1/15H1

**2040X820X40 - 2040X1200X40 - 2100X920X40
2100X1020X40 - 2100X1120X40 - 2400X820X40
2400X920X40 - 2400X1020X40 - 2400X1120X40
2400X1200X40**



TRIPLE GLAZED ENTRANCE DOORS



GD S01



SL-S01



GD-D2



GD-D3



BD-2P

Quality Timber Doors

-: TRIPLE GLAZED ENTRANCE DOORS SIZES :-

GD-S01/D2/D3/FAN/OV3P

2040X820X40

SL-S01 2040X410X40



WROUGHT IRON ENTRANCE DOORS




GD-WR1



SL-WR1



GD-WR2



SL-WR2

Quality Timber Doors

-: WROUGHT IRON ENTRANCE DOORS SIZES :-

GD-WR1/WR 22040X820X40

SL-WR1/WR 22040X410X40



SOLID PANEL ENTRANCE DOORS



SP-1P



SP-2P



SP-4P



SP-4COL



SP-5V



SP-6P



SP-8P



SP-10P



SP-15H

Quality Timber Doors

-: SOLID PANEL ENTRANCE DOORS SIZES :-

SP-1P/2P/6P/8P/10P 2040X820X40 SP-4COL/4P 2040X820X40
2100X870X40 - 2100X920X40 - 2400X720X40 - 2400X820X40 - 2400X920X40

SP-4VP1 2040X820X40 - 2100X870X40
2100X920X40 SP-5V/15H 2040X820X40 - 2040X1200X40 - 2100X920X40
2100X1020X40 - 2400X1200X40

SL-COL/4VP1 2040X410X40 - 2040X520X40 SL-4P 2040X410X40



CRICKET BAT & HEAVY MOULDING



SP-4PCB



SL-4PCB



SP-TD5



SL-TD5



GD-TD5



SL-TD5G



SP-8PS



SL-4PS



SP-10PS



SP OV3P

Quality Timber Doors

-: CRICKET BAT & HEAVY MOULDING SIZES :-

SP-4PCB/8PS 2040X820X40 - 2040X1200X40
2100X870X40 - 2100X920X40 - 2400X1200X40
SP-TD5 & GD-TD5 2040X820X40 - 2100X870X40 - 2100X920X40
SP-10PS/OV3P 2040X820X40
SL-4PCB/8PS/TD5/10PS/TD5G 2040X410X40



CLASSIC GLASS ENTRANCE DOORS



GD-TD5



SL-TD5G



GD-PAD



GD-4VP1



SL-4VP1



GD-D10



SL-D10



GD-F4

Quality Timber Doors

-: CLASSIC GLASS ENTRANCE DOOR SIZES :-

GD-PAD/F42040X820X40 - 2100X920X40 - GD-D10 2040X820X40 - 2100X870X40

2100X920X40 - 2400X720X40 - 2400X820X40 - SL-D10 2040X410X40 - 2040X520X40

GD-4VP12 040X820X40 - 2100X870X40 - 2100X920X40 - SL-4VP1G 2040X410X40 - 2040X520X40



VENETIAN BLIND INTERGRADE



GD-HL



GD-FL

Quality Timber Doors

-: VENETIAN BLIND INTERGRADE SIZES :-

**GD-HL/FL
2040X820X40**



BARN DOOR



BD-1P



BD-1PC



BD-2P



BD-2PC

Quality Timber Doors

-: BARN DOORS SIZES :-

2100X1020X40



GLASS BACK DOOR & LAUNDRY DOOR



GD-BL3



GD-BL4



GD-LAU



GD-D9

Quality Timber Doors

-: GLASS BACK DOOR & LAUNDRY DOOR SIZES:-

GD-D9/BL3/BL4/LAU 2040X820X40/35



INTERNAL GLASS DOOR



GD-D9



GD-4VP1



GD-BL3



GD-BL4



GD-D10



GD-BL3G



GD-BL4G



GD-SK2V



GD-SK3V



GD-SK4C



GD-SK3



GD-D4



GD-SK5



GD-SK6C

-: INTERNAL GLASS DOOR SIZES :-

GD-D9/4VP1/BL3/BL4/BL3G/BL4G/SK2V/SK3V/SK4C/SK3/SK5/SK6C

2040X620X35 - 2040X720X35 - 2040X770X35

2040X820X35 GD-D4 2040X620X35 - 2040X720X35

2040X770X35 - 2040X820X35 - 2400X720X35 - 2400X820X35

GD-D10 2040X620X35 2040X720X35 - 2040X770X35 - 2040X820X35

2100X920X35 - 2400X720X35 - 2400X820X35



FRENCH DOORS



GD-2L



SL-2L



GD-3L



SL-3L



GD-4L



SL-4L



GD-5L



SL-5L



GD-6L



GD-8L



GD-10L



GD-1L



SL-1L

-: FRENCH DOORS SIZES :-

GD-1L 2040X620X35/40 - 2040X720X35/40 - 2040X770X35/40 - 2040X820X35/40 - 2040X1200X35/40
 2100X920X35/40 - 2100X1020X35/40 - 2100X1120X35/40 - 2400X620X35/40 - 2400X720X35/40
 2400X820X35/40 - 2400X920X35/40 - 2400X1020X35/40 - 2400X1120X35/40 - 2400X1200X35/40
 SL-1L 2040X410X35/40 - 2040X520X35/40 - 2400X410X35/40 - 2400X520X35/40
 GD-2L 2040X620X35 - 2040X720X35 - 2040X770X35 - 2040X820X35/40
 SL-2L 2040X410X35/40 - 2040X520X35/40 - GD-3L/6L 2040X820X35/40 - SL-3L 2040X410X35/40
 GD-4L/5L/8L/10L 2040X620X35/40 - 2040X720X35/40 - 2040X770X35/40
 2040X820X35/40 - 2100X920X35/40 - 2400X720X35/40 - 2400X820X35/40
 SL-4L/5L 2040X410X35/40 - 2040X520X35/40



INTERIOR PANEL DOORS



SP-1P



SP-2P



SP-BL3



SP-BL4



SP-4P



SP-4COL



SP-4VP1

Quality Timber Doors

-: INTERIOR PANEL DOORS SIZES :-

SP-4VP1/1P/2P/BL3/BL4 2040X620X35

2040X720X35 - 2040X770X35

2040X820X35 SP-4P/4COL 2040X620X35 - 2040X720X35

2040X770X35 - 2040X820X35 - 2400X720X35 - 2400X820X35



INTERNAL FLAT PANEL DOORS



SP-SK1



SP-SK2



SP-SK3



SP-SK4



SP-SK2V



SP-SK3V



SP-SK4C



SP-SK5



SP-SK6C

Quality Timber Doors

-: INTERNAL FLAT PANEL DOORS SIZES :-

**SP-SK1/SK2/SK2V/SK3/SK3V/SK4/SK4C/SK5/SK6C
2040X620X35 - 2040X720X35 - 2040X770X35 - 2040X820X35**

