








www.rangelite.in

R **RANGE-LITE**[®]
Original

OUTDOOR



CATALOGUE
2 0 2 1



ARCHITECTURAL



COMMERCIAL



RETAIL



INDUSTRIAL




HOSPITALITY



RESIDENTIAL

OUTDOOR



LED WALL & BOLLARD LIGHT



RL2801

LED BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø110x200(H)MM
BEAM ANGLE: 44°
LUMENS OUTPUT: 600lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2801

LED BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø110x400(H)MM
BEAM ANGLE: 44°
LUMENS OUTPUT: 600lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2801

LED BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø110x600(H)MM
BEAM ANGLE: 44°
LUMENS OUTPUT: 600lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2802

LED BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x200(H)MM
BEAM ANGLE: 41°
LUMENS OUTPUT: 600lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL8347

LED BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x600(H)MM
BEAM ANGLE: 41°
LUMENS OUTPUT: 600lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1903

LED SOLAR WALL LIGHT: 5W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø140x140x290(H)MM
BEAM ANGLE: 91°
LUMENS OUTPUT: 350lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1904

LED SOLAR BOLLARD LIGHT: 5W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø140x140x500(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 350lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL203-600

BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø108x600(H)MM
BEAM ANGLE: 87°
LUMENS OUTPUT: 600lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL0225

LED BOLLARD LIGHT: 10W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø57x163x250(H)MM
BEAM ANGLE: 92°
LUMENS OUTPUT: 695lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL0260

LED BOLLARD LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø57x163x600(H)MM
BEAM ANGLE: 92°
LUMENS OUTPUT: 695lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1901

LED WALL LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø160x54x168(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 433lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1902-300

LED BOLLARD LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø160x54x300(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 433lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1902-650

LED BOLLARD LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø160x54x650(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 433lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1821

LED WALL LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø135x90x140(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 521lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1822-500

LED BOLLARD LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø198x120x500(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 521lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1822-900

LED BOLLARD LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø198x120x900(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 521lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1891

LED WALL LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x140(H)MM
BEAM ANGLE: 55°
LUMENS OUTPUT: 477lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1892-450

LED BOLLARD LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x450(H)MM
BEAM ANGLE: 55°
LUMENS OUTPUT: 477lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1892-650

LED BOLLARD LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x650(H)MM
BEAM ANGLE: 55°
LUMENS OUTPUT: 477lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1982-450

LED BOLLARD LIGHT: 3X6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø120x450(H)MM
BEAM ANGLE: 43°
LUMENS OUTPUT: 1018lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1982-650

LED BOLLARD LIGHT: 3X6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø120x650(H)MM
BEAM ANGLE: 43°
LUMENS OUTPUT: 1018lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2052

LED WALL LIGHT: 8W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø140x70x200(H)MM
BEAM ANGLE: 113°
LUMENS OUTPUT: 709lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2054-500

LED BOLLARD LIGHT: 8W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø140x74x500(H)MM
BEAM ANGLE: 113°
LUMENS OUTPUT: 709lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2055-900

LED BOLLARD LIGHT: 16W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø140x108x900(H)MM
BEAM ANGLE: 113°
LUMENS OUTPUT: 1418lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2061

LED WALL LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø151x188x89(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 615lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2062-500

LED BOLLARD LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø151x248x500(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 615lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2062-900

LED BOLLARD LIGHT: 6W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø151x248x900(H)MM
BEAM ANGLE: 117°
LUMENS OUTPUT: 615lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2091-1250

LED BOLLARD LIGHT: 18W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø80x1250(H)MM
BEAM ANGLE: 354°
LUMENS OUTPUT: 1070lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2091-2000

LED BOLLARD LIGHT: 27W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø80x2000(H)MM
BEAM ANGLE: 354°
LUMENS OUTPUT: 1600lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2322

LED WALL LIGHT: 7W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø113x47x152(H)MM
BEAM ANGLE: 107°
LUMENS OUTPUT: 493lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2323-500

LED BOLLARD LIGHT: 7W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø113x47x500(H)MM
BEAM ANGLE: 107°
LUMENS OUTPUT: 493lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2323-750

LED BOLLARD LIGHT: 7W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø113x47x750(H)MM
BEAM ANGLE: 107°
LUMENS OUTPUT: 493lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2371

LED WALL LIGHT: 9W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø176x118x212(H)MM
BEAM ANGLE: 108°
LUMENS OUTPUT: 833lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2372-500

LED BOLLARD LIGHT: 9W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø176x118x500(H)MM
BEAM ANGLE: 108°
LUMENS OUTPUT: 833lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2372-900

LED BOLLARD LIGHT: 9W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø176x118x900(H)MM
BEAM ANGLE: 108°
LUMENS OUTPUT: 833lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL9395

LED WALL LIGHT: 4W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø65x100x300(H)MM
BEAM ANGLE: 110°
LUMENS OUTPUT: 88lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL9396-400

LED BOLLARD LIGHT: 5W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø65x400(H)MM
BEAM ANGLE: 110°
LUMENS OUTPUT: 133lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL9397-750

LED BOLLARD LIGHT: 10W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø65x750(H)MM
BEAM ANGLE: 110°
LUMENS OUTPUT: 189lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1791

LED WALL LIGHT: 9W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø280x196x335(H)MM
BEAM ANGLE: 146°
LUMENS OUTPUT: 1088lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1792-1000

LED BOLLARD LIGHT: 9W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø295x196x1000(H)MM
BEAM ANGLE: 146°
LUMENS OUTPUT: 1088lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1792-2300

LED BOLLARD LIGHT: 2X9W
LED: EVERLIGHT
LED COLOR: 3000K
DIMENSION: Ø575x196x2300(H)MM
BEAM ANGLE: 146°
LUMENS OUTPUT: 2176lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL5566-250

LED BOLLARD LIGHT: 16W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø150x250(H)MM
BEAM ANGLE: 360°
LUMENS OUTPUT: 1935lm
IP RATING: IP65
BODY COLOR: GREY



RL5566-450

LED BOLLARD LIGHT: 16W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø150x450(H)MM
BEAM ANGLE: 360°
LUMENS OUTPUT: 1935lm
IP RATING: IP65
BODY COLOR: GREY



RL5566-650

LED BOLLARD LIGHT: 16W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø150x650(H)MM
BEAM ANGLE: 360°
LUMENS OUTPUT: 1935lm
IP RATING: IP65
BODY COLOR: GREY



RL5577-450

LED BOLLARD LIGHT: 16W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø150x450(H)MM
BEAM ANGLE: 104°
LUMENS OUTPUT: 1935lm
IP RATING: IP65
BODY COLOR: GREY



RL5577-650

LED BOLLARD LIGHT: 16W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø150x650(H)MM
BEAM ANGLE: 104°
LUMENS OUTPUT: 1935lm
IP RATING: IP65
BODY COLOR: GREY



LED POST LIGHT



RL2275

LAMP POST LIGHT
POWER: 20 | 30 | 48 | 60 | 100 W
LED: BRIDGELUX
LED COLOR: 3000K/4000K/6000K
DIMENSION: Ø500MM
IP RATING: IP65
LUMENS: 110/120lm/w
PIPE DIA: 75MM
BODY COLOR: GREY



RL2277

LAMP POST LIGHT
POWER: 20 | 30 | 48 | 60 W
LED: BRIDGELUX
LED COLOR: 3000K/4000K/6000K
DIMENSION: Ø300/400/500/750MM
IP RATING: IP65
LUMENS: 110/120lm/w
PIPE DIA: 50/75/100MM
BODY COLOR: GREY



RL2279

LED POLE LIGHT
POWER: 20 | 30 | 48 | 60 | 100 W
LED: BRIDGELUX
LED COLOR: 3000K/4000K/6000K
LENGTH: 6" to 144"
IP RATING: IP65
LUMENS: 110/120lm/w
PIPE DIA: 75/100MM
BODY COLOR: DARK GREY



RL2280

LED POLE LIGHT
POWER: 20 | 30 | 48 | 60 | 100 W
LED: BRIDGELUX
LED COLOR: 3000K/4000K/6000K
LENGTH: 6" to 144"
IP RATING: IP65
LUMENS: 110/120lm/w
PIPE DIA: 75/100MM
BODY COLOR: DARK GREY



GATE & BOLLARD LIGHT



RL3622

GATE LIGHT
LAMP SOURCE: E27 CFL
DIMENSION: Ø200(H)MM
IP RATING: IP54
BODY COLOR: DARK GREY



RL3665

BOLLARD LIGHT
LAMP SOURCE: E27 CFL
DIMENSION: Ø750(H)MM
IP RATING: IP54
BODY COLOR: DARK GREY



RL2622

GATE LIGHT
LAMP SOURCE: E27 CFL
DIMENSION: Ø200(H)MM
IP RATING: IP54
BODY COLOR: DARK GREY



RL2665

BOLLARD LIGHT
LAMP SOURCE: E27 CFL
DIMENSION: Ø750(H)MM
IP RATING: IP54
BODY COLOR: DARK GREY



LED FOOT LIGHT




RL220

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø55x42(H)MM
CUTOUT: Ø40mm
BEAM ANGLE: 60°
LUMENS OUTPUT: 180lm
IP RATING: IP65
BODY COLOR: WH



RL223

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø55x55x42(H)MM
CUTOUT: Ø40mm
BEAM ANGLE: 60°
LUMENS OUTPUT: 180lm
IP RATING: IP65
BODY COLOR: WH



RL18070

LED FOOT LIGHT: 3W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø45x65(H)MM
CUTOUT: Ø43mm
BEAM ANGLE: 60°
LUMENS OUTPUT: 165lm
IP RATING: IP54
BODY COLOR: WH



RL18077

LED FOOT LIGHT: 3W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø75x35x65(H)MM
CUTOUT: Ø69X29mm
BEAM ANGLE: 15°
LUMENS OUTPUT: 165lm
IP RATING: IP54
BODY COLOR: WH



RL224

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø95x60(H)MM
BEAM ANGLE: 10°
LUMENS OUTPUT: 210lm
IP RATING: IP54
BODY COLOR: GRAPHITE GREY



RL225

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø95x95x60(H)MM
BEAM ANGLE: 10°
LUMENS OUTPUT: 210lm
IP RATING: IP54
BODY COLOR: GRAPHITE GREY



RL226

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø84x84x45(H)MM
BEAM ANGLE: 75°
LUMENS OUTPUT: 210lm
IP RATING: IP54
BODY COLOR: GRAPHITE GREY



RL030

LED FOOT LIGHT: 4W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø105x60x50(H)MM
CUTOUT: Ø105x60x50(H)MM
BEAM ANGLE: 80°
LUMENS OUTPUT: 300lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL033

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø54x80x213(H)MM
CUTOUT: Ø49x78x195(H)MM
BEAM ANGLE: 10°
LUMENS OUTPUT: 240lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL034

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø110x45(H)MM
BEAM ANGLE: 31°
LUMENS OUTPUT: 300lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL035

LED FOOT LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø48x33(H)MM
CUTOUT: Ø40(H)MM
BEAM ANGLE: 110°
LUMENS OUTPUT: 300lm
IP RATING: IP65
BODY COLOR: WH, BK



RL0503

LED FOOT LIGHT: 3W
LED: EDISON
LED COLOR: 3000K
DIMENSION: Ø74x106x45(H)MM
CUTOUT: Ø72x104(H)MM
BEAM ANGLE: 70°
LUMENS OUTPUT: 300lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL0909

LED FOOT LIGHT: 2W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø114x114x65(H)MM
CUTOUT: Ø110x110x60(H)MM
BEAM ANGLE: 300°
LUMENS OUTPUT: 160lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL0909

LED FOOT LIGHT: 4W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø114x170x65(H)MM
CUTOUT: Ø110x165mm
BEAM ANGLE: 30°
LUMENS OUTPUT: 320lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL0909

LED FOOT LIGHT: 6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø114x226x65(H)MM
CUTOUT: Ø110x221mm
BEAM ANGLE: 30°
LUMENS OUTPUT: 480lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1612

LED FOOT LIGHT: 2W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø150x27(H)MM
BEAM ANGLE: 55°
LUMENS OUTPUT: 55lm
IP RATING: IP54
BODY COLOR: GREY




RL1812

LED FOOT LIGHT: 2W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø124x124x27(H)MM
BEAM ANGLE: 55°
LUMENS OUTPUT: 55lm
IP RATING: IP54
BODY COLOR: GREY



RL2102

LED FOOT LIGHT: 4W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø60x90(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 320lm
IP RATING: IP54
BODY COLOR: GRAPHITE GREY



RL2104

LED FOOT LIGHT: 8W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø150x70(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 640lm
IP RATING: IP54
BODY COLOR: GRAPHITE GREY



RL10

LED FOOT LIGHT: 9W
LED: EDISON
LED COLOR: 3000K
DIMENSION: Ø160x160x25(H)MM
BEAM ANGLE: 77°
LUMENS OUTPUT: 900lm
IP RATING: IP54
BODY COLOR: DARK GREY




RL12

LED FOOT LIGHT: 9W
LED: EDISON
LED COLOR: 3000K
DIMENSION: Ø160x25(H)MM
BEAM ANGLE: 77°
LUMENS OUTPUT: 900lm
IP RATING: IP54
BODY COLOR: DARK GREY



LED WALL LIGHT



RL801

SURFACE WALL LIGHT: 2X6W
LED: EDISON
LED COLOR: 3000K
DIMENSION: Ø115x90x28(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 720lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL802

SURFACE WALL LIGHT: 2X8W
LED: EDISON
LED COLOR: 3000K
DIMENSION: Ø175x90x28(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 750lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1123

LED WALL LIGHT: 10W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø61x96x185(H)MM
BEAM ANGLE: 40°
LUMENS OUTPUT: 750lm
IP RATING: IP20
BODY COLOR: GREY



RL3303

LED WALL LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø175x100x45(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 300lm
IP RATING: IP54
BODY COLOR: BK



RL2503

LED WALL LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø80x75(H)MM
BEAM ANGLE: 86°
LUMENS OUTPUT: 210lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2506

LED WALL LIGHT: 2X3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø80x140(H)MM
BEAM ANGLE: 86°
LUMENS OUTPUT: 420lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL279

LED WALL LIGHT: 2x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø43x60x120(H)MM
BEAM ANGLE: 6°
LUMENS OUTPUT: 420lm
IP RATING: IP54
BODY COLOR: BLACK



RL1281B

LED WALL LIGHT: 1x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø78x50x80(H)MM
BEAM ANGLE: 85°
LUMENS OUTPUT: 121lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL403

LED WALL LIGHT: 5W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø85x70x80(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 400lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL301

LED WALL LIGHT: 2x5W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø80.4x68.5x150(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 800lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL302

LED WALL LIGHT: 5W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø68x68x92(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 400lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL303

LED WALL LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø80x63x75(H)MM
BEAM ANGLE: 101°
LUMENS OUTPUT: 285lm
IP RATING: IP54
BODY COLOR: BLACK



RL304

LED WALL LIGHT: 2x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø80x63x142(H)MM
BEAM ANGLE: 50°
LUMENS OUTPUT: 570lm
IP RATING: IP54
BODY COLOR: BLACK



RL3001

LED WALL LIGHT: 5W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø100x65x95(H)MM
BEAM ANGLE: 40°
LUMENS OUTPUT: 400lm
IP RATING: IP54
BODY COLOR: GREY



RL3001

LED WALL LIGHT: 2X5
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø100x65x110(H)MM
BEAM ANGLE: 40°
LUMENS OUTPUT: 800lm
IP RATING: IP54
BODY COLOR: GREY



RL3002

LED WALL LIGHT: 12W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø110x165x160(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 1320lm
IP RATING: IP54
BODY COLOR: BLACK



RL3002

LED WALL LIGHT: 2x12W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø100x165x260(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 2640lm
IP RATING: IP54
BODY COLOR: BLACK



RL2512

LED WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x90x138(H)MM
BEAM ANGLE: 48°
LUMENS OUTPUT: 871lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2012/RD

SURFACE WALL LIGHT: 4X3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø100x100mm(H)MM
BEAM ANGLE: 30°
LUMENS OUTPUT: 760lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2012 SQ

LED WALL LIGHT: 4x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø100x100(H)MM
BEAM ANGLE: 11°
LUMENS OUTPUT: 760lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2906

LED WALL LIGHT: 2x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø102x100(H)MM
BEAM ANGLE: 85°
LUMENS OUTPUT: 480lm
IP RATING: IP54
BODY COLOR: GREY



RL2912

LED WALL LIGHT: 4x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø102x100(H)MM
BEAM ANGLE: 85°
LUMENS OUTPUT: 960lm
IP RATING: IP54
BODY COLOR: WH, BK



RL4406

LED WALL LIGHT: 6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x50(H)MM
BEAM ANGLE: 85°
LUMENS OUTPUT: 480lm
IP RATING: IP54
BODY COLOR: GREY



RL4412

LED WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x50(H)MM
BEAM ANGLE: 85°
LUMENS OUTPUT: 960lm
IP RATING: IP54
BODY COLOR: GREY



RL6506

LED WALL LIGHT: 6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø85x83(H)MM
BEAM ANGLE: 85°
LUMENS OUTPUT: 480lm
IP RATING: IP54
BODY COLOR: GREY



RL1571

LED WALL LIGHT: 4W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø140x140x65(H)MM
BEAM ANGLE: 126°
LUMENS OUTPUT: 278lm
IP RATING: IP54
BODY COLOR: DARK GREY




RL1861

LED WALL LIGHT: 3x1W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø131x102x66(H)MM
BEAM ANGLE: 25°
LUMENS OUTPUT: 223lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2601

LED WALL LIGHT: 6W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø160x62(H)MM
BEAM ANGLE: 100°
LUMENS OUTPUT: 632lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL902

LED WALL LIGHT: 2x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø100x100x100(H)MM
BEAM ANGLE: 92°
LUMENS OUTPUT: 480lm
IP RATING: IP54
BODY COLOR: BK



RL920

LED WALL LIGHT: 8W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø100x108x62(H)MM
BEAM ANGLE: 180°
LUMENS OUTPUT: 600lm
IP RATING: IP20
BODY COLOR: WH



RL930

LED WALL LIGHT: 9W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø173x81x46(H)MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 675lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL940

LED WALL LIGHT: 12W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø160x108x130(H)MM
BEAM ANGLE: 142°
LUMENS OUTPUT: 840lm
IP RATING: IP65
BODY COLOR: WH, BK



RL2101

LED WALL LIGHT: 9W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø260x96.5x139(H)MM
BEAM ANGLE: 116°
LUMENS OUTPUT: 943lm
IP RATING: IP65
BODY COLOR: DARK GREY




RL2341

LED WALL LIGHT: 11W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø220x128x35(H)MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 668lm
IP RATING: IP65
BODY COLOR: GREY



RL2551

LED WALL LIGHT: 10W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø130x168x154(H)MM
BEAM ANGLE: 115°
LUMENS OUTPUT: 946lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2552

LED WALL & GATE LIGHT: 10W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø250x250x230(H)MM
BEAM ANGLE: 360°
LUMENS OUTPUT: 850lm
IP RATING: IP54
BODY COLOR: BLACK



RL2571

LED WALL LIGHT: 10W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø240x48(H)MM
BEAM ANGLE: 360°
LUMENS OUTPUT: 567lm
IP RATING: IP65
BODY COLOR: WH



RL2271

LED WALL LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø161x48x180(H)MM
BEAM ANGLE: 271°
LUMENS OUTPUT: 461lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL2381

LED WALL LIGHT: 10W
LED: EVER LIGHT
LED COLOR: 3000K
DIMENSION: Ø185x156x45(H)MM
BEAM ANGLE: 86°
LUMENS OUTPUT: 820lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL1991

LED WALL LIGHT: 2x6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x60x260(H)MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 894lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1741

LED WALL LIGHT: 3X3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø129x143x140(H)MM
BEAM ANGLE: 26°
LUMENS OUTPUT: 692lm
IP RATING: IP54
BODY COLOR: DARK GREY



RL3705R

LED WALL LIGHT: 5W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø80x108(H)MM
BEAM ANGLE: 180°
LUMENS OUTPUT: 400lm
IP RATING: IP54
BODY COLOR: BK



RL3705S

LED WALL LIGHT: 5W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø82x82x108(H)MM
BEAM ANGLE: 180°
LUMENS OUTPUT: 400lm
IP RATING: IP54
BODY COLOR: BK



RLO140

SURFACE BULKHEAD LIGHT: 15W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø201x101x68(H)MM
BEAM ANGLE: 126°
LUMENS OUTPUT: 1200lm
IP RATING: IP54
BODY COLOR: WH, BK





LED CEILING LIGHT



RL1320R
LED CEILING LIGHT: 15W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø200x50(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 1200lm
IP RATING: IP65
BODY COLOR: WH



RL1320S
LED CEILING LIGHT: 15W
LED: EPISTAR
LED COLOR: 3000K
DIMENSION: Ø200x200x50(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 1200lm
IP RATING: IP65
BODY COLOR: WH



RL2272
LED CEILING LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø58x14(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 300lm
IP RATING: IP65
BODY COLOR: BK



RL2808R
LED CEILING LIGHT: 8W
LED: CREE
LED COLOR: 3000K/4000K
DIMENSION: Ø90x46(H)MM
BEAM ANGLE: 180°
LUMENS OUTPUT: 800lm
IP RATING: IP54
BODY COLOR: WH, BK



RL2814R
LED CEILING LIGHT: 14W
LED: CREE
LED COLOR: 3000K/4000K
DIMENSION: Ø140x46(H)MM
BEAM ANGLE: 180°
LUMENS OUTPUT: 1400lm
IP RATING: IP54
BODY COLOR: WH, BK



RL2508
CEILING LIGHT: GU-10
DIMENSION: Ø62x92(H)MM
IP RATING: IP54
BODY COLOR: GREY



RL2514R
LED CEILING LIGHT: 14W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x136(H)MM
BEAM ANGLE: 36°
LUMENS OUTPUT: 1190lm
IP RATING: IP65
BODY COLOR: BK



RL2514S
LED CEILING LIGHT: 14W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø90x90x136(H)MM
BEAM ANGLE: 36°
LUMENS OUTPUT: 1190lm
IP RATING: IP65
BODY COLOR: BK



RL2521R
LED CEILING LIGHT: 21W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø145x140(H)MM
BEAM ANGLE: 36°
LUMENS OUTPUT: 1785lm
IP RATING: IP65
BODY COLOR: DARK GREY



LED SPIKE & WALL LIGHT



RL1407
SPIKE/WALL LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø35x105(H)MM
BEAM ANGLE: 24°
LUMENS OUTPUT: 540lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1407
SPIKE/WALL LIGHT: 8W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø60x147(H)MM
BEAM ANGLE: 24°
LUMENS OUTPUT: 720lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1407
SPIKE/WALL LIGHT: 15W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø82x195(H)MM
BEAM ANGLE: 24°
LUMENS OUTPUT: 1350lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1406
SPIKE/WALL LIGHT: 6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø55x130(H)MM
BEAM ANGLE: 36°
LUMENS OUTPUT: 510lm
IP RATING: IP65
BODY COLOR: DARK GREY




RL1742
SPIKE/WALL LIGHT: 3x3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø129x140x317(H)MM
BEAM ANGLE: 26°
LUMENS OUTPUT: 692lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1951
SPIKE/WALL LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø150x76x315(H)MM
BEAM ANGLE: 23°
LUMENS OUTPUT: 433lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL2202
SPIKE/WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø92x348(H)MM
BEAM ANGLE: 23°
LUMENS OUTPUT: 864lm
IP RATING: IP65
BODY COLOR: DARK GREY




RL2484
SPIKE/WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø88x153x315(H)MM
BEAM ANGLE: 13°
LUMENS OUTPUT: 10774lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL1852
SPIKE/WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø114x207x384(H)MM
BEAM ANGLE: 42°
LUMENS OUTPUT: 919lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL0206
SPIKE/WALL LIGHT: 15W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø100x100x200(H)MM
BEAM ANGLE: 36°
LUMENS OUTPUT: 1200lm
IP RATING: IP65
BODY COLOR: GREY



RL1203
SPIKE/WALL LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø45x66(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 300lm
IP RATING: IP65
BODY COLOR: GREY



RL1207

SPIKE/WALL LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø66x100(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 520lm
IP RATING: IP65
BODY COLOR: GREY



RL1212

SPIKE/WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø66x100(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 1050lm
IP RATING: IP65
BODY COLOR: GREY



RL1204

SPIKE/WALL LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø45x66(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 300lm
IP RATING: IP65
BODY COLOR: GREY



RL1208

SPIKE/WALL LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø66x100(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 520lm
IP RATING: IP65
BODY COLOR: GREY



RL1213

SPIKE/WALL LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø66x100(H)MM
BEAM ANGLE: 28°
LUMENS OUTPUT: 1050lm
IP RATING: IP65
BODY COLOR: GREY



RL1217

SPIKE/WALL LIGHT: 7W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø66x100(H)MM
BEAM ANGLE: 36°
LUMENS OUTPUT: 560lm
IP RATING: IP65
BODY COLOR: GREY



RL1307

SPIKE/WALL LIGHT: Max 20W
LIGHT SOURCE: (GU-10)
DIMENSION: Ø66x100(H)MM
IP RATING: IP65
BODY COLOR: GREY



RL3003-J

PILLAR HIGH LIGHTER: 15W
LED: CREE
LED COLOR: 3000K
BEAM ANGLE: 10°
LUMENS OUTPUT: 120lm
IP RATING: IP65
BODY COLOR: GREY



INGROUND & PATH WASHER LIGHT



RL0203

INGROUND LIGHT: 3W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø45x78(H)MM
CUTOUT: Ø40MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 210lm
IP RATING: IP67



RL0204

INGROUND LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø35x70(H)MM
CUTOUT: Ø30MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 240lm
IP RATING: IP67



RL0205

INGROUND LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø35X35X70(H)MM
CUTOUT: Ø30MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 240lm
IP RATING: IP67



RL0303

INGROUND LIGHT: 3W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø43x70(H)MM
CUTOUT: Ø34MM
BEAM ANGLE: 25°
LUMENS OUTPUT: 110lm
IP RATING: IP65



RL0306

INGROUND LIGHT: 6W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø85x97(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 510lm
IP RATING: IP65



RL0312

INGROUND LIGHT: 12W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø110x105(H)MM
BEAM ANGLE: 38°
LUMENS OUTPUT: 1020lm
IP RATING: IP65



RL7205

INGROUND LIGHT: 1X2W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø84X90(H)MM
BEAM ANGLE: 105°
LUMENS OUTPUT: 70lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL7206

INGROUND LIGHT: 2x1W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø84X90(H)MM
BEAM ANGLE: 105°
LUMENS OUTPUT: 140lm
IP RATING: IP65
BODY COLOR: DARK GREY




RL7207

INGROUND LIGHT: 3x1W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø84X90(H)MM
BEAM ANGLE: 105°
LUMENS OUTPUT: 210lm
IP RATING: IP65
BODY COLOR: DARK GREY




RL7208

INGROUND LIGHT: 4x1W
LED: CREE
LED COLOR: 3000K
DIMENSION: Ø84X90(H)MM
BEAM ANGLE: 105°
LUMENS OUTPUT: 280lm
IP RATING: IP65
BODY COLOR: DARK GREY



RL7209

INGROUND LIGHT: 3W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø60X90(H)MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 240lm
IP RATING: IP65
BODY COLOR: STAINLESS FINISH



RL7210

INGROUND LIGHT: 3W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø60X90(H)MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 240lm
IP RATING: IP65
BODY COLOR: STAINLESS FINISH



RL7211

INGROUND LIGHT: 3W
LED: BRIDGELUX
LED COLOR: 3000K
DIMENSION: Ø60X90(H)MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 240lm
IP RATING: IP65
BODY COLOR: STAINLESS FINISH





UNDER WATER LIGHT



RL0315

UNDERWATER RECESSED: 3W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø100X23(H)MM
CUTOUT: Ø75MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 270lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0318

UNDERWATER RECESSED: 6W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø100X23(H)MM
CUTOUT: Ø75MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 540lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0321

UNDERWATER RECESSED: 9W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø140X23(H)MM
CUTOUT: Ø110MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 810lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0324

UNDERWATER RECESSED: 12W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø140X23(H)MM
CUTOUT: Ø110MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 1080lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0327

UNDERWATER SURFACE : 3W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø75X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 270lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0330

UNDERWATER SURFACE : 6W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø75X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 540lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0333

UNDERWATER SURFACE: 9W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø110X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 810lm
IP RATING: IP68
BODY COLOR: SS FINISH




RL0336

UNDERWATER SURFACE: 12W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø110X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 1080lm
IP RATING: IP68
BODY COLOR: SS FINISH




RL0339

UNDERWATER STAND: 3W
LED: EPISTAR
LED COLOR: WW,GR,BL
INPUT: 12VDC
DIMENSION: Ø75X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 270lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0342

UNDERWATER STAND: 6W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø75X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 540lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0345

UNDERWATER STAND: 9W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø110X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 810lm
IP RATING: IP68
BODY COLOR: SS FINISH



RL0348

UNDERWATER STAND: 12W
LED: EPISTAR
INPUT: 12VDC
LED COLOR: WW,GR,BL
DIMENSION: Ø110X23(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 1080lm
IP RATING: IP68
BODY COLOR: SS FINISH



WALL WASHER



RL7233

LED WALL WASHER: 18W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø500x40x83(H)MM
BEAM ANGLE: 25°
LUMENS OUTPUT: 1530lm
IP RATING: IP66
BODY COLOR: GREY



RL7244

LED WALL WASHER: 36W
LED: OSRAM
LED COLOR: 3000K
DIMENSION: Ø1000x40x83(H)MM
BEAM ANGLE: 25°
LUMENS OUTPUT: 3060lm
IP RATING: IP66
BODY COLOR: GREY



RL7255

LED WALL WASHER: 36W
LED: OSRAM
LED COLOR: RGB
DIMENSION: Ø1000x40x83(H)MM
BEAM ANGLE: 25°
LUMENS OUTPUT: 3060lm
IP RATING: IP66
BODY COLOR: GREY



FLOOD LIGHT



RL002

SMD FLOOD LIGHT: 20W
LED: SAMSUNG
LED COLOR: 3000K/6500K
DIMENSION: Ø183x150x37(H)MM
BEAM ANGLE: 60°
LUMENS OUTPUT: 2400lm
IP RATING: IP65
BODY COLOR: GREY



RL222

SMD FLOOD LIGHT: 50W
LED: OSRAM
LED COLOR: 3000K/6500K
DIMENSION: Ø245x205x70(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 6000lm
IP RATING: IP65
BODY COLOR: GREY



RL222

SMD FLOOD LIGHT: 100W
LED: OSRAM
LED COLOR: 3000K/6500K
DIMENSION: Ø290x235x85(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 12000lm
IP RATING: IP65
BODY COLOR: GREY




RL222

SMD FLOOD LIGHT: 150W
LED: OSRAM
LED COLOR: 3000K/6500K
DIMENSION: Ø395x315x95(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 21000lm
IP RATING: IP65
BODY COLOR: GREY



RL222

SMD FLOOD LIGHT: 200W
LED: OSRAM
LED COLOR: 3000K/6500K
DIMENSION: Ø395x315x95(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 28000lm
IP RATING: IP65
BODY COLOR: GREY



RL222

SMD FLOOD LIGHT: 300W
LED: OSRAM
LED COLOR: 6500K
DIMENSION: Ø493x345x71(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 42000lm
IP RATING: IP65
BODY COLOR: GREY



RL222

SMD FLOOD LIGHT: 400W
LED: OSRAM
LED COLOR: 6500K
DIMENSION: Ø530x340x65(H)MM
BEAM ANGLE: 120°
LUMENS OUTPUT: 56000lm
IP RATING: IP65
BODY COLOR: GREY



RL4405

LED SMD Highbay Light: 100W
LED: OSRAM
LED COLOR: 6500K
DIMENSION: Ø290MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 14000lm
IP RATING: IP65
BODY COLOR: GREY



RL4405

LED SMD Highbay Light: 150W
LED: OSRAM
LED COLOR: 6500K
DIMENSION: Ø350MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 14000lm
IP RATING: IP65
BODY COLOR: GREY



RL4405

LED SMD Highbay Light: 200W
LED: OSRAM
LED COLOR: 6500K
DIMENSION: Ø350MM
BEAM ANGLE: 90°
LUMENS OUTPUT: 21000lm
IP RATING: IP65
BODY COLOR: GREY



RL5505

LED SMD Highbay Light: 50W
LED: OSRAM
LED COLOR: 6500K
BEAM ANGLE: 120°
LUMENS OUTPUT: 7000lm
IP RATING: IP65
BODY COLOR: BLACK



RL5505

LED SMD Highbay Light: 100W
LED: OSRAM
LED COLOR: 6500K
BEAM ANGLE: 120°
LUMENS OUTPUT: 14000lm
IP RATING: IP65
BODY COLOR: BLACK



STREET LIGHT



RL999

STREET LIGHT SMD: 24W
LED: EPISTAR
LED COLOR: 3000K/6500K
DIMENSION: Ø290x122x65(H)MM
BEAM ANGLE: 100°
LUMENS OUTPUT: 3120lm
IP RATING: IP65
BODY COLOR: GREY



RL999

STREET LIGHT SMD: 36W
LED: EPISTAR
LED COLOR: 3000K/6500K
DIMENSION: Ø320x130x65(H)MM
BEAM ANGLE: 100°
LUMENS OUTPUT: 4680lm
IP RATING: IP65
BODY COLOR: GREY



RL999

STREET LIGHT SMD: 50W
LED: EPISTAR
LED COLOR: 3000K/6500K
DIMENSION: Ø385x153x170(H)MM
BEAM ANGLE: 100°
LUMENS OUTPUT: 6500lm
IP RATING: IP65
BODY COLOR: GREY



RL999

STREET LIGHT SMD: 100W
LED: EPISTAR
LED COLOR: 3000K/6500K
DIMENSION: Ø440x103x185(H)MM
BEAM ANGLE: 100°
LUMENS OUTPUT: 13000lm
IP RATING: IP65
BODY COLOR: GREY



RL999

SOLAR STREET LIGHT SMD: 50W
LED: EPISTAR
LED COLOR: 6500K
BEAM ANGLE: 100°
LUMENS OUTPUT: 4750lm
IP RATING: IP65
BODY COLOR: WHITE



Distributor



“LIGHTS TO ILLUMINATE HOMES AND HEARTS”



 **RANGE-LITE**[®]
Original

Email: sales@rangelite.in | shreevinayakelectricals9@gmail.com

Website: www.rangelite.in

  [rangeliteindia](#)



Scan this QR-Code
for more details