# Trimble Part Numbers +

| Type | Discription | Part Number | QTY | |
|---|---|---|---|---|
| ARMR | Dozer Armd Blade Type 1 | 160005-506-625 | 1 | |
| ARMR | Dozer Armd C-Frame | 160005-505-625 | 1 | |
| ARMR | Dozer Armored Cable Parts | 160005-508-625 | 1 | |
| ARMR | Dozer Armored Hose | 175055-01-625 | 1 | |
| ARMR | Dozer Metal Spiral Guarding Sold by cm | 6V-0743 | | |
| ARMR | DozerArmd Blade Type 2 | 160005-507-625 | | |
| ARMR | Spiral wrap (1/2") sold by cm | 7I-7439 | 300 | |
| ARMR | Spiral wrap (3/4") sold by cm | 7I-1024 | 300 | |
| ATCH | Alliminum clamp Bolt | 8T-0275 50MM | 4 | x |
| ATCH | Aluminum clamp Bolt (2 req'd) | 7X-2534 | 4 | x |
| ATCH | Aluminum clamp, armored cable (2 req'd) | 109522-625 | 4 | |
| ATCH | attachment harness m12 4m | 150475-040 | 4 | x |
| ATCH | Bucket armored cable | 0793-8020-15TRM-625 | 2 | |
| ATCH | Hose clamp green | 2542-0362TRM-625 | 4 | x |
| ATCH | Hose clamp, black, for Bucket/Tilt Armor | 66875TRM-625 | 4 | x |
| AUDI | Audible alarm | 50999-10-625 | 2 | x |
| AUTO | CI510 Module | 109231-10 | 1 | x |
| AUTO | CI510 remote switches harness | 150754-01-625 | 1 | x |
| AUTO | Dozer Auto Switch | 150825-025 | 1 | x |
| AUTO | Dozer Auto Switch | 0395-9250-050 | 1 | x |
| AUTO | Joystick mount- diamond shaped | 108069-10-625 | 1 | x |
| AUTO | Joystick mount- round shaped, split ring | 108069-20-625 | 1 | x |
| AUTO | Joystick Remote switches | 150409-015-625 | 1 | x |
| AUTO | Joystick Swivel mount for Autos switch | 108069-30-625 | 1 | x |
| AUTO | Power Module | 455-6348 | 1 | |
| AUTO | Valve module harness Hex | 150751-01-625 | 1 | x |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| AUTO | Valve Module VM431 | 96585-00-625 | 1 | |
| AUTO | Valve Module VM510 | 100441-10 | 1 | x |
| AUTO | Valve solenoid/sensor harness Hex | 150915-035-625 | 1 | x |
| AUTO | VM410 adapter Harness | 84004TRM-625 | 1 | |
| AUTO | VM430 DRIV DANFoss Harness | 89650-21TRM-625 | | |
| AUTO | VM430 PILOT VALVE | 89630-30-625 | | |
| BASE | 12v Vehicle Adapter for Dual Slot Charger | 108090-HH | 1 | |
| BASE | 4 Bay Rover battery charger | GCP16-625 | 1 | |
| BASE | 9Db High Gain Antenna KIT | HG908UPRO | 1 | |
| BASE | Aluminum Snaplock Rod, 2 meter | 88770 | | |
| BASE | Battery-Li Ion,  2.8Ah, 7.4v | 92670-HH | | |
| BASE | Bipod leg clip | 5217-30-ST | 1 | |
| BASE | Cable - SAE to SAE, power cable, 2.7m (9') | 51862-00-HH | | |
| BASE | Cable, SAE to 12v Battery Clips mates to 83223-01 | 83223-02-HH | | |
| BASE | Cable, SAE to 7 Pin Lemo part of 83223-00 | 83223-01-HH | | |
| BASE | Cable-10', 9Db antenna | CA195-BNMRTP-010F | | |
| BASE | Cable-100', 9Db anenna | CA240-PENMRTP-100F | | |
| BASE | Cable-30', 9Db antenna | CA240-PENMRTP-030F | | |
| BASE | Carbon Fiber Snaplock Rod, 2 meter | 88774 | 1 | |
| BASE | Carry bag-Large, SITECH Orange | 8154-12-ST | | |
| BASE | Carry bag-Small, SITECH Orange | 8151-02-ST | | |
| BASE | Carry Case-Dual SPS98x/SPS855-SPS98x | 55100-41 | | |
| BASE | Carry Case-Single SPS98x | 55100-31 | | |
| BASE | Charger-Dual Slot (power supply/cord kit req'd) | 109000-HH | | |
| BASE | Elevating Tripod - For laser use | 5321-17-ORG | | |
| BASE | GCP Extended use battery, 3400mAh | GCP13-625 | | |
| BASE | Plate, Pole Adapter | 5182-002 | | |
| BASE | Pole Extension, .25m | 5145-00-FLY | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| BASE | Power Cable, 9' (120v outlet to SAE) | WST70366M | | |
| BASE | Power Cord Kit-Dual Slot Charger | 78651-HH | | |
| BASE | Power Supply-Dual Slot Charger | 107000-HH | | |
| BASE | SPS Quicklock Adapter (includes insert) | 84690-00 | | |
| BASE | SPS Quicklock Insert | 84682 | | |
| BASE | T7 pole bracket only | 119695-HH-625 | | |
| BASE | T7 quick release pole mount | 119696-HH-625 | | |
| BASE | Thumb Release Bipod-SITECH Orange | 5217-04-ST | | |
| BASE | Thumb Release Tripod-SITECH Orange | 5218-02-ST | | |
| BASE | Topo Shoe | 5192-02-ST | 2 | |
| BASE | Tri-Max tripod | 90553-TR | | |
| BASE | TSC7 Pole mount | 121349-01-1-625 | | |
| BASE | TSC7-Glass Screen Protector | 121340-01-HH-625 | | |
| CAPS | 14 Pin Aluminum cap Work Tool Connector BB1xx | 344-6144 | | |
| CAPS | 14 Pin Aluminum cap Work Tool Connector BB1xx | 344-6145 | | |
| CAPS | 6 pin connector female cap | 2117-1736TRM-625 | | |
| CAPS | 6 pin connector male cap | 0790-1970TRM-625 | | |
| CAPS | CB460/MS992 harness dust cap (4 bolt hole) | 2114-2178-625 | | |
| CAPS | Control box connector cap | 83723-625 | | |
| CAPS | quick disc. cap with wire rope | 2117-1730-625 | 4 | |
| CAPS | Radio harness dust cap | 2114-2186TRM-625 | 4 | |
| COIL | Center / slope quick disconnect harness | 0395-9440-040TRM | | |
| COIL | Coil Cable slope sensor to QC | 0793-0950 | 2 | |
| COIL | Coil Cable, Receiver to QC | 311-4862 | 2 | |
| COIL | Left and right quick disconnect harness | 0395-9150-030TRM | 2 | |
| COIL | MT900 to EM mast cable | 0312-0990 | 2 | |
| DEUT | 12 SOCKET (turn around conn) | DT06-12SB-CE13 | 2 | |
| DEUT | 12 pin plug kit | 155-2255 | 6 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| DEUT | 12 pin plug wedge | 155-2258 | 6 | |
| DEUT | 12 pin recep. kit | 102-8801 | 6 | |
| DEUT | 2 Pin plug kit | 155-2270 | 6 | |
| DEUT | 2 pin plug wedge | 155-2261 | 6 | |
| DEUT | 2 Pin Receptical kit | 102-8802 | 6 | |
| DEUT | 3 pin plug kit | 155-2260 | 6 | |
| DEUT | 3 pin plug wedge | 155-2276 | 6 | |
| DEUT | 3 pin recep. kit | 102-8803 | 6 | |
| DEUT | 4 pin plug kit | 155-2271 | 6 | |
| DEUT | 4 pin plug wedge | 155-2262 | 6 | |
| DEUT | 4 pin recep. kit | 102-8804 | 6 | |
| DEUT | 6 pin plug kit | 155-2274 | 6 | |
| DEUT | 6 pin plug wedge | 155-2263 | 6 | |
| DEUT | 6 pin recep. kit | 102-8805 | 6 | |
| DEUT | 8 pin plug kit | 155-2265 | 6 | |
| DEUT | 8 pin plug wedge | 155-2259 | 6 | |
| DEUT | 8 pin recep. kit | 102-8806 | 6 | |
| DEUT | Barrel 14 skt | 1261768 | 50 | |
| DEUT | Barrel green stripe (gold) | 126-1768 | 50 | |
| DEUT | Barrel mini(u/w kits) | 283-8106 | 50 | |
| DEUT | Kit Deutsch | 175-3700 | 1 | |
| DEUT | Pin 14 pin | 1261767 | 50 | |
| DEUT | Pin 16/18 pin | 9x3401 | 50 | |
| DEUT | Pin green stripe (gold) | 126-1767 | 50 | |
| DEUT | Pin Mini (u/w kits) | 271-5604 | 50 | |
| DEUT | Pin Sure Seal Pin | 7N-7780 | 6 | |
| DEUT | RECEPTACLE, 12 PIN (turn) | DT04-12PB-P030 | 2 | |
| DEUT | Seal 12 pin | 209-0635 | 6 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| DEUT | Seal 2 pin | 209-0629 | 6 | |
| DEUT | Seal 3 pin | 209-0631 | 6 | |
| DEUT | Seal 4 pin | 209-0632 | 6 | |
| DEUT | Seal 6 pin | 209-0633 | 6 | |
| DEUT | Seal 8 pin | 209-0634 | 6 | |
| DEUT | Socket 16/18 skt | 9x3402 | 50 | |
| DEUT | Socket Sure Seal barrel | 7N-7779 | 6 | |
| DEUT | Sure Seal female receptical | 7N-8205 | 2 | |
| DEUT | Sure Seal Male plug | 7N-8204 | 2 | |
| DEUT | WEDGE (turn around conn) | 1552258 | 2 | |
| DEUT | Wedge 12 pin recep | 3E-5180 | 6 | |
| DEUT | Wedge 2 pin recep | 3E-3365 | 6 | |
| DEUT | Wedge 3 pin recep | 3E-3371 | 6 | |
| DEUT | Wedge 4 pin recep | 3E-3377 | 6 | |
| DEUT | Wedge 6 pin recep | 3E-3383 | 6 | |
| DEUT | Wedge 8 pin recep | 3E-3389 | 6 | |
| DEUT | White plug, unused wire slot | 8T-8737 | 50 | |
| DEUT | Y wire splice (Y) 1m 2F Deutsch | 207-3814 | 24 | |
| DEUT | Y wire splice (Y) 2m 1F Deutsch | 199-9785 | 24 | |
| DISP | Bolt CB430/50/60 mounting bolt | 099-0822 | | |
| DISP | CB450 display adapter/ K series dozers | 343-3594 | | |
| DISP | Diplay Harness 31pin to TD | 150428-007-625 | 1 | x |
| DISP | Display Harness 12pin to TD | 510-4915 | 1 | x |
| DISP | Display Next Gen Amp Seal to TD520 | 150704-01 | 1 | x |
| DISP | Display TD adapter 520 to 540 | 150884-002 | 1 | x |
| DISP | Display TD adapter 540 to 520 | 150878-002 | 1 | x |
| DISP | Double Ball Connector | 271-7455 | 2 | |
| DISP | GCS 31pin to CB460 Dozer | 293-8252 | 1 | x |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| DISP | harness .5m Display | 94021-05-625 | | |
| DISP | Harness Long Display | 150701-030 | 1 | x |
| DISP | Harness Short Display | 150701-007 | 1 | x |
| DISP | Magnetic Mount Display Bracket | 110262-00-625 | 2 | x |
| DISP | Mount D-series Cat HEX control box mount | 270-5582TRM-625 | | |
| DISP | Mount E-series Cat HEX control box mount | 80519-66-625 | | |
| DISP | Mount F series control box mount - next to display mount | 511-6033 | | |
| DISP | RAM ball | RAM-202U-625 | 4 | |
| DISP | RAM Ball 6in clamp | 270-3311 | 2 | |
| DISP | RAM Ball 9in clamp | RAM-101U-D | 1 | |
| DISP | Ram Ball Kit 3.5” Mount, Stud Ball, (3/8”), & Ball Bases | 259-4400 | 2 | |
| DISP | Ram Ball Mount 3.5” | 259-4397 | | |
| DISP | Ram Ball Mount Base CAT # | 259-4399 | | |
| DISP | Ram Ball Mount Ratchet Clamp (post) | 58440-10 | 2 | x |
| DISP | Ram Ball Mount Short | 261-3222 | 2 | x |
| DISP | Ram Ball Mount Studded (3/8”) | 259-4398 | 2 | |
| DISP | RAM ball mount W/balls size D Oversized | 202-0943 | 1 | |
| DISP | torx bolts to hold F series new display mount | 3E8020 | 4 | |
| DSPL | Harness GCS 2mCB4xx display harness | 94021-20TRM-625 | 1 | |
| EC520 | Recepticle ec520 black recept | 484-3503 | 4 | |
| EC520 | Recepticle ec520 gray recepticle | | 4 | |
| EC520 | Socket ec520 black socket | | 4 | |
| EC520 | Socket ec520 gray socket | 77801 | 4 | |
| ELEC | Heat Shrink 0.427" to .095 | 119-3662 | | |
| ELEC | 15a mini - ATM | 113-8491 | 10 | |
| ELEC | 25a mini - ATM | 113-8493 | 5 | |
| ELEC | 30a mini - ATM | 124-3548 | 5 | |
| ELEC | Connector 31 Pin Round connector for box blade | 225-3861 | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| ELEC | Connector 31 Plug Round connnector for box blade | 225-3854 | | |
| ELEC | DT splice (hot dog) | 115-8109 | | |
| ELEC | Fuse 10a mini - ATM | 113-8490 | 4 | |
| ELEC | Fuse 10A spade fuse | 9W-1442 | 5 | |
| ELEC | Fuse 15a standard - ATC | 9W-1441 | 10 | |
| ELEC | Fuse 20a mini - ATM | 113-8492 | 5 | |
| ELEC | Fuse 20a standard - ATC | 9W-1446 | 5 | |
| ELEC | Fuse 5a mini - ATM | 141-2759 | 5 | |
| ELEC | Fuse 5a standard - ATC | 139-5345 | 10 | |
| ELEC | Fuse ATO Fuse-10A (qty 10) | ATO-10-625 | | |
| ELEC | Fuse ATO Kit | ATO-KIT-LARGE | 1 | |
| ELEC | Fuse ATO mini fuse | MINI-FUSE-KIT | 1 | |
| ELEC | Fuse holder - individual | FH-ATO-12BR-626 | 4 | |
| ELEC | Heat Shrink (turn around conn) | TSC-700-23B | | |
| ELEC | Heat Shrink 0.126" to .062 | 8T-6342 | | |
| ELEC | Heat Shrink 0.185" to .07 | 3E-9553 | | |
| ELEC | Heat Shrink 0.225" to .05 | 125-7874 | | |
| ELEC | Heat Shrink 0.252" to .126 | 9X-2109 | | |
| ELEC | Heat Shrink 0.293" to .065 | 125-7875 | | |
| ELEC | Heat Shrink 0.700" to .175 | 125-7876 | | |
| ELEC | Relay 12V relay | 115-1615 | 2 | x |
| ELEC | Relay 24V relay | 3E-5239 | 2 | x |
| ELEC | relay base | 216-5383 | 2 | x |
| ELEC | Resistor 12 pin Terminator | 0395-9210 | 4 | |
| ELEC | Resistor 3 pin Terminator | 2114-2116 | 4 | |
| ELEC | Resistor 4Pin Deutsch In-Line Terminator BLUE | 150857-01-625 | 8 | |
| ELEC | Resistor 4pin Deutsch Terminating Resistor plug | 150410-625 | 8 | |
| ELEC | Resistor Blue inline | 150780-01-625 | 8 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| ELEC | shrink terminal kit | MSK-24 | 1 | |
| ELEC | Switch on/off toggle switch (SPST) | 5N-5506 | 2 | |
| ELEC | Terminal Shrink butt connector | STC-A-626 | 6 | |
| ELEC | Terminal Shrink butt connector | STC-B-626 | 6 | |
| ELEC | Terminal Shrink quick disconnect | SBB-9262-626 | 6 | |
| ELEC | Terminal Shrink quick disconnect | SC-9281-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SB-218-38-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SB-225-14-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SB-225-56-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SB-239-10-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SC-230-14-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SC-230-56-626 | 6 | |
| ELEC | Terminal Shrink ring terminal | SC-240-38-626 | 6 | |
| ELEC | Terminal Shrink step down butt | SCB-646-626 | 6 | |
| ELEC | Wire Shielded CAN wire, sold by cm | 153-2707 | | |
| ELEC | Y Splice 4pin Deutsch Splitter  H plug | 150858-01-625 | 8 | |
| ELEC | Y splitter Harness | 150790-01-625 | 4 | |
| GEN | Abrasive disk, 4.5", 80 grit | 236-8109 | 4 | |
| GEN | Blue DEF CAT | PTDEF025-111 | | |
| GEN | Blue towels | 288-4211 | 2 | |
| GEN | Blue towels, box | 267-6535 | 1 | |
| GEN | BRAKE CLEAN (milford) WINZER | WI891.4522-900 | 2 | |
| GEN | Citrol cleaner | BACITROL-112 | 2 | |
| GEN | Di-electric grease | 151-1340 | | |
| GEN | Fabric tape - replaces electrical tape | 329-3734 | 2 | |
| GEN | Loctite brake clean | LT30545-112 | | |
| GEN | Penatrating oil | LT51221-112 | 2 | |
| GEN | Spray adhesive | LT30544-112 | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| GEN | Washer fluid | PG4M2006-112 | 2 | |
| GEN | White towels | 144-3393 | | |
| GEN | Windshield cleaner | GR5RVT4-112 | 2 | |
| HDWR | M12 nut | 6V-8149 | 32 | |
| HRDW | Ladder 15 degree, 10mm bolt hole, 38mm long | 4P-7581 | 2 | |
| HRDW | Ladder 15 degree, 12mm bolt hole, 40mm long | 4P-7428 | 2 | |
| HRDW | Ladder 90 degree, 10mm bolt hole, 105mm long | 277-1873 | 2 | |
| HRDW | Ladder 90 degree, 10mm bolt hole, 42mm long | 132-5789 | 2 | |
| HRNS | 4 Pin 1M 4pin Deutsch/Deutsch | 150473-010-625 | 4 | x |
| HRNS | 4 Pin 1M DT to DT harness | 150416-010 | 4 | x |
| HRNS | 4 Pin 2M 4pin Deutsch/Deutsch | 150473-020-625 | 4 | x |
| HRNS | 4 Pin 2m DT to DT harness | 150416-020-625 | 3 | |
| HRNS | 4 Pin 4M 4pin Deutsch/Deutsch | 150416-040-625 | 4 | x |
| HRNS | 4 Pin 8M 4pin Deutsch/Deutsch | 150416-080-625 | 2 | x |
| HRNS | 8 Pin 1M 8pin Deutsch/Deutsch | 150418-010-625 | 2 | x |
| HRNS | 8 Pin 2M 8pin Deutsch/Deutsch | 150418-020-625 | 2 | x |
| HRNS | 8 Pin 3M 8pin Deutsch/Deutsch | 150418-030-625 | 2 | x |
| HRNS | 8 pin to 12 pin GNSS adapter, NG HEX | 150767-01-625 | 2 | |
| HRNS | Armor 1.5M CABLE-ARMOR, HYD HOSE, bucket | 150426-015-625 | 2 | x |
| HRNS | Earthworks Harness, Platform- Long | 150603-02 | 1 | x |
| HRNS | EarthWorks Harness, Platform-Short | 150603-01 | 1 | x |
| HRNS | Front Main Harness | 0395-9020TRM-625 | | |
| HRNS | GCS Cab harness (GCS FLEX) | 81792TRM-625 | | |
| HRNS | GCS from Main harness to body sensor and boom base | 58479-40TRM-625 | | |
| HRNS | GCS Lightbar Harness GCS900-LB400 | 54438TRM-625 | | |
| HRNS | GCS Main Harness | 84462TRM-625 | | |
| HRNS | GCS Main to boom and 3D Splitter | 78174TRM-625 | | |
| HRNS | GCS Mill generic harness GCS | 89925-625 | 1 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| HRNS | GCS QDC harness for mill GCS | 89622-11-625 | 1 | |
| HRNS | GCS Rear Main Harness | 90030TRM-625 | | |
| HRNS | GN 6Pin to 2 X 14pin | 526-7791 | 1 | x |
| HRNS | M12 4m 4PR 5SOC M12 90 Deg | 150840-040-625 | 2 | x |
| HRNS | M12 4pin .5m boom | 150475-005 | 4 | x |
| HRNS | M12 600mm, Gel, 12 Soc Plug, 5 Soc M12 90 | 150450-006-625 | 1 | x |
| HRNS | M12 Cable - 4M, 4 Pin Recp - 5 Soc M12 Recp | 150475-040 | 4 | x |
| HRNS | Next Gen Platform Harness Main | 150607-01 | 1 | x |
| HRNS | Receiver Harness - Splitter, GNSS 12pin to 2 x 8pin + 4PIN | 150615-02 | 2 | x |
| HRNS | Receiver Harness - Splitter, GNSS 4pin to 2 x 8pin | 150750-08-625 | 2 | x |
| HRNS | Receiver Harness - Splitter, GNSS 6pin to 2 x 8pin | 150750-01-625 | 1 | x |
| HRNS | Y HARNESS | 150785 | 4 | x |
| KEY | cat battery key | 8H-5306 | 10 | |
| KEY | cat key | 5P-8500 | 10 | |
| MAST | Base, Antenna Mast, Weld-on | 0794-1770 | | |
| MAST | Bolt Long bolts (M10x1.5x90) | 8T-4178 | 16 | |
| MAST | Bolt Mast Bolt - long (80MM) | 6V-5696 | 16 | |
| MAST | Bolt Mast bolt - short | 6V-8336 | 16 | |
| MAST | Bolt Mast Bolt - Short (60mm) | 6V-3823 | 16 | |
| MAST | Bolt Mast bolt washer | 5P-8245 | 32 | |
| MAST | Bolt Short bolt (M10x1.5x35) | 6V-3822 | 16 | |
| MAST | Bolts to hold down right mast plate (336F,349F) | 6V-7673 | 16 | |
| MAST | GPS Mount Custom GPS adapter by Fortech (type 2) | **TYPE2**GPSMOUNT-625 | 1 | X |
| MAST | GPS Mount High track Cat dozer (D5 NG, D6NG) | **TYPE3**GPSMOUNT-625 | | |
| MAST | GPS Mount Plate and Brace for handrail mount | **TYPE4**GPSMOUNT-625 | 1 | X |
| MAST | Low track Cat dozer (D1-D4NG) | **TYPE1**GPSMOUNT-625 | 2 | X |
| MAST | Mast - Fixed, 0.468m, Rugged Zephyr, w/ Hardware | 115315-05-625 | | |
| MAST | Mast - Fixed, 0.6m, Cat, w/ Hardware | 520-6049 | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| MAST | Mast - Fixed, 0.6m, Rugged Zephyr, Trimble, w/ Hardware | 119337-06 | | |
| MAST | Mast - Fixed, 0.6m, Trimble, w/ Hardware | 111961-06 | | |
| MAST | Mast - Fixed, 0.9m, Cat, w/ Hardware | 520-6048 | | |
| MAST | Mast - Fixed, 0.9m, Rugged Zephyr, Trimble, w/ Hardware | 119337-09 | | |
| MAST | Mast - Fixed, 0.9m, Trimble, w/ Hardware | 111961-09 | | |
| MAST | Mast Adapter for Prism/GPS | 57784-81TRM-625 | | |
| MAST | Mast CAT colored GPS Mast | 81069-20TRM-625 | | |
| MAST | Mast to machine | 311-4863TRM-625 | | |
| MAST | mast to machine, 1 strain relief | 150441-030-625 | | |
| MAST | mast to machine, 2 strain reliefs | 150445-030-625 | | |
| MAST | Mast Trimble colored GPS mast | 81069-10TRM-625 | | |
| MAST | Mast-Short, .3m | 275-3396 | | |
| MAST | Mount cab roof bolt | 8T0207-625 | 2 | X |
| MAST | Mount Cab Roof Spacer | 8G-1016 | 2 | X |
| MAST | Mount cab top receiver puck with hardware .14m | 110864-00-625 | | |
| MAST | Mount cab top receiver puck with hardware .14m | 47865 | 2 | X |
| MAST | Nut (M10 toplock) | 6V-7744 | | |
| MAST | Nut for puck (M12) | 6V-7687 | | |
| MAST | Nut Mast nuts | 6V-8149 | | |
| MAST | Spacers (11x20x15-MM thick) | 397-9301 | | |
| MAST | Washers (M10) | 8T-4121 | | |
| MAT | GPS Mount Hand rail clamp | TYPE6GPSMOUNT-625 | 6 | X |
| PAINT | Cat black, flat | 458-9584 | | |
| PAINT | Cat black, high gloss | 590-0184 | 1 | X |
| PAINT | Cat black, med gloss | 458-9585 | | |
| PAINT | Cat yellow | 590-0196 | 1 | X |
| PAINT | Cat yellow primer | 458-9582 | 1 | X |
| PAINT | Gray automotive primer | xx1017-112 | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| POWR | 4.5M CABLE-POWER | 150411-045-625 | 2 | X |
| POWR | PM410 Power Module | 97054-10-625 | | |
| POWR | Power harness | 0395-9130-200TRM | | |
| POWR | Power harness 4.5m | 54486-45-625 | 2 | |
| POWR | Power harness 6.1m | 54486-61TRM-625 | 2 | |
| RADIO | 26 pin Radio harness 1m | 90470-10-625 | 1 | |
| RADIO | 26 pin Radio harness 4.5m GCS | 90470-45TRM-625 | 1 | X |
| RADIO | 4 Pin 1M SNR Radio Cable - 4pin Deutsch | 150414-010-625 | 1 | X |
| RADIO | 4 Pin 3M SNR Radio Cable - 4pin Deutsch | 150414-030-625 | 1 | X |
| RADIO | Antenna 450mHz antenna whip | 44085-60 | 2 | x |
| RADIO | Antenna 900mHz/2400mHz whip | 66540-10-625 | 4 | x |
| RADIO | Antenna External Radio Antenna Mount, SPS98x, 900Mhz | 105600-90 | 1 | X |
| RADIO | Antenna Kit-Trimble External Radio Antenna, 900 Mhz | 56500-90 | 2 | X |
| RADIO | Antenna Magnetic Mount Antenna 900mhz | 64840-625 | 1 | x |
| RADIO | Antenna Magnetic mount Antenna, 450 mhz | 76498-625 | 1 | x |
| RADIO | D-series Cat HEX radio mount | 309-5849 | | |
| RADIO | external radio bracket "H" | 82836-625 | 2 | x |
| RADIO | Radio adapter - 27 pin SNR920 to 9 pin SNR910 | 92628-05TRM-625 | 1 | X |
| RADIO | Radio adapter - 9 pin SNR910 to 27 pin SNR920 | 98226-05TRM-625 | 1 | |
| RADIO | Radio Aqua-mount | 64333-00TRM-625 | | |
| RADIO | Radio bracket - triangular anti-vibe W/ hardware | 312-3560 | | |
| RADIO | Radio mounting bolts 50mm length | 7X2534 | 16 | X |
| RADIO | Radio Spacer | 313-9364 | | |
| RECV | "Speed bump" Low Profile GPS mount | **TYPE7**GPSMOUNT-625 | 2 | |
| RECV | bolt (Hand Rail) | 8T0207 | 12 | X |
| RECV | Bolt for HEX cab mount | 7X-2556 | 4 | |
| RECV | Bolt for puck (M12x1.75x45) | 6V-5684 | 6 | |
| RECV | GPS Mount Cab mount for Mini HEX | **TYPE8**GPSMOUNT-625 | 1 | X |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| RECV | GPS Mount Cab mount for Mini HEX | **TYPE9**GPSMOUNT-625 | 1 | X |
| RECV | Handle MS97x | 83619-00S-625 | 1 | |
| RECV | Handle, MS99x | 50954-625 | 1 | |
| RECV | Handrail Clamp Kit Receiver | TYPE6GPSMOUNT-625 | 2 | |
| RECV | Handrail GPS puck for handrail mount | **TYPE5**GPSMOUNT-625 | 2 | X |
| RECV | Handrail hardware Kit | TYPE4HWKIT-625 | 2 | X |
| RECV | harness 1.3M GNSS Cable | 150413-013-625 | | |
| RECV | harness Receiver 3m | 54441-30TRM-625 | | |
| RECV | harness Receiver 4.6m | 54441-46TRM-625 | | |
| RECV | harness Receiver Cable 1m | 150413-013 | 2 | x |
| RECV | harness Receiver Cable 3m | 150413-030 | 2 | x |
| RECV | Puck roof mount Receiver | 75698-00 | | |
| RECV | spacer (Hand Rail) | 8G1016 | 6 | X |
| RECV | Stowage Plate Receptacle Mounting 90 deg | 115619-10 | 6 | x |
| RECV | Stowage Receiver Wire recepticle | 2114-2178S | 6 | x |
| RECV | Washer for puck (M12) | 5P-8245 | 4 | |
| ROTR | Harness NON-integrated rotators Cat NG | 150774-01-625 | | |
| ROTR | Rotator Add-on Kit | 160015-513-625 | | |
| ROTR | Rototilt/TRS tilt sensor bracket w/ hdw | 171025-00-625 | 1 | |
| ROTR | Steelwrist X14/X18 Bracket | 171918-00-625 | | |
| ROTR | Steelwrist X14/X18 Cover | 171917-00-625 | | |
| ROTR | Steelwrist X20/X26 Bracket | 171920-00-625 | | |
| ROTR | Steelwrist X20/X26 Cover | 171919-00-625 | | |
| SENS | Sensor enclosure w/lid (AS450) | 65450-00TRM-625 | | |
| SENS | .5m m12 to DT harness | 150475-005 | 4 | x |
| SENS | 1/4-20 bolts to mount AS400 slope sensor | 1D-4533 | 8 | |
| SENS | 6pin to m12 sensor cover harness | 150431-001 | 4 | |
| SENS | 90 degree swivel to 8m cable (dozer blade sensor cable) | 0793-0210-200 | 2 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| SENS | Aliminum threaded block | 175045-60 | 2 | |
| SENS | AS400, sensor, Cat yellow | 74401TRM-625 | | |
| SENS | AS450, sensor Trimble Yellow | 79701 | | |
| SENS | AS450, sensor, Cat yellow | 79701-50TRM-625 | | |
| SENS | AS456 adapter cable | 68450-08-625 | | |
| SENS | AS456, Sensor | 79937-10TRM-625 | | |
| SENS | AS460 Pitch and roll CAT Yellow | 79702-50TRM-625 | | |
| SENS | AS460 Pitch and roll Trimble yellow | 79702-00TRM-625 | | |
| SENS | Boom harness to stick 9.1m GCS | 52142-91 | 1 | |
| SENS | Boom sensor to stick harness 4m | 52141-40TRM-625 | | |
| SENS | Bracket - Cover, GS510 | 144031-30 | 2 | |
| SENS | Bucket sensor enclosure grommet | 267-8828 | | |
| SENS | Deutsch/Laser Catcher Jumper Harness | 150408-002-625 | | |
| SENS | Grader rotation sensor bushings | 269-3304 | | |
| SENS | GS420 CAT | 433-6936 | 1 | |
| SENS | GS420 Trimble | 84420-10-625 | | |
| SENS | GS510 Sensor | 5526116 | 3 | |
| SENS | GS510 Sensor | 205510-11 | 1 | |
| SENS | GS520 Mounting Bolts (M6 X 1 X 16) | 6V-8837 | 16 | |
| SENS | GS520 Sensor | 95520-10-625 | 3 | |
| SENS | Harness to dogbone and tilt sensor 1.5m GCS | 66685-15TRM-625 | | |
| SENS | Harness to dogbone and tilt sensor 3.1m GCS | 66685-31TRM-625 | | |
| SENS | Harness to dogbone and tilt sensor 5.5m GCS | 66685-55-625 | | |
| SENS | L bracket, AS450-LC450 mount | 65451-00TRM-625 | 1 | |
| SENS | LC450, Laser catcher, Cat Yellow | 79938-50-625 | | |
| SENS | LC450, Laser catcher, Trimble Yellow | 79938-00TRM-625 | 1 | |
| SENS | Offset dogbone bracket (Volvo, LB) | 144024-30-625 | 1 | |
| SENS | Sensor Cover (GS510, large opening) | 144030-06-625 | 2 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| SENS | Sensor Cover (GS520, small opening) | 144030-30-625 | 4 | |
| SENS | Sensor Cover Bolts (M6 X 1 X 12) | 8T-0639 | 16 | |
| SENS | Sensor Cover Washers (M6 flat) | 9X-8267 | 16 | |
| SENS | Sensor harness (GCS FLEX) | 81799TRM-625 | | |
| SENS | Stick harness GCS | 66685-31 | | |
| SENS | Weld on chain link | 7T-1099 | 16 | |
| SENS | Weld on sensor bracket (AS450) | 76761-00TRM-625 | 1 | |
| SENS | Weld on sensor bracket kit (GCS FLEX) | 83773-00TRM-625 | | |
| SENS | Weld-on Bracket, EC52x | 142220-30-625 | 2 | |
| SENS | Weld-on Bracket, GS5xx | 144020-30-625 | 6 | |
| SHRN | Hyd Hose Shrinkwrap | 4c-6389 | 1 | |
| SHRN | SHRINK TUBE (turn around conn) | TSC-700-23B | 1 | |
| SNM | .6M SNM antenna, 4 in 1 | 112057-00-625 | 1 | X |
| SNM | 12 pin SNM941 harness, WITH magnets | 160041-32-625 | 1 | |
| SNM | 5M SNM antenna, 4 in 1 | 112057-50-625 | 1 | X |
| SNM | 8 pin SNM941 harness, WITH magnets | 160041-33-625 | 1 | |
| SNM | Bracket-SNR and/orSNM94x (for mounting together) | 109536-625 | 1 | x |
| SNM | Control box harness to SNM940 radio - D3K-D5K | 84503-625 | | |
| SNM | SNM941 | 104941-00-625 | 1 | X |
| SNM | SNM941 Harness 12pin | 186940-02-625 | | |
| SNM | SNM941 Harness 8pin | 201641-46 | | |
| SNM | SNM941 mount (shock) | 109530-00-625 | 1 | x |
| TILT | Armored cover long | 150426-030 | 2 | X |
| TILT | Armored tilt bucket cable GCS | 89900-34TRM-625 | | |
| TILT | Tilt Bucket Kit | 160015-505-625 | | |
| TMC | 25m, hose with couplings | 99930-625 | | |
| TMC | 26m, Cable, 6 pin | 76316-26-625 | | |
| TMC | 30m cable with M12 end | 150417-300-625 | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| TMC | DTM pins | 0460-202-20141-625 | | |
| TMC | Housing parts kit | 160015-510-625 | | |
| TMC | Housing W/ flat lid for stick | 170855-06-625 | | |
| TMC | Housing W/ raised lid for bucket | 170850-06-625 | | |
| TMC | M12 Inline Terminator | 170860-625 | 1 | |
| TMC | Reuseable fittings kit | 94772-625 | 1 | |
| TMC | Submersible housing | 76289TRM-625 | | |
| TMC | Submersible housing parts, Bucket | 94773-625 | | |
| TMC | Submersible housing parts, Stick | 94774-625 | | |
| TMC | Weld plate for housing - x2 | 170856-02-625 | | |
| TOOL | 1000W inverter | 800MG6 | 1 | |
| TOOL | 12oz plumb bob | 6000-012SEC-625 | 1 | |
| TOOL | 19' ladder | 1YMG1 | 1 | |
| TOOL | 2' smart level | 92515-625 | 1 | |
| TOOL | 2m snaplock rod | | 2 | |
| TOOL | 4' smart level | 92520-625 | 1 | |
| TOOL | alchohol pads | 22PN88 | 1 | |
| TOOL | aluminum mast | | 2 | |
| TOOL | AS400 or GS420 magmount | | 1 | |
| TOOL | backprobe kit | 7X-1710 | 1 | |
| TOOL | bag for 2' level | 92924-625 | 1 | |
| TOOL | bag for 4' level | 92908-625 | 1 | |
| TOOL | bag for fall harness | 5LD75 | 1 | |
| TOOL | Battery Kit | | 1 | |
| TOOL | bipod | | 1 | |
| TOOL | Blue DT pin removal tool | 121-9588 | | |
| TOOL | center finder | pete has | 1 | |
| TOOL | centerfinder measure up | 171200-00 | | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| TOOL | chaulk blocks | 3W666 | 4 | |
| TOOL | Coil cable for above | 0312-0980TRM-625 | 1 | |
| TOOL | Comm 3 | 5385051 | 1 | |
| TOOL | deutch removal tool yellow | 147-6456 | 6 | |
| TOOL | Deutsch Crimp tool | 1U-5804 | 1 | |
| TOOL | drill index | 1NK11 | 1 | |
| TOOL | engineers tape | 48512-625 | 1 | |
| TOOL | eye wash kit | 3WHN9 | 1 | |
| TOOL | face shield | 2ELZ3 | 1 | |
| TOOL | Fall harness | 3PRY9 | 1 | |
| TOOL | Fall limiters | 36WA13 | 2 | |
| TOOL | fire extinguisher | MIFIRE-112 | 1 | |
| TOOL | First aid kit | 488G55 | 1 | |
| TOOL | flap wheel 36 | 236-8106 | 4 | |
| TOOL | gammon reel | 6001-12SEC-625 | 1 | |
| TOOL | greenlee stripper | pete has | 1 | |
| TOOL | hand cleaner | 4YCR4 | 1 | |
| TOOL | HEX GPS Cal Cable | 54443-46 | 1 | |
| TOOL | HEX GPS Cal Cable, Extension | 66892-46 | 1 | |
| TOOL | hole saw kit | 11C836 | 1 | |
| TOOL | kneeling pad | 13R623 | 1 | |
| TOOL | lockout hasps | 437R58 | 2 | |
| TOOL | lockout locks | 4FG03 | 2 | |
| TOOL | lockout tags | 48RU17 | 1 | |
| TOOL | LOTO hasp | 2CJJ2 | 2 | |
| TOOL | mag center finder kit | | 1 | |
| TOOL | magnet kit | | 1 | |
| TOOL | mast measure-up tool | 50985 | 1 | |

THE GNSS GUILD

| | | | | |
|---|---|---|---|---|
| TOOL | Mast target | 105568 | 1 | |
| TOOL | Metric/tenths tape measure | | | |
| TOOL | MS9xx adapter for 2m rod | | 1 | |
| TOOL | puller mini - ATM | 170-6888 | | |
| TOOL | Red DT removal tool | 151-6320 | | |
| TOOL | Small target | 171200-52 | | |
| TOOL | Strap Choker anchor | 60XG48 | 1 | |
| TOOL | traffic cones | 6FHC2 | 10 | |
| TOOL | trailer hitch vise | 49XF29 | 1 | |
| TOOL | Trimax | | 1 | |
| TOOL | tripod | | 1 | |
| ZIP | Double ended zip tie (handcuff zip tie) | 178-3620 | 12 | |
| ZIP | zip ties 3/16" | 6K-0806 | 200 | |
| ZIP | Zip-Tie 1/4" | 7K-1181 | 400 | |
| ZIP | ziptie swivel mount-medium | 200-6345 | | |
| ZIP | ziptie swivel mount-small | 290-5562 | | |
| | Bolt for control box extension/sensor enclosure | 5C-9553 | | |
| | | | | |

THE GNSS GUILD