Roof & Gutter Annual Inspection Checklist

General Inspection
 □ Check for visible damage (e.g., cracks, missing materials, rust, or dislodged tiles). □ Inspect for debris buildup, such as leaves, branches, or moss. □ Look for signs of water pooling or drainage issues. □ Assess the condition of flashing around chimneys, vents, and skylights. □ Examine the roof's alignment for sagging or structural issues. □ Check for animal nests or evidence of pest activity (e.g., birds, rodents, insects).
Roof Surface Inspection
Tin/Metal Roofs ☐ Inspect for rust, corrosion, or discoloration. ☐ Check for loose or missing screws, nails, or fasteners. ☐ Ensure seams and joints are properly sealed. ☐ Examine for paint peeling or fading, which may indicate the need for recoating.
Tile Roofs ☐ Check for cracked, chipped, or missing tiles. ☐ Ensure tiles are securely in place and free from shifting. ☐ Look for signs of moss or algae growth. ☐ Inspect underlayment (if visible) for signs of wear or exposure.
Flat Roofs (e.g., Rubber, TPO, Built-Up) Inspect for punctures, cracks, or blisters in the roofing membrane. Check seams and edges for signs of lifting or detachment. Ensure drains and scuppers are free of obstructions. Look for pooling water or inadequate slope.
Gutter and Downpipe Inspection ☐ Check for leaks, cracks, or sagging sections. ☐ Ensure gutters are securely attached to the fascia.
Flashing and Sealant
 □ Inspect flashing around chimneys, skylights, and vents for damage or lifting. □ Check for cracked or deteriorating sealant. □ Ensure flashing is securely fastened and aligned with the roof surface.
Roof Penetrations
 □ Inspect vent pipes, HVAC units, and satellite mounts for proper sealing. □ Check for rust, cracks, or wear around roof penetrations. □ Confirm that vent caps are intact and functional.
Final Steps
 □ Photograph and document areas of concern for future reference or repair planning. □ Provide a detailed inspection report to the homeowner, including recommendations.

 $\hfill \square$ Schedule follow-up repairs or additional maintenance if necessary.