



CHIEN • i

*2026 – 2027 Catalogue*

# CONTENT

<b>CHIEN • i</b>	1
<i>ABOUT</i> <i>One Stop for Total Solution</i>	
<b>E-MOUNTAIN</b>	3
<i>HARDTAIL</i> <i>FULL SUSPENSION</i>	
<b>MOUNTAIN</b>	7
<i>HARDTAIL</i>	
<b>GRAVEL</b>	12
<i>ALLOY</i> <i>CARBON</i>	
<b>ROAD</b>	15
<i>AERO</i> <i>LIGHTWEIGHT</i> <i>ENDURANCE</i> <i>Ti RACE</i>	
<b>KIDS</b>	20
<i>BMX RACE</i> <i>PUSH BIKE</i> <i>20" KIDS MTB</i> <i>24" KIDS MTB</i>	

# ABOUT




## Concept & Geometry Design Prototype & Testing Production & Brand Integration

Established in 1979 in Taiwan, CHIEN-I has grown from a trusted bicycle components exporter into a full-service OEM/ODM development partner. We support global brands with custom frame development, component sourcing, appearance design, packaging, and complete supply chain integration — helping bring distinctive, market-ready products to life.

**We are not just a supplier —  
we are your strategic partner in brand growth.**

# One Stop for Total Solution

We support your full brand-building journey; ensuring quality, consistency, and a faster time-to-market.



## Concept & Geometry Design

We transform your ideas into clear, ride-ready concepts and precise frame geometry — tailored for your market, riding style, and performance goals.



## Prototype & Testing

We build high-precision prototypes and verify every detail through structural, fatigue, and real-world riding tests — ensuring your frame is safe, reliable, and ready for production.



## Production & Assembly

We manage full-scale production with strict quality control and flexible assembly options. Every order is finished with customized packaging — including CKD, A/B carton solutions, and brand-specific labeling — to meet your market requirements and reduce logistics costs.



## Branding & Packaging

We help shape your brand identity with thoughtful design — from logos, graphics, and color direction to fully customized packaging. Our team creates packaging and visual elements that enhance your product's presence, strengthen brand recognition, and deliver a premium unboxing experience.

# Meet the

CIF-M-  
Shimano EP  
Shimano M

# 6

01+  
00 motor  
100 drive

---

**601+**, CHIEN-I's first step into the e-bike segment.

Minimalist design with a premium ride feel.

Tuned for daily performance,  
Ready for sensational trail adventures.






## CIF-M-601+

*HARDTAIL*

Type	E-Mountain Hardtail
Frameset	Alloy 6061, Tapered 1-1/8"-1.5" head tube, Boost 148 × 12 mm rear axle, SRAM UDH dropout, Disc brake, Fork compatible with 120 mm travel
Wheel Size	29"
Motor	Shimano EP801 / EP600
Battery	Shimano BT-EN806-A, 630 Wh
Max Tire	29 × 2.6"
Seatpost	30.9 mm
Size	S / M / L




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	380	585	110	65.5°	75.5°	65	470	44	1195	638	420
M	420	612	120	66°	75°	65	470	44	1211	650	437
L	460	631	130	66°	75°	65	470	44	1233	659	454



# CIF-M-602+

*HARDTAIL*

Type	E-Mountain Hardtail
Frameset	Alloy 6061, Tapered 1-1/8"-1.5" head tube, Boost 148 × 12 mm rear axle, Disc brake, Fork compatible with 100 mm travel
Wheel Size	29"
Motor	Ananda M230
Battery	Samsung cells, 630 Wh
Max Tire	29 × 2.4"
Seatpost	30.9 mm
Size	S / M / L




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	380	590	110	68°	75.5°	65	470	46	1170	629	427
M	420	615	120	68°	75°	65	470	46	1191	638	444
L	460	630	130	68°	75°	65	470	46	1242	648	457



## CIF-M-201+

*FULL SUSPENSION*

Type	E-Mountain Full Suspension
Frameset	Alloy 6061, Tapered 1-1/8"-1.5" head tube, Boost 148 × 12 mm rear axle, SRAM UDH dropout, Disc brake, Fork compatible with 160 mm travel, Shock with 205 × 62.5
Wheel Size	29"
Motor	Shimano EP801 / EP600
Battery	Shimano BT-EN806-A, 630 Wh
Max Tire	29 × 2.6" / 27.5 × 2.8"
Seatpost	31.6 mm
Size	S / M / L



SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	390	575	110	65°	76°	30	461	51	1213	623	420
M	415	606	110	65°	76°	30	461	51	1245	628	450
L	440	631	125	65°	76°	30	461	51	1271	642	470



# MTB

## A Hardtail Platform

# STALKER

*Silent by Nature. Savage on Trails.*

### CIF-M-202


Inspired by the Formosan Clouded Leopard — precise, aggressive, and controlled. Designed with modern trail geometry, this hardtail platform delivers confidence at speed and precise handling on technical terrain. Balanced stiffness ensures efficient climbing while maintaining forgiveness on rough trails. Future-ready MTB standards make the platform adaptable across global markets.



# CIF-M-202

## HARDTAIL

Type	Mountain Hardtail
Frameset	Full Carbon Fiber, Tapered 1-1/8"-1.5" head tube, Boost 148 × 12 mm rear axle, SRAM UDH dropout, Disc brake, Fork compatible with 100 mm travel
Wheel Size	29"
Max Tire	29 × 2.35"
Seatpost	27.2 mm
BB	PF92
Size	S / M / L / XL




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	400	579	95	68.5°	74°	63	435	44	1096	608	405
M	430	604	100	68.5°	74°	63	435	44	1121	610	429
L	470	625	110	68.5°	74°	63	435	44	1145	622	450
XL	520	650	125	68.5°	74°	63	435	44	1168	636	471



# CIF-M-203

**HARDTAIL**

Type	Mountain Hardtail
Frameset	Alloy 6061, Tapered 1-1/8"-1.5" head tube, Boost 148 × 12 mm rear axle, Disc brake, Fork compatible with 130 mm travel
Wheel Size	29"
Max Tire	29 × 2.5"
Seatpost	30.9 mm
BB	PF92
Size	S / M / L




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	380	592	95	66°	75°	60	435	44	1154	622	425
M	430	612	95	66°	75°	60	435	44	1174	622	445
L	465	639	105	66°	75°	60	435	44	1203	631	470



# CIF-M-204

**HARDTAIL**

Type	Mountain Hardtail
Frameset	Alloy 6061, Straight 1-1/8" head tube, Rear axle 135 mm QR, Disc brake, Fork compatible with 100 mm travel
Wheel Size	29"
Max Tire	29 × 2.4"
Seatpost	30.9 mm
BB	BSA 73
Size	S / M / L




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S (29")	390	577	95	68.5°	74°	55	455	51	1162	602	410
M (29")	430	597	105	68.5°	74°	55	455	51	1172	611	425
L (29")	490	618	125	68.5°	74°	55	455	51	1192	630	440



# CIF-M-208

**HARDTAIL**

Type	Mountain Hardtail
Frameset	Alloy 6061, Tapered 1-1/8"-1.5" head tube, Boost 148 × 12 mm rear axle, SRAM UDH dropout, Disc brake, Fork compatible with 100 mm travel
Wheel Size	29"
Max Tire	29 × 2.4"
Seatpost	30.9 mm
BB	PF92
Size	S / M / L



SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	380	595	105	69.5°	74°	53	440	51	1117	607	421
M	431	614	105	69.5°	74°	53	440	51	1136	607	440
L	475	635	115	70°	74°	53	440	51	1152	618	458

# CIF-G-303

*All-Road Brilliance.*




CHIEN·i



# CIF-G-303

ALLOY

Type	Gravel Alloy
Frameset	Alloy 6061, Tapered 1-1/8"-1.5", 12 × 142 mm thru-axle, Disc brake
Fork	Full Carbon Fiber, 12 × 100 mm thru-axle
Wheel Size	700C
Max Tire	700 × 45C
Seatpost	27.2 mm
BB	PF86
Size	S / M / L




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	450	530	120	70°	74°	71	435	53	1027	544	369
M	480	550	140	71°	73°	71	435	53	1032	567	377
L	510	570	160	71°	73°	71	435	53	1052	586	391



# CIF-G-301

**CARBON**

Type	Gravel Carbon
Frameset	Full Carbon Fiber, Tapered 1-1/8"-1.5", 12 × 142 mm thru-axle, SRAM UDH dropout, Disc brake
Fork	Full Carbon Fiber, 12 × 100 mm thru-axle
Weight	1143g
Wheel Size	700C
Max Tire	700 × 50C
Seatpost	Integrated Carbon seatpost
BB	T47 68 / BSA 68 / BB 86
Size	45 / 49 / 52 / 54 / 56



SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
45	425	517	110	70°	74°	69	435	55	1021	530	365
49	460	538	125	71°	73°	69	435	55	1023	548	370
52	490	551	140	71°	73°	69	435	55	1036	562	379
54	505	571	160	71°	72.5°	69	435	55	1052	581	388
56	525	588	185	71°	72.5°	69	435	55	1069	604	397

# ROAD



**TYPHOON**  **CHIEN·i**


CIF-R-001: A TYPHOON—Inspired Design Language for Speed and Control.



# CIF-R-001

AERO

Type	Road Aero
Frameset	Full Carbon Fiber, Tapered 1-1/8"-1.5", 12 × 142 mm thru-axle, SRAM UDH dropout, Disc brake
Fork	Full Carbon Fiber, 12 × 100 mm thru-axle
Weight	1083g
Wheel Size	700C
Max Tire	700 × 32C
Seatpost	Integrated Carbon seatpost
BB	T47 68 / BB 86
Size	49 / 52 / 54 / 56 / 58




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
49	465	515	110	71°	75°	72	406	45	977	517	377
52	485	530	120	71.5°	74.5°	72	406	45	979	528	383
54	505	546	140	72.5°	74°	72	406	45	986	551	388
56	525	566	160	73°	73.5°	72	406	45	979	571	397
58	545	580	180	73°	73.5°	72	406	45	990	591	405



## CIF-R-002

*LIGHTWEIGHT*

Type	Road Lightweight
Frameset	Full Carbon Fiber, Tapered 1-1/8"-1.5", 12 × 142 mm thru-axle, SRAM UDH dropout, Disc brake
Fork	Full Carbon Fiber, 12 × 100 mm thru-axle
Weight	Normal: 1000g / Light: 850g / Superlight: 750g
Wheel Size	700C
Max Tire	700 × 32C
Seatpost	Integrated Carbon seatpost
BB	T47 68 / T47 86 / BSA 68 / BB 86
Size	49 / 52 / 54 / 56 / 58




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
49	420	509	110	71.5°	75.5°	72	410	45	976	519	375
52	440	532	120	72°	74°	72	410	45	980	530	380
54	475	542	140	72.5°	74°	72	410	45	986	551	384
56	500	564	160	73°	73.5°	72	410	45	988	571	395
58	520	577	180	73°	73.5°	72	410	45	1011	591	402



# CIF-R-003

*ENDURANCE*

Type	Road Endurance
Frameset	Alloy 6061, Straight 1-1/8", 12 × 142 mm thru-axle, Disc brake
Fork	Full Carbon Fiber, 12 × 100 mm thru-axle
Wheel Size	700C
Max Tire	700 × 38C
Seatpost	27.2 mm
BB	BSA 68
Size	S / M / L




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	420	590	115	70.5°	73°	62	450	42	1088	606	420
M	460	600	130	70.5°	73°	62	450	42	1098	620	440
L	500	610	145	70.5°	73°	62	450	42	1109	634	460



# CIF-R-004

RACE

Type	Road Titanium
Frameset	Titanium alloy, Tapered 1-1/8"-1.5", 12 × 142 mm thru-axle, Disc brake
Fork	Full Carbon Fiber, 12 × 100 mm thru-axle
Wheel Size	700C
Max Tire	700 × 28C
Seatpost	Full Carbon Fiber 27.2 mm
BB	PF86
Size	S / M / L / XL



SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
S	480	518	120	71°	74.5°	71	415	43	981	520	372
M	510	527	130	71.5°	74.5°	71	415	43	987	532	378
L	540	545	135	72°	73.5°	71	415	43	991	539	385
XL	570	563	155	72.5°	73°	71	415	43	1000	559	392



## CIF-BR-401

*BMX Race Bike*



## CIF-K-501

*Push Bike*



## CIF-K-504

*20" Kids MTB*



## CIF-K-505


*24" Kids MTB*



# CIF-BR-401

**BMX RACE**

Type	BMX Race
Frameset	Alloy 6061, Disc brake
Fork	Full chromoly (crown) / Steel legs
Wheel Size	20"
Max Tire	20 × 1-1/8"
Seatpost	27.2 mm
BB	BSA 68
Size	Micro / Mini / Junior



SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
MICRO	203	413	100	71°	69°	7.2	276	33	767	-	-
MINI	225	438	110	72°	70°	7.2	312	33	819	-	-
JUNIOR	225	476	110	73°	72°	7.2	318	33	867	-	-



# CIF-K-501

*PUSH BIKE*

Type	Push Bike
Frameset	Magnesium Alloy 12"
Fork	Magnesium Alloy
Wheel Size	12"
Size	One size






## CIF-K-504

20" KIDS MTB

Type	Kids Mountain Bike
Frameset	Alloy 6061, Straight 1-1/8" head tube, Rear axle 135 mm QR, Disc brake, Fork compatible with 60 mm travel
Wheel Size	20"
Max Tire	20 × 2.4"
Seatpost	27.2 mm
BB	BSA 73
Size	One size




SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
20"	260	450	105	69°	73°	20	372	40	893	448	313



# CIF-K-505

24" KIDS MTB

Type	Kids Mountain Bike
Frameset	Alloy 6061, Straight 1-1/8" head tube, Rear axle 135 mm QR, Disc brake, Fork compatible with 60 mm travel
Wheel Size	24"
Max Tire	24 × 2.4"
Seatpost	27.2 mm
BB	BSA 68
Size	One size



SIZE	ST	TT	HT	HA	STA	BB	RC	OFFSET	WB	STACK	REACH
24"	341	498	100	70°	73°	30	410	45	972	534	336



**CHIEN · i**



**WEB**

[www.gochieni.com](http://www.gochieni.com)

**E-MAIL**

[chieni@gochieni.com](mailto:chieni@gochieni.com)

**TEL**

+886-3-218-0513

**FAX**

+886-3-218-0503

**ADDRESS**

10F., No. 79, Ln. 495, Jiesshou Rd., Taoyuan Dist.,  
Taoyuan City 330, Taiwan (R.O.C.)

**CHIEN · i Enterprise Co.,Ltd.**