Informed Consent for Laser Tattoo Removal

Custo	omer's name:	Date:
,	consent to and authorize	and members of his/her staff to
	rm multiple treatments, laser procedures and related services on a removal of tattoos.	me. The procedure planned uses laser technolog
oroce	patient you have the right to be informed about your treatment so sed for laser tattoo removal or decline after knowing the risks invo our consent for treatment about the risks, side effects and possible	lved. This disclosure is to help to inform you prior
The '	following problems may occur with the tattoo remo	val system:
1.	The possible risks of the procedure include but are not limited to pain, pur formation, ingrown hairs, infection, and unforeseen complications which can la	
2	There is a risk of scarring.	
3.	Short term effects may include reddening, mild burning, temporary bruising or blistering. A brownish/red darkening of the skin (known as hyperpigmention) or lightening of the skin (known as hyperpigmentation) may occur. This usually resolves in weeks, but it can take up 3-6 months to heal. Permanent color change is a rare risk. Loss of freckles or pigmented lesions can occur.	
4.	Textual and/or color changes in the skin can occur and can be permanent. Ma iron oxide pigments. Iron oxide can turn red-brown or black. Titanium oxide a color may be un-removable. Because of the immediate whitening of the expo obscuring of ink, which can make it difficult or impossible to notice a specific of	and other pigments may also turn black. This black or dark sed treated area by the laser, there can be a temporary
5.	Infection: Although infection following treatment is unusual, bacterial, fungal a around the mouth can occur following a treatment. This applies to both individindividuals with no known history of herpes simplex virus infections in the moutreatments or medical antibiotics may be necessary.	uals with a past history of herpes simplex virus infections and
6.	Bleeding: Pinpoint bleeding is rare but can occur following treatment procedu necessary.	res. Should bleeding occur, additional treatment may be
7.	Allergic Reactions: There have been reports of hypersensitivity to the various the tattoo pigment contained Mercury, cobalt or chromium. Upon dissemination occur with each successive treatment. Noted in some patients are superficial can last up to many months, years or permanently.	on, the pigments can induce a severe allergic reaction that car
8.	Compliance with the aftercare guidelines is crucial for healing, prevention of so avoiding the sun for 2 months after the procedure. If it is necessary to be in the	
9.	I understand that multiple treatments will be necessary to achieve desired resume as to the results that may be obtained. Complete tattoo removal is not alw	
	onally, unforeseen mechanical problems may occur and your appointment will nee	
ACK	NOWLEDGMENT:	
N //-		
	y questions regarding the procedure have been answered satisfactorily. nereby release(individual) and	
	(lindviddar) and(lindviddar) and(lindviddar) and	
<u></u>	lient/Guardian Signature	Date
La	aser Technician Signature	Date