




PRODUCT CATALOG

Our product

At Taian Lanka Steel Company, we produce premium steel products, including Pre-Galvanized Round, Square, and Rectangular tubes, C-Purlins, and Scaffoldings, all crafted to meet international standards.

We're excited to introduce our latest offerings : EGI, GI, and CR sheets, designed for durability and high performance in construction and innovation. With rigorous quality control and a network of distributors, we ensure you have access to top-quality materials for every project. Taian Lanka remains committed to excellence, innovation, and customer satisfaction.




**PRE GALVANIZED STEEL / HOT ROLLED STEEL TUBE
(Q195B) Square Tube**

SPECIFICATION - SQUARE			LENGTH 5.5 MTR										KG PER PCS							
SIZE INCH	OD MM	PCS BDL	0.7	0.8	0.9	1	1.1	1.2	1.4	1.6	1.8	2	2.3	2.5	2.8	3	3.2	3.6	4	
1/2" x 1/2"	12.7 x 12.7	144					2.15	2.3												
5/8" x 5/8"	15 x 15	121					2.7	2.95												
3/4" x 3/4"	19 x 19	144	2.2	2.55	2.8	3.1	3.4	3.7	4.3	4.9	5.5	6.2								
1" x 1"	25 x 25	144	2.98	3.4	3.8	4.15	4.55	5	5.8	6.5	7.4	8.1	9.5	10.2	11					
1-1/4" x 1-1/4"	30 x 30	100		4.1		5	5.5	6	7	8	9	10		12.2	14					
1-1/2" x 1-1/2"	38 x 38	64	4.55	5.2	5.65	6.45	7	7.6	8.8	10.2	11.65	12.55	14.8	16.1	18	18.6		22.6	24.6	
2" x 2"	50 x 50	36						10.2	11.9	13.5	15.3	16.7		20.7	23.1	24.5		30	32.3	
2-1/2" x 2-1/2"	60 x 60	36						12.6	14.5	16.5	18.5	20.1		25.3	28.3					
3" x 3"	75 x 75	16							18	20.5	23	25.5		31.5	35.5	37.7		45.5	50.5	
4" x 4"	100 x 100	16									31	34.5		42.5	48	51		61	68	
5" x 5"	125 x 125	16									38.6	43		53.4	59.8	64		76.6	85	



**PRE GALVANIZED STEEL / HOT ROLLED STEEL TUBE
(Q195B) Rectangular Tube**


SPECIFICATION - RECTANGULAR			LENGTH 5.5 MTR										KG PER PCS							
SIZE INCH	OD mm	PCS BDL	0.7	0.8	0.9	1	1.1	1.2	1.4	1.6	1.8	2	2.3	2.5	2.8	3	3.2	3.6	4	
1-1/2" x 3/4"	40 x 20	72		4.1		5	5.5	6	7	8	9	10		12.2						
1-1/2" x 1"	40 x 25	72				5.5	6.1	6.55	7.5	8.5	9.5	10.5		12.6						
2" x 1"	50 x 25	72	4.5	5.2	5.65	6.4	7	7.5	8.8	10	11.5	12.55		15.5	17.7	18.6		22.5	24.6	
2-1/2" x 1-1/2"	60 x 40	40						10.2	11.9	13.5	15.3	16.9		21	23.5					
3" x 1"	75 x 25	48						10.2	11.9	13.5	15.3	17		20.7	23.1					
3" x 1-1/2"	75 x 38	32						11.5	13.5	15.4	17.2	19.2		23.5	26.6	28.3		34	37.5	
3" x 2"	75 x 50	24						12.7	14.9	17	19	21		26	29					
4" x 2"	100 x 50	18							18	20.5	23	25.5		31.5	35.5	37.7		45.5	50.5	
6" x 3"	150 x 75	15									34.8	38.6		48	53.7	57.5		68.8	76.3	
6" x 4"	150 x 100	15									38.6	43		53.4	59.6	64		76.6	85	




PRE GALVANIZED STEEL (Q195B) Round Tube

SPECIFICATION - ROUND		LENGTH 5.5 MTR				KG PER PCS				LENGTH 5.8 MTR				KG PER PCS				
OD MM	PCS BDL	0.7	0.8	0.9	1	1.1	1.2	1.4	1.6	1.8	2	2.3	2.5	2.8	3	3.2	3.6	4
15 MM	180					2.15	2.3											
20 MM	169	1.87	2.1	2.35	2.55		3.1	3.55	4.3	4.85	5.3							
25 MM	127	2.35	2.65	3.05	3.35		4	4.6	5.5	6.1	7							
33 MM	91	3.2	3.65	4.1	4.55		5.25	6.2	7.2	8.3	9.3	10.6	11.5	12.6				
42 MM	61	4.1	4.55	5	5.5		6.65	7.8	9.3	10.7	11.75	13.3	14.5	16.5	17.6	18.5	21	23.5
48 MM	61		5.3	6	6.45		7.7	8.9	10.8	12.3	13.5	15.45	17	18.5	20	21.5	24.2	26.7
58 MM	37						9.5	11	13.2	14.9	16.3	18.8	20.5	23	24.6	26.1	29.3	32.5
75 MM	37								17.2	19.2	21.2	24.3	26.3	29.3	31.7	33.8	38	42.5
88 MM	24								20.2	22.5	25.1	28.5		35.1	37.3	39.8	44.7	49.6
114 MM	19									29	32.2	37.2	40.5	45.2	48.5	51.6	58.2	64.5
165 MM	7										47	54	58.7	65.6	70	75	84.3	94


PRE GALVANIZED STEEL (Q195B) C-Purlin



C-PURLIN (LIPPED CHANNEL)		WEIGHT / MTR						
SIZE INCH	SIZE MM	1.40	1.60	1.80	2.00	2.30	2.50	2.80
3" X 1-1/2"	75*38*10	1.77	2.02	2.28	2.53	2.90	3.16	
3" X 1-1/2"	75*38*12	1.79	2.05	2.31	2.56	2.95	3.20	
3" X 1-1/2"	80*40*10	1.87	2.14	2.40	2.67	3.07	3.34	
3" X 1-1/2"	80*40*12	1.89	2.16	2.43	2.70	3.11	3.38	
4" X 2"	100*50*10	2.30	2.64	2.97	3.30	3.80	4.13	4.63
4" X 2"	100*50*12	2.34	2.67	3.00	3.33	3.83	4.16	4.66
4" X 2"	100*50*15	2.37	2.70	3.05	3.38	3.89	4.23	4.74
4" X 2"	100*50*20	2.42	2.77	3.11	3.45	3.97	4.32	4.83
5" X 2"	125*50*15	2.65	3.03	3.40	3.79	4.36	4.74	5.30
5" X 2"	125*50*20	2.70	3.10	3.47	3.86	4.44	4.85	5.45
5" X 2-1/2"	125*65*15	2.97	3.40	3.82	4.25	4.89	5.31	5.95
5" X 2-1/2"	125*65*20	3.03	3.45	3.88	4.33	4.96	5.40	6.05
6" X 2-1/2"	150*65*15	3.26	3.73	4.20	4.66	5.33	5.80	6.49
6" X 2-1/2"	150*65*20	3.30	3.77	4.24	4.71	5.42	5.90	6.61
7" X 3"	175*75*20		4.35	4.90	5.44	6.26	6.80	7.60
8" X 2-1/2"	200*65*20		4.40	4.95	5.50	6.33	6.88	7.70
8" X 3"	200*70*20		4.53	5.10	5.65	6.50	7.07	7.92
8" X 3"	200*75*20		4.65	5.23	5.81	6.68	7.26	8.14
10" X 3"	250*75*20		5.28	5.95	6.60	7.58	8.25	9.25
12" X 3"	300*75*20		5.91	6.65	7.38	8.49	9.25	10.35




Scaffolding Equipment




Scaffolding Frame

TYPES	FRAME SET - 2 pcs	CROSS BARS - 2 PCS	JOINT PIN -4PCS	EACH SET
TYPE 1	1700mm* 1219mm -22.2kg (5.58 Feet)* (4Feet)	25mm*1.20mm*2198mm -6.4kg	225mm*36mm*1.6mm- 1.4kg	30kg
TYPE 2	1700mm* 1219mm -27.2kg (5.58 Feet)* (4Feet)	25mm*1.20mm*2198mm -6.4kg	225mm*36mm*1.6mm - 1.4kg	35kg
TYPE 3	1700mm* 1219mm -33.6kg (5.58 Feet)* (4Feet)	25mm*2mm*2198mm -10kg	225mm*33mm*1.6mm - 1.4kg	45kg
TYPE 4	1700mm* 914mm -20.2kg (5.58 Feet)* (3Feet)	25mm*1.20mm*2198mm -6.4kg	225mm*36mm*1.6mm - 1.4kg	28kg
TYPE 5	914mm* 1219mm -12.7kg (3 Feet)* (4Feet)	25mm*1.20mm*1981m m -5.9kg	225mm*36mm*1.6m m- 1.4kg	20kg



Walking plank

TYPE 1	4000mm*250mm (4 Meters) 14.85Kg
TYPE 2	3000mm*250mm (3 Meters) 11.5Kg
TYPE 3	2000mm*250mm (2 Meters) 8.55Kg



Catwalk Plate

TYPE 1	1830mm*500mm - 14.75Kg
TYPE 2	1830mm*450mm - 12.5Kg




Scaffolding Step Ladder

TYPE 1	8 Feet (26kg)
--------	----------------


SHEETS

INTRODUCING THE LATEST ADDITIONS TO OUR STELLAR LINEUP AT TAIAN LANKA: THE CR, EG, AND GI SHEETS. CRAFTED WITH PRECISION AND EXCELLENCE, THESE NEW ARRIVALS EMBODY OUR COMMITMENT TO DELIVERING TOP-TIER STEEL PRODUCTS TO OUR VALUED CUSTOMERS.

WHETHER YOU'RE IN NEED OF COLD ROLLED (CR) SHEETS FOR SUPERIOR STRENGTH, ELECTRO GALVANIZED (EG) SHEETS FOR ENHANCED CORROSION RESISTANCE, OR GALVANIZED IRON (GI) SHEETS FOR DURABILITY THAT LASTS, TAIAN LANKA HAS YOU COVERED.



CR SHEET



GI SHEET



EGI SHEET

ELECTRO GALVANIZED SHEET (8*4) (E20/E20)


THICKNESS	KG / SHEET	PS/ PALLETS
0.40mm	9.33 Kg	250 Sheets
0.50mm	11.66 Kg	220 Sheets
0.60mm	14.00 Kg	180 Sheets
0.70mm	16.33 Kg	150 Sheets
0.80mm	18.66 Kg	135 Sheets
1.00mm	23.32 Kg	100 Sheets
1.20mm	27.99 Kg	90 Sheets
1.40mm	32.65 Kg	75 Sheets
1.50mm	34.98 Kg	70 Sheets
2.00mm	46.65 Kg	50 Sheets

GALVANIZED STEEL SHEET (8*4)

THICKNESS	KG / SHEET	PS/ PALLETS
0.40mm	9.33Kg	250 Sheets
0.50mm	11.67Kg	220 Sheets
0.60mm	14.00Kg	180 Sheets
0.70mm	16.33Kg	150 Sheets
0.80mm	18.66Kg	135 Sheets
1.00mm	23.32Kg	100 Sheets
1.20mm	27.99Kg	90 Sheets
1.40mm	32.65Kg	75 Sheets
1.50mm	34.99Kg	70 Sheets
2.00mm	46.65Kg	50 Sheets
3.00mm	70.00Kg	40 Sheets

COLD ROLLED SHEET (8*4)

THICKNESS	KG / SHEET	PS/ PALLETS
0.30mm	7.0 kg	400 Sheets
0.32mm	7.5 kg	370 Sheets
0.35mm	8.2 kg	350 Sheets
0.38mm	8.9 kg	300 Sheets
0.40mm	9.33 kg	300 Sheets
0.60mm	14.00 kg	200 Sheets
0.70mm	16.33 kg	170 Sheets
0.80mm	18.66 kg	140 Sheets
1.00mm	23.32 kg	120 Sheets
1.20mm	28.00 kg	100 Sheets
2.00mm	46.65 kg	60 Sheets



Contact Us

Phone : +94 112332253

Fax : +94 112323419

Email : info@taianlankasteel.com

Address :

Head Office : 333, 1/16 Old Moor Street, Colombo-12, Srilanka.

Factory : Horana EPZ Boralugoda , Poruwadanada , Srilanka.