

Extractor on rail

Fume extractor on rail for long work areas



The Nederman fume extractor trolley with extractor arm, is intended to be used in combination with the rail Nederman ALU 150 when extraction from long working areas is required.

- One extraction arm can serve several work places
- The trolley is easily moved along the rail
- Suitable when welding along long work pieces
- The trolley fits all Nederman extraction arms

Product name	Extractor on rail
--------------	-------------------






Extractor on rail

Description	Model
ALU 150, length = 40,0 m	20901810*
ALU 150, length = 45,0 m	20901910*
ALU 150, length = 50,0 m	20902010*
ALU 150, length = 2,5 m	20900510*
ALU 150, length = 5,0 m	20900610*
ALU 150, length = 7,5 m	20900710*
ALU 150, length = 10,0 m	20900810*
ALU 150, length = 12,5 m	20900910*
ALU 150, length = 15,0 m	20901010*
ALU 150, length = 17,5 m	20901110*
ALU 150, length = 20,0 m	20901210*
ALU 150, length = 22,5 m	20901310*
ALU 150, length = 25,0 m	20901410*
ALU 150, length = 27,5 m	20901510*
ALU 150, length = 30,0 m	20901610*
ALU 150, length = 35,0 m	20901710*

*Straight exhaust rail ALU 150 incl. suspension brackets. For lengths > 50 m, please contact your Nederman dealer.

Extractor on rail

Accessory		Part No
	Exhaust trolley for fume extractor	20940210
	Rail stiffener (2 pcs), and angle profile (2pcs)	20373942
	Extractor top ø250	20940410