

# SAFETY DATA SHEET

## **MotorMan**

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT IDENTIFIER

Product NameMotorManProduct FormulaNEL1109

#### RELEVANT IDENTIFIED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

**Relevant Use** • Industrial general purpose degreaser.

SUPPLIER DETAILS • N

 Nelico, LLC 4192 Cabin Creek Road Casper, WY 82604 (307)262-4125 eric@nelicollc.com www.nelicollc.com

#### SECTION 2: HAZARD IDENTIFICATION

United States (US) - According to OSHA 29 CFR 1920.1200 Hazard Communication Standard

#### **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE**

**Hazard Classification** • Skin Corrosion/Irritation - 1C

Serious Eye Damage/Eye Irritation - 1

### **LABEL ELEMENTS**

Signal Word and Pictogram • Danger

Danger



#### **HAZARD STATEMENTS**

H318 Causes serious eye damage
H314 Causes severe skin burns and eye damage

#### **PRECAUTIONARY STATEMENTS**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fumes/gas/mist/vapour/spray.

SAFETY DATA SHEET **MotorMan** 

OAI ETT DATA GILLET	Motoriwan
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatment for active ingredient poisoning is required.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local, state, and federal rules.

### **OTHER HAZARDS** •





Chemical Identity	CAS	Percent Weight
Potassium Hydroxide	1310-58-3	<10
2-Butoxyethanol	111-76-2	<6
No other reportable hazardous materials.	N/A	

- **INHALATION** If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Call a physician immediately.
  - **SKIN** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician if irritation persists. Wash clothing before reuse.

<u>SAFETY DATA SHEET</u> MotorMan

• Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician if irritation persists.

**INGESTION** 

 Do not induce vomiting. Never give anything by mouth to an unconscious person. Dilute by drinking two large glasses of water. Call a physician immediately.

#### SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

**SUITABLE** • Use non-flammable or non-explosive extinguishing media.

SPECIFIC HAZARDS

No known unusual hazards in a fire/explosion situation.

SPECIAL PROTECTIVE ACTIONS FOR FIREFIGHTERS • In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

FOR NON-EMERGENCY • PERSONNEL

For non-emergency personnel, ventilate area of leak or spill and remove all
ignition sources. Wear appropriate personal protective equipment as required to
prevent any contamination of skin, eyes, and personal clothing. Isolate release
area. Do not touch or walk through spilled material unless wearing the
appropriate protective equipment. Keep unnecessary and unprotected
personnel from entering.

FOR EMERGENCY • RESPONDERS

For emergency responders, as an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

#### **ENVIRONMENTAL PRECAUTIONS**

ACCIDENTAL RELEASE • ENVIRONMENTAL

Stop leak if you can do it without risk. If possible, keep from entering into drains, surface water, or ground water. This product is biodegradable.

#### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

CONTAINMENT • AND CLEANUP

Contain and recover liquid when possible. Cover drains or cap spill when safe.
 Collect liquid in an appropriate container or absorb with an inert material (e.g. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Small spills may be flushed to the sanitary sewer with approval from local authorities.

#### SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

 Protect against physical damage. Store in a cool, dry well-ventilated location. Separate from incompatible materials.

**CONDITIONS FOR** 

• Protect against physical damage. Store in a cool, dry well-ventilated location. Separate

SAFE STORAGE AND **INCOMPATIBILITIES**  from incompatible materials.

#### **CONTROL PARAMETERS**

Chemical Identity	CAS	TLV
Potassium Hydroxide	1310-58-3	2 mg/m3
2-Butoxyethanol	111-76-2	50 ppm
No other reportable hazardous materials.	N/A	N/A

#### APPROPRIATE ENGINEERING CONTROLS

 Use adequate ventilation systems as needed to maintain air concentrations below occupational exposure standards.

### INDIVIDUAL PROTECTIONS MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

**EYE / FACE PROTECTION** 

· Chemical safety glasses.

**SKIN PROTECTION** 

· Nitrile gloves.

**RESPIRATORY PROTECTION** 

 None required for normal use. Use an approved NIOSH/MSHA air respirator where use may cause overexposure.

Appearance Clear, green liquid. Lower Limits Not available.

Odor Slight sweet odor. Vapor Pressure Not available. **pH** 13.4 neat Vapor Density Not available.

Melting Freezing Point Not available. Relative Density 1.10 g/ml

Initial Boiling Point Not available. Solubility Miscible with water.

Flash Point >200 F (TCC) Partition Coefficient Not available. Evaporation Rate Not available. Auto Ignition Temp Not available. Flammability Not flammable. **Decomposition Temp** Not available.

VOC (g/L) <48 g/L Viscosity Not available.

Reactivity No dangerous reaction known under conditions of normal use.

**Chemical Stability** Stable under normal temperatures and pressures.

Possibility of Haz Rxns · Will not occur.

**Conditions to Avoid** No unusual conditions.

**Incompatible Materials** Do not mix with strong acids or bases. Do not mix with any other chemical unless

instructed to do so by the manufacturer.

**Hazardous Decomposition** In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, soot, and smoke

may be produced.

<u>SAFETY DATA SHEET</u> MotorMan

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

**Acute Toxicity** No specific information available for mixture.

Skin Corrosion/Irritation No specific information available for mixture.

Serious Eye Damage/Irritation No specific information available for mixture.

Respiratory or Skin Sensitization No specific information available for mixture.

Germ Cell Mutagenicity No specific information available for mixture.

Carcinogenicity No specific information available for mixture.

Reproductive Toxicity No specific information available for mixture.

STOT Single Exposure No specific information available for mixture.

STOT Repeated Exposure No specific information available for mixture.

**Aspiration Hazard** No specific information available for mixture.

Target Organs Skin.

Routes of Entry Exposure Ingestion, inhalation, skin, eye.

#### POTENTIAL HEALTH EFFECTS

**INHALATION ACUTE** 

· May irritate or burn nose, throat and lungs.

INHALATION CHRONIC

Vapors or mists may aggravate pre-existing lung conditions.

**SKIN ACUTE** 

 May cause irritation or burns, redness, or severe pain. Prolonged exposure should be avoided.

**SKIN CHRONIC** 

• Sensitivity of the skin may occur with repeated, prolonged exposure. Scarring of tissue may occur. Permanent numbness or damage to nerve endings is possible.

**EYE ACUTE** 

 May irritate or burn eyes. Prolonged exposure to eyes may cause permanent damage and should be avoided.

**EYE CHRONIC** 

No data available.

**INGESTION ACUTE** 

• May irritate or burn gastrointestinal tract. Ingestion of large amounts may cause nausea, vomiting and diarrhea or may even be fatal.

**INGESTION CHRONIC** 

No data available.

#### SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** 

Not enough information on the mixture is available.

PERSISTENCE & BIODEGRADABILITY

• Not enough information on the mixture is available. The components of the mixture are determined as either readily biodegradable or inherently biodegradable. It is

BIOACCUMULATIVE POTENTIAL

Not enough infomation on the mixture is available.

**MOBILITY IN SOIL** 

· Not enough infomation on the mixture is available.

OTHER ADVERSE EFFECTS

Not enough infomation on the mixture is available.

#### SECTION 13: DISPOSAL CONSIDERATIONS

# DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an
appropriate and approved waste disposal facility. Processing, use or contamination
of this product may change the waste management options. State and local disposal
regulations may differ from federal disposal regulations. Dispose of container and
unused contents in accordance with federal, state and local requirements.

<u>SAFETY DATA SHEET</u> MotorMan

#### SECTION 14: TRANSPORT INFORMATION

**TRANSPORT** 

UN 1814, Potassium Hydroxide Solution, 8, PGIII

ENVIRONMENTAL HAZARDS

• None known.

SPECIAL PRECAUTIONS

None known.

#### SECTION 15: REGULATORY INFORMATION

#### SARA TITLE III INFORMATION

Chemical Identity CAS / CAT CODE PERCENT WT

Glycol Ethers N230 <6

### OTHER REGULATORY INFORMATION

- TSCA (Toxic Substance Control Act): All ingredients of this product are listed on the TSCA inventory.
- CARCINOGENICITY: Not listed by IARC, NTP, or OSHA.
- CALIFORNIA PROPOSITION 65: This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins which would be subject to the proposition.

#### SECTION 16: OTHER INFORMATION

Last Revision Date 07/26/2023

Date Prepared 07/26/2023

#### KEY TO ABBREVIATIONS

N/E = Not Established. CAS = Chemical Abstract Service. ppm = Parts Per Million g/L = Grams per Liter mg/m3 = milligrams per cubic meter

#### LIABILITY DISCLAIMER

• This SDS provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. THIS SDS MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, THIS SDS DOES NOT REMIT RESPONSIBILITY FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.