

GUA B.V. Retail Agreement for Shelby and other Supercharged Vehicles

These vehicles have been tuned by a professional technician using state of the art technology. A data base has been created of your trucks' engine capability, horsepower, performance ability and features.

Failure to follow and comply with the below requirements and guidelines can be easily detected and will void the customers warranty when detected.

FUEL

Dealer acknowledges that a fuel octane of **98 or higher** is recommended for the life of your supercharged vehicle.

<u>Do NOT</u> use less than 98 octane gasoline. Use of below 98 octane gasoline will cause engine damage and <u>WILL VOID</u> the GUA driveline warranty.

ENGINE BREAK-IN

Retail Customer or Dealer Initials: _____

Dealership acknowledges and understands they must follow the mandatory break-in procedure listed below. For the first 1500km- which includes ALL tests drives: DO NOT:

- Accelerate at Full Throttle
- Exceed 4,000 engine RPM
- Tow a trailer or create engine bind from pulling or towing
- Operate in/use cruise control.
- Failure to follow the guidelines can cause premature failure to powertrain components and will void the warranty.

SPECIAL INSTRUCTIONS / REQUIREMENTS

- Failure to follow required break-in instructions (including test drives-mentioned above) will void the warranty.
- All supercharged vehicles require premium gasoline with an octane rating of <u>98 or higher</u> when available.
- Fuel greater than <u>180-day</u> old fuel must be completely drained, to include fuel tank and lines. The tank must then be refilled with new 98 or higher-octane fuel before starting or driving the vehicle.
- **Do NOT** add octane booster to old fuel. The addition of octane booster will not bring the fuel octane quality to the standard requirement of the engine.
- Recommended first oil change at 1600 km then every 7500 km thereafter.
- Use ONLY Ford Motorcraft 5W50 synthetic oil.
- Supercharger Oil must be changed every <u>50.000 km or less</u>, using <u>Ford Motorcraft #XL-4 Supercharger Synthetic</u>
 <u>Oil.</u>
- Spark Plugs



- Avoid frequent Engine Switch On/Off to avoid Spark Plug Fouling.
- Exchange every <u>20.000 km</u> or less. It is imperative to follow the recommended ignition maintenance to achieve peak performance and not cause possible engine damage.
- o Reset gap to .028
- Use ONLY Ford Motorcraft Spark Plugs recommended by FORD for your truck year, model, and engine size.
 Again, reset to .028" gap.
- Air Filter should be cleaned using K&N Cleaning Kit or equivalent.
 - The air filter should be cleaned every 15000 km or less, depe used in. Dirt and dust are harsh on an engine; therefore, a clean, runctioning air filter is critical to the engines performance and life span.
- Modifying the hardware or software from Shelby/Tuscany/Fox/GUA B.V. original specifications will void the driveline warranty.
- Do not Switch Engine off Immediately after use. Let the Vehicle Idle for at leasst 30 seconds after use.
- During The Break In Period- NO Heavy Loads, Full Throttle or High RPM
- During the Break in Perios- Always Ensure Fluid levels remail full

Dealer understands and is aware of the Executive Order and if Dealer markets the product in violation of that Executive Order in applicable law, said dealer agrees to indemnify and hold harmless Fox, Tuscany, GUA B.V. and Shelby from all liability and damages.

They must have a completed & signed Shelby Supercharger Retail Purchaser Agreement returned to GUA B.V. for the driveline warranty to be in effect and valid. <u>Until GUA B.V. receives this Supercharger Agreement back signed by Dealer/customer, the driveline warranty will not be activated.</u>

If the Retail customer has a service issue and lives outside of your market area, please contact GUA B.V. at service@guautotrade.com and we will direct them to a local Servicing dealer.

No other verbal or written commitments from any GUA B.V. representative will supersede the above dealer acknowledgements.

By signing this form, you acknowledge, understand, and agree to the terms above.

Vehicle Identification Number:	
Shelby CSM Number:	
Mileage at time of Purchase:	
Purchaser Signature:	
Purchase Date:	
Purchaser Name: ***	
Purchase Address:	
Purchaser Email:	



Purchaser Phone Number:

Manner in which you want it to appear in the Shelby Certificate of Authenticity

