

SPIA Release History

Date	Version	History
07-02-2018	3.2.0.0	New features <ul style="list-style-type: none">• WalkTEMImporter/HGGWalktemImporter: Support for different gate time shifts and gate factors on hardware channels.• ESF import: Possibility to convert coordinates to different EPSG.• ESF import: Support units as column.• ESF import: Support for 'Line' as sounding separator.• ESF import: Prompt user for TxArea and RxArea if they do not exist in data file.• ESF import: Support for several '&' separated header lines. Corrected bugs <ul style="list-style-type: none">• Inversions labelled 'final' could not be exported to csv file and image.
03-01-2018	3.1.0.0	New features <ul style="list-style-type: none">• Entering a coordinate in lat-long format will now only change EPSG if no EPSG has been set for the project.• EPSG selector is moved to the project node.• Changing the EPSG will trigger a recalculation of UTM coordinates for the entire project.• USF importer: It is assumed that ChannelNo =1 if '/Channel' doesn't exist. Corrected bugs <ul style="list-style-type: none">• TEM: If project has two or more datasets could give an range check error when selecting stations.• DC import: Do not allow import of lines with same combination of MN and AB/2 (gives error in Wenner correction).
03-11-2017	3.0.2.0	New features <ul style="list-style-type: none">• If project contains EPSG, also show it for stations where UTM coordinates are not set. Corrected bugs <ul style="list-style-type: none">• Improved handling of temporary files to avoid occasional I/O errors and '.emo/.fwr files not found' errors.• DC: UTM coordinates were not loaded for Schlumberger projects.• Do not allow setting UTM coordinates without choosing an EPSG.• USF importer: Bugfix for import of data without coordinates.
27-10-2017	3.0.1.0	Corrected bugs <ul style="list-style-type: none">• EPSG bugfix for databases without coordinates.• Backwards compatibility for older databases without Field Polarity information.
25-10-2017	3.0.0.0	New features

- Support for all EPSG coordinate reference systems (in meters)
- Update of ribbon user interface including hints.
- Significant speed-up in load of projects.
- It is now possible to invert using L1 norm ('Blocky' mode) instead of L2 norm.
- Possibility to use external start model.
- DC: Support for import of different configurations (Schlumberger, Wenner, dipole-dipole, and general). Only one type of configuration per project is allowed.
- TEM: Copy sounding feature (all channels, without models).
- TEM: Possibility to move GPS position (defined by a distance in meters and a direction).
- Last used inversion settings will be saved and used for creating start model for next inversion.
- Possibility to export model as image or CSV file.
- Rebuild of database feature.
- ESF TEM: It is now possible to import and invert X and Y components.

Corrected bugs

- ABEM WalkTEM importer: Fixed a bug in sorting of stations.
- DC: Models did not have UTM coordinates and could not be seen in Workbench.
- TEM: Do not run spike filter if segment has less than 10 sweeps.
- In some cases, changing the STD of data points would not be written correctly in the database.
- Collapsed/expanded status of nodes in the tree would not be remembered.
- Fixed a bug in automatic renaming of nodes when using Signal/Noise functionality.
- Protem Importer: Sweeps with zero current are now always labelled as noise.
- Protem Importer: First sweep in segment would always be labelled as noise.

24-05-2017 2.3.1.0

New features

- Executables are digitally signed and timestamped to aid users and virus-scanners verify their authenticity.

Corrected bugs

- Exported dat and syn files did in some cases not contain the correct data.

22-05-2017 2.3.0.0

New features

- HGGWalkTEMImporter: Possibility to split data from different hardware channels in different soundings.
- HGGWalkTEMImporter: CoilAmpGains are no longer read from the ini file, but directly from the data file.
- ProtemImporter: Support more channels in Protem47 mode.

SPIA Release History

- Possibility to not automatically disable negative data during inversion (DisableNegativeDuringInversion=No in [em1div] section in SPIAConfig.ini).

Corrected bugs

- HGGWalkTEMImporter: Allow negative offsets on Rx.
- Bugfix for normalization of data where hardware channels 0 and 1 uses different Gains.

14-03-2017 2.2.0.0

New features

- Improved start resistivity for DOI calculations when running simple inversions

Corrected bugs

- A bug in the spike filtering of raw data would cause too much raw data to be disabled.
- Corrected some labels in export files.
- ESF Importer: Imported data containing dummy values could not be inverted.

09-11-2016 2.1.3.0

Corrected bugs

- Stations containing inversions could not be deleted.
- Changing smoothness in dropdown for Standard Inversion did not have any effect on the inversion result (smoothness was always 'Normal').
- Warning that TxArea is not found in database when showing inversions would be shown multiple times.
- Bugfix in load of frontgate
- HGGWalkTEMImporter: Optimize filter settings on import.

26-10-2016 2.1.2.0

Corrected bugs

- Charts were drawn incorrectly in model reports.
- Corrected wrong channel info in model reports.
- Models with depths > 1000 m were plotted incorrectly.
- If inversions were performed before setting an EPSG for the project, models could not be imported into Aarhus Workbench.
- STDs were plotted as too large on data in RhoA (graphical error only).
- ESF importer: Keywords are now case insensitive.

18-10-2016 2.1.1.0

Corrected bugs

- Removed warning that preferences cannot be saved for non-admin users.

17-10-2016 2.1.0.0

New features

- Allow mixed Offset Loop/Central Loop configurations and inversion.
- Sign on data can be seen by checking 'Show Sign' on Data View tab.
- Stacked data points for gates where all raw data is off are no longer visible/selectable on plot.
- Raw data in use flags are no longer affected by changing stacked data in use flags.

SPIA Release History

- New select tool: Select all points for all series within a box.
- Display position of mouse on data charts.
- Support for plotting multiple channels or models.
- Front gate time is shown with channel info.
- Receiver position is shown and may be altered in channel info.
- Include channels for inversion functionality moved from Preferences to Inversion tab.
- Model info moved to new Model tab which becomes visible when a model is selected.
- Support for up to 12 channels.
- Support for connection to license server through proxy server.
- Possibility to flip data sign for a channel using 'Flip Sign' on Data View tab.
- Possibility to convert a noise channel to a data channel and vice versa using 'Signal/Noise' on Data View tab.
- Possibility to enter coordinates in UTM format.
- Possibility to open importers from SPIA and import raw data into an existing project.
- F1 online help.
- New Importer: ESF/Amira format can now be imported.

Corrected bugs

- Improved rendering quality of charts in pdf reports.
- Model colors now match channel colors.
- When changing between soundings, selected channels is no longer reset.
- First gate time would sometimes be wrong in channel info.
- Do not reset zoom level when points are toggled on/off.
- USFImporter: Save log file to disk. More useful error messages.

08-01-2016 2.0.2.0

Corrected bugs

- Fixed an importer bug.

14-12-2015 2.0.1.0

Corrected bugs

- Fixed a bug in the automatic update of Firebird.

10-12-2015 2.0.0.0

Note: Firebird 2.5 is required from this version.

New features

- A channel can be drag-dropped into a different station. If channel number does not already exist, the channel is moved. If it exists, the raw data from the two channels is stacked in case the two channels have the same gate times, current, and repetition frequency. Otherwise the channel is assigned a new number and moved. Undo-button for drag-drop is located in the Tree-tab.
- 'Select Series' tool added as a Chart Functionality under the Data View tab. Used for enabled/disabling points in an entire sweep.

SPIA Release History

- Axes on model plots for all station models may be set in Preferences.
- Online help (F1) enabled.
- New Project functionality enabled.

Corrected bugs

- Splitter between sub-windows enabled.
- Improved design of Preferences.
- Do not change axes for model plots when entering/leaving edit mode.
- In some cases it was possible to start several inversions at the same time, which caused an error.
- Not all channels were imported when using the import functionality.

12-05-2015 1.2.3.0

Corrected bugs

- Fixed a bug in the importers that could cause data without frontgates to fail to import

06-05-2015 1.2.2.0

New features

- The Borland Database Engine (BDE) has been replaced by the InterBase Data Access Components (IBDAC) in all instances. It should no longer be necessary to have the BDE Information Utility installed in order to run SPIA-TEM.
- On inversion, SPIA-TEM would sometimes report an em1div error with a missing error file. The inversion folder is now copied to the work directory and a message is shown asking the user to attach the files to the error report

Corrected bugs

- Resistivity/Depth textbox no longer accepts illegal characters

23-04-2015 1.2.1.0

Corrected bugs

- Added files that were missing in the update package

22-04-2015 1.2.0.0

New features

- Improved SPIA-TEM performance significantly for workspaces with a high node count.
- USF-Importer will now perform Frontgate-filtering before importing from USF-file to GERDA.
- Importers now store their own name and version with SPIA-TEM data.
- Importer name and version are now displayed in the info sheet if available in the given dataset
- Changed the way stations are named in HGGWalkTEMImporter so that they are easier to correlate with field notes
- The error message box that appears when running an inversion with too few enabled points has been changed
- Default DOI value changed from 500m to 800m in the SPIAConfig.ini

Corrected bugs

SPIA Release History

- The Import functionality under the File tab should now operate correctly. Refer to the manual for information on how it works.
- Fixed a bug where models would not update their coordinates when the station coordinates were changed
- Recording Time should now be displayed correctly in the info tab when a sounding is selected
- 'Data points in use' should now update correctly on the info sheet when setting points in use / not in use
- Fixed a bug that would sometimes cause the wrong node to be shown with the Show Location button

25-02-2015 1.1.5.0

New features

- Manual can now be opened from the starting window
- Release History can now be opened from the starting window

Corrected bugs

- WalkTEMImporter: Fixed a problem that occurred if the user was pointing to an import folder with empty subfolders
- SPIA-TEM: Fixed compatibility with database files created using an old importer

16-01-2015 1.1.4.0

Corrected bugs

- WalkTEMImporter: Fixed an issue preventing longer measurement times than 65535 μ sek.
- WalkTEMImporter: A log file is now written if an error in converting the files occur. The version no. can be find in this log file.

28-11-2014 1.1.3.0

New features

- The minimum number of points per channel required for an inversion can now be set in SpiaConfig using MinPointsPrChannel.

Corrected bugs

- Fixed an issue that caused SPIA to incorrectly return a 'Please Report..' error when trying to run an inversion with no TEM files. This now yields a simple error message.

04-11-2014 1.1.2.0

New features

- Front gate time may be included in inversion.

Corrected bugs

- WalkTEMImporter: Current was not imported correctly for sps files with very few lines.

13-10-2014 1.1.1.0

New features

- STDs cannot be changed in Raw data view. These have never been used, since the stacked STDs are generated from the averaging of the sweeps.
- License may now be unregistered without opening a database.

Corrected bugs

- Instrument mode: Tree was partly visible.

27-08-2014 1.1.0.0

New features

- Negative data are always removed when inverting data. If negative data is removed, it can be seen in the project log (File -> Show Project Log).
- Lines in data plot may be turned on/off using a checkbox under Data View -> Data Transforms.
- Possibility to correct for CoilAmpGains entered wrong when measuring.
- First gate time shown in metadata is now the first gate that may be used for inversion, instead of the actual first gate in measurement.
- Logo may be added to Model Reports by giving a path to the logo in the inifile or under File -> Preferences..
- Model Report settings may be changed under File -> Preferences.
- Database engine changed from BDE to IBDAC.

Corrected bugs

- When changing coordinates, new GPS position was not saved correctly in model tables in database after inversion.
- Instrument mode: Show layered model instead of smooth model.
- Instrument mode: Residual, DOI and number of layers was disappearing when switching between data and model views.
- Instrument mode: Buttons on WalkTEM did not work properly in SPIA-TEM.
- WalktemImporter: Southern hemisphere GPS coordinates now imported correctly.
- WalkTEMImporter: When the number of shots was the same for high and low moment, the correct current could not be identified from the sps file(s).

29-04-2014 1.0.1.19

New features

- Installer: Do not install Borland Database Engine and Firebird if these are already installed.
- Possibility to add TXRampLM and TXRampHM in inifile and use these for waveform generation instead of generating from RampTimeOn, RampTimeOff and repetition frequency.
- Disabled data points with no value are printed as 999 instead of NaN in .tem files.
- Show lines between data points on charts.

Corrected bugs

- Bugfix in Walktem Importer to make the WUI-Importer-SPIA-TEM workflow function properly on the instrument.
- Data point total and in use are not shown on station level.
- Bugfix for transmitter loop areas different from 1600.
- Bugfix for model report functionality: Some soundings were duplicated in the pdf report.

SPIA Release History

		<ul style="list-style-type: none">• Bugfix for model report functionality with very large datasets.
02-04-2014	1.0.1.18	Corrected bugs <ul style="list-style-type: none">• Graceful error message when trying to invert negative data.• Fixed bug when opening recent projects with long names containing ‘(...)’ in the display.
01-04-2014	1.0.1.17	Corrected bugs <ul style="list-style-type: none">• Improved general performance and smoothed out a few hiccups
31-03-2014	1.0.1.16	Corrected bugs <ul style="list-style-type: none">• Fixed behaviour ‘View Manual’ and ‘View Release History’ buttons
31-03-2014	1.0.1.15	Corrected bugs <ul style="list-style-type: none">• PDF model reports should now work correctly for all OS and screen resolutions
07-03-2014	1.0.1.14	New features <ul style="list-style-type: none">• Possibility to create PDF model reports for a single station, or for all stations in the project with the same edition label. <i>Known issue: model report does not work properly for selected OS/screen resolutions. Work in progress!</i>• Possibility to disable selected channels during inversion for all stations in a project. Corrected bugs <ul style="list-style-type: none">• Saving corrected GPS coordinates working again.• Optimization of tree update after inversion and enabling/disabling points.• Edit mode for advanced inversion stabilized.
19-12-2013	1.0.1.13	Corrected bugs <ul style="list-style-type: none">• Fixed an issue causing ‘Floating point division by zero’ during auto-processing of data with very small stack sizes.• Fixed some issues causing errors for databases with no GPS information.• Fixed issue causing only channels with channel number < 4 to be inverted.
09-12-2013	1.0.1.12	Corrected bugs <ul style="list-style-type: none">• Fixed bug caused by nonadmin users not having write access to C:\Program Files.
20-11-2013	1.0.1.11	New features <ul style="list-style-type: none">• Colors on data and model plots can now be set via RGB values in SPIAConfig.ini• Stack size is now shown as metadata Corrected bugs <ul style="list-style-type: none">• Much better handling and display of errors from inversion code• Tree navigation optimized – much faster now• Proper formatting of values in model output grid

SPIA Release History

- Check for updates has been moved to program startup, and there is now a progress bar showing download progress
- STD on noise channels is set to the uniform STD

02-10-2013 1.0.1.10

Corrected bugs

- Fixed error in modfile which caused all inversion to crash
- Fixed plot error showing up for selected negative GateTimeShifts

30-09-2013 1.0.1.9

Corrected bugs

- Edition label bug fixed.

20.09.2013 1.0.1.8

Corrected bugs

- SPIA-TEM now works properly without internet connection.
 - WalkTEMImporter does now not crash on negative GateTimeShift in the inifile.
-