

# Floor 4u2c

## BRAND STORY

### INSPIRING INDUSTRY WITH OUR ACHIEVEMENTS

Nothing was done in rush.

we were clear since our inception that essence should lead the way of the ceramic industry. And therefore, ardUOUS efforts were put in at every stage.

What we are today is a result of the blood and sweat we have invested in our past. we are extremely proud of the fact that today essence is a synonym for ultra fine high quality products. Be it our most advanced technology.

Our flexible ways of working, professionalism or our ability to build trust amongst our channel partners and customers, all have contributed to what essence is today.

### GLAZED PORCELAIN

80x80cm

Collection 2024

External homes, an unimaginable journey that brings lots of inspiration and success. We have learned & earned lots of things that shaped our success journey. With our research and development our design help us to stand above in the market and lead the growth.

We served our customers with artistic and modern design tiles that meet their demands and enhance their values in the architect and construction sectors. We build ideas, test them, and observe the required results to achieve things after fully understanding the needs of our customers. And because of this, each department at our company has worked hard to establish itself in the market.

In an era of modern world, people want Inspirer bath space design that become center of attraction and perfectly fit as a luxury craft. A stunning collection for your bath space that provides a seamless experience. We bring inspiration for our product designs from nature, which makes them more beautiful and gorgeous in every way.

In 2017, Essence Tiles created the brand Eternal Tiles with the goal of offering the entire world high-quality and long-lasting ceramic solutions. Eternal Tiles was created by pioneers and is now regarded as one of the most reliable and reputable names in the gulf nations.

its beginnings. Mostly our products are Worm Gear Motor, Helical Gear Motor, Cam Index Device, Varitor Gear, Cycloidal Gear, Three Phase Electric Motor, and Brake Motor which are imported around the world.

The international team of WINER GROUP, which has 25 years of experience in the production of ceramics, introduces a new brand of ENNFACE porcelain stoneware tiles to the Russian market. ENNFACE is an amalgamation of modern manufacturing techniques and European design created in collaboration with Creative wave. ENNFACE is the face of European ceramics. The desire for a natural and ecological space inspired to focus on matte and structured surfaces that faithfully reproduce natural counterparts and reflect the main trends of the ceramic market. In partnership with Italian designers, the WINER GROUP team has achieved perfect solutions in textures and surfaces, flawless shades and the required number of faces.

# Floor 4u2c

## INSPIRATIONAL ART

If you want to create a room that looks like a one-of-a-kind work of art, the series provides some wonderful inspirations for [you.essencetiles.com](http://you.essencetiles.com)



80x80cm  
Wall & Floor  
Application



Porcelain Tiles  
**Glazed**  
80x80cm

BIANCO STONE


Polished ———



Random 3

Wall Application ———

Floor Application







Glazed



Floor Application  
**CARRARA GREY**

80x80cm

Porcelain Tiles

Polished



Random 3

Wall Application

Floor Application





Glazed



Floor Application



CLOUDY SKY

80x80cm

Porcelain Tiles


Polished



Random 5

Wall Application

Floor Application







Glazed



Floor Application



COSMIC MARBLE

80x80cm

Porcelain Tiles

Polished



Random 5

Wall Application

Floor Application



Glazed



Floor Application







**Floor 4u2c**

← **80x80cm**  
**CREMA MARFIL**  
**Polished**





Glazed

CREMA MARFIL

80x80cm

Porcelain Tiles


Polished



Random 4

Wall Application

Floor Application







Glazed



Floor Application



EVA CARRARA

80x80cm

Porcelain Tiles

Polished



Random 7

Wall Application

Floor Application







Glazed



Floor Application



IRTYSH WHITE

80x80cm

Porcelain Tiles

Polished



Random 4

Wall Application

Floor Application







Porcelain Tiles




Glazed



Floor Application  
**METRAS BIANCO**

80x80cm

Polished



Random 5

Wall Application

Floor Application







Glazed



Floor Application



**METRAS CREMA**

80x80cm

Porcelain Tiles

Polished



Random 5

Wall Application

Floor Application








Glazed

ONYX CREMA

80x80cm

Porcelain Tiles

Polished



Random 5

Wall Application





Glazed



Floor Application



PEARL SATUARIO

80x80cm

Porcelain Tiles

Polished



Random 3

Wall Application

Floor Application







Glazed

Porcelain Tiles


Polished \_\_\_\_\_

1

		Floor	
		Application	

**SUPER WHITE**

80x80cm



Wall Application





80x80cm



SATUARIO

CLASSICO






Glazed

Polished  
SATUARIO  
CLASSICO

80x80cm

Porcelain Tiles

Polished



Random 5

Wall Application

Floor Application







Glazed



Floor Application




WHITE MARFIL

80x80cm

Porcelain Tiles

Polished



Random 6

Wall Application

Floor Application








Glazed


80x80cm

ESSENCE BIANCO




Porcelain Tiles

Matt



Wall Application

Floor Application







# Random 5




Floor Application



## ESSENCE GREY

Porcelain Tiles  
G|  
80x80cm



Floor Application



Wall Application

Floor Application










Random 1

PRIMA DEYAR  
80x80cm

Glazed  
Porcelain  
Matt Tiles



Floor  
Application



80x80cm  
PRIMA DEYAR Matt





[www.essencetil.com](http://www.essencetil.com)

Glazed  
Porcelain  
Tiles

Matt ———

Wall Application

STELETON STILL GREY  
80x80cm



Random 4



# Floor 4u2c

www.floor4u2ccom

## TECHNICAL SPECIFICATIONS 80X80CM

DESCRIPTION		TEST	BS EN ISO 10545-17		A L U E	m m 3	
Length and width		Thickness	NOMI NAL SIZE			7	
Straightness of sides		Rectangularity	80X80cm			x	
Surface flatness			ISO STANDARD 13006 Bla TILES		±	1	
Water absorption		Breaking strength	± 0.6%		0	0	
Modulus of rupture					.	6	
		Resistance to deep abrasion	± 0.5%		3	0	
Linear thermal expansion			± 0.6%		%		
Thermal shock resistance			± 0.5%		±	c	
		Frost resistance	0.5%		0	1	
Resistance to chemicals			1300N		.	N	
Resistance to stain			35 N/mm2		3	o	
Colour resistance			175mm		%	v	
		Colour resistance to UV Light			±	i	
		Scratch hardness(MOH's Scale)	No visible defect		0	s	
		Surface quality	Frost proof		.	i	
		Skid resistance (friction co-efficient)	No visible effect		3	b	
Moisture Expansion			Manufacturer to state class No		%	l	
PACKING DETAILS			damage		0	e	
SR. NO.		PRODUCT	No change in color		5	d	
		GPT	6 MOHS		%	e	
TEST METHOD			Min. 95%		1	f	
BS EN ISO 10545-2 BS EN ISO 10545-2 BS EN ISO 10545-2 BS EN ISO 10545-2 BS EN ISO 10545-2			> 0.4		5	e	
			Nil		0	c	
					0	t	
BS EN ISO 10545-3 BS EN ISO 10545-4					N	F	
BS EN ISO 10545-4 BS EN ISO 10545-6 BS EN ISO 10545-8 BS EN ISO 10545-9 BS EN ISO 10545-12 BS EN ISO 10545-13			THICNESS		4	r	
			0.9 cm		5	o	
BS EN ISO 10545-14			TILES PER BOX		/	s	
			3		m	t	
BS EN ISO 10545-16			F		m	p	
			L		2	r	
		DIN 51094	A		1	o	
		EN 101	I		5		
BS EN ISO 10545-2			S		0		
			V				



o  
f  
No visible effect  
Stains removed  
M  
i  
n  
.  
C  
l  
a  
s  
s  
2

N  
o  
d  
a  
m  
a  
g  
e  
N

o  
c  
h  
a  
n  
g  
e

i  
n  
c  
o  
l  
o  
r  
7  
M  
O  
H  
S  
No visible defect

N  
i  
l  
  
C  
O  
V  
E  
R  
A  
G  
E  
A  
R  
E  
A

1.92 Sq. Mtr.

[www.floor4u2c.com](http://www.floor4u2c.com)

