

# MIEUX

## Engineered for Excellence

We believe homes are more than just structures, they're reflections of dreams, aspirations, and the lives we build within their walls, Mieux is committed to enhancing these spaces to perfection.



Connect with us : [enquiry@themieux.com](mailto:enquiry@themieux.com)  
Visit us at: [www.themieux.com](http://www.themieux.com)





BS EN 15828 Certified

BS EN 15939 Certified



10 Years Functional Warranty

03 Years Surface Warranty

No question asked Replacement

Ergonomically Designed  
Modular Fit In globe standard  
Effortless Design Integration



Heavy-Duty Strength

Resilient Resilience

Exquisite Finish

Flush Mount

Frictionless

Seamless



BS EN ISO 9227 Tested



# Shutter Door Hinges

# MIEUX



- Hinge with engineered closing mechanism meant for long lasting cycles.
- Open Angle: 105 Degree
- Door thickness range: 14-20 mm
- Diameter of Hinge cup : 35 mm
- Depth of Hinge cup: 11.6 mm
- Cup Drilling Distance: 3-7 mm
- Tested and certified for 40,000 cycles
- Material: Colled rolled steel , Premium Nickel Plating for lasting shine.
- Hydraulic clyinder mechanism tested for 60000 cycles

## Regular Hinge

Weight -110 gms

0 | Crank MRP 99/-

8 | Crank MRP 104/-

16 | Crank MRP 109/-

Finish - Nickel Plated  
Shutter Plate - 2 Hole

## Soft Close Hinge\_WOC

Weight -160 gms

0 | Crank MRP 145/-

8 | Crank MRP 155/-

16 | Crank MRP 165/-

Finish - Nickel Plated  
Shutter plate - 4 Hole

## Soft Close Hinge\_with Clip


Weight -220 gms

0 | Crank MRP 169/-

8 | Crank MRP 179/-

16 | Crank MRP 189/-

Finish - Nickel Plated  
Shutter Clip - 4 Hole



# Drawer Channels

# MIEUX



- Full extension Channel – 3 arm with soft closing mechanism.
- Slide Width 45 mm.
- Available sizes 250 mm – 500 mm.
- Dynamic load capacity upto 40 kgs.
- Standard and adjustable drill slots.
- Tested and certified for 60000 cycles.
- Material: Cold rolled steel.
- Electrophoresis zinc plating finish.

## Regular Channels

Weight -60 gms per inch

10" | 250 mm Depth

MRP 350 /-

12" | 300 mm Depth

MRP 420 /-

14" | 350 mm Depth

MRP 490 /-

16" | 400 mm Depth

MRP 560 /-

18" | 450 mm Depth

MRP 630 /-

20" | 500 mm Depth

MRP 700 /-

3 Ball Bearing Clip

## Soft Closing Channels

Weight -60 gms per inch

MRP 550 /-

MRP 660 /-

MRP 770 /-

MRP 880 /-

MRP 990 /-

MRP 1100 /-

3 Ball Bearing Clip  
Single Spring Soft Closing

