

**GOGEBIC COUNTY ROAD COMMISSION**  
**2026 WEST END: PULVERIZING AND HMA PAVING SERVICES BID**

Bid of \_\_\_\_\_ (hereinafter called "BIDDER"), organized and existing under the laws of the State of \_\_\_\_\_ doing business as \_\_\_\_\_\*, to the Gogebic County Road Commission (hereinafter called "OWNER").

In compliance with your Advertisement for Bids, BIDDER hereby proposes to perform all work for the construction of **2026 West End: Pulverizing and HMA Paving Services Bid** in accordance with the Contract Documents, within the time set forth herein, and at the prices stated below.

**1. NOTICE TO BIDDERS**

**GCRC Bidding Instructions**

The intent of the bid is to include all mainline paving projects scheduled for work in Gogebic County. This includes areas of pulverizing and paving mainline roads that the road commission intends to complete in 2026. All work described below (including Measurement and Payment) shall be as described in the MDOT "2020 Standard Specifications for Construction" (Standard Specifications), except as modified herein.

Additional projects may be added to the proposal by the road commission as they arise throughout the summer. Negotiated cost will be agreed upon prior to any additional work being completed.

Successful Bidder shall execute the Contract for Construction of a Small Project with the GCRC, attached. Including insurance requirements, performance bond, payment bond, etc...

**2. DESCRIPTION OF WORK (If different than the Standard Specifications)**

**Machine Grading, Modified**

The work shall be completed in accordance with section 205 of the Standard Specifications for Construction. Except grading depth is expected to be 6 inches deep.

**Approach, Special, Class II, 3 Inch**

The work shall be completed in accordance with section 205 of the Standard Specifications for Construction. Except provide special gravel to match existing driveway material as directed by Engineer.

**HMA, Approach**

The work shall consist of HMA, Approach for paved intersections and driveway along project. The work shall be completed in accordance with section 501 of the Standard Specifications for Construction. Driveways shall be paved in one (1) course at depth equal to existing but no greater than 2.5 inches total. Intersections shall be paved in two (2) courses at a depth of 3 inches minimum. Overlays shall be paved in one (1) course at 2 inches total.

HMA driveways shall be sawcut at 6' from edge of metal. Roadway intersections shall be sawcut within 25' of edge of metal. As directed by Engineer.

**HMA, 4EL**

The work shall consist of HMA, 4EL as shown in the typical sections and per the 2020 MDOT Standard Specifications. The work shall begin at Station 0+00 and run the entire length of the project. The work shall be completed in accordance with section 501 of the Standard Specifications for Construction. Refer to Special provision for Local Paving Project as attached.

1. For mainline paving projects – HMA application rate shall be per Projects Plan paid by tons.
2. For overlay projects – HMA application rate shall be single lift at 220#/syd total paid by tons.
3. Performance Grade Asphalt shall be PG 58-28
4. Air Voids per MDOT Special Provision for Local Agency Projects 20SP-501I-01.

### **Manhole Adjust, Modified**

The work shall be completed in accordance with section 403 of the Standard Specifications for Construction; except the manhole chimney rings will be supplied by the Owner.

### **Water Valve Adjust, Modified**

The work shall consist of Water Valve Adjust, Modified as shown in the typical sections. The work shall be completed in accordance with section 823 of the Standard Specifications for Construction. Except the owner will supply the water valve riser material.

### **Maintaining Traffic, Minor Traffic Devices, Traffic Regulator Control, and Signage**

Contractor shall be responsible for maintaining traffic, minor traffic devices, traffic regulator control and signage for the Contractor operation. Advance warning signage shall be in accordance with MDOT specification for lane closure or as authorized by the Engineer. Traffic Regulator Control shall be provided during the operation of work with minor traffic devices used during construction and after working hours to provide safe travelable roadway for the public.

## **3. PROGRESS CLAUSE**

After award, start work on the date approved by the Engineer, which must be no earlier than **June 15, 2026**. In no case may any work be commenced prior to receipt of formal notice of award by the Engineer.

The approved low bidder(s) for the work covered by this proposal will be required to participate in a pre-construction meeting with local agency owner and/or department representatives to work out a detailed progress schedule. The Gogebic County Road Commission will arrange the time and place for the meeting.

No work shall be allowed onsite from 3:00 p.m. Thursday, July 2 through 6:00 a.m. Monday, July 6, 2026. Also, no work allowed from 3:00 p.m. Friday, September 4 through 6:00 a.m. Tuesday, September 8, 2026.

**Final completion date September 25, 2026.**

Liquidated damages will be assessed at a rate of \$600 per Calendar Day if the above detailed milestone is not met.

## **4. METHOD OF MEASUREMENT AND PAYMENT**

Measurement and payment shall be on the basis of the measured square yard, load ticket tonnage or lump sum quantities. The contractor shall measure the area with the Road Commission and submit an invoice for agreed quantity upon completion of all work.

## **5. BID DEADLINE**

Sealed bids for the 2026 West End: Pulverizing and HMA Paving Services will be received by the Gogebic County Road Commission, Courthouse Annex, Bessemer, MI 49911 until **10:00 a.m., central time on Wednesday, March 18, 2026**. All bids shall be publicly opened and read aloud at said office at that time.

The BIDDER agrees to perform all described work in the Contract Documents for the following unit and/or lump sum prices. The BIDDER further agrees that the unit and/or lump sum prices include the furnishing of all labor, materials, tool, equipment, utilities, transportation, taxes, fees, etc., required to complete the work in strict accordance with the Contract Documents.

By submission of this Bid, each party thereto certifies as to his/her own organization, that this Bid has been arrived at independently, without consultation, communication or agreement as to any matter relating to this Bid with any other Bidder or with any competitor.

The Board reserves the right to reject or accept any bid or all bids or to waive irregularities and to accept any bid that, in the opinion of the Board, is to the best interest and advantage of the County of Gogebic. The successful bidder shall comply with and execute the attached Contract for Construction of a Small Project and its associated documents with the GCRC.

The BIDDER acknowledges receipt of the following Addendum(s):

The BIDDER agrees to perform all described work in the Contract Documents for the following unit and/or lump sum prices. The BIDDER further agrees that the unit and/or lump sum prices include the furnishing of all labor, materials, tool, equipment, utilities, transportation, taxes, fees, etc., required to complete the work in strict accordance with the Contract Documents. The quantity shown in the Bid Schedule is an estimated minimum.

**BID SCHEDULE**

**A) VANDERHAGEN ROAD (Ironwood Township).** *Pulverize, 3" HMA, shoulders and approaches*  
 Sta 0+00 to 53+66 (North side of Sunset Road intersection to south side of North Star Road intersection)

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
HMA BASE CRUSHING AND SHAPING	15,510	Syd	_____	_____
APPROACH, CL II, 3 INCH	180	Syd	_____	_____
SHOULDER, CL II, 3 INCH	2,390	Syd	_____	_____
HMA SURFACE, REM	210	Syd	_____	_____
HMA, APPROACH	40	Ton	_____	_____
HMA, 4EL	2,170	Ton	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
MOBILIZATION	1	Lsum	_____	_____
<b>TOTAL BID (Vanderhagen Road)</b>				_____

**B) SNOW STRASSE LANE (Ironwood Township)** *4" HMA, shoulders and approaches.*  
 Sta 0+00 to 7+30 (west of Powderhorn Road intersection to west of Musket Court)

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
MACHINE GRADING, MODIFIED	16	STA	_____	_____
APPROACH, CL II, 3 INCH	240	Syd	_____	_____
SHOULDER, CL II, 3 INCH	330	Syd	_____	_____
HMA, APPROACH	60	Ton	_____	_____
HMA, 4EL	400	Ton	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Snow Strasse Lane)</b>				_____

**C) OLSON ROAD (Ironwood Township) Pulverize and grade**  
 Sta 0+00 to 43+40 (from Junet Road north to end of HMA)

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
HMA BASE CRUSHING AND SHAPING	12,540	Syd	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Olson Road)</b>				_____

**D) BEAGLE CLUB ROAD (Ironwood Township) Pulverize and grade**  
 STA 0+00 to 53+60 (west Lake Road to Lookout Lane intersection)

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
HMA BASE CRUSHING AND SHAPING	15,490	Syd	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Beagle Club Road)</b>				_____

**E) JOHNSON ROAD (Wakefield Township) Pulverize, 3" HMA, shoulders and approaches**  
 STA 0+00 to 99+00 (South side of Hopkins Road intersection to east side of CR519N intersection)

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
HMA BASE CRUSHING AND SHAPING	28,600	Syd	_____	_____
APPROACH, CL II, 3 INCH	600	Syd	_____	_____
APPROACH SPECIAL, CL II, 3 INCH	30	Syd	_____	_____
SHOULDER, CL II, 3 INCH	4,400	Syd	_____	_____
HMA SURFACE, REM	330	Syd	_____	_____
HMA, APPROACH	60	Ton	_____	_____
HMA, 4EL	4,000	Ton	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Johnson Road)</b>				_____

**F) PRESQUE ISLE STREET (Marenisco Township) Aggregate base, pulverize, 3" HMA, shoulder and approaches**  
 STA 0+00 TO 13+20

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
HMA BASE CRUSHING AND SHAPING	3,520	Syd	_____	_____
AGGREGATE BASE	260	Ton	_____	_____
APPROACH, CL II, 3 INCH	460	Syd	_____	_____
SHOULDER, CL II, 3 INCH	590	Syd	_____	_____
HMA SURFACE, REM	30	Syd	_____	_____
HMA, APPROACH	10	Ton	_____	_____
HMA, 4EL	490	Ton	_____	_____
Curb Slp, HMA	340	Foot	_____	_____
Manhole Adjust, Modified	3	Each	_____	_____
Water Valve Adjust, Modified	1	Each	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Presque Isle Street)</b>				_____

**G) STUBBEN STREET (Marenisco Township) 2" HMA overlay and aggregate shoulder**  
 STA 0+00 TO 11+72

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
SHOULDER, CL II, 3 INCH	530	Syd	_____	_____
HMA, 4EL	490	Ton	_____	_____
Manhole Adjust, Modified	3	Each	_____	_____
Water Valve Adjust, Modified	1	Each	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Stubben Street)</b>				_____

**H) MARENESCO CEMETERYS (Marenisco Township) 2" HMA overlay and aggregate shoulder**  
 North and South Cemetery loops

ITEM DESCRIPTION	APPROX QUANTITY	UNIT	UNIT PRICE	BID AMOUNT
MOBILIZATION	1	Lsum	_____	_____
SHOULDER, CL II, 3 INCH	1,140	Syd	_____	_____
HMA, 4EL	350	Ton	_____	_____
MAINTAINING TRAFFIC	1	Lsum	_____	_____
<b>TOTAL BID (Marenesco Cemeterys)</b>				_____

**TOTAL BID ITEMS A – H (Basis of Award)**

\_\_\_\_\_

The BIDDER declares that he/she has carefully examined the Contract Documents for the Project. The BIDDER declares, by submission of the Bid that the Bid is made according to the provisions and under the terms of the Contract Documents, which Contract Documents are hereby made part of the Bid.

The BIDDER understands that the OWNER reserves the right to reject any or all Bids.

The BIDDER agrees that this Bid shall be good and may not be withdrawn for a period of thirty (30) calendar days after the scheduled closing time for receiving Bids.

IN WITNESS WHEREOF, the undersigned has caused this instrument to be executed (and its seal affixed) by its duly authorized officer this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
Signature

(SEAL)

\_\_\_\_\_  
Typed name

\_\_\_\_\_  
Title

Attest \_\_\_\_\_

Bidder Address:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Bidder Phone Number: \_\_\_\_\_

Bidder Email: \_\_\_\_\_

Bids will be received until **10:00 a.m. (CST) on Wednesday, March 18, 2026**. The Board will accept a fax bid at (906) 663-4807, provided it is followed by receipt of the original signed bid by mail. Bids will be opened and publicly read at the Board Room of the Gogebic County Road Commission office: 200 North More Street, Courthouse Annex, Bessemer, MI 49911. Any bids received after the time and date stated above will not be accepted. The Board reserves the right to reject or accept any bid or all bids or to waive irregularities and to accept any bid that, in the opinion of the Board, is to the best interest and advantage of the County of Gogebic.