

GF Piping Systems

+GF+

Fewer Parts, Higher Performance

LOKX System™ Ductile Iron Fitting



Fewer Parts, Higher Performance

Solutions to everyday water
and waterworks issues.

About

The LOKX System™ is a proprietary ductile iron push-on style fitting with an internal self-restraining gasket that prevents pipe-to-pipe and pipe-to-fitting separation even at high pressures. Highly engineered, LOKX is fast and easy to install, capable up to a total of 10 degrees of deflection in any direction (5 degrees per bell), and designed to be compatible with any PVC and HDPE pipe.


Features & Benefits

- Reduce installation and labor cost up to 80%
- Corrosion resistant fusion bonded epoxy coating
- Fewer components to inventory & assemble than traditional MJ systems results in a system that is up to 40% lighter
- Available in numerous sizes and configurations
- Can be used on any DR C900, C909, PVC or C906 HDPE 4" through 12" pipe
- Provide maintenance free peace of mind for up to 50 years
- Patent No.: US 11, 112, 038 B2



Applications

- Forced water & sewer
- Wastewater
- Cities and municipalities
- High corrosion areas
- Coastal areas with brackish soils
- Seismic areas or areas with high ground movement





Configuration made easy

Full range of fittings.

BENDS



11.25 Degree Bend



22.50 Degree Bend



45 Degree Bend



90 Degree Bend

CONNECTORS



Cap



Coupling



Flange Adapter



Reducer

WYES



TEES



These are just examples of fittings, please contact us for a full list.

LOKX

System™

Ductile Iron Fitting

Fewer Parts.
Higher Performance.




Proprietary ductile iron push-on style fitting with an internal self-restraining gasket that prevents pipe-to-pipe and pipe-to-fitting separation at high pressures.



Each bell of the LOKX fitting is capable of 5° degrees deflection, even under pressure.



The elimination of all bolts and nuts in the LOKX system is not only leak-resistant but fast and easy to install.




+GF+



Fewer components to inventory & assemble than traditional MJ systems result in a system that is up to 40% lighter, as well as reduces installation and labor costs by up to 80%

Its and wedges means
only corrosion and
and easy to install.




Designed to be compatible with any PVC and HDPE pipe



+GF+

Meets or Exceeds Applicable Standards Requirements



Meets or exceeds applicable requirements of the Standards listed below

ANSI/AWWA C153/A21.53	American National Standard for Ductile Iron Compact Fittings
ANSI/AWWA C110/A21.10	Ductile and Grey Iron Fittings for Water
ANSI/AWWA C111/A21.11	American National Standard for Rubber Gasketed Joints for Ductile Iron Pressure Pipe and Fittings
ANSI/AWWA C116/A21.16	American National Standard for Protective Fusion Bonded Epoxy Coating for the Interior and Exterior Surfaces of Ductile Iron and Grey Iron Fittings for Water Supply Service
ASTM F1674	Standard Test Method for Joint Restraint Products for use with PVC Pipe
ASTM D3139	Standard Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals
ASTM F477	Standard Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe
NSF/ANSI 61	Drinking Water System Components-Health Effects
Pending	Underwriters Laboratories Listed
Pending	Factory Mutual Approved

LOKX System™ Ingenious Joining Method outlasts Traditional systems.




Traditional MJ Systems Problems

- Time & labor intensive to install
- Failures due to installation errors
- Numerous steel bolts prone to corrosion
- Heavy to move, difficult to warehouse
- Point loading and pipe distortion with exterior restraints



LOKX System™ Solution

- LOKX System saves up to 80% in installation time with the elimination of all bolts and assembly tools
- LOKX fittings are coated with fusion-bonded epoxy inside and out for superior corrosion resistance (NSF)
- LOKX System has a full 5° deflection per bell after installation (10° total), and can be installed in seismic applications
- Low insertion force lip-seal design gasket with 316 stainless steel gripping segments that are self-engaging
- When fully engaged, the gripping segments form a 360° restraint preventing pipe distortion and point loading
- Ideal solution for pipe-to-pipe-to-fitting applications



Leak Resistant

+GF+

Worldwide at home

Our sales companies and representatives ensure local customer support in over 100 countries.

www.gfps.com

Argentina / Southern South America

Georg Fischer Central Plastics
Sudamérica S.R.L.
Buenos Aires, Argentina
+54 11 4512 02 90
gfcentral.ps.ar@georgfischer.com
www.gfps.com/ar

Australia

George Fischer Pty. Ltd.
Riverwood NSW 2210
+61 (0) 2 9502 8000
australia.ps@georgfischer.com
www.gfps.com/au

Austria

Georg Fischer Rohrleitungssysteme GmbH
3130 Herzogenburg
+43 (0) 2782 856 43-0
austria.ps@georgfischer.com
www.gfps.com/at

Belgium / Luxembourg

Georg Fischer NV/SA
1600 Sint-Pieters-Leeuw / Belgium
+32 (0) 2 556 40 20
be.ps@georgfischer.com
www.gfps.com/be

Brazil

Georg Fischer Sist. de Tub. Ltda.
04795-100 São Paulo/SP
+55 (0) 11 5525 1311
br.ps@georgfischer.com
www.gfps.com/br

Canada

Georg Fischer Piping Systems Ltd.
Mississauga, ON L5T 2B2
+1 (905) 670 8005
ca.ps@georgfischer.com
www.gfps.com/ca

China

Georg Fischer Piping Systems Ltd.
Shanghai 201319
+86 21 3899 3899
china.ps@georgfischer.com
www.gfps.com/cn

Denmark / Iceland

Georg Fischer A/S
2630 Taastrup / Denmark
+45 (0) 70 22 19 75
info.dk.ps@georgfischer.com
www.gfps.com/dk

Finland

Georg Fischer AB
01510 Vantaa
+358 (0) 9 586 58 25
info.fi.ps@georgfischer.com
www.gfps.com/fi

France

Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
+33 (0) 1 41 84 68 84
fr.ps@georgfischer.com
www.gfps.com/fr

Germany

Georg Fischer GmbH
73095 Albershausen
+49 (0) 7161 302 0
info.de.ps@georgfischer.com
www.gfps.com/de

India

Georg Fischer Piping Systems Pvt. Ltd.
400 083 Mumbai
+91 224007 2000
branchoffice@georgfischer.com
www.gfps.com/in

Indonesia

Georg Fischer Indonesia
Karawang 41371, Jawa Barat
+62 267 432 044
indonesia.ps@georgfischer.com
www.gfps.com/id

Italy

Georg Fischer S.p.A.
20864 Agrate Brianza (MB)
+39 02 921 86 1
it.ps@georgfischer.com
www.gfps.com/it

Japan

Georg Fischer Ltd.
530-0003 Osaka,
+81 (0) 6 6341 2451
jp.ps@georgfischer.com
www.gfps.com/jp

Korea

Georg Fischer Korea Co. Ltd.
Unit 2501, U-Tower
120 Heungdeok Jungang-ro
(Yeongdeok-dong)
Giheung-gu, Yongin-si, Gyeonggi-do
+82 31 8017 1450
kor.ps@georgfischer.com
www.gfps.com/kr

Malaysia

George Fischer (M) Sdn. Bhd.
41200 Klang, Selangor Darul Ehsan
+60 (0) 3 3122 5585
my.ps@georgfischer.com
www.gfps.com/my

Mexico / Northern Latin America

Georg Fischer S.A. de C.V.
Ave. Industrias 110
Parque Industrial PIMSA Ote. Apodaca,
Nuevo León / Mexico. CP 66603
+52 (81) 1340 8586
mx.ps@georgfischer.com
www.gfps.com/mx

Middle East

Georg Fischer Piping Systems
(Switzerland) Ltd
Dubai, United Arab Emirates
+971 4 289 49 60
gcc.ps@georgfischer.com
www.gfps.com/int

Netherlands

Georg Fischer N.V.
8161 PA Epe
+31 (0) 578 678 222
nl.ps@georgfischer.com
www.gfps.com/nl

New Zealand

Georg Fischer Ltd.
5018 Upper Hutt
+04 527 9813
nz.ps@georgfischer.com
www.gfps.com/nz

Norway

Georg Fischer AS
1351 Rud
+47 67 18 29 00
no.ps@georgfischer.com
www.gfps.com/no

Philippines

George Fischer Pte. Ltd.
Philippines Representative Office
1500 San Juan City
+632 571 2365
sgp.ps@georgfischer.com
www.gfps.com/sg

Poland

Georg Fischer Sp. z o.o.
05-090 Sekocin Nowy
+48 (0) 22 31 31 0 50
poland.ps@georgfischer.com
www.gfps.com/pl

Romania

Georg Fischer Piping Systems
(Switzerland) Ltd.
020257 Bucharest - Sector 2
+40 (0) 21 230 53 80
ro.ps@georgfischer.com
www.gfps.com/int

Russia

Georg Fischer
Piping Systems (Switzerland) Ltd
Moscow 125040
+7 495 748 11 44
ru.ps@georgfischer.com
www.gfps.com/ru

Singapore

George Fischer Pte. Ltd.
528 872 Singapore
+65 6747 0611
sgp.ps@georgfischer.com
www.gfps.com/sg

Spain / Portugal

Georg Fischer S.A.
28046 Madrid / Spain
+34 (0) 91 781 98 90
es.ps@georgfischer.com
www.gfps.com/es

Sweden

Georg Fischer AB
117 43 Stockholm
+46 (0) 8 506 775 00
info.se.ps@georgfischer.com
www.gfps.com/se

Switzerland

Georg Fischer Rohrleitungssysteme
(Schweiz) AG
8201 Schaffhausen
+41 (0) 52 631 3026
ch.ps@georgfischer.com
www.gfps.com/ch

Taiwan

Georg Fischer Co., Ltd.
San Chung Dist., New Taipei City
+886 2 8512 2822
www.gfps.com/tw

United Kingdom / Ireland

George Fischer Sales Ltd.
Coventry, CV2 2ST / United Kingdom
+44 (0) 2476 535 535
uk.ps@georgfischer.com
www.gfps.com/uk

USA / Caribbean

Georg Fischer LLC
92618 Irvine, CA / USA
+1 714 731 8800
us.ps@georgfischer.com
www.gfps.com

Vietnam

George Fischer Pte Ltd.
Representative Office
Ho Chi Minh City
+84 28 3948 4000
sgp.ps@georgfischer.com
www.gfps.com/vn

International

Georg Fischer Piping Systems
(Switzerland) Ltd.
8201 Schaffhausen / Switzerland
+41 (0) 52 631 3003
info.export@georgfischer.com
www.gfps.com/int

The information and technical data (altogether "Data") herein are not binding, unless explicitly confirmed in writing. The Data neither constitutes any expressed, implied or warranted characteristics, nor guaranteed properties or a guaranteed durability. All Data is subject to modification. The General Terms and Conditions of Sale of Georg Fischer Piping Systems apply.