



viewscope[®]

LIVING WITH LIGHT



OUTDOOR BLINDS & AWNINGS

Built to battle the elements.



viewscope[®]

LIVING WITH LIGHT

10 Awning styles, 5 fabric types to seamlessly blend across all windows and outdoor spaces in any home design.

At Viewscope we have always led the way with innovation and our latest Outdoor Blinds and Awnings offer is no different. Designed to withstand even the harshest Australian weather, from Queensland's heat and sunshine to Melbourne's torrential rain, the Viewscope outdoor Blinds and Awnings offer is built to battle the elements. With colorbond coloured componentry and a vast range of fabrics there is a product to deal with any privacy, shading or sun control requirement.

Viewscope is an privately owned Australian manufacturing company that has been operating for over 39 years. Viewscope manufactures 11 categories of internal and external blinds and offers a broad range of stocked fabrics. Employing 150 staff, 120 of whom are accredited with certificate 111 or higher in lean manufacturing allow us to run multiple shifts through our purpose designed Victorian factory.

BUILT TO BATTLE THE ELEMENTS



CONTENTS

ZIPTRAK [®]	5
WIREGUIDE	7
MULTI-STOP	9
STRAP DOWN AWNING	11
PVC BLINDS	13
FOLDING ARM AWNING	15
AUTO AWNING	17
PIVOT ARM AWNING	19
FIXED GUIDE AWNING	21
ROPE & PULLEY	23
FABRICS	24
MOTORISATION & ACCESSORIES	25
QUICK REFERENCE	26
OUTDOOR SELECTION GUIDE	27






MOTORISATION



1-2 STOREY




CUSTOM POWDER COAT COLOUR

ZIPTRAK®

Instantly transform your space to create a sense of seclusion and sanctuary. You'll spend more time enjoying life outdoors with family and friends.

Offering protection during every season from sun, wind, and rain for year-round outdoor entertaining. Ziptrak® is the original and trusted track guided blind system with a patented design that glides smoothly and stops at any height.



Application	Recess and face fit for decks, patios, alfresco areas and windows.
Operation	Manual and motorisation.
Fabrics	Mesh and PVC, infinity acrylic.
Hardware	Pelmet, cast end bracket, backing plate and removable post / cassette.
Finish	Exposed bottom rail.

Fitting Options & Colorbond® Colours

	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
									
Brackets (Standard)	•	•	•				•	•	•
Hood	•	•	•				•	•	•
Cassette	•	•	•				•	•	•



CRANK
HANDLE



MOTORISATION



1-2 STOREY



GROUND
FLOOR




STANDARD

WIREGUIDE

Wire Guide Awnings are a cost effective outdoor blind to achieve that contemporary look.

These wire guide awnings are suitable for expansive windows and outdoor areas that require sun protection and privacy.

The benefit of the wire guide system is that it allows the blind to be dropped to any particular height without it moving in a breeze. The stainless steel cable and fittings are corrosion resistant and tie in well with stainless wire balustrading. These awnings can be crank operated or motorised to meet any homes needs.



Application	Ground floor and upper level verandah / pergolas and windows.
Operation	Crank operated, motorisation.
Fabrics	Screen / canvas / acrylic.
Hardware	Cassette, L-bracket (standard), deck plates, masonry kit, stainless steel (std), wire to suit, weather strip (optional).
Finish	Exposed bottom rail.

Fitting Options & Colorbond® Colours

	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
									
Stainless Steel Brackets	•								•
Cassette	•	•	•				•	•	•




MULTI-STOP

The Multi-Stop Side Channel Awning has a streamlined appearance with no exposed cords, cleats or wires.

This awning system is standard roll and spring operated, with an easy twist lock bottom rail operation making it very simple to use and quiet to operate.

The side channels are non-intrusive, made from aluminium, and are available in a variety of powder coated colours to suit any exterior. This system is only available as spring operated. The Multi-Stop awning is design as a cost effective system packed with innovative features.



Application	Ground floor verandahs and pergolas.
Operation	Manual.
Fabrics	Screen / canvas / acrylic.
Hardware	Cassette and side channel.
Finish	Exposed bottom rail.

Fitting Options & Colorbond® Colours

	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
									
Brackets (Standard)	•	•	•				•	•	•
Cassette	•	•	•				•	•	•



CRANK HANDLE



PULL DOWN STICK



MOTORISATION



GROUND FLOOR



VERANDAHS PERGOLAS




OVER ROLL

STRAP DOWN AWNING

Strap Down Awnings are the perfect product selection if posts or pillars are not available for the installation of guides.

Strap Down awnings reduce heat and glare and can be locked into position with clips or straps. With a huge range of fabric styles and colours available, these affordable outdoor blinds create functional and enjoyable spaces.



Application	Ground floor only / verandah / pergolas.
Operation	Manual, crank operated, motorised.
Fabrics	Screen / canvas / acrylic / PVC.
Hardware	Cassette, hood, universal fixing bracket (if no hood), straps, strap adapter, breaching staples, stainless steel (available upon request).
Finish	Scalloped, straight flap with bias, straight flap hemmed, exposed bottom rail, plain finish.

Fitting Options & Colorbond® Colours


	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
Brackets (Crank)	•								•
Brackets (Gearbox)	•								•
Hood	•	•	•	•	•	•	•	•	•
Cassette	•	•	•				•	•	•



PVC BLINDS

PVC blinds are a versatile product that can take traditional outside areas and create contemporary outdoor rooms.

With clear or tinted window like material these blinds allow the merger of outdoor living inside. These outdoor blinds work well not only in the home but also for cafes, bars and alfresco areas. Operated by rope and pulley these blinds can quickly be adjusted to suit all weather conditions.



Application	Ground floor and verandah / pergolas.
Operation	Rope and pulley.
Fabrics	PVC.
Hardware	Rope track, sash cord, pulleys cleat, strap adaptors, straps, breaching staples, zips, sandcoating.
Finish	Plain finish.

Viewscape Rope Track Colours

	White	Primrose	Ebony
			
Rope Track	•	•	•



CRANK HANDLE



GROUND FLOOR




MOTORISATION

FOLDING ARM AWNING

Folding Arm Awnings are the perfect blind for increasing your outdoor living space and are available in a range of contemporary colours to coordinate with any home style.

These awnings are most suitable for applications where sun protection is required without the obstructions of posts and beams. Folding arm awnings complement decks, patios and courtyards to form beautiful and functional areas.

Viewscapes folding arm awnings can be crank operated or motorised with additions of wind and sun sensors to protect your investment.



Application	Deck, patio, alfresco areas.
Operation	Manual (crank operation), motorisation.
Fabrics	Acrylic.
Hardware	Hooding (optional), fascia, sun / wind sensor (optional, wind sensor necessary for motorisation), pitch control (optional).
Finish	Exposed bottom rail, with or without valance/flap.

Viewscope Colours

	White	Ivory	Grey
Frame Colours	•	•	•




AUTO AWNING

Automatic Awnings are a popular outdoor blind for traditional homes offering brilliant sun protection.

These Awnings are highly effective and most suitable for ground level window applications. Automatic Awnings fix to the wall and when in the dropped position allows airflow between the fabric and window.

Due to the angled projection of Automatic Awnings the hot sun is kept further from the façade and the window is able to be opened. When retracted the fabric is protected year round by a hood or cassette in a range of Colorbond® colours.



Application	Ground floor only.
Operation	Pull down stick.
Fabrics	Screen / canvas / acrylic.
Hardware	Cassette (optional), hood (optional), guides, arms (300mm std), U-bracket, universal fixing bracket (if no hood), stainless steel (available upon request).
Finish	Scallop, straight flap with bias, straight flap hemmed, exposed bottom rail, plain finish.

Fitting Options & Colorbond® Colours

	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
									
Brackets Universal	*Universal brackets come in zinc plated only.								
Hood	•	•	•	•	•	•	•	•	•
Cassette	•	•	•				•	•	•



CRANK HANDLE



MOTORISATION



VERANDAHS PERGOLAS



GROUND FLOOR




OVER ROLL

PIVOT ARM AWNING

Designed to deflect heat and glare while maximising light, ventilation and privacy within the home.

Pivot Arm Awnings are projected off the window, allowing space for outward opening windows and air to flow in between the fabric and the window. Pivot Arm is a spring arm awning system which allows the customer to maintain all day shade. It's versatility allows it to be developed to suit most window sizes and extends to various levels of projection depending on the customers' needs.



Application	Ground floor / second storey.
Operation	Crank operation, motorised option.
Fabrics	Screen / acrylic.
Hardware	Pivot arms, crank gear box, crank handle, cassette (optional).
Finish	Scalloped, straight flap with bias, straight flap hemmed, exposed bottom rail.

Fitting Options & Colorbond® Colours

	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
Brackets (Standard)	*Standard brackets come in stainless steel only.								
Cassette	•	•	•				•	•	•



STANDARD



OVER ROLL



1-2 STOREY




MOTORISATION

FIXED GUIDE AWNING

Fixed guide Awnings are an effective outdoor blind for traditional homes. These Awnings offer great sun protection for second story window applications.

Fixed guide Awnings mount to the wall and when in the dropped position allow airflow between the fabric and window.

Due to the angled projection of these Awnings the hot sun is kept further from the façade and the window is able to be opened. When retracted the fabric is protected year round by a hood or cassette in a range of Colorbond® colours.



Application	1 st and 2 nd storeys.
Operation	Spring operated, crank operated, motorisation, centre pulley (upon request).
Fabrics	Screen / canvas / acrylic.
Hardware	Cassette, hood, L-bracket, fixed guides, stainless steel (available upon request).
Finish	Scallop, straight flap with bias, straight flap hemmed, exposed bottom rail, plain finish.

Fitting Options & Colorbond® Colours


	White	Classic Cream	Paperbark	Jasper	Pale Eucalypt	Deep Ocean	Woodland Grey	Monument	Night Sky
Brackets (Spring)	*Spring brackets come in zinc only.								
Brackets (Crank)	•								•
Hood	•	•	•	•	•	•	•	•	•
Cassette	•	•	•				•	•	•



ROPE & PULLEY

Rope and Pulley Blinds are the most cost effective way to deliver privacy and protection to a home.


These outdoor blinds have great flexibility by way of ropes which roll the blind up and down. The rope can also be tied off leaving the blind at any desired position. These blinds can be fixed to ground level or any midpoint by way of straps or clips.



Application	Ground floor only / balconies.
Operation	Rope and pulley.
Fabrics	Screen / canvas / acrylic.
Hardware	Sash cord, straps, strap adapter and breeching staples, pulleys and cleat.
Finish	Plain finish.

FABRICS

Viewscape offers a range of fabrics which give our customers a superior choice in quality, style and performance.



CANVAS

Poly cotton canvas fabric.
High Opacity Blockout.

Suitable For: Wire Guide, Multistop, Strap Down Awning, Auto Awning, Fixed Guide Awning, Rope and Pulley.



ACRYLIC

100% solution dyed acrylic fabric ensures long lasting colour

Suitable For: Ziptrak® (infinity), Wire Guide, Multistop, Strap Down Awning, Folding Arm Awning, Auto Awning, Pivot Arm, Fixed Guide Awning.



SCREEN

PVC coated polyester mesh. See-through awning fabrics with a wide range of designer colours and patterns. Blocks and reflects up to 95% or 99% of solar energy while still allowing air to pass through.

Suitable For: Ziptrak®, Wire Guide, Multistop, Strap Down Awning, Auto Awning, Pivot Arm Awning, Fixed Guide Awning, Rope and Pulley.



PVC

UV stabilised clear PVC. Blocks 93% of UV solar radiation.

Suitable For: Ziptrak®, Strap Down Awning, Rope and Pulley.

MOTORISATION & ACCESSORIES

Motorisation of blinds is growing in demand.

We carry a full range of Somfy and Alpha product motor solutions. In addition to modern remote controls it is possible to control blinds with wall switches, light sensors, timers, sun sensors, wind sensors and home management systems.

Benefits of Motorisation.

- Quiet and efficient.
- Better presentation with no wires or cables.
- Operation with an touch of a button from almost any position in the room
- Ideal for high windows which are hard to access
- High usage blinds.
- Timers and Sensors also available as an option

The Viewscape Range

somfy.

Situo RTS



The remote controls to manage blind functionality.

Sunis Wirefree RTS



The 100% autonomous radio sun sensor for Viewscape outdoor blinds.

Eolis 3D Wirefree RTS



The most sold radio wind sensor for awnings.

alpha

RE101 (Pioneer)




- Single channel remote
- Rugged rubberised edges and buttons for impact resistance
- 433.92 MHz
- Rolling codes
- Slide in wall holder

RE102 (Pioneer)



- 4 channel remote with "ALL" facility.
- Rugged rubberised edges and buttons for impact resistance.
- 433.92 MHz.
- Rolling codes.
- Slide in wall holder.

RE103 (Pioneer)












- 4, 8 or 16 channel remote + multi-function.
- Rugged rubberised edges and buttons for impact resistance.
- Rolling codes.
- LCD screen.
- Slide in wall holder.

Your choice between a stylish cassette or hood.



QUICK REFERENCE



OUTDOOR SELECTION GUIDE

	ZIPTRAK®	WIRE GUIDE	MULTI STOP	STRAP DOWN AWNING	PVC BLINDS	FOLDING ARM AWNING	AUTO AWNING	PIVOT ARM AWNING	FIXED GUIDE AWNING	ROPE AND PULLEY
MANUAL	•		•	•	•		•		•	•
CRANK		•		•				•	•	
MOTOR	•	•		•		•		•	•	
GROUND FLOOR	•	•	•	•	•	•	•	•		•
FIRST / SECOND STOREY	•	•							•	
ALFRESCO	•	•	•	•	•					•
VERANDAH PERGOLAS	•	•	•	•	•	•			•	•
BALCONIES	•	•	•	•	•	•				•
HOOD	•	•		•		•	•	•	•	
CASSETTE	•	•	•	•			•	•	•	

NOTES



For further enquires please contact sales@viewscope.com.au
or contact customer support on 03 9739 9900.

www.viewscope.com.au