



CAULIFLOWER FIRST EARLY

Plant : Early Maturity
Curd Weight : 500 gms
Curd Shape : Dome, Creamish White
Harvesting : 50-55 days after transplanting
Specifications : Successful under high temperature and humid conditions
Sowing Time : May



CAULIFLOWER EARLY KUARI

Plant : Early Maturity
Curd Weight : 700-800 gms
Curd Shape : Dome, smooth and white
Harvesting : 55-60 days after transplanting
Specifications : Withstand high temperature and humid conditions
Sowing Time : June



CAULIFLOWER KATKI

Plant : Medium Early Maturity
Curd Weight : Upto 1 kg
Curd Shape : Dome, compact and pure white
Harvesting : 75-80 days after transplanting
Specifications : Successful under humid conditions
Sowing Time : July



CAULIFLOWER AGEHNI

Plant : Medium Maturity
Curd Weight : 1-1.5 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 75 days after transplanting
Sowing Time : August



CAULIFLOWER POOSI

Plant : Medium Maturity
Curd Weight : 1.5 to 2.0 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 80-90 days after transplanting
Specifications : Leaves protect curds from direct sunlight, hence curds remain white for longer duration.
Sowing Time : September



CAULIFLOWER POOSI IMPROVED

Plant : Late maturity strain in Snow Ball group
Curd Weight : Upto 2.0 kg
Curd Shape : Dome, stone hard and extra white
Harvesting : 90-95 days after transplanting
Specifications : Excellent self blanching leaf character which cover the curd upto 2.0 kg weight.
Sowing Time : September to November



CAULIFLOWER MAGHI

Plant : Late Maturity
Curd Weight : 1.5 to 2.0 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 90 days after transplanting
Specifications : Leaves protect curds from direct sunlight, hence curds remain white for longer duration.
Sowing Time : October



CAULIFLOWER MAGHI IMPROVED

Plant : Mid to Late maturity
Curd Weight : 1.5 to 2.0 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 90 days after transplanting
Specifications : Excellent self blanching character i.e. leaves protect curds from direct sunlight, hence curds remain white for longer duration upto 1.5 kgs
Sowing Time : August to end October



CAULIFLOWER SNOWBALL-16

Plant : Late maturity
Curd Weight : 1.5 to 2.0 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 90 days after transplanting
Specifications : Very good self blanching character i.e. leaves protect curds from direct sunlight
Sowing Time : September to October



CAULIFLOWER SUPER SNOWBALL

Plant : Late maturity
Curd Weight : 1.3 to 1.5 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 90-95 days after transplanting
Specifications : Good self blanching leaf character, produces good quality curds even at lower temperature.
Sowing Time : September to November



CAULIFLOWER DURGESH UDAY

Plant : Late maturity, successful in Snow Ball group.
Curd Weight : 1.0 to 1.5 kgs
Curd Shape : Dome, compact and snow white
Harvesting : 90 days after transplanting
Specifications : Excessive leaves with excellent self blanching leaf character
Sowing Time : September to November



CAULIFLOWER DURGESH-41

Plant : Mid to Late maturity
Curd Weight : upto 2.0 kgs
Curd Shape : Dome, compact and pure white
Harvesting : 90 days after transplanting
Specifications : Excellent self blanching character i.e. leaves protect curds from direct sunlight, hence curds remain white till exposed to sun.
Sowing Time : September to November



CAULIFLOWER DURGESH-31

Plant : Late maturity, excellent strain in Snow Ball group.
Curd Weight : 1.5 to 2.0 kg
Curd Shape : Dome, stone hard and extra white
Harvesting : 90-95 days after transplanting
Specifications : Excellent self blanching leaf character which cover the curd upto 2.0 kg weight.
Sowing Time : September to November



CAULIFLOWER RANI

Plant : Late maturity, excellent strain in Snow Ball group.
Curd Weight : 1.5 to 2.0 kg
Curd Shape : Dome, very hard and pure white
Harvesting : 90-95 days after transplanting
Specifications : Very good self blanching leaf character which cover the curd upto 2.0 kg weight.
Sowing Time : September to November



CABBAGE EARLY FORTY DAYS

Maturity : Early maturity
Head shape : Round, compact, average weight 500-800 gms, wrapped in 3-4 tender leaves
Specification : Head formation 100 %, suitable for May to December sowing as per climatic conditions.
Harvesting : After 40-45 days from transplanting



CABBAGE EXPRESS

Maturity : Early maturity
Head shape : Round, compact, average weight 800 gms to 1.0 kgs, wrapped in 4-5 tender leaves
Specification : Head formation 100 %, suitable for May to December sowing as per climatic conditions.
Harvesting : After 60-70 days from transplanting




CABBAGE GOLDEN ACRE

Maturity : Medium maturity
Head shape : Round, compact, average weight 1.0 to 1.5 kgs, wrapped in 5-6 cup shaped small leaves
Specification : Heads have clear white interior, uniform, suitable for May to December sowing as per climatic conditions.
Harvesting : After 70-75 days from transplanting



CABBAGE PRIDE OF INDIA

Maturity : Late maturity
Head shape : Round, compact, average weight 1.5 to 2.0 kgs, wrapped in cup shaped and dark green leaves which are bigger in size as compare to Golden Acre.
Specification : Heads uniform, suitable for May to December sowing as per local climatic conditions.
Harvesting : After 80-85 days from transplanting



CABBAGE GOLDEN ACRE (IMP)

Maturity : Medium maturity
Head shape : Round, compact, average weight 1.2 to 1.4 kgs, wrapped in 5-6 leaves
Specification : Heads white from inside, very uniform, suitable for August to October sowing.
Harvesting : After 80-90 days from transplanting.



ONION PUSA RED/LIGHT RED/GAVRAN

Sowing time : Year round as per local climatic conditions and sowing pattern
Bulb color : Bronze Red
Specifications : Flatish round in shape, 80-100 gms, less pungent, good keeping quality
Maturity : Matures in 135-140 days from sowing



ONION NASIK RED (N-53)

Sowing time : Year round as per local climatic conditions and sowing pattern

Bulb color : Red

Specifications : Flattish round in shape, 80-100 gms, Moderately Pungent

Maturity : Matures in 150-160 days from sowing



ONION PHURSUNGI

Sowing time : Year round as per local climatic conditions and sowing pattern

Bulb color : Light red

Specifications : Round in shape, weight around 150 gms, can be stored for long time.

Maturity : Matures in 150-160 days



ONION BLACK GOLD

Sowing time : Year round as per local climatic conditions and sowing pattern

Bulb color : Blackish red

Specifications : Flattish round in shape, 80-90 gms, water content high

Maturity : Matures in 135-140 days from sowing.

Specification : Fetches premium price in market because of blackish red color.



CORIANDER KALMI

Sowing Time : Year round sowing except bolting time i.e. February to March.

Plant Character : Plants erect with fewer side branches

Leaf character : Broad with light green colour.

No. of cuttings : 1-2 if sown in winters.



CORIANDER K-5 (BARAMASI)

Sowing Time : Year round except January and February which is the bolting time.

Plant Character : Plants erect with excessive side branches.

Leaf Character : Light green, very fragrant.

No. of cuttings : 4-5 cuttings can be taken if sown in early winters.




CORIANDER DURGESH 101

Sowing Time : Year round except bolting time i.e. April to May when temperature is around 35°C, thus very late bolting variety.

Plant Character : Plants bushy, profused tillering, vigorous vegetative growth.

Leaf Character : Broad, dark green, very fragrant, eatable even after bolting.

Cuttings : Number of cuttings can be taken if sown in early winter.




CORIANDER VIKRAM (Late Bolting)

Sowing Time : Year round sowing especially in summers and rainy season.

Plant Character : Plants bushy, profused tillering, side branches thick and succulent.

Leaf Character : Broad, shining green, very fragrant, sellable even after bolting.

Cuttings : Number of cuttings can be taken if sown in early winter.



CORIANDER KHUSHBU

Sowing Time : Can be sown throughout the year especially in summers and rainy season.

Plant Character : Plant growth vigorous and bushy, profused tillering, side branches thick and succulent.

Leaf Character : Broad, shining green, highly fragrant in comparison to any imported strain.

Cuttings : Number of cuttings can be taken if sown in October.



CORIANDER KARISHMA (late Bolting)

Sowing Time : Year round sowing except bolting time i.e. May-June, thus very late bolting variety.

Plant Character : Plants bushy, profused tillering, numerous side branches

Leaf Character : Broad, dark green, very fragrant, leaves on side branches sellable even after bolting.

Cuttings : Number of cuttings can be taken till it bolts



RADISH PUSA CHETKI

Sowing Time : Year round sowing except December to February which is its bolting time

Root colour : Pure white

Specifications : Uniform length, 7-8 inches long, Cylindrical in shape, smooth surface and sweet in taste.

Maturity : After 30-35 days from sowing.



RADISH CHETKI - 11 (Palak Patta)

Sowing Time : Year round sowing except December to February which is its bolting time.

Leaf Character : Unique short leaved, margins folded inwards like Palak leaves, spoon shaped

Root colour : Pure white

Specifications : 7-8 inches long, cylindrical shape, smooth, sweet in taste.

Maturity : After 30-35 days from sowing.



RADISH CHETKI - 21

Sowing Time : Year round sowing except December to February which is its bolting time.

Leaf Character : Leaves short and curved inwards, dark green in colour.

Root colour : Pure white from top to bottom and no green shoulders.

Specifications : Uniform length, 8-9 inches long, cylindrical in shape, smooth surface and sweet in taste.

Maturity : After 30-35 days from sowing, because of shorter leaves more plants can be accommodated per unit area which increases yield.



RADISH DURGESH LONG CHETKI

Sowing Time : Year round sowing except December to February which is its bolting time.

Root colour : Pure white

Specifications : Uniform length, 8-9 inches long, thin at neck, semi cylindrical in shape, smooth surface and sweet in taste.

Maturity : After 35-40 days from sowing.



RADISH CHETKI PALAK PATTI

Sowing Time : Year round sowing except December to February which is its bolting time.

Leaf Character : Short leaved, inward folded margins

Root colour : Pure white

Specifications : Uniform length, 7-8 inches long, cylindrical, sweet in taste.

Maturity : After 30-35 days from sowing.



CHETKI LONG BARAMASI (Yellow label)

Sowing Time : March to October

Root colour : Extra white.

Specifications : Uniform length, 10-12 inches long, tapering, sweet, sleek

Maturity : After 40-45 days from sowing.



CHETKI LONG BARAMASI (white label)

Sowing Time : Highly tolerant to hot and humid conditions i.e. suitable for May to October sowing.

Root colour : White

Specifications : Uniform length, 10-12 inches long, tapering, slightly pungent, slight bend at top, sweet in taste.

Maturity : After 40-45 days from sowing.



RADISH FORTY DAYS

Sowing Time : Highly tolerant to hot and humid conditions i.e. suitable for March to October sowing.

Root colour : General acceptance because of extra white colour

Specifications : Uniform length, 10-12 inches long, tapering, very sleek without much hair on root surface, sweet in taste.

Maturity : After 40-45 days from sowing.



RADISH DC WHITE

Sowing Time : Year round sowing except January to March which is its bolting time

Root colour : Pure white

Specifications : Roots straight, 12-15 inches long, tapering, smooth surface, very sleek & attractive. Highly successful in high temperature, shelf life is much more over after maturity.

Maturity : After 45-50 days from sowing.



RADISH CHINESE PINK

Sowing Time : Suitable for June to November sowing.

Root colour : Pinkish red in colour with white flesh.

Specifications : Uniform length, 6-7 inches long with cylindrical bottom

Maturity : After 35-40 days from sowing.



RADISH BOMBAY RED

Sowing Time : Suitable for June to November sowing.

Root colour : Upper half portion is pinkish red and lower half portion is white

Specifications : Roots thin, longer and tapering, 10-12 inches long, slightly pungent

Maturity : After 40-45 days from sowing.



RADISH BOMBAY HALF RED

Sowing Time : June to November
 Root colour : Upper 25 % of root portion is pinkish red and lower 75 % is white.
 Specifications : Roots 10-12 inches long, thicker from top and tapering from bottom. Leaves are broad, dark green, more in number and used for cooking.
 Maturity : After 40-45 days from sowing.



RADISH HILL QUEEN

Sowing Time : Suitable for May to November sowing.
 Root colour : Pure white, smooth without much of hair on root surface.
 Specifications : Roots 12-15 inches long, tapering and semi cylindrical at bottom on maturity, sweet in taste.
 Maturity : After 45-50 days from sowing.



RADISH ALL SEASON (Late Bolting)

Sowing Time : Year round (summer season preferred)
 Root colour : Pure white
 Specifications : Roots 10-12 inches long, tender and tapering. Lesser and shorter leaves which permits dense sowing and ultimately higher yield.
 Maturity : After 45 days from sowing.



RADISH MINU EARLY

Sowing Time : Suitable for August to December sowing.
 Root colour : Pure white
 Specifications : Roots 12-15 inches long, straight, tapering. Excellent keeping quality.
 Maturity : After 45-50 days from sowing.



RADISH IVORY WHITE

Sowing Time : Suitable for May to February sowing.
 Root colour : Pure white
 Specifications : Roots 12-15 inches long, very sleek, straight, tapering. Excellent keeping quality and can be kept for longer periods in the field even after maturity. Late Bolting i.e. flowering.
 Maturity : After 45-50 days from sowing.



RADISH JAPANESE WHITE

Sowing Time : Suitable for September to November sowing.
 Root colour : Pure White
 Specifications : Roots 10-12 inches long, semi cylindrical, blunt at tip, smooth, mild pungent.
 Maturity : After 45-50 days from sowing.



RADISH PUSA RESHMI

Sowing Time : Suitable for September to November sowing.
 Root colour : Pure white with slightly green shoulders.
 Specifications : Roots 12-14 inches long, tapering, mildly pungent in taste.
 Maturity : After 45 days from sowing.



RADISH FULL RED

Sowing Time : Suitable for May to October sowing.
 Root colour : Pure red
 Specifications : Roots thin, 10-12 inches long, sleek and tapering in shape, sweet.
 Maturity : After 40-45 days from sowing.



RADISH HIM SHIKHA

Sowing Time : Suitable for December onward except bolting time i.e. April to May.
 Root colour : Pure white
 Specifications : Roots 10-12 inches long, tender and crisp, slightly pungent and tapering. Lesser and shorter leaves which permits dense sowing and ultimately higher yield.
 Maturity : After 40-45 days from sowing.



RADISH LATE BOLTING

Sowing Time : Suitable for December to February sowing.
 Root colour : Pure white
 Specifications : Roots very uniform, sleek, almost straight, 10-12 inches long and 1.0-1.5 inches thick and tapering in shape. Very late bolting i.e. April-May. Lesser and shorter leaves.
 Maturity : After 45-50 days from sowing.



CARROT DEEP RED

Sowing time : August to October sowing
 Roots : Sleek and tapering, 10-12 inches long
 Specifications : Red core, sweet, suitable for distant transportation.
 Maturity : After 75-80 days from sowing.




CARROT DURGESH SUPER RED

Sowing time : August to October sowing
 Roots : Sleek, tender and tapering, 10-12 inches long and dark red in colour.
 Specifications : Red core, sweet, suitable for distant transportation.
 Maturity : Attains red colour in 70-75 days



CARROT RED BEAUTY

Sowing time : August to October sowing
 Roots : Exceptionally sleek, tender tapering, 10-12 inches long and dark red in colour.
 Specifications : Red core, sweet, suitable for distant market.
 Maturity : Attains red colour in 75-80 days from sowing.



CARROT DURGESH KURODA

Sowing time : Through out the year as per climatic conditions
 Roots : Pure cylindrical, blunt end, non hairy, uniform in shape
 Root length : 6-7 inches
 Root Color : Deep orange
 Specifications : Sweet, suitable for distant transportation.



CARROT NANTEES (IMP)

Sowing time : Grows well in summer for harvest in fall to winter.
 Roots : Pure cylindrical, non hairy, thick, uniform in shape
 Root length : 7-8 inches long
 Root Color : Deep shimmering orange
 Specifications : Sweet in taste, harvest after 110-120 days from sowing, suitable for distant transportation.



OKRA ARKA ANAMIKA

Plant type : Plants tall, well branched
 Sowing time : Year round subject to local climate
 Fruit characters : Tender, smooth, 4-6 inches long, 5 ridged, shining green in colour, tolerant to YVMV
 Harvesting : After 45-50 days from sowing




PUSA SAWNI / PARBHANI KRANTI

Plant type : Plants tall and erect with single main stem.
 Sowing time : Year round subject to local climate
 Fruit characters : Tender, 4-6 inches long, 5 ridged, shining green in colour.
 Harvesting : After 45-50 days from sowing



OKRA DURGESH NANDINI

Plant type : Plants tall, well branched
 Sowing time : Year round subject to local climate
 Fruit characters : Dark green, sleek, thin, 6-7 inches, 5 ridged, fit for late marketing without any grain visible from outside. Tolerant to YVMV
 Harvesting : After 45-50 days from sowing



OKRA RATNA - 78

Plant type : Plants tall, well branched
 Sowing time : Year round subject to local climate
 Fruit characters : Dark green, sleek, thin, 4-6 inches long but remain tender upto 7-8 inches, 5 ridged, no visibility of grains even at maturity. Tolerant to YVMV
 Harvesting : After 45-50 days from sowing



OKRA DURGESH UTTAM

Plant type : Plant spread wider, profused tillering from lower portion and all side branches bear fruits.
 Sowing time : Year round subject to local climate
 Fruit characters : Dark green, slightly thick, 4-6 inches long, 5 ridged, very heavy yielder
 Harvesting : After 45-50 days from sowing



BHINDI SUMMER BEAUTY

Plant type : Plants tall, well branched
Sowing time : Through out the year as per climatic conditions
Fruit characters : Extra dark green, sleek, thin, 4-6 inches long, 5 ridged, no visibility of grains even at maturity, tolerant to Yellow Mosaic virus
Harvesting : After 45-50 days from sowing, heavy yielder



OKRA SEVEN LINES

Plant type : Plants medium tall, well branched
Sowing time : Year round subject to local climate
Fruit characters : Light green, slightly thick, 5-6 inches, 7 ridged, tender
Harvesting : After 45-50 days from sowing



OKRA BELLA - 5

Plant type : Plants tall, well branched, vigorous and erect
Sowing time : January to March (summers), June to July (rainy season)
Fruit characters : Shining dark green, very sleek fruits, 5-6 inches long, 5 ridged, no visibility of grains even at maturity
Harvesting : After 45-50 days from sowing, very heavy yielder



KOHL RABI EARLY WHITE VIENA

Plant type : Dwarf
Foliage : Medium green, 5-6 limited leaves/knob with cut margins
Knobs : Round, Light Green, Crispy, Sweet
Maturity : After 60 days from transplanting



KOHL RABI SUPER WINNER

Plant type : Vigorous
Foliage : Dark green, 5-6 broad leaves/knob
Knobs : Larger, 400-500 gm in size, flattish round, light green, crispy, sweet
Maturity : After 60-70 days from transplanting



SPINACH ALL GREEN / JYOTI

Sowing time : Year round sowing except bolting time i.e January-February
Leaf : Uniform green, tender, smooth and broad, no red pigmentation
Cuttings : After 30 days, multiple cuttings can be taken according to sowing pattern.



SPINACH SUPER GREEN

Sowing time : Year round sowing except bolting time.
Leaf : Light green, tender, smooth and broad, no red pigmentation, leaf yield 25 % more than All Green
Cuttings : After 30 days, multiple cuttings can be taken according to sowing pattern
Specification : Late Bolting



SPINACH KANTEDAR

Sowing Time : Year round except bolting time i.e January to February
Leaf : Dwarf and limited in number, shining green
Cuttings : 3-4 cuttings at 30 days interval as per sowing pattern



PEAS PSM - 3

Sowing time : Through out the year as per local climate
Plants : Dwarf and erect, tolerant to Powdery Mildew
Pods : 4-5 inches long, 10-12 grains inside, dark green
Seeds : Wrinkled and Sweet
Maturity : Mid maturity, after 60-65 days from sowing.



PEAS ARKEL

Sowing time : Through out the year as per local climate
Plants : Dwarf and erect
Pods : 4-5 inches long, 8-10 grains inside, dark green, slightly curved from bottom
Seeds : Wrinkled and Sweet
Maturity : Mid maturity, after 65-70 days from sowing.



PEAS DS - 10

Sowing time : Through out the year as per climatic conditions
Plants : Dwarf and erect, tolerant to Powdery Mildew
Pods : 4-5 inches long, 8-10 grains inside, attractive light green, very thin, almost round like finger
Seeds : Wrinkled and sweet
Maturity : Mid maturity, after 55-60 days from sowing.
Specification : Bears 2 fruits per node as short internodal distance which results in very high yield.



PEAS AZAD P-3

Sowing time : Through out the year as per local climate
Plants : Tall and erect.
Pods : Smooth, 4-5 inches long, 8-10 grains inside, dark green, slightly curved from bottom
Seeds : wrinkled and sweet
Maturity : Mid maturity, after 70-75 days from sowing.



PEAS AZAD P-1

Sowing time : Through out the year as per local climate
Plants : Tall (3-3.5 feet) and erect. Tolerant to Powdery Mildew and Rust
Pods : Smooth, 4-5 inches long, slightly curved, 8-10 grains inside, dark green
Seeds : Wrinkled and Sweet
Maturity : Late maturity, after 75-80 days from sowing.



CHILLI SURAJ MUKHI

Plant type : Medium tall, profused branching, perennial in character (same plant prolong for 2-3 years)
Fruit Color : Dark green and turns deep red at Maturity
Bearing habit : Upright, 10-12 fruits/bunch, 2.5 to 3.5 inches long
Pungency : Highly pungent but tempting in taste.
Specification : Tolerant to leaf curl virus, suitable for distant market



CHILLI CHANDER MUKHI

Plant type : Dwarf, profused branching, perennial in character (same plant prolong for 2-3 years)
Fruit Color : Dark green and turns deep red at maturity
Bearing habit : Upright, 15-20 fruits/bunch, 3-4 inches long
Pungency : Highly pungent but tempting in taste
Specification : Tolerant to leaf curl virus, suitable for distant marketing.



TOMATO PUSA RUBI

Plant : Determinate
Fruit type : Round, deep red, 4 lobed, acidic
Average Weight : 50-60 gms
First Picking : After 60-65 days from transplanting.
Specification : Suitable for juice and ketchup



TOMATO PUSA EARLY DWARF

Plant : Determinate
Fruit type : Flattish round, uniform red, ribbed in character, acidic
Average Weight : 50-60 gms
First Picking : After 55-60 days from transplanting.
Specification : Suitable for juice and ketchup



TOMATO PKM-1

Plant : Determinate
Fruit type : Flattish Round, 4-5 light ridges, dark red with green shoulder
Average Weight : 70-80 gms
First Picking : After 70-75 days from transplanting.
Specification : Good keeping quality



TOMATO S-22

Plant : Determinate
Fruit type : Flat round, smooth, dark red
Average Weight : 70-80 gms
First Picking : After 70-75 days from transplanting.
Specification : Good keeping quality



TOMATO ROHINI

Plant : Determinate
Fruit type : Pure round, uniform red, smooth, 4-5 fruits/bunch
Average Weight : 70-80 gms
First Picking : After 50-60 days from transplanting.
Specification : Suitable for long transportation due to thick and hard skin, longer shelf life



TOMATO DURGESH AMAR

Plant : Determinate
Fruit type : Oval, deep red, smooth and thick skin, 4-5 fruits/bunch
Average Weight : 80-100 gms
First Picking : After 50-60 days from transplanting.
Specification : Suitable for long transportation due to thick and hard skin



TOMATO DURGESH NAVODYA

Plant : Determinate
Fruit type : Round, deep red.
Average Weight : 80-100 gms
First Picking : After 65-70 days from transplanting.
Specification : Suitable for juice and ketchup, skin hard thus suitable for distant transportation, very heavy fruiting.



YARD LONG BEANS (LAFI)

Plant type : Pole type, long vines
Pod character : Green in colour, tender, almost straight, very sleek
Pod Length : 18 inches at marketable stage but can grow upto 2 feet length
First picking : After 60-65 days from sowing
Specification : Suitable for round the year sowing, very heavy bearing
Seed Color : Brownish Red.



METHI KASURI

Sowing time : September to December
Leaf : Medium green, broad (almost round in shape)
Leaf stem : Thin and well branched
Cuttings : Multiple, Heavy Yields
Seeds : Very small with strong flavour



METHI MULTICUT

Sowing time : Through out the year as per local climatic conditions
Leaf : Light green, Elongated
Leaf stem : Thick and well branched
Seeds : Big with strong flavour



COWPEAS CP-4 (BARAMASI)

Plant type : Dwarf, 1.5 to 2.0 feet
Pod type : Dark green, 10-12 inches, sleek, straight.
First picking : After 40-50 days from sowing.
Specification : Tolerant to Golden Mosaic, suitable for round the year sowing.



COWPEAS GOMBI

Plant type : Plant growth like vines.
Plant height : 3.0-4.0 feet
Pod color : Light green
Pod Length : 8-10 inches, sleek, straight
First picking : After 50-55 days from sowing
Specification : Suitable for round the year sowing.



CLUSTER BEANS (GUAR) NEELAM

Plant : 3.5 to 4.0 feet tall
Sowing time : Suitable for summer and rainy season
Pod characters : Pods are 4-5 inches long, shining light green in color, very tender.
Specification : Very heavy bearing, first picking after 60 days from sowing, medium maturity.



BEANS ANUPUMA

Plant : Dwarf, 1.5 to 2.0 feet height.
Sowing time : Year round as per climatic conditions
Pods : Shining green, fibrous, slightly curved at bottom
Pod Length : 6-8 inches
Seed Colour : Chocolate brown
First Picking : After 45-50 days from sowing



BEANS ROSHINI (pencil Bean)

Plant : Dwarf, pure bush in both seasons i.e. in summers and rainy season.
Sowing time : Year round as per local climate.
Pod Character : Extra fine, shining dark green, fibrous, straight, 6-8 inches, white seed at maturity.
Seed Colour : White
First Picking : After 45-50 days from sowing
Specification : Heavy yielder, long fruiting cycle till extreme winters and summers



BEAN NITARA GREEN (PENCIL BEANS)

Plant : Plants pure dwarf and bushy in both summer season and winter season, 1.5 to 2.0 feet in height.
Sowing time : Through out the year as per local climatic conditions.
Pods : Super fine, shining dark green, straight, very sleek and thread less even at maturity.
Pod Length : 8-9 inches
Seed Colour : White
First Picking : After 45-50 days from sowing
Specification : Very heavy yielding variety, long fruiting cycle.



SINGRA (MONGRA) : RAT TAIL RADISH

Sowing Time : September to November
Plant Type : Bushy and dense vegetative growth
Pod Characters : Light Green in colour, 14-18 inches long, almost straight.
Specifications : Due to very crisp pods, eating quality is very good



LONG MELON DURGESH KOMAL

Plants : Long vines
Fruit color : Light green
Fruit length : 10-12 inches long, sleek, straight
Maturity : Early
Specification : Eaten raw, high water content, very tender, sweet, soothing effect in hot climate



RIDGE GOURD LONG GREEN

Plants : Long vines.
Sowing time : Summer as well as rainy season
Fruit : Shining green with uniform ridges, very sleek, straight, very fleshy and crisp
Fruit length : 15-18 inches
First picking : After 40-50 days from sowing
Specification : Very attractive fruits, very high yielding.



CUCUMBER RAINY SEASON

Sowing time : June to July but can be sown little earlier in coastal regions
Fruit Length : 8-10 inches, slightly compressed around neck
Fruit colour : Light green, smooth
First Picking : After 60-65 days from sowing
Specification : Sweet in taste, very fleshy, lesser seeds inside, high yield, good keeping quality



CUCUMBER SUMMER GREEN

Sowing time : February-May
Fruit Length : 7-8 inches, straight
Fruit colour : Light green
First Picking : After 50-55 days from sowing
Specification : Sweet in taste, high yield



MUSK MELON MADHURAS

Sowing time : February to March
Fruit Picking : After 90-95 days from sowing.
Fruit type : Almost round, yellow smooth skin with white green stripes, flesh salmon orange, very sweet and juicy.
Average Weight : 800 gms to 1.0 kgs
Specification : Very sweet



MUSK MELON PANJAB SUNEHRI

Sowing time : February to March
Fruit Picking : After 90-95 days from sowing.
Fruit type : Round, Light brown with intense netting, flesh orange, sweet and juicy.
Average Weight : 800 gms to 1 kg.
Specification : Good keeping quality, suitable for distant market.



SUMMER SQUASH (CHAPPAN KADU)

Sowing time : February to March
Plants : Vigorous Vines
Fruit size : 80-100 gms
Fruit shape : Pure Round
Fruit color : Yellowish green with faint green lines.
Flesh color : White
Specification : Skin surface hairy, heavy yielding



TINDA PANJAB SAFEED (S-48)

Sowing time : February to May
Plants : Medium vines
Fruit type : Flattish round, 50-60 gms in weight, shining light green with white flesh
Specification : Skin surface hairy, heavy yielding



BOTTLE GOURD GUTKA

Plants : Vigorous vines
Sowing time : Summer as well as rainy season
First picking : After 60-65 days from sowing
Fruit : Medium green, sleek and tender, capsule in shape with both ends round
Fruit length : 10-12 inches long
Specification : Seeds small embedded in flesh, high yielding, suitable for distant transportation.



BOTTLE GOURD LATTU (Bulb Shape)

Plants : Long vines
Sowing time : Summer as well as rainy season
First picking : After 55-60 days from sowing
Fruit : Shining light green, tender, bulb shaped
Specification : Bears fruits on each node, very heavy yielder



BOTTLE GOURD RAMDEV/D. SELECTION

Plants : Long vines
Sowing time : Summer as well as rainy season
First picking : After 60-65 days from sowing
Fruit : Medium green, sleek and tender.
Fruit length : 18-20 inches long
Specification : Retains green color even after maturity, high yielding.



BOTTLE GOURD ROUND DESI

Plants : Vigorous vines
Sowing time : Suitable for summer as well as rainy season
First picking : After 60-65 days from sowing
Fruit : Light green, tender, round to flat fruits with slight hair on fruit surface.
Specification : Fruit weight 400-450 gms, very uniform, heavy bearing



SPONGE GOURD DARK GREEN

Plants : Long vines, well branched
Sowing time : Summer as well as rainy season
Fruit : Dark green
Fruit length : 10-12 inches
First picking : After 50-55 days from sowing
Specification : Attractive fruits, high yielding.



BITTER GOURD JOUNPURI

Plant : Medium vines
Sowing time : Summer as well as rainy season
Fruit : Dark green, spiny character, sleek
Fruit length : 5-6 inches long
First Picking : After 55-60 days from sowing



BITTER GOURD DURGESH RESEARCH

Plant : Medium vines
Sowing time : Summer as well as rainy season
Fruit : Light green, uniform spiny character, straight, attractive in shape
Fruit length : 5-6 inches long
First Picking : After 55-60 days from sowing
Specification : High yielding, long fruiting cycle



PUMPKIN SADABAHAR

Plants : Long vines, well branched
Sowing time : Summer as well as rainy season
Fruit : Flatish round with deep ridges
Fruit Skin : Shining dark green in colour with yellowish spots/netting all over, flesh yellowish orange.
Fruit weight : 3-4 kgs
Specification : Very attractive fruits, very high yielding, high tolerance to hot and humid condition.



BRINJAL MUKTA KESHI

Fruit Color : Shining dark black, calyx green in colour.
Fruit shape : Oblong
Fruit Weight : 200-250 gms
Maturity : After 50-55 days from sowing.
Specifications : Very tasty to eat, high yielding, few seeds embedded in flesh, tolerant to Bacterial Wilt.



BRINJAL BLACK BEAUTY

Fruit Color : Shining dark black with green calyx.
Fruit shape : Pure round
Fruit Weight : Around 300 gms
Maturity : After 60-65 days from sowing
Specifications : Fruits retain their black colour even at maturity, good for roasting (bharta making), very heavy yield.



BRINJAL CHU CHU

Fruit Color : Blackish in colour, calyx green
Fruit shape : Oval
Fruit Weight : 60-80 gms
Maturity : After 65-70 days from sowing
Specifications : Very heavy yielding, fruits bear in bunches



BRINJAL SILIGURI LONG

Fruit Color : Shining dark black, calyx green
Fruit shape : Oval/Round, 6-7 inches long
Fruit Weight : 100-150 gms
Maturity : After 65-70 days from sowing
Specifications : Fruit color does not fade even at maturity, very heavy yielding.



BRINJAL PURPLE ROUND (BR-112)

Fruit Color : Deep Purple, calyx purplish green
Fruit shape : Round
Fruit Weight : 200-250 gms
Maturity : After 60-65 days from sowing
Specifications : Fruit color very attractive and retains its black colour till maturity, very heavy yielding, highly acceptable for roasting.




BRINJAL DURGESH PURPLE LONG

Fruit Color : Purplish black and shining, calyx green, highly acceptable
Fruit shape : Long
Fruit Length : 8-9 inches long
Maturity : After 65-70 days from sowing
Specifications : Fruit color very attractive, does not fade even at maturity, bearing in bunches and very heavy yielding.




BRINJAL GREEN LONG

Fruit Color : Green and shining, calyx green, highly acceptable
Fruit shape : Long
Fruit Length : 7-8 inches long
Maturity : After 65-70 days from sowing
Specifications : Fruit color very attractive, bearing in bunches and very heavy yielding.



BEET ROOT RUBY RED

Root Shape : Uniform globe
Root Color : Pure deep red
Flesh color : Dark red without inner white rings
Specification : Sweet in taste, very juicy, non pungent.



TURNIP PURPLE TOP WHITE GLOBE

Root shape : Flatish round
Root color : Half purple from top and bottom half white
Flesh : White, sweet and crispy
Harvest : After 50-60 days
Specification : Roots are eaten raw, pickled and cooked.



MARIGOLD AFRICAN GIANT

Plant : Tall (2.0-2.5 feet)
Flower : Orange and orange in colour, very attractive, larger in size, center disk not visible, very heavy yielder.
Sowing time : July to September, November to January.
Maturity : 70-75 days after transplanting



BARSEEM WARDAN (Fodder Seed)

Plant : 1.5 to 2.5 feet tall, stem erect.
Leaves : Dark green, oval and bigger in size.
Specification : Tolerant to Bacterial wilt and frost. Excellent for green fodder.
Days to Flowering : 150 to 165 days from sowing.



RYE GRASS (FORAGE SEED)

Plant : 3.5 to 4.0 feet tall. Produces highly palatable forage rich in dry matter and proteins.
Leaves : Shining green, 8 to 10 inches in length
Specifications : Can be grown under varied climatic conditions and on variety of soils. Also withstand stressed conditions.