



**Model: YC-T988FAHBB97A**

**8 MP 4K IR Waterproof Dome 4 in 1 Camera**





## Features:

- ❖ 1/2.8" 2.0 Mega Pixels Sony IMX307 CMOS sensor
- ❖ Full HD resolution 1920 x 1080P
- ❖ 4K UHD resolution 3840×2160P
- ❖ 4-in-1 AHD/HD CVI/HD TVI/CVBS optional output
- ❖ Up to 300M long distance and high speed real time monitoring
- ❖ OSD menu control over coaxial cable (UTC)
- ❖ OSD keys control mode switch and menu
- ❖ Ultra low light and high dynamic range
- ❖ Day/Night (ICR), AWB, AGC, BLC, DNR,
- ❖ D-WDR, Slow-Shutter, Sens up, Defog, Privacy Mask, Mirror
- ❖ Lightning protection
- ❖ Strong water-proof housing, IP66
- ❖ 18pcs SMD IR Leds, IR distance 20-30 meters
- ❖ 3.6 mm fixed lens (2.8mm Optional)
- ❖ Built-in Mic

## Technical Specifications:

<b>Model</b>	<b>YC-T988FAHBB97A</b>
<b>Camera</b>	
Image Sensor	1/2.8" 8Mega pixels CMOS
Chipset	FH8556+IMX415
Effective Pixels	3840(H)×2160 (V)
Video Resolution	8MP:HDTVI/CVI/AHD:15fps@3840x2160P, CVBS:25/30fps@960H
Electronic Shutter	AUTO, 1/25 - 1/50,000s
Min. Illumination	0.01Lux@F1.2(AGC ON), 0Lux IR on
Video System	PAL/NTSC
Video Output	1 -BNC, HDCVI / HDTVI/AHD/CVBS , adjustable
Video Switch	Dip Switch
Day/Night	Auto/Color/(B/W)/EXT
WDR	Digital WDR
White Balance	AWB/ATW/Indoor/Outdoor/Manual
AGC/BLC	Support
DNR	2D 3D NR
OSD Menu	Multiple languages OSD menu control up the coaxial cable (UTC)
Other	Defog, Privacy Mask, Mirror, Flip
<b>IR Led</b>	
IR Led	18pcs SMD IR Leds
IR Distance	20-30 M
<b>Lens</b>	
Focal length	3.6 mm fixed lens (2.8mm Optional)
<b>General</b>	
Power Supply	12 VDC ± 10%
Power Consumption	< 5 W
Operating Temp.	-20°C-(+60)°C, 10%-90%RH