2018 Annual Water Quality Report (Testing Performed January through December 2017)

CENTRE WATER AND SEWER BOARD

PWSID # AL0000188 130 South River Street Centre, AL 35960 Phone 256-927-3281

We are pleased to present to you this year's Annual Water Quality Report. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Water Source	Surface water from Weiss Lake					
Water Source	Purchased groundwater from Cherokee County Water (about 20%)					
Number of Customers	Approximately 2350					
Storage Capacity	Three tanks with 975,000 gallons total capacity					
Treatment Techniques	Disinfection, coagulation, settling, filtration Fluoride is added to the finished water to promote dental health					
Additional Connections	Sell to Northeast Alabama Water System					
	an a					
	Mr. Harold Day, Chairman					
Water Board	Mr. Billy Mack Garrett, Secretary/Treasurer					
	Mr. William McKinney, Board Member					
General Manager	Mr. David Garrett					

Source Water Assessment

In compliance with the Alabama Department of Environmental Management (ADEM), **Centre Water and Sewer Board** has developed a Source Water Assessment plan that will assist in protecting our water sources. This plan provides additional information such as potential sources of contamination. It includes a susceptibility analysis, which classifies potential contaminants as high, moderate, or non-susceptible to contaminating the water source. The assessment has been performed, public notification was completed, and the plan has been approved by ADEM. A copy of the report is available in our office for review during normal business hours, or you may purchase a copy upon request for a nominal reproduction fee. Please help us make these efforts worthwhile by doing what you can to protect our source water.

Monitoring Schedule

The Alabama Department of Environmental Management (ADEM) allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Based on a study conducted by ADEM with the approval of the EPA a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.

Constituents Monitored	Centre	Cherokee County	
Inorganic Contaminants	2017	2016	
Lead/Copper	2013	2016	
Microbiological Contaminants	current	current	
Nitrates	2017	2017	
Radioactive Contaminants	2012	2012	
Synthetic Organic Contaminants (including herbicides and pesticides)	2017	2017	
Volatile Organic Contaminants	2015	2017	
Disinfection Byproducts	2017	2017	
DSE Disinfection Byproducts	2017	Not required	

General Information

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. MCL's, defined in a List of Definitions in this report, are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

•Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

•Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water run-off, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

 Pesticides and herbicides, which may come from a variety of sources such as agriculture, storm water run-off, and residential uses.

•Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

•Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. Based on a study conducted by ADEM with the approval of the EPA a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.

Your source water is tested for pathogens, such as *Cryptosporidium* and *Giardia*. These pathogens can enter the water from animal or human waste. For people who may be immuno-compromised, a guidance document developed jointly by the Environmental Protection Agency and the Center for Disease Control is available online at *www.epa.gov/safewater* or from the Safe Drinking Water Hotline at 800-426-4791. This language does not indicate the presence of cryptosporidium in our drinking water.

Information about Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

Use only water from the cold-water tap for drinking, cooking, and especially for making baby formula. Hot water is likely to contain higher levels of lead. The two actions recommended above are very important to the health of your family. They will probably be effective in reducing lead levels because most of the lead in household water usually comes from the plumbing in your house, not from the local water supply. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water hotline or at www.epa.gov/safewater.

Questions?

If you have any questions about this report or concerning your water utility, please contact **David Garrett**. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Tuesday of each month at the Water Works office at 4:00 p.m.

More information about contaminants to drinking water and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (1-800-426-4791).

Monitoring Results

We are pleased to report that we had no violations, and our drinking water meets or exceeds federal and state requirements. We have learned through our monitoring and testing that some constituents have been detected. The table below shows only those contaminants that were detected in the water.

	Violation	Level	Unit		a har a star	Likely Source	
Contaminants	Y/N	Detected	Msmt	MCLG	MCL	of Contamination	
Chlorine	NO	1.28-2.40	ppm	MRDLG=4	MRDL=4	Water additive used to control microbes	
Total Organic Carbon	NO	1.31-2.22	ppm	n/a	TT	Soil runoff	
Turbidity	NO	Highest 0.108	NTU	n/a	TT	Soil runoff	
Alpha emitters	NO	1.7	PCi/I	0	15	Erosion of natural deposits	
Barium	NO	0.06	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
Copper	NO	0.300 * 0 > AL	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
Fluoride	NO	0.48	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from factories	
Nitrate (as Nitrogen)	NO	0.26	ppm	10	10	Runoff from fertilizer use; leaching from septi- tanks, sewage; erosion of natural deposits	
TTHM [Total trihalomethanes]	NO	LRAA 68.9 25.8-71.6	ppb	- 0	80	By-product of drinking water chlorination	
HAA5 [Total haloacetic acids]	NO	LRAA 38.1 26.4-40.8	ppb	0	60	By-product of drinking water chlorination	
Unregulated Contaminants	$(2^m) \in \{1, 2^m, 2^m\}$						
Chloroform	NO	7.89	ppb	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Bromodichloromethane	NO	5.68	ppb	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Chlorodibromomethane	NO	2.21	ppb	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Secondary Contaminants			1.	- Carlos	18 10 1 1	and the second secon	
Chloride	NO	22.2	ppm	n/a	250	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Hardness	NO	81.3	ppm	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
рН	NO	7.02	S.U.	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Sodium	NO	19.3	ppm	n/a	n/a	Naturally occurring in the environment	
Sulfate	NO	34.6	ppm	n/a	250	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
otal Dissolved Solids	NO	168	ppm	n/a	500	Naturally occurring in the environment or from industrial discharge or agricultural runoff	

* Figure shown is 90th percentile and # of sites above action level (1.3 ppm) = 0

Distribution System Evaluation Disinfection Byproducts						
Contaminants	Level Detected Range	Unit Msmt	Likely Source of Contamination			
TTHM [Total trihalomethanes]	36.1-82.2	ppb	By-product of drinking water chlorination			
HAA5 [Total haloacetic acids]	21.2-82.2	ppb	By-product of drinking water chlorination			

T	ABLE OF			INKING Ve County		CONTAMINANTS	
Contaminants	Violation Y/N	Level Detected	Unit Msmt	MCLG	MCL	Likely Source of Contamination	
Alpha emitters	NO	2.3	PCi/l	0	15	Erosion of natural deposits	
Nitrate (as Nitrogen)	NO	0.31-0.32	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
TTHM [Total trihalomethanes]	NO	Annual ND-1.82	ppb	0	80	By-product of drinking water chlorination	
HAA5 [Total haloacetic acids]	NO	Annual ND-1.19	ppb	0	60	By-product of drinking water chlorination	
Unregulated Contaminants	ter de la composition			and the second	. ⁴ . 1. 19	and a second	
Chloroform	NO	32.6	ppb	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Bromodichloromethane	NO	9.00	ppb	n/a	n/a	Naturally occurring in the environment or fron industrial discharge or agricultural runoff	
Chlorodibromomethane	NO	1.00	ppb	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Secondary Contaminants					State of the		
Aluminum	NO	0.07-0.08	ppm	n/a	n/a	Caused by carbonates, bicarbonates and hydroxides. Phosphates and silicates contribute.	
Chloride	NO	2.80-2.86	ppm	n/a	250	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Hardness	NO	108-118	ppm	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
ρΗ	NO	8.09-8.13	S.U.	n/a	n/a	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Sodium	NO	0.92-1.68	ppm	n/a	n/a	Naturally occurring in the environment	
Sulfate	NO	3.18-4.30	ppm	n/a	250	Naturally occurring in the environment or from industrial discharge or agricultural runoff	
Fotal Dissolved Solids	NO	120-128	ppm	n/a	500	Naturally occurring in the environment or from industrial discharge or agricultural runoff	

DEFINITIONS

Action Level- the concentration of a contaminant that, if exceeded, triggers treatment or other requirements.

Coliform Absent (ca)- laboratory analysis indicates that the contaminant is not present.

Disinfection byproducts (DBPs)- formed when disinfectants react with bromide and/or natural organic matter (i.e., decaying vegetation) present in the source water. Disinfection byproducts for which regulations have been established include trihalomethanes (TTHM), haloacetic acids (HAA5), bromate, and chlorite.

Distribution System Evaluation (DSE)- a one-time study conducted by water systems to identify distribution system locations with high concentrations of THMs and HAAs.

Level 1 Assessment- a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment- a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level (MCL)- highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal- the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL)- highest level of a disinfectant allowed in drinking water

Micrograms per liter (ug/L) - equivalent to parts per billion (ppb) since one liter of water is equal in weight to one billion micrograms.

Milligrams per liter (mg/L) - equivalent to parts per million

Millirems per year (mrem/yr)- a measure of radiation absorbed by the body.

Nephelometric Turbidity Unit (NTU)- a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Not Detected (ND)- laboratory analysis indicates that the constituent is not present above detection limits of lab equipment. NR (Not Reported)- laboratory analysis, usually Secondary Contaminants, not reported by water system. EPA recommends that secondary standards be reported but does not require systems to comply.

Parts per billion (ppb) or Micrograms per liter ($\mu g/l$)- corresponds to one minute in 2,000 years, or a single penny in \$10,000,000. Parts per million (ppm) or Milligrams per liter (mg/l)- corresponds to one minute in two years or a single penny in \$10,000.

Parts per quadrillion (ppq) or Picograms per liter (picograms/I)- corresponds to one minute in 2,000,000,000 years, or a single penny in \$10,000,000,000,000.

Parts per trillion (ppt) or Nanograms per liter (nanograms/I)- corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000. Picocuries per liter (pCi/L)- a measure of the radioactivity in water.

Running Annual Average (RAA)- yearly average of all the DPB results at each specific sampling site in the distribution system. The RAA, along with a range, is reported in the Table of Detected Contaminants.

Standard Units (S.U.)- pH of water measures the water's balances of acids and bases and is affected by temperature and carbon dioxide gas. Water with less than 6.5 could be acidic, soft, and corrosive. A pH greater than 8.5 could indicate that the water is hard.

Treatment Technique (TT)- a required process intended to reduce the level of a contaminant in drinking water.

Variances & Exemptions (V&E)- State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

At the end of this report is a *Table of Primary Drinking Water Contaminants*. These contaminants were *not* detected in your water unless they appear in the *Table of Detected Contaminants*.

Contaminant	MCL	Unit of Msmt	Contaminant	MCL	Unit of Msm
Bacteriological Contaminants		and he was seened	trans-1,2-Dichloroethylene	100	ppb
Total Coliform Bacteria	<5%	present or absent	Dichloromethane	5	ppb
Fecal Coliform and E. coli	0	present or absent	1,2-Dichloropropane	5	ppb
Turbidity	TT	NTU	Di (2-ethylhexyl)adipate	400	ppb
Cryptosporidium	TT	Calculated organisms/liter	Di (2-ethylhexyl)phthalate	6	ppb
Radiological Contaminants			Dinoseb	7	ppb
Beta/photon emitters	4	mrem/yr	Dioxin [2,3,7,8-TCDD]	30	ppq
Alpha emitters	15	pCi/l	Diquat	20	ppb
Combined radium	5	pCi/l	Endothali	100	ppb
Jranium	30	pCi/l	Endrin	2	ppb
norganic Chemicals		geboure plagae d	Epichlorohydrin	ТТ	TT
Antimony	6	ppb	Ethylbenzene	700	ppb
Arsenic	10	ppb	Ethylene dibromide	50	ppt
Asbestos	7	MFL	Glyphosate	700	ppb
Barium	2	ppm	Heptachlor	400	ppt
eryllium	4	ppb	Heptachlor epoxide	200	ppt
admium	5	ppb	Hexachlorobenzene	1	ppb
hromium	100	ppb	Hexachlorocyclopentadiene	50	ppb
Copper	AL=1.3	ppm	Lindane	200	ppt
Cyanide	200	ppb	Methoxychlor	40	ppb
luoride	4	ppm	Oxamyl [Vydate]	200	ppb
ead	AL=15	ppb	Polychlorinated biphenyls (PCBs)	0.5	ppb
fercury	2	ppb	Pentachlorophenol	1	ppb
litrate	10	ppm	Picloram	500	ppb
litrite	1	ppm	Simazine	4	ppb
elenium	.05	ppm	Styrene	100	ppb
hallium	.002	ppm	Tetrachloroethylene	5	ppb
organic Contaminants			Toluene	1	ppm
,4-D	70	ppb	Toxaphene	3	ppb
Acrylamide	TT	Π	2,4,5-TP(Silvex)	50	ppb
lachlor	2	ppb	1,2,4-Trichlorobenzene	.07	ppm
enzene	5	ppb	1,1,1-Trichloroethane	200	ppb
Benzo(a)pyrene [PAHs]	200	ppt	1,1,2-Trichloroethane	5	ppb
Carbofuran	40	ppb	Trichloroethylene	5	ppb
Carbon tetrachloride	5	ppb	Vinyl Chloride	2	ppb
chlordane	2	ppb	Xylenes	10	ppm
Chlorobenzene	100	ppb	Disinfectants & Disinfection Bypro	ducts	
Palapon	200	ppb	Chlorine	4	ppm
Dibromochloropropane	200	ppl	Chlorine Dioxide	800	ppb
-Dichlorobenzene	600	ppb	Chloramines	4	ppm
-Dichlorobenzene	75	ppb	Bromate	10	pph
.2-Dichloroethane	5	ppb	Chlorite	1	
	7	Provide and the second s	HAA5 [Total haloacetic acids]	60	ppm
,1-Dichloroethylene	_	ppb		80	ppb
is-1,2-Dichloroethylene	70	ppb EGULATED CO	TTHM [Total trihalomethanes]		ppb
		and the second			
1 – Dichloropropene	Aldicart		Chloroform	Metolachlor	
,1,1,2-Tetrachloroethane		Sulfone	Chloromethane	Metribuzin	
1,2,2-Tetrachloroethane	6010 C 12	Sulfoxide	Dibromochloromethane	N - Butylbenzene	
1-Dichloroethane	Aldrin		Dibromomethane	Naphthalene	
2,3 - Trichlorobenzene	Bromob	enzene	Dicamba	N-Propylbenzene	
2,3 - Trichloropropane	Bromod	hloromethane	Dichlorodifluoromethane	O-Chlorotoluene	
,2,4 - Trimethylbenzene	Bromod	lichloromethane	Dieldrin	P-Chlorotoluene	
3 – Dichloropropane	Bromofe	orm	Hexachlorobutadiene	P-Isopropyltoluene	
,3 – Dichloropropene	Bromon		Isoprpylbenzene	Propachlor	
,3,5 - Trimethylbenzene	Butachl		M-Dichlorobenzene	Sec - Bulylbenzene	
,2 – Dichloropropane	Carbary		Methomyl	Tert - Butylbenzene	
-Hydroxycarbofuran	Chloroe		MTBE	Trichlorfluoromethane	