

Ecobond **DURAGRAV:**

ECOBOND GRAVEL ROADS
STABILIZATION & DUST CONTROL



**ECOBOND
DURAGRAV** IS A
STABILIZED GRAVEL
ROAD WEARING
COURSE, WHICH IS
SURFACED AND
MAINTAINED WITH A
SPRAY-ON TREATMENT



DuraGrav Construction Procedure



Rip



Batch



Spray



Mix



Compact



Let dry



SprayOn



Finished



Future Maintenance

Future maintenance is also done through Spray-On treatments, maintenance frequency depends on the traffic volume.


Maintenance of low volume Rural Roads requires Ecobond SprayOn 1-4 times per year

If maintenance is done, little or no re-gravelling is needed.



WHAT THIS DOES FOR GRAVEL ROADS:

- Keeps the gravel in the road
- Less dust
- Less corrugations
- Much less re-working of road
- No more grader blading
- Almost no re-gravelling



ECOBOND HAS BEEN CERTIFIED BY THE BOARD OF AGREMENT SOUTH AFRICA. IT HAS BEEN CERTIFIED FOR THE STABILIZATION OF CRUSHED STONE, NATURAL GRAVEL AND SANDS.

CERTIFICATE NUMBER: 2015/496

THE PURPOSE IS TO MAKE THE USE OF BITUMEN EMULSION MORE EFFICIENT FOR STABILIZED PAVEMENT LAYERS AND DUST CONTROL.

