



Coastal + Impact Solutions

WINDOW + DOOR GUIDE



The Marvin Impact-Rated Product Portfolio

Choose from a broad selection of Ultimate and Elevate windows and doors available to meet impact performance requirements for your projects.

MARVIN ULTIMATE™ COLLECTION



Endless Possibilities

Realize unique visions with endless design possibilities, each meticulously crafted.

INTERIORS

Wood

Six species options + custom, two painted or primed options, six stains + Clear Coat

EXTERIORS

Extruded Aluminum

19 colors + custom

Wood

Three species + custom

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Extensive selection including Marvin Gallery Hardware

COASTAL + WATERFRONT

Hurricane Impact Zones 3 (IZ3) + Performance Grade 50 products (PG50)

MARVIN ELEVATE® COLLECTION



Beauty Meets Durability

Find the most in-demand traditional window and door types with natural wood interiors and Ultrex® fiberglass exteriors.

INTERIORS

Wood

Bare Pine, painted Designer Black, painted White, or Clear Coat

EXTERIORS

Ultrex Fiberglass

Six color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in six finish options with two door handle styles

COASTAL + WATERFRONT

Hurricane Impact Zone 3 (IZ3) + Performance Grade 50 products (PG50)

ULTIMATE
BI-FOLD DOOR
Painted White



Table of Contents

OVERVIEW	06	Marvin Coastal + Impact Overview
ULTIMATE	10	Introduction
	12	Marvin Ultimate™ Windows + Doors
	14	Ultimate Options
	16	Ultimate Impact Specifications
ELEVATE	18	Introduction
	20	Marvin Elevate® Windows + Doors
	22	Elevate Options
	24	Elevate Impact Specifications

ULTIMATE AWNING, DIRECT GLAZE
PICTURE, POLYGON WINDOWS, SLIDING
PATIO, SWINGING FRENCH DOORS
White

Be Ready for the Harshest Conditions

Whether you're close to the shore or building inland, Marvin Ultimate™ and Marvin Elevate® windows and doors provide a wide range of impact-rated products to meet building codes, stand up to storms, and showcase your spaces with beauty and style. Reinforced construction, impact glass, and durable materials combine to safeguard homes without sacrificing aesthetics.

ELEVATE CASEMENT, AWNING WINDOWS,
ULTIMATE INSWING FRENCH DOOR
Stone White



Soulful Lowcountry Shoreline

Inspired by architectural tradition and eclectic topography, the 2024 Southern Living Idea House fits naturally into the South Carolina shore. Learn more on the Marvin Inspiration blog.



marvin.com/lowcountry

Built for Maximum Performance and Style

Eliminate the inconvenience of plywood sheets or storm shutters. Trust Marvin impact-rated products to stand up to the harshest conditions, including driving rain, wind, sun exposure, and powerful tropical weather.

Our quality craftsmanship is backed by a 20/10-year limited warranty on glass, materials, and workmanship.



Durable Materials

- Marvin Ultimate™ products feature the highest industry-rated 18-gauge, aircraft-quality extruded aluminum
- Ultrex® fiberglass exteriors on Marvin Elevate® products are 8x stronger than vinyl and 3x stronger than the Fibrex® composite

Exceptional Design

- Impact Zone 3 certified products are designed to meet and exceed stringent coastal codes
- The perfect aesthetic for remodels, luxury home builds, and light commercial projects
- Frame-to-frame mulling configurations are WDMA certified in most sizes

Superior Finishes

- PVDF (polyvinylidene difluoride) finish that meets the highest AAMA 2605 requirements for Ultimate products
- Best-in-class AAMA 624 Ultrex finish on Elevate products is 3x thicker than competitive painted finishes
- Physical Vapor Deposition (PVD) hardware finishes resist fading and discoloration in coastal regions

Enhanced Features + Options

- Products can be specified to meet sea turtle conservation codes, which help to reduce reflection that confuses sea turtle hatchlings
- Laminated and specialty glass options are available for hurricane zones and sound management
- Marvin impact-rated products do not require extra latches or special locking hardware reinforcements


Preserving the Structural Integrity of Windows and Doors

Marvin impact products are rigorously tested to comply with coastal codes and withstand high wind, extreme pressure, and flying debris.



Impact Zone 3 Ready

- Zone 3 meets International Building Codes for coastal areas in Atlantic and Gulf Coast states and is tested to withstand winds from 120mph to 140mph



Layered impact-resistant glass is designed to exceed certification criteria.

* Interlayer dependent on size

Comprehensive Testing

- To ensure maximum performance in the field, Marvin applies persistent pressure tests of 9,000 cycles to simulate hurricane-force winds
- Products are tested using an 8-foot-long, 2" x 4" stud launched at 50 feet per second to ensure they withstand impact to the center and corners



While the glass may shatter during testing, the unit maintains its structural integrity.

MARVIN
ULTIMATE™
COLLECTION

Designed for Unique Visions

Marvin Ultimate windows and doors help unlock a stunning range of singular visions – from contemporary to historic. The result of relentless refinement, the Ultimate collection pushes the limits of what’s possible.

HANDCRAFTED BEAUTY

SUPERIOR PERFORMANCE

DESIGN FLEXIBILITY

ULTIMATE DIRECT GLAZE
POLYGON WINDOWS
Stained Wood



Ultimate Windows + Doors

Marvin Ultimate™ windows and doors are premium products built to stand up to nature’s toughest tests like flying debris, gale-force winds, driving rain, salt spray, and blazing sun. Explore their stunning craftsmanship, featuring warm wood interiors, numerous design options, precise detailing, and the durability of extruded aluminum exteriors.



fig. 1

fig. 1 **ULTIMATE DOUBLE HUNG, DIRECT GLAZE PICTURE WINDOWS**
Pine, Custom Finish

fig. 2 **ULTIMATE INSWING FRENCH, SLIDING FRENCH DOORS**
Stone White

ULTIMATE IMPACT-RATED PRODUCTS



Casement Window



Inswing + Outswing French Door G2



Double Hung G2 Window



Sliding French Door G2



Picture Window



Multi-Slide Door



Awning Window



Bi-Fold Door



fig. 2

FEATURES

Marvin is one of the few window and door manufacturers with high-quality extruded aluminum cladding as a standard

Finish coating meets AAMA 2605 for extruded aluminum – the industry’s highest rating

Ultimate finishes are 20% thicker than finishes found in roll-form aluminum competitors

Aluminum cladding features an extremely durable fluoropolymer paint finish with 70% PVDF (polyvinylidene difluoride), offering outstanding resistance to humidity, color change, chalk, gloss loss, and chemicals

Suitable for Hurricane Impact Zone 3; PG50 products available

Ultimate Options

Interior Finish Options

Install your products the day they arrive with factory-applied interior finishes that eliminate the time, mess, and additional labor of painting and staining on site.

WOOD SPECIES













Pine

Vertical Grain Douglas Fir

Mixed Grain Douglas Fir

Cherry

White Oak

Honduran Mahogany


STAIN














Wheat

Honey

Hazelnut

Leather

Cabernet

Espresso





Clear

Custom

PAINT









Designer Black

White

Primed White

Custom

Exterior Finish Options

Our palette of 19 durable extruded aluminum colors includes a spectrum of rich hues and three pearlescent finishes. Wood exteriors, custom colors, and color matching are also available.

EXTRUDED ALUMINUM FINISHES













Stone White

Coconut Cream

Sierra White

Cashmere

Pebble Gray

Clay













Suede

Bronze

Bahama Brown

Cadet Gray

Gunmetal

Ebony











Evergreen

Hampton Sage

Wineberry

Cascade Blue

Custom







Bright Silver Pearlescent

Copper Pearlescent

Liberty Bronze Pearlescent

WOOD SPECIES









Pine

Vertical Grain Douglas Fir

Mahogany

Accoya® Exterior trim package only*

* Accoya trim is a high-performance modified wood made from Radiata Pine that undergoes acetylation to minimize water absorption, resulting in exceptional stability and durability for exterior applications

Hardware Options

Extensive selection of door hardware including Marvin® Gallery Hardware.* For enhanced durability in harsh climates, some exterior hardware options are available with extra long-lasting PVD finishes.

WINDOW HARDWARE OPTIONS













Auto-Locking Hardware System

Traditional Lift Lock

Contemporary Lift Lock

Folding Handle

Folding Handle

Push-Out Handle

DOOR HARDWARE OPTIONS













Traditional

Contemporary

Minimalist

Harp

Vertical Pull

Exterior Flush Pull


HARDWARE FINISHES











White

Polished Chrome

Satin Chrome

Satin Nickel†

Satin Taupe











Brass

Antique Brass

Oil Rubbed Bronze†

Oil Rubbed Bronze

Dark Bronze



Matte Black

Sizing

Standard and custom-sized doors built to your exact specification.

Design Flexibility

The highest level of design flexibility with the most extensive offering of options.

Coastal + Waterfront

Marvin Ultimate™ doors are well suited for coastal or waterfront areas with special products and hardware specifically designed for hurricane zones.

* For more options, visit marvin.com
† The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion-resistant finish.

Ultimate Impact Window Specifications

Ultimate Wood Casement + Awning IMPACT ZONE 3			
Product	¾" IG	Max Size	DP Operation
UCA		CN3684	+65 / -65 LH, RH, STAT
UCA STAT/PICT		CN4854	+65 / -65 FIXED
UCA STAT/PICT		CN5448	+65 / -65 FIXED
UCAPO		CN3684	+65 / -65 LH, RH, STAT
UCART		CN3684	+65 / -65 LH, RH
UCART STAT/PICT		CN3684	+65 / -65 FIXED
UAWN		CN4854	+65 / -65 OPERABLE
UAWNPO		CN7236	+65 / -65 OPERABLE
Product	1" IG	Max Size	DP Operation
UCA		CN3696	+65 / -65 LH, RH, STAT
UCA STAT/PICT F.S.		60" x 104- ¹ / ₁₆ "	+60 / -60 FIXED
UCA STAT/PICT F.S.		104- ¹ / ₁₆ " x 60"	+60 / -60 FIXED
UCA STAT/PICT F.S.		72" x 76- ¹ / ₂ "	+65 / -65 FIXED
UCA STAT/POLY F.S.		76- ¹ / ₂ " x 72	+65 / -65 FIXED
UCAPO STAT/PICT F.S.		60" x 104- ¹ / ₁₆ "	+60 / -60 FIXED
UCA STAT/POLY F.S.		72" x 76- ¹ / ₂ "	+65 / -65 FIXED
UCAPO STAT/PICT F.S.		104- ¹ / ₁₆ " x 60"	+60 / -60 FIXED
UCAPO STAT/PICT F.S.		72" x 76- ¹ / ₂ "	+65 / -65 FIXED
UCAPO STAT/PICT F.S.		76- ¹ / ₂ " x 72"	+65 / -65 FIXED
UCART STAT/PICT		CN7278	+65 / -65 FIXED

Ultimate Wood Casement + Awning IMPACT ZONE 3

Product	¾" IG	Max Size	DP Operation
UWCA		CN3684	+65 / -65 LH, RH, STAT
UWCA STAT/PICT		CN4854	+65 / -65 FIXED
UWCA STAT/PICT		CN5448	+65 / -65 FIXED
UWCART		CN3684	+65 / -65 LH, RH
UWCART PICT		CN3684	+65 / -65 FIXED
UWAWN		CN4854	+65 / -65 OPERABLE

Product	1" IG	Max Size	DP Operation
UWCA		CN3696	+65 / -65 LH, RH, STAT
UWCA STAT/PICT F.S.		60" x 105- ⁵ / ₈ "	+60 / -60 FIXED
UWCA STAT/PICT F.S.		105- ⁵ / ₈ " x 60"	+65 / -65 FIXED
UWCA STAT/PICT F.S.		72" x 77- ³ / ₁₆ "	+65 / -65 FIXED
UWCA STAT/PICT F.S.		77- ³ / ₁₆ " x 72"	+65 / -65 FIXED
UWCART PICT		72- ⁵ / ₈ " x 77- ¹ / ₈ "	+65 / -65 FIXED
UWCAPO STAT/PICT F.S.		72" x 77- ³ / ₁₆ "	+65 / -65 FIXED
UWCAPO STAT/PICT F.S.		60" x 105- ⁵ / ₈ "	+60 / -60 FIXED
UWCAPO STAT/PICT F.S.		77- ³ / ₁₆ " x 72"	+65 / -65 FIXED
UWCAPO STAT/PICT F.S.		105- ⁵ / ₈ " x 60"	+60 / -60 FIXED

Ultimate Wood Direct Glaze IMPACT ZONE 3			
Product	Max Frame Size	DP	Operation
UWDGRECT/POLY	73" x 73"	+55 / -65	FIXED
UWDGTR	73" x 73"	+55 / -65	FIXED

Ultimate Double Hung G2 IMPACT ZONE 3

Product	Max Size	DP	Operation
UDHG2	CN4036	+65 / -65	DH, SH
UDHG2	CN4256	+65 / -65	DH, SH
UDHG2	CN4450	+65 / -65	DH, SH
UDHG2	CN4848	+65 / -65	DH, SH
UDHG2	42- ³ / ₈ " x 92- ³ / ₃₂ "	+65 / -65	DH, SH
UDHPG2 F.S.	61- ¹ / ₄ " x 103- ¹ / ₂ "	+65 / -65	FIXED
UDHPG2 F.S.	67- ¹ / ₄ " x 69- ¹ / ₂ "	+65 / -65	FIXED
UDHTRG2	CN6820	+65 / -65	FIXED

Cottage and reverse cottage available. Connect with Marvin support staff for more details.

Ultimate Wood Double Hung IMPACT ZONE 3

Product	Max Size	DP	Operation
UWDH	CN3234	+55 / -65	DH, SH
UWDH	CN4026	+55 / -65	DH, SH
UWDHRT	CN3234	+55 / -65	DH, SH
UWDHP F.S	60" x 106- ¹⁵ / ₁₆ "	+55 / -65	FIXED

Ultimate Direct Glaze IMPACT ZONE 3

Product	Max Frame Size	DP	Operation
UDG POLY/RECT/RT	73" x 73"	+55 / -65	FIXED
UDG POLY/RECT	60" x 120"	+55 / -65	FIXED
UDG POLY/RECT	120" x 60"	+55 / -65	FIXED
UDG POLY/RECT	84" x 86"	+55 / -65	FIXED
UDG POLY/RECT	86" x 84"	+55 / -65	FIXED
UDGRT	48" x 120"	+55 / -65	FIXED
UDGRT	120" x 48"	+55 / -65	FIXED
UDG RECT	63" x 114"	+50 / -60	FIXED
UDG RECT	66" x 108"	+50 / -60	FIXED
UDG RECT	69" x 102"	+50 / -60	FIXED
UDG RECT	75" x 96"	+50 / -60	FIXED
UDG RECT	78" x 90"	+50 / -60	FIXED
UDG RECT	90" x 78"	+50 / -60	FIXED
UDG RECT	96" x 75"	+50 / -60	FIXED
UDG RECT	102" x 69"	+50 / -60	FIXED
UDG RECT	114"x 63"	+50 / -60	FIXED
UDG RECT	108" x 66"	+50 / -60	FIXED

Ultimate Impact Door Specifications

Ultimate Swinging Narrow Profile Door – 2-¼" Panel IMPACT ZONE 3 (Outswing)			
Product	Max Size	DP	Operation
UOD 2.25	CN3680	+65 / -65	O
UOD 2.25	CN3080	+65 / -65	O
UOD 2.25	CN6080	+65 / -65	XX
UOD 2.25 TR	CN8026	+65 / -65	FIXED

IMPACT ZONE 3 (Inswing)			
Product	Max Size	DP	Operation
UID 2.25	CN3680	+65 / -65	O
UID 2.25	CN6080	+65 / -65	XX
UID 2.25 TR	CN8026	+65 / -65	FIXED

Ultimate Swinging French Door – 2-¼" Panel IMPACT ZONE 3 (Outswing)

Product	Max Size	DP	Operation
UOFD SL 2.25 G2	CN36100	+65 / -65	FIXED
UOFD 2.25 G2	CN36100	+65 / -65	O
UOFD 2.25 G2	CN3680	+65 / -65	O
UOFD SL 2.25 G2	CN3680	+65 / -65	FIXED
UOFD SL 2.25 G2	CN3080	+65 / -65	FIXED
UOFD 2.25 G2	CN7080	+65 / -65	XX
UOFD 2.25 G2	CN60100	+65 / -65	XX
UOFD 2.25 G2	CN6080	+65 / -65	XX
UOFD TR 2.25 G2	CN8026	+65 / -65	FIXED

IMPACT ZONE 3 (Inswing)			
Product	Max Size	DP	Operation
UIFD SL 2.25 G2	CN36100	+65 / -65	FIXED
UIFD SL 2.25 G2	CN3680	+65 / -65	FIXED
UIFD 2.25 G2	CN36100	+65 / -65	O
UIFD 2.25 G2	CN3680	+65 / -65	X
UIFD 2.25 G2	CN7080	+65 / -65	XX
UIFD 2.25 G2	CN60100	+65 / -65	XX
UIFD TR G2	CN8026	+65 / -65	FIXED

Ultimate Bi-Fold Door IMPACT ZONE 3

Certification Rating: SP-PG50

Product	Max Size	DP
Maximum panels within door unit	6 in any operating configuration	+50 / -50
Maximum operating panel size	CN3680 or CN30100	+50 / -50
Maximum stationary panel size	CN36100	+50 / -50

Sliding Narrow Profile Door – 2-¼" Panel IMPACT ZONE 3			
Product	Max Size	DP	Operation
USD 2.25	CN8080	+65 / -65	OX, XO
USD 2.25	CN12080	+55 / -55	OXXO, OOX, XOO
USD 2.25	CN6080	+65 / -65	OX, XO

Sliding French Door G2 – 2-¼" Panel IMPACT ZONE 3

Product	Max Size	DP	Operation
USFD 2.25 G2	CN10080	+65 / -65	OX, XO
USFD 2.25 G2	CN15080	+50 / -50	OXO
USFD 2.25 G2	CN16080	+50 / -65	OXXO, OOX, XOO
USFD 2.25 G2	CN160100	+50 / -50	OXXO, OOX, XOO
USFD 2.25 G2	CN12080	+65 / -65	OXXO, OOX, XOO

Sliding French Door G2 – 1-¾" Panel IMPACT ZONE 3

Product	Max Size	DP	Operation
USFD 1.75 G2	CN8080	+55 / -65	OX, XO
USFD 1.75 G2	CN12080	+50 / -50	OXO, XOO, OOX
USFD 1.75 G2	CN16080	+50 / -50	OXXO

Ultimate Multi-Slide Door IMPACT ZONE 3

Product	Max Size (ft.)	DP
Bi-parting* Stacked or Pocket with High Performance Sill	CN Heights above 8'0 to 10'0	+50 / -55
Bi-parting* Stacked or Pocket with High Performance Sill	CN3680 or CN30100	+55 / -65
Uni-directional† Stacked or Pocket with High Performance Sill	CN36100	+55 / -65

F.S. Frame Size
* Up to 10 panels and up to 4'0 panel width
† Up to 6 panels and up to 4'0 panel width

MARVIN
ELEVATE®
COLLECTION

The Perfect Balance of Beauty and Strength

Balancing beautiful design with superior strength, the Marvin Elevate collection delivers style in any climate. Elevate features warm wood interiors that can blend in or stand out with Ultrex® fiberglass exteriors for lasting durability. The collection offers a range of carefully selected features and options, making it as versatile as it is elegant.

LONG-LASTING STRENGTH + BEAUTY

DURABLE FINISHES

CURATED CHOICES

ELEVATE CASEMENT,
DIRECT GLAZE WINDOWS
Pine, Custom Finish



Elevate Windows + Doors

Elevate IZ3 certified products are designed for the extreme conditions of coastal areas. Ultrex® fiberglass exteriors have an extremely low thermal expansion rate to resist cracking or warping and are 8x stronger than vinyl and 3x stronger than Fibrex.®



fig. 1

fig. 1 ELEVATE CASEMENT WINDOWS
Pine, Custom Finish

fig. 2 ELEVATE SWINGING FRENCH DOOR
Painted White

ELEVATE IMPACT-RATED PRODUCTS



Casement Window



Swinging French Door



Double Hung Window



Sliding French Door



Picture Window



Awning Window



fig. 2

FEATURES

Ultrex fiberglass expands at virtually the same rate as glass, making Marvin Elevate® products resistant to leaks, seal failures, and stress cracks

Best-in-class AAMA 624 Ultrex finish is 3x thicker than competitive painted finishes

The highly concentrated glass fibers in Ultrex fiberglass provide superior strength and an exceptionally smooth, durable finish

Grilles-Between-the-Glass (GBG) and Simulated Divided Lite (SDL) options available

Suitable for Hurricane Impact Zone 3; PG50 products available


Elevate Options

Interior Finish Options

The Marvin Elevate® collection features rich Pine interiors that can be stained to match your interiors, or finished in our factory with a clear coat, Painted Designer Black, or Painted White finish.

Factory finishing means you can expect consistent quality and aesthetics that come from our carefully perfected finishing process.


WOOD FINISHES



Bare Pine
Wood comes bare and ready to be painted or stained



Clear Coat
Wood is finished in the factory with a clear coat



Painted White




Painted Designer Black

Exterior Finish Options

Elevate windows and doors have a durable, strong Ultrex® fiberglass exterior, featuring our AAMA-verified acrylic finish for low maintenance and superior aesthetics.

Built for durability and minimal maintenance, our Ultrex finish is 3x thicker than competitive painted finishes, with a smooth consistency and evenly distributed finish that resists fading, chalking, peeling, and cracking, even in the darkest colors. Six colors are available in neutral and dark tones.

ULTREX FIBERGLASS COLORS



Stone White



Cashmere



Pebble Gray



Bronze



Gunmetal



Ebony

Hardware Options

Elevate windows and doors feature classic low-profile durable hardware for clean aesthetics, safety, and security. Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.

HARDWARE OPTIONS



Sash Lock + Keeper



Folding Handle



Cambridge




Northfield

HARDWARE FINISHES



Oil Rubbed Bronze*



Brass*




Satin Nickel*



Almond Frost



Matte Black



White

Sizing

Standard and custom-sized.

Design Flexibility

Wide range of design options.

Coastal + Waterfront

Marvin Elevate doors are well suited for coastal or waterfront areas with special products and hardware specifically designed for hurricane zones.

* The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion-resistant finish.

Elevate Impact Window Specifications

Marvin Elevate® Casement + Awning IMPACT ZONE 3

Product	Max Size	DP	Operation
ELCA	CN3771	+55 / -65	OPERABLE
ELCAP	CN5771	+55 / -65	FIXED
ELCAP	CN7355	+55 / -65	FIXED
ELCA Tr	CN7319	+55 / -65	OPERABLE
ELAWN	CN4947	+55 / -65	OPERABLE
ELAWN	CN4947	+55 / -65	FIXED
ELDGRT	CN25-3W	+55 / -65	FIXED RT1
ELDGRT	CN7359	+55 / -65	FIXED RT2
ELDGRT	CN7369	+55 / -65	FIXED RT6
ELDGRT	CN7236	+55 / -65	FIXED RT7/RT8

Elevate Direct Glaze IMPACT ZONE 3

Product	Max Size	DP	Operation
ELDG RECT	72-½" x 95-½"	+55 / -65	FIXED
ELDH	96" x 72"	+55 / -65	FIXED

Elevate Double Hung IMPACT ZONE 3

Product	Max Size	DP	Operation
ELDH	CN3876	+55 / -65	OPERABLE
ELDH	CN4268	+55 / -65	OPERABLE
ELDHP	CN5476	+55 / -65	FIXED
ELDHP	CN6264	+55 / -65	FIXED
ELDH (Cottage)	CN4268	+55 / -65	OPERABLE
ELDH (Rev. Cottage)	CN4268	+55 / -65	OPERABLE
ELDHTr	CN6224	+55 / -65	OPERABLE
ELDGRT	CN38-2W	+55 / -65	FIXED RT1
ELDGRT	CN7259	+55 / -65	FIXED RT2
ELDGRT	CN8249	+55 / -65	FIXED RT6
ELDGRT	CN36-1W	+55 / -65	FIXED RT7/RT8
ELDGRT	CN3636	+55 / -65	FIXED RT27

Elevate Impact Door Specifications

Elevate Swinging French Door IMPACT ZONE 3 (INSWING)

Product	Max Size	DP	Operation
ELIFD	CN3080	+55 / -65	O/X
ELIFD	CN6080	+55 / -65	OX/XO/XX
ELDGRT	CN7236	+55 / -65	RT1

IMPACT ZONE 3 (OUTSWING)

Product	Max Size	DP	Operation
ELOFD	CN3080	+55 / -65	O/X
ELOFD	CN6080	+55 / -65	XX
ELDGRT	CN7236	+55 / -65	RT1

Elevate Sliding French Door IMPACT ZONE 3

Product	Max Size	DP	Operation
ELSFD	CN8080	+55 / -65	OX/XO
ELDGRT	CN7236	+55 / -65	RT1



MARVIN ULTIMATE™
AWNING, CASEMENT
PICTURE WINDOWS
Ebony



Since 1912, Marvin has been a family-owned and -led company, with a legacy of innovation and commitment to the highest quality. We understand the unique opportunity windows and doors have to improve our spaces and how we feel in them. That's why we never stop pushing what's possible and inventing new solutions to channel fresh air, enhance light quality, and connect with the world around us.

MARVIN.COM