

# SYSTEMS SURVEY FORM



Client \_\_\_\_\_ Clinician \_\_\_\_\_ Date \_\_\_\_\_

Birth Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Approx Weight \_\_\_\_\_ Vegetarian  Gluten-free

**INSTRUCTIONS:** Fill in only the circles which apply to you. Leave blank if you don't have the problem.

- Fill in the circle marked 1 for MILD symptoms (occurs rarely).
- Fill in the circle marked 2 for MODERATE symptoms (occurs several times a month).
- Fill in the circle marked 3 for SEVERE symptoms (occurs almost constantly).
- **Leave circles BLANK if they don't apply to you!**

## GROUP 1

- |  |  |  |
|--|--|--|
| <p>1 2 3</p> <p>1 ○○○ Acid foods upset</p> <p>2 ○○○ Get chilled often</p> <p>3 ○○○ "Lump" in throat</p> <p>4 ○○○ Dry mouth-eyes-nose</p> <p>5 ○○○ Pulse speeds after meal</p> <p>6 ○○○ Keyed up - fail to calm</p> <p>7 ○○○ Gag occasionally</p> | <p>1 2 3</p> <p>8 ○○○ Unable to relax; startles easily</p> <p>9 ○○○ Extremities cold, clammy</p> <p>10 ○○○ Strong light irritates</p> <p>11 ○○○ Occasionally weak urine flow</p> <p>12 ○○○ Heart pounds after retiring</p> <p>13 ○○○ "Nervous" stomach</p> <p>14 ○○○ Appetite reduced occasionally</p> | <p>1 2 3</p> <p>15 ○○○ Cold sweats often</p> <p>16 ○○○ Get heated easily</p> <p>17 ○○○ Nerve discomfort</p> <p>18 ○○○ Staring, blinks little</p> <p>19 ○○○ Sour stomach frequent</p> |
|--|--|--|

## GROUP 2

- |  |  |  |
|--|--|--|
| <p>1 2 3</p> <p>20 ○○○ Joint stiffness on arising</p> <p>21 ○○○ Muscle-leg-toe cramps at night</p> <p>22 ○○○ "Butterfly" stomach, cramps</p> <p>23 ○○○ Eyes or nose watery</p> <p>24 ○○○ Eyes blink often</p> <p>25 ○○○ Eyelids swollen, puffy</p> <p>26 ○○○ Indigestion soon after meals</p> <p>27 ○○○ Always seems hungry; feels "lightheaded" often</p> | <p>1 2 3</p> <p>28 ○○○ Digestion rapid</p> <p>29 ○○○ Vomit occasionally</p> <p>30 ○○○ Hoarseness frequent</p> <p>31 ○○○ Uneven breathing</p> <p>32 ○○○ Pulse slow</p> <p>33 ○○○ Gagging reflex slow</p> <p>34 ○○○ Difficulty swallowing</p> <p>35 ○○○ Temporary constipation or diarrhea</p> | <p>1 2 3</p> <p>36 ○○○ "Slow starter"</p> <p>37 ○○○ Get "chilled"</p> <p>38 ○○○ Perspire easily</p> <p>39 ○○○ Sensitive to cold</p> <p>40 ○○○ Upper respiratory challenges</p> |
|--|--|--|

## GROUP 3

- |  |  |  |
|--|--|--|
| <p>1 2 3</p> <p>41 ○○○ Eat when nervous</p> <p>42 ○○○ Excessive appetite</p> <p>43 ○○○ Hungry between meals</p> <p>44 ○○○ Irritable before meals</p> <p>45 ○○○ Get "shaky" if hungry</p> <p>46 ○○○ Fatigue, eating relieves</p> <p>47 ○○○ "Lightheaded" if meals delayed</p> | <p>1 2 3</p> <p>48 ○○○ Heart palpitates if meals missed or delayed</p> <p>49 ○○○ Fatigue in afternoons</p> <p>50 ○○○ Overeating sweets upsets</p> <p>51 ○○○ Awaken after few hours sleep - hard to get back to sleep</p> | <p>1 2 3</p> <p>52 ○○○ Crave candy or coffee in afternoons</p> <p>53 ○○○ Moods of "blues" or melancholy</p> <p>54 ○○○ Craving for sweets or snacks</p> |
|--|--|--|

## GROUP 4

- |  |   |   |
|--|---|---|
| <p>1 2 3</p> <p>55 ○○○ Hands and feet go to sleep easily, numbness</p> <p>56 ○○○ Sigh frequently, "air hunger"</p> <p>57 ○○○ Aware of "breathing heavily"</p> <p>58 ○○○ High altitude discomfort</p> <p>59 ○○○ Opens windows in closed rooms</p> <p>60 ○○○ Immune system challenges</p> <p>61 ○○○ Afternoon "yawner"</p> | <p>1 2 3</p> <p>62 ○○○ Get "drowsy" often</p> <p>63 ○○○ Swollen ankles, worse at night</p> <p>64 ○○○ Muscle cramps, worse during exercise; get "charley horses"</p> <p>65 ○○○ Difficulty catching breath especially during exercise</p> <p>66 ○○○ Tightness or pressure in chest, worse on exertion</p> | <p>1 2 3</p> <p>67 ○○○ Skin discolors easily after impact</p> <p>68 ○○○ Tendency to anemia</p> <p>69 ○○○ Noises in head, or "ringing in ears"</p> <p>70 ○○○ Fatigue upon exertion</p> |
|--|---|---|

## SYSTEMS SURVEY FORM - PAGE 2

### GROUP 5

- |  |  |  |
|--|--|--|
| <p>1 2 3</p> <p>71 ○○○ Dizziness</p> <p>72 ○○○ Dry skin</p> <p>73 ○○○ Burning feet</p> <p>74 ○○○ Blurred vision</p> <p>75 ○○○ Itching skin and feet</p> <p>76 ○○○ Hair loss</p> <p>77 ○○○ Occasional skin rashes</p> <p>78 ○○○ Bitter, metallic taste in mouth<br/>in mornings</p> <p>79 ○○○ Occasional constipation</p> | <p>1 2 3</p> <p>80 ○○○ Worrier, feels insecure</p> <p>81 ○○○ Nausea occasionally after<br/>eating</p> <p>82 ○○○ Greasy foods upset</p> <p>83 ○○○ Stools light colored</p> <p>84 ○○○ Skin peels on foot soles</p> <p>85 ○○○ Discomfort between shoulder<br/>blades</p> <p>86 ○○○ Occasional laxative use</p> <p>87 ○○○ Stools alternate from soft to<br/>watery</p> | <p>1 2 3</p> <p>88 ○○○ Sneezing attacks</p> <p>89 ○○○ Dreaming, nightmare type bad<br/>dreams</p> <p>90 ○○○ Bad breath (halitosis)</p> <p>91 ○○○ Milk products cause upset</p> <p>92 ○○○ Sensitive to hot weather</p> <p>93 ○○○ Burning or itching anus</p> <p>94 ○○○ Crave sweets</p> |
|--|--|--|

### GROUP 6

- |  |   |   |
|--|---|---|
| <p>1 2 3</p> <p>95 ○○○ Loss of taste for meat</p> <p>96 ○○○ Lower bowel gas several hours<br/>after eating</p> <p>97 ○○○ Burning stomach sensations,<br/>eating relieves</p> | <p>1 2 3</p> <p>98 ○○○ Coated tongue</p> <p>99 ○○○ Pass large amounts of<br/>foul-smelling gas</p> <p>100 ○○○ Indigestion 1/2 - 1 hour after eating;<br/>may be up to 3-4 hours after</p> | <p>1 2 3</p> <p>101 ○○○ Watery or loose stool</p> <p>102 ○○○ Gas shortly after eating</p> <p>103 ○○○ Stomach "bloating"</p> |
|--|---|---|

### GROUP 7

- |   |  |   |
|---|--|---|
| <p>1 2 3 (A)</p> <p>104 ○○○ Difficulty sleeping</p> <p>105 ○○○ On edge</p> <p>106 ○○○ Can't gain weight</p> <p>107 ○○○ Intolerance to heat</p> <p>108 ○○○ Highly emotional</p> <p>109 ○○○ Flush easily</p> <p>110 ○○○ Night sweats</p> <p>111 ○○○ Thin, moist skin</p> <p>112 ○○○ Inward trembling</p> <p>113 ○○○ Heart races</p> <p>114 ○○○ Increased appetite without<br/>weight gain</p> <p>115 ○○○ Pulse fast at rest</p> <p>116 ○○○ Eyelids and face twitch</p> <p>117 ○○○ Irritable and restless</p> <p>118 ○○○ Can't work under pressure</p>   | <p>1 2 3 (C)</p> <p>134 ○○○ Failing memory with age</p> <p>135 ○○○ Increased sex drive</p> <p>136 ○○○ Episodes of tension in head</p> <p>137 ○○○ Decreased sugar tolerance</p>   | <p>1 2 3 (E)</p> <p>145 ○○○ Dizziness</p> <p>146 ○○○ Headaches</p> <p>147 ○○○ Hot flashes</p> <p>148 ○○○ Hair growth on face or body<br/>(female)</p> <p>149 ○○○ Sugar in urine<br/>(not diabetes)</p> <p>150 ○○○ Masculine tendencies<br/>(female)</p>   |
| <p>1 2 3 (B)</p> <p>119 ○○○ Increase in weight</p> <p>120 ○○○ Decrease in appetite</p> <p>121 ○○○ Fatigue easily</p> <p>122 ○○○ Ringing in ears</p> <p>123 ○○○ Sleepy during day</p> <p>124 ○○○ Sensitive to cold</p> <p>125 ○○○ Dry or scaly skin</p> <p>126 ○○○ Temporary constipation</p> <p>127 ○○○ Mental sluggishness</p> <p>128 ○○○ Hair coarse, falls out</p> <p>129 ○○○ Tension in head upon arising<br/>wears off during day</p> <p>130 ○○○ Slow pulse, below 65</p> <p>131 ○○○ Changing urinary function</p> <p>132 ○○○ Sounds appear diminished</p> <p>133 ○○○ Reduced initiative</p> | <p>1 2 3 (D)</p> <p>138 ○○○ Abnormal thirst</p> <p>139 ○○○ Bloating of abdomen</p> <p>140 ○○○ Weight gain around hips or<br/>waist</p> <p>141 ○○○ Sex drive reduced or lacking</p> <p>142 ○○○ Tendency for stomach issues</p> <p>143 ○○○ Immune system challenges</p> <p>144 ○○○ Menstrual disorders</p> | <p>1 2 3 (F)</p> <p>151 ○○○ Weakness, dizziness</p> <p>152 ○○○ Tired throughout day</p> <p>153 ○○○ Nails weak, ridged</p> <p>154 ○○○ Sensitive skin</p> <p>155 ○○○ Stiff joints</p> <p>156 ○○○ Perspiration increase</p> <p>157 ○○○ Bowel discomfort</p> <p>158 ○○○ Poor circulation</p> <p>159 ○○○ Swollen ankles</p> <p>160 ○○○ Crave salt</p> <p>161 ○○○ Areas of skin darkening</p> <p>162 ○○○ Upper respiratory sensitivity</p> <p>163 ○○○ Tiredness</p> <p>164 ○○○ Breathing challenges</p> |

# SYSTEMS SURVEY FORM - PAGE 3

## GROUP 8

<p>1 2 3</p> <p>165 ○○○ Muscle weakness</p> <p>166 ○○○ Lack of Stamina</p> <p>167 ○○○ Drowsiness after eating</p> <p>168 ○○○ Muscular soreness</p> <p>169 ○○○ Heart races</p> <p>170 ○○○ Hyperirritable</p> <p>171 ○○○ Feeling of a band around your head</p> <p>172 ○○○ Melancholia (feeling of sadness)</p> <p>173 ○○○ Swelling of ankles</p> <p>174 ○○○ Change in urinary function</p>	<p>1 2 3</p> <p>175 ○○○ Tendency to consume sweets or carbohydrates</p> <p>176 ○○○ Muscle spasms</p> <p>177 ○○○ Blurred vision</p> <p>178 ○○○ Involuntary muscle action</p> <p>179 ○○○ Numbness</p> <p>180 ○○○ Night sweats</p> <p>181 ○○○ Rapid digestion</p> <p>182 ○○○ Sensitivity to noise</p> <p>183 ○○○ Redness of palms of hands and bottom of feet</p>	<p>1 2 3</p> <p>184 ○○○ Visible veins on chest and abdomen</p> <p>185 ○○○ Hemorrhoids</p> <p>186 ○○○ Apprehension (feeling that something bad will happen)</p> <p>187 ○○○ Nervousness causing loss of appetite</p> <p>188 ○○○ Nervousness with indigestion</p> <p>189 ○○○ Gastritis</p> <p>190 ○○○ Forgetfulness</p> <p>191 ○○○ Thinning hair</p>
---	--	---

### FEMALE ONLY

<p>1 2 3</p> <p>192 ○○○ Very easily fatigued</p> <p>193 ○○○ Premenstrual tension</p> <p>194 ○○○ Menses more painful than usual</p> <p>195 ○○○ Depressed feelings before menstruation</p> <p>196 ○○○ Painful breasts during menses</p>	<p>1 2 3</p> <p>197 ○○○ Menstruate too frequently</p> <p>198 ○ Hysterectomy / ovaries removed</p> <p>199 ○○○ Menopausal hot flashes</p> <p>200 ○○○ Menses scanty or missed</p> <p>201 ○○○ Acne, worse at menses</p>
---	---

### MALE ONLY

<p>1 2 3</p> <p>202 ○○○ Less involved in exercise/social activities</p> <p>203 ○○○ Difficult to postpone urination</p> <p>204 ○○○ Weak urinary stream</p> <p>205 ○○○ Feeling of "blues" or melancholy</p> <p>206 ○○○ Feeling of incomplete bowel evacuation</p> <p>207 ○○○ Lack of energy</p> <p>208 ○○○ Muscles in arms and legs seem softer/smaller</p> <p>209 ○○○ Tire too easily</p> <p>210 ○○○ Avoids activity</p> <p>211 ○○○ Leg nervousness at night</p> <p>212 ○○○ Diminished sex drive</p>
---

### IMPORTANT

Please list the five main complaints you have in the order of their importance:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

### BARNES THYROID TEST

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

#### PRE-MENSES FEMALES AND MENOPAUSAL FEMALES

Any two days during the month

#### FEMALES HAVING MENSTRUAL CYCLES

The 2nd and 3rd day of flow OR any 5 days in a row

#### MALES

Any 2 days during the month

### RESTRICTIONS ON USE

THE SYSTEMS SURVEY IS TO BE USED ONLY BY TRAINED HEALTH CARE PRACTITIONERS. IF YOU ARE A PATIENT, YOU SHOULD NOT USE THE SYSTEMS SURVEY. IF YOU ARE NOT A TRAINED HEALTH CARE PRACTITIONER, YOU SHOULD NOT USE THE SYSTEMS SURVEY. HEALTH CARE PRACTITIONERS SHOULD ONLY USE THE SYSTEMS SURVEY TO PROVIDE SERVICES THAT ARE WITHIN THE SCOPE OF THEIR LICENSE OR PROFESSIONAL TRAINING. THE SYSTEMS SURVEY IS NOT INTENDED TO DIAGNOSE ANY DISEASE. THE SYSTEMS SURVEY IS INTENDED TO BE USED AS A HELPFUL TOOL FOR HEALTH CARE PRACTITIONERS IN COLLECTING INFORMATION CONCERNING THE HEALTH AND WELLNESS OF PATIENTS.