

Version 2.1 Revision Date 2015-05-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : GREENBASE™ DRISPAC® Polymer

Material : 1087875

Use : Drilling Fluid Additive

Company : Chevron Phillips Chemical Company LP

Drilling Specialties Company LLC

10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887 Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Emergency Overview

Warning

Physical state: Liquid Color: Pale yellow Odor: Mild

OSHA Hazards : Moderate eye irritant

Classification

MSDS Number:100000013745 1/12

Version 2.1 Revision Date 2015-05-26

: Eye irritation, Category 2A

Labeling

Symbol(s) :

Signal Word : Warning

Hazard Statements : H319: Causes serious eye irritation.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : DRISPAC SUSPENSION, EXP-S047-01

Molecular formula : Mixture

Component	CAS-No.	Weight %
Di(Ethylene Glycol) Butyl Ether	112-34-5	50 - 75

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance.

If inhaled : If unconscious place in recovery position and seek medical

advice. If symptoms persist, call a physician.

MSDS Number:100000013745 2/12

GREENBASE™ DRISPAC® Polymer

Version 2.1 Revision Date 2015-05-26

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well

with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : 100 °C (212 °F)

Autoignition temperature : No data available

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Normal measures for preventive fire protection.

Hazardous decomposition

products

: Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment.

Environmental precautions : Prevent further leakage or spillage if safe to do so. If the

product contaminates rivers and lakes or drains inform

respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Do not breathe vapors/dust. Avoid contact with skin and eyes.

For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose

of rinse water in accordance with local and national

regulations.

MSDS Number:100000013745 3/12

GREENBASE™ DRISPAC® Polymer

Version 2.1 Revision Date 2015-05-26

Advice on protection against fire and explosion Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

us

Ingredients	Basis	Value	Control parameters	Note
Di(Ethylene Glycol) Butyl Ether	ACGIH	TWA	10 ppm,	*, Inhalable fraction and vapor

²⁰¹⁴ Adoption

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

> ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection The suitability for a specific workplace should be discussed

> with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there

is any indication of degradation or chemical breakthrough.

Eye protection Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

> concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit.

Safety shoes.

MSDS Number: 100000013745 4/12

GREENBASE™ DRISPAC® Polymer

Version 2.1 Revision Date 2015-05-26

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state : Liquid
Color : Pale yellow
Odor : Mild

Safety data

Flash point : 100 °C (212 °F)

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Oxidizing properties : no

Autoignition temperature : No data available

Molecular formula : Mixture

Molecular weight : Not applicable

pH : Not applicable

Freezing point : Not applicable

Pour point No data available

Boiling point/boiling range : 230 °C (446 °F)

Vapor pressure : 14.70 PSI

at 21 °C (70 °F)

Relative density : 1.1

Density : 1,090.5 g/l

Water solubility : Soluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : No data available

Relative vapor density : No data available

Evaporation rate : No data available

MSDS Number:100000013745 5/12

Version 2.1 Revision Date 2015-05-26

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

GREENBASE™ DRISPAC® Polymer

Acute oral toxicity : Acute toxicity estimate: 3,708 mg/kg

Method: Calculation method

GREENBASE™ DRISPAC® Polymer

Acute dermal toxicity : Acute toxicity estimate: 4,252 mg/kg

Method: Calculation method

Acute toxicity estimate: 4,252 mg/kg

Method: Calculation method

GREENBASE™ DRISPAC® Polymer

Skin irritation : No skin irritation

May cause skin irritation in susceptible persons.

GREENBASE™ DRISPAC® Polymer

Eye irritation : Eye irritation

May cause irreversible eye damage.

Sensitization

Di(Ethylene Glycol) Butyl

/ I

: Did not cause sensitization on laboratory animals.

Repeated dose toxicity

Di(Ethylene Glycol) Butyl

Ether

Ether

: Species: Rat, Male and female

Sex: Male and female Application Route: Oral NOEL: 250 mg/kg

Lowest observable effect level: 1,000 mg/kg

Method: OCED Guideline 408 Target Organs: Blood, Liver, Kidney

MSDS Number:100000013745 6/12

Version 2.1 Revision Date 2015-05-26

Species: Rat, Male and female

Sex: Male and female

Application Route: inhalation (vapor)

NOEL: 94 mg/m3

Method: OECD Guideline 413

Target Organs: Lungs

Species: Rat, Male and female

Sex: Male and female Application Route: Dermal NOEL: 2,000 mg/kg Target Organs: Skin

Reproductive toxicity

Di(Ethylene Glycol) Butyl

Ether

: Species: Mouse Sex: male and female Application Route: Oral

Dose: 0, 720, 1340, 2050mg/kg bw Number of exposures: continuous

Test period: 14 weeks

Method: OECD Test Guideline 416

NOAEL Parent: 720 mg/kg NOAEL F1: 720 mg/kg NOAEL F2: 720 mg/kg

Information given is based on data obtained from similar

substances.

Developmental Toxicity

Di(Ethylene Glycol) Butyl

Ether

: Species: Rat

Application Route: Oral diet Dose: 25, 115, 633 mg/kg/d Number of exposures: GD 0 -20 d Method: OECD Guideline 414 NOAEL Teratogenicity: 633 mg/kg NOAEL Maternal: 633 mg/kg No adverse effects expected

Species: Rabbit

Application Route: Dermal Dose: 25, 115, 633 mg/kg/d

Exposure time: 4 h/d

Number of exposures: GD 8 -19 d Method: OECD Guideline 414 NOAEL Teratogenicity: 1,000 mg/kg NOAEL Maternal: 1,000 mg/kg No adverse effects expected

GREENBASE™ DRISPAC® Polymer

Aspiration toxicity : No aspiration toxicity classification.

CMR effects

Di(Ethylene Glycol) Butyl

Ether

: Carcinogenicity: Not available

Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show

MSDS Number:100000013745 7/12

Version 2.1 Revision Date 2015-05-26

mutagenic effects

Teratogenicity: Animal testing did not show any effects on

fetal development.

Reproductive toxicity: Animal testing did not show any effects

on fertility.

GREENBASE™ DRISPAC® Polymer

Further information : No data available.

SECTION 12: Ecological information

Toxicity to fish

Di(Ethylene Glycol) Butyl : LC50: > 1,000 mg/l

Ether Exposure time: 96 h

Species: Scophthalmus maximus (Flatfish, Flounder) semi-static test Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Di(Ethylene Glycol) Butyl : EC50: > 1,000 mg/l

Ether Exposure time: 48 h

Species: Acartia tonsa (Marine Copepod) static test Method: ISO TC147/SC5/WG2

Toxicity to algae

Di(Ethylene Glycol) Butyl : EC50: > 1,000 mg/l

Ether Exposure time: 72 h

Species: Skeletonema costatum Growth inhibition Method: ISO 10253

Elimination information (persistence and degradability)

Biodegradability : Expected to be biodegradable

Ecotoxicology Assessment

Results of PBT assessment

Di(Ethylene Glycol) Butyl

Ether

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not

considered to be very persistent and very bioaccumulating

(vPvB).

Additional ecological

information

: No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

MSDS Number:100000013745 8/12

GREENBASE™ DRISPAC® Polymer

Version 2.1 Revision Date 2015-05-26

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

MSDS Number:100000013745 9/12

GREENBASE™ DRISPAC® Polymer

Version 2.1 Revision Date 2015-05-26

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Acute Health Hazard

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Ingredients : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82. Subpt. A. App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air

Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

: Di(Ethylene Glycol) Butyl Ether - 112-34-5

US State Regulations

MSDS Number: 100000013745 10/12

Version 2.1 Revision Date 2015-05-26

Pennsylvania Right To Know

: Di(Ethylene Glycol) Butyl Ether - 112-34-5

New Jersey Right To Know

: Di(Ethylene Glycol) Butyl Ether - 112-34-5

California Prop. 65

Ingredients

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : This mixture contains only ingredients which have been

subject to a pre-registration according to Regulation

(EU) No. 1907/2006 (REACH).

United States of America TSCA : On TSCA Inventory

Canada DSL : All components of this product are on the Canadian


DSL.

Australia AICS : On the inventory, or in compliance with the inventory New Zealand NZIoC : On the inventory, or in compliance with the inventory Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : On the inventory, or in compliance with the inventory Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 2

Fire Hazard: 1 Reactivity Hazard: 0



Further information

Legacy SDS Number : CPC00006

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

MSDS Number:100000013745 11/12

Version 2.1 Revision Date 2015-05-26

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50	Lethal Concentration 50%			