

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product information**

Product Name : DrisFlex™ Additive Material : 1120910, 1119765

Company : Chevron Phillips Chemical Company LP

**Drilling Specialties Company LLC** 

10001 Six Pines Drive The Woodlands, TX 77380

### **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Eye irritation, Category 2A

Labeling

SDS Number:100000103002 1/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

Symbol(s)

Signal Word : Warning

Hazard Statements : H319: Causes serious eye irritation.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3: Composition/information on ingredients**

Component	CAS-No.	Weight %
Ethoxylated, C9-C11-Iso-, C10-Rich	78330-20-8	0 - 3
Alcohols		

#### **SECTION 4: First aid measures**

General advice : Move out of dangerous area. Consult a physician. Show this

material safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a

specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

SDS Number:100000103002 2/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

#### **SECTION 5: Firefighting measures**

Flash point : Not applicable

Unsuitable extinguishing

media

High volume water jet.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Fire and explosion

protection

: Normal measures for preventive fire protection.

#### **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

#### **SECTION 7: Handling and storage**

#### Handling

Advice on safe handling : Do not breathe vapors/dust. Avoid contact with skin and eyes.

For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the

technological safety standards.

SDS Number:100000103002 3/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

#### SECTION 8: Exposure controls/personal protection

Hazardous components without workplace control parameters

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

### Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Complete head face and neck protection. Rubber apron. Footwear protecting against chemicals. Safety shoes.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

#### **Appearance**

Form : Liquid
Physical state : Liquid
Color : White
Odor : Slight

Odor Threshold : not determined

SDS Number:100000103002 4/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

Safety data

Flash point : Not applicable

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

pH : 8.0

at

20 °C (68 °F)

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Vapor pressure : ca.23.00 hPa

at 20 °C (68 °F)

Relative density : 0.9 - 1.1

Water solubility : Miscible

Partition coefficient: n-

octanol/water

: No data available

Viscosity, dynamic : 30 mPa.s

Relative vapor density : No data available

Evaporation rate : No data available

### **SECTION 10: Stability and reactivity**

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

#### Possibility of hazardous reactions

Conditions to avoid : No data available.

Other data : No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

**DrisFlex™ Additive** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute toxicity estimate: > 5,000 mg/kg

SDS Number:100000103002 5/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

Method: Calculation method

**DrisFlex™ Additive** 

**Skin irritation** : Extremely corrosive and destructive to tissue.

**DrisFlex™ Additive** 

**Eye irritation** : May cause irreversible eye damage.

**DrisFlex™ Additive** 

Further information : No data available.

# **SECTION 12: Ecological information**

#### Toxicity to fish

Ethoxylated, C9-C11-Iso-, : LC50: > 100 mg/l C10-Rich Alcohols : Exposure time: 96 h

Species: Fish

Method: QSAR modeled data

Aquatic toxicity is unlikely due to low solubility.

#### Toxicity to daphnia and other aquatic invertebrates

Ethoxylated, C9-C11-lso-, : EC50: > 100 mg/l

C10-Rich Alcohols Exposure time: 48 h

Species: Daphnia

: EC50: 96.3 mg/l

Method: QSAR modeled data

### Toxicity to algae

Ethoxylated, C9-C11-Iso-,

C10-Rich Alcohols Exposure time: 96 h

Method: QSAR modeled data

Elimination information (persistence and degradability)

Biodegradability : This material is not expected to be readily biodegradable.

#### **Ecotoxicology Assessment**

Acute aquatic toxicity

Ethoxylated, C9-C11-Iso-, : Harmful to aquatic life.

C10-Rich Alcohols

Additional ecological : No data available

information

### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

SDS Number:100000103002 6/10

### **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

#### **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### **IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000103002 7/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### **SECTION 15: Regulatory information**

#### **National legislation**

SARA 311/312 Hazards : Serious eye damage or eye irritation

#### **EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO - KNOW**

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Ingredients : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

SDS Number:100000103002 8/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

### **US State Regulations**

Pennsylvania Right To Know

: No components are subject to the Pennsylvania Right to Know

Act.

California Prop. 65

Ingredients

: This product does not contain any chemicals known to the State

of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : On the inventory, or in compliance with the inventory

On TSCA Inventory

Switzerland CH INV : Not in compliance with the inventory

United States of America (USA)

**TSCA** 

Canada DSL Australia AICS New Zealand NZIoC Japan ENCS Korea KECI Philippines PICCS

China IECSC

On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 2

Fire Hazard: 1 Reactivity Hazard: 0



#### **Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect	

SDS Number:100000103002 9/10

# **DrisFlex™ Additive**

Version 1.3 Revision Date 2017-12-19

	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational
	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		-

SDS Number:100000103002 10/10