

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : SURE-SEAL™ LPM

Material : 1114775, 1107407, 1103424

Company : Chevron Phillips Chemical Company LP

Drilling Specialties Company LLC

10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Combustible dust

Labeling

SDS Number:100000068696 1/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Potential Health Effects

Physical Hazards : Mechanical processing may form combustible dust

concentrations in air and thermal processing at elevated temperatures may generate simple hydrocarbons and carbon

oxides.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : Not Established

Molecular formula : UVCB

SECTION 4: First aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye

irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : Not applicable

SDS Number:100000068696 2/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

Autoignition temperature : Not applicable

Specific hazards during fire

fighting

Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on

floors and ledges.

Special protective

equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust

ventilation at places where dust is formed.

Hazardous decomposition

products

No data available.

SECTION 6: Accidental release measures

Personal precautions : Avoid dust formation.

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Pick up and arrange disposal without creating dust. Clean up

promptly by sweeping or vacuum. Keep in suitable, closed

containers for disposal.

Additional advice : Dust deposits should not be allowed to accumulate on

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

SECTION 7: Handling and storage

Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by

themselves be sufficient.

Advice on protection against fire and explosion

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust

ventilation at places where dust is formed.

Storage

Requirements for storage : Electrical installations / working materials must comply with the

SDS Number:100000068696 3/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

areas and containers technological safety standards.

Advice on common storage : No materials to be especially mentioned.

SECTION 8: Exposure controls/personal protection

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Use a positive pressure, airsupplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate

protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place. Wear as appropriate:. Lightweight protective clothing.

Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit.

Safety shoes.

Hygiene measures : General industrial hygiene practice.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Granular
Physical state : Solid
Color : Light brown
Odor : Mild, earthy

SDS Number:100000068696 4/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

Odor Threshold : No data available

Safety data

Flash point : Not applicable

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Oxidizing properties : No

Autoignition temperature : Not applicable

Thermal decomposition : No data available

Molecular formula : UVCB

Molecular weight : Not applicable

pH : Not applicable

Freezing point : Not applicable

Pour point Not applicable

Boiling point/boiling range : Not applicable

Vapor pressure : Not applicable

Relative density : 1.2 - 1.4

Density : No data available

Water solubility : Insoluble

Partition coefficient: n-

octanol/water Viscosity, kinematic : No data available

: Not applicable

Relative vapor density : Not applicable

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

SDS Number:100000068696 5/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

Possibility of hazardous reactions

Conditions to avoid : Generation of Dusts.

Thermal decomposition : No data available

Hazardous decomposition

products

: No data available

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

SURE-SEAL™ LPM

Acute oral toxicity : LD50: not known

SURE-SEAL™ LPM

Acute inhalation toxicity : LC50: not known

SURE-SEAL™ LPM

Acute dermal toxicity : LD50: not known

SURE-SEAL™ LPM

Skin irritation : No skin irritation

SURE-SEAL™ LPM

Eye irritation : No eye irritation

SURE-SEAL™ LPM

Aspiration toxicity : No aspiration toxicity classification.

SURE-SEAL™ LPM

Further information : No data available.

SECTION 12: Ecological information

Ecotoxicology Assessment

Additional ecological : This material is not expected to be harmful to aquatic

information organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SDS Number:100000068696 6/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

SDS Number:100000068696 7/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

SARA 311/312 Hazards : Combustible dust

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Ingredients : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

: No components are subject to the Pennsylvania Right to Know

Act.

New Jersey Right To Know

SDS Number:100000068696 8/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

: No components are subject to the New Jersey Right to Know

Act.

California Prop. 65

Ingredients

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : On the inventory, or in compliance with the inventory United States of America (USA) : On the inventory, or in compliance with the inventory

TSCA

Canada DSL

Sustralia AICS

Con the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory, or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory on the inventory or in compliance with the inventory or in complia

SECTION 16: Other information

NFPA Classification : Health Hazard: 0

Fire Hazard: 2 Reactivity Hazard: 0



Further information

Legacy SDS Number : CPC00524

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

| Key or legend to abbreviations and acronyms used in the safety data sheet | | | | |
|---|---|-------|---|--|
| ACGIH | American Conference of Government Industrial Hygienists | LD50 | Lethal Dose 50% | |
| AICS | Australia, Inventory of Chemical Substances | LOAEL | Lowest Observed Adverse Effect Level | |
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency | |
| NDSL | Canada, Non-Domestic | NIOSH | National Institute for Occupational | |

SDS Number:100000068696 9/10

SURE-SEAL™ LPM

Version 2.2 Revision Date 2018-05-02

| | Substances List | | Safety & Health |
|--------|--|-------|--|
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | Lethal Concentration 50% | | |

SDS Number:100000068696

10/10