SAFETY DATA SHEET DYNA-SEAL™ OBM Fibe	A DIVISION OF CHEVRON PHILLIPS OF (Fine, Medium and Ultra Fine)
Version 2.0	Revision Date 2015-11-24
SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking
Product information Product Name : Material :	DYNA-SEAL [™] OBM Fiber (Fine, Medium and Ultra Fine) 1112026, 1109513, 1104846
Company :	Chevron Phillips Chemical Company LP Drilling Specialties Company LLC 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone:	
Canada) Asia: +800 CHEMCALL (+80 EUROPE: BIG +32.14.58454	
Website :	sDS@CPChem.com www.CPChem.com
SECTION 2: Hazards identification	
Classification of the substance or	
This product has been classified in a	ccordance with the hazard communication standard 29 CFR ain all the information as required by the standard.
Emergency Overview	
	Combustible dust
MSDS Number:100000068252	1/10

DYNA-SEAL[™] OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

SAFETY DATA SHEET

Revision Date 2015-11-24

Classification	O a realise	e Males also et	
	Combu	stible dust	
Labeling			
Signal Word	: Warnin	g	
Hazard Statements	: May f	orm combustible dust co	ncentrations in air.
Potential Health Effects			
Physical Hazards	concent	ical processing may form rations in air and thermal tures may generate simp	
Carcinogenicity:			
IARC	equal to (human ca	0.1% is identified as prob arcinogen by IARC.	ent at levels greater than or bable, possible or confirmed
NTP			ent at levels greater than or own or anticipated carcinogen
ACGIH	No ingred	0.1% is identified as a ca	ent at levels greater than or rcinogen or potential carcinogen
SECTION 3: Composition/inform	ation on ir	ngredients	
Synonyms :	None E	stablished	
Molecular formula	UVCB		
Component Woody Cotton Byproduct (Org Natural Fiber)	anic	CAS-No.	Weight % 100
SECTION 4: First aid measures			
General advice	: No haz	ards which require speci	al first aid measures.
If inhaled		nscious place in recovery If symptoms persist, cal	<pre>/ position and seek medical II a physician.</pre>
In case of skin contact	: Wash c	off with soap and water.	
In case of eye contact		e contact lenses. Protec n persists, consult a spec	
MSDS Number:100000068252		2/10	

sion 2.0		Revision Date 2015-11
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
TION 5: Firefighting measu	res	
Flash point	:	No data available
Autoignition temperature	:	No data available
Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and explosion protection	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.
Hazardous decomposition products	:	No data available.
TION 6: Accidental release	me	asures
Personal precautions	:	Avoid dust formation.
Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
TION 7: Handling and stora	ige	
Handling		
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient.
Advice on protection against fire and explosion	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

DYNA-SEAL[™] OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

Revision Date 2015-11-24

potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.

Storage

Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.

SECTION 8: Exposure controls/personal protection

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Eye wash bottle with pure water. Safety glasses.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Safety shoes.
Hygiene measures	:	General industrial hygiene practice.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

MSDS Number:10000068252

SAFETY DATA SHEET DYNA-SEAL™ OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

Revision Date 2015-11-24

Physical state Color Odor	 Powder Solid Light brown Mild No data available 	
Form Physical state Color Odor Odor Threshold	: Solid : Light brown : Mild	
Safety data		
Flash point	: No data available	
Lower explosion limit	: No data available	
Upper explosion limit	: No data available	
Oxidizing properties	: No	
Autoignition temperature	: No data available	
Molecular formula	: UVCB	
Molecular weight	: Not applicable	
рН	: Not applicable	
Freezing point	: Not applicable	
Pour point	No data available	
Boiling point/boiling range	: Not applicable	
Vapor pressure	: Not applicable	
Relative density	: 1.1	
Water solubility	: Insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity, kinematic	: Not applicable	
Relative vapor density	: Not applicable	
Evaporation rate	: No data available	
TION 10: Stability and reacti	vity	
Chemical stability	: This material is considered stable	o undor pormal ambient and

Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

MSDS Number:100000068252

DYNA-SEAL[™] OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

Revision Date 2015-11-24

Possibility of hazardous rea	ctions
Conditions to avoid Hazardous decomposition products	: Generation of Dusts.: No data available
Other data	: No decomposition if stored and applied as directed.
ECTION 11: Toxicological infor	rmation
DYNA-SEAL™ OBM Fiber (F Acute oral toxicity	Fine, Medium and Ultra Fine) : LD50: not known
DYNA-SEAL™ OBM Fiber (F Acute inhalation toxicity	Fine, Medium and Ultra Fine) : LC50: not known
DYNA-SEAL™ OBM Fiber (F Acute dermal toxicity	Fine, Medium and Ultra Fine) : LD50: not known
DYNA-SEAL™ OBM Fiber (F Skin irritation	Fine, Medium and Ultra Fine) : No skin irritation
DYNA-SEAL™ OBM Fiber (F Eye irritation	Fine, Medium and Ultra Fine) : No eye irritation
	Fine, Medium and Ultra Fine) : No aspiration toxicity classification.
DYNA-SEAL™ OBM Fiber (F Further information	Fine, Medium and Ultra Fine) : No data available.
ECTION 12: Ecological informa	ation
Elimination information (persis	stence and degradability)
Biodegradability	: No data available
Ecotoxicology Assessment	
Additional ecological information	: This material is not expected to be harmful to aquatic organisms.
ECTION 13: Disposal considera	ations
The information in this SDS n	ertains only to the product as shipped.
Use material for its intended p may meet the criteria of a haz	purpose or recycle if possible. This material, if it must be discarded, zardous waste as defined by US EPA under RCRA (40 CFR 261) or ons. Measurement of certain physical properties and analysis for e necessary to make a correct determination. If this material is
regulated components may be	ste, federal law requires disposal at a licensed hazardous waste

DYNA-SEAL[™] OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

Revision Date 2015-11-24

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.
IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.
IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

MSDS Number:10000068252

DYNA-SEAL[™] OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

Revision Date 2015-11-24

0101011 2:0	
SARA 311/312 Hazards	: Fire Hazard
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold Planning Quantity	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 304 Reportable Quantity	: This material does not contain any components with a section 304 EHS RQ.
SARA 313 Ingredients	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Potential Class	product neither contains, nor was manufactured with a Class I or II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR ubpt. A, App.A + B).
This product does not contai Act Section 12 (40 CFR 61).	in any hazardous air pollutants (HAP), as defined by the U.S. Clean Air
•	in any chemicals listed under the U.S. Clean Air Act Section 112(r) for on (40 CFR 68.130, Subpart F).
This product does not contai Intermediate or Final VOC's	in any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI (40 CFR 60.489).
US State Regulations	
Pennsylvania Right To Know	v : No components are subject to the Pennsylvania Right to Know Act.
New Jersey Right To Know	
SDS Number:100000068252	8/10

NA-SEAL™ OBM Fi	ber (Fine,	Meulum anu Ollia Fillej
ion 2.0		Revision Date 2015-1
	: No compor Act.	ents are subject to the New Jersey Right to Know
California Prop. 65 Ingredients		et does not contain any chemicals known to the State a to cause cancer, birth, or any other reproductive
Notification status Europe REACH Switzerland CH INV United States of America TS Canada DSL Australia AICS New Zealand NZIoC Japan ENCS Korea KECI Philippines PICCS China IECSC	: Or SCA : Or : Or : Or : Or : Or : Or : Or	the inventory, or in compliance with the inventory the inventory, or in compliance with the inventory
TION 16: Other information	: Health Haz Fire Hazard Reactivity H	1
	: Health Haz Fire Hazard	1
	: Health Haz Fire Hazard	l: 1 Hazard: 0
NFPA Classification	: Health Haz Fire Hazard	l: 1 Hazard: 0
NFPA Classification Further information Legacy SDS Number	: Health Haz Fire Hazard Reactivity H	l: 1 Hazard: 0
NFPA Classification Further information Legacy SDS Number Significant changes since the	 Health Haz Fire Hazaro Reactivity F CPC00566 e last version ar 	e highlighted in the margin. This version replaces all
NFPA Classification Further information Legacy SDS Number Significant changes since the previous versions. The information in this SDS p The information provided in t information and belief at the guidance for safe handling, u not to be considered a warra	 Health Haz Fire Hazaro Reactivity F CPC00566 e last version ar bertains only to his Safety Data date of its public se, processing, nty or quality sp and may not be 	e highlighted in the margin. This version replaces all the product as shipped. Sheet is correct to the best of our knowledge, cation. The information given is designed only as a storage, transportation, disposal and release and is ecification. The information relates only to the valid for such material used in combination with any
NFPA Classification Further information Legacy SDS Number Significant changes since the previous versions. The information in this SDS p The information provided in t information and belief at the guidance for safe handling, u not to be considered a warra specific material designated a other materials or in any proc	 Health Haz Fire Hazaro Reactivity F CPC00566 e last version aro bertains only to his Safety Data date of its public se, processing, nty or quality sp and may not be cess, unless special abbreviations aro 	 I hazard: 0 I highlighted in the margin. This version replaces all I highlighted in the margin. This version replaces all I he product as shipped. Sheet is correct to the best of our knowledge, cation. The information given is designed only as a storage, transportation, disposal and release and is ecification. The information relates only to the valid for such material used in combination with any ecified in the text.
NFPA Classification Further information Legacy SDS Number Significant changes since the previous versions. The information in this SDS p The information provided in t information and belief at the guidance for safe handling, u not to be considered a warra specific material designated a other materials or in any proc Key or legend to ACGIH American Cor	 Health Haz Fire Hazaro Reactivity F CPC00566 e last version aro bertains only to his Safety Data date of its public se, processing, nty or quality sp and may not be bess, unless spentitions and ference of 	 I hazard: 0 I highlighted in the margin. This version replaces all the product as shipped. Sheet is correct to the best of our knowledge, cation. The information given is designed only as a storage, transportation, disposal and release and is ecification. The information relates only to the valid for such material used in combination with any ecified in the text. Ind acronyms used in the safety data sheet LD50
NFPA Classification Further information Legacy SDS Number Significant changes since the previous versions. The information in this SDS p The information provided in t information and belief at the guidance for safe handling, u not to be considered a warra specific material designated a other materials or in any proc Key or legend to ACGIH American Cor Government I	 Health Haz Fire Hazaro Reactivity F CPC00566 e last version aro bertains only to his Safety Data date of its public se, processing, nty or quality sp and may not be cess, unless special abbreviations aro 	e highlighted in the margin. This version replaces all the product as shipped. Sheet is correct to the best of our knowledge, cation. The information given is designed only as a storage, transportation, disposal and release and is ecification. The information relates only to the valid for such material used in combination with any ecified in the text.

DYNA-SEAL[™] OBM Fiber (Fine, Medium and Ultra Fine)

Version 2.0

Revision Date 2015-11-24

	List		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

10/10