



# INDUCTION PRODUCTS ORDERING INFORMATION



## INDUCTION OVENS

PART NUMBER	DESCRIPTION
TTT-INDO-24-24	Induction Oven, 24-inch diameter by 24 inches tall and utilizes (1) 50-foot long induction coil
TTT-INDO-36-36	Induction Oven, 36-inch diameter by 36 inches tall and utilizes (1) 80-foot long induction coil
TTT-INDO-48-48	Induction Oven, 48-inch diameter by 48 inches tall and utilizes (1) 140-foot long induction coil
TTT-INDO-60-60	Induction Oven, 60-inch diameter by 60 inches tall and utilizes (1) 160-foot long induction coil
TTT-INDO-60-60-60	Induction Oven, 60-inch wide by 60 inches tall by 60 inches long and utilizes (1) 140-foot long induction coil
TTT-INDO-48-48-96	Induction Oven, 48-inch wide by 48 inches tall by 96 inches long and utilizes (1) 160-foot long induction coil

## INDUCTION BLANKETS

PART NUMBER	DESCRIPTION
TTT-INDB-6-240	Induction Heating Blanket, 6 inches wide by 240 inches long
TTT-INDB-12-144	Induction Heating Blanket, 12 inches wide by 144 inches long
TTT-INDB-16-120	Induction Heating Blanket, 16 inches wide by 120 inches long
TTT-INDB-24-48	Induction Heating Blanket, 24 inches wide by 48 inches long
TTT-INDB-24-96	Induction Heating Blanket, 24 inches wide by 96 inches long
TTT-INDB-36-36	Induction Heating Blanket, 36 inches wide by 36 inches long

## INDUCTION HEAT CLAMPS

PART NUMBER	DESCRIPTION
TTT-IHCLAMP-12	Induction Heat Clamp, 12-inch diameter and utilizes (1) 30-foot long induction coil
TTT-IHCLAMP-20	Induction Heat Clamp, 20-inch diameter and utilizes (1) 50-foot long induction coil
TTT-IHCLAMP-36	Induction Heat Clamp, 36-inch diameter and utilizes (1) 50-foot long induction coil
TTT-IHCLAMP-48	Induction Heat Clamp, 48-inch diameter and utilizes (1) 80-foot long induction coil
TTT-IHCLAMP-60	Induction Heat Clamp, 60-inch diameter and utilizes (1) 80-foot long induction coil

## INDUCTION HEAT CLAM SHELLS

PART NUMBER	DESCRIPTION
TTT-IHCS-12	Induction Heat Clam Shell, 12-inch diameter and utilizes (1) 30-foot long induction coil
TTT-IHCS-20	Induction Heat Clam Shell, 20-inch diameter and utilizes (1) 50-foot long induction coil
TTT-IHCS-36	Induction Heat Clam Shell, 36-inch diameter and utilizes (1) 80-foot long induction coil

\*\*\*CUSTOM SIZES ALWAYS AVAILABLE



# INDUCTION PRODUCTS

## ORDERING INFORMATION



### INDUCTION INTERNAL PLUGS

PART NUMBER	DESCRIPTION
TTT-PLUG-12	Induction Internal Plugs, 12-inch diameter by 24 inches long
TTT-PLUG-24	Induction Internal Plugs, 24-inch diameter by 36 inches long
TTT-PLUG-36	Induction Internal Plugs, 36-inch diameter by 36 inches long
TTT-PLUG-48	Induction Internal Plugs, 48-inch diameter by 36 inches long

### INDUCTION COILS

PART NUMBER	DESCRIPTION
TTT-LIQC-30	Liquid-Cooled Induction Coil, 30 feet long
TTT-LIQC-50	Liquid-Cooled Induction Coil, 50 feet long
TTT-LIQC-80	Liquid-Cooled Induction Coil, 80 feet long
TTT-LIQC-140	Liquid-Cooled Induction Coil, 140 feet long
TTT-LIQC-160	Liquid-Cooled Induction Coil, 160 feet long
TTT-AIRC-30	Air-Cooled Induction Coil, 30 feet long
TTT-AIRC-50	Air-Cooled Induction Coil, 50 feet long
TTT-AIRC-80	Air-Cooled Induction Coil, 80 feet long

### INSULATED INDUCTION COILS

PART NUMBER	DESCRIPTION
TTT-INCS-SIL-30	Sewn-on Sleeve made of 36.0 ounce Silica Fabric, 30 feet long with insulation
TTT-INCS-SIL-50	Sewn-on Sleeve made of 36.0 ounce Silica Fabric, 50 feet long with insulation
TTT-INCS-SIL-80	Sewn-on Sleeve made of 36.0 ounce Silica Fabric, 80 feet long with insulation
TTT-INCS-SIL-140	Sewn-on Sleeve made of 36.0 ounce Silica Fabric, 140 feet long with insulation
TTT-INCS-SIL-160	Sewn-on Sleeve made of 36.0 ounce Silica Fabric, 160 feet long with insulation
TTT-INCS-KEV-30	Sewn-on Sleeve made of 22.0 ounce Kevlar Fabric, 30 feet long with insulation
TTT-INCS-KEV-50	Sewn-on Sleeve made of 22.0 ounce Kevlar Fabric, 50 feet long with insulation
TTT-INCS-KEV-80	Sewn-on Sleeve made of 22.0 ounce Kevlar Fabric, 80 feet long with insulation
TTT-INCS-KEV-140	Sewn-on Sleeve made of 22.0 ounce Kevlar Fabric, 140 feet long with insulation
TTT-INCS-KEV-160	Sewn-on Sleeve made of 22.0 ounce Kevlar Fabric, 160 feet long with insulation

\*\*\*CUSTOM SIZES ALWAYS AVAILABLE



# INDUCTION PRODUCTS

## ORDERING INFORMATION



### TEMPERATURE RECORDING

PART NUMBER	DESCRIPTION
TTT-TCK-60	Type K Spring-Loaded Thermocouple, 60 inches long with male thermocouple plug
TTT-TCK-120	Type K Spring-Loaded Thermocouple, 120 inches long with male thermocouple plug
TTT-TCK-300	Type K Spring-Loaded Thermocouple, 300 inches long with male thermocouple plug
TTT-PRMD-TCK-25	Premade Type K Thermocouple, 25 feet long
TTT-MALE-TC	Male Thermocouple Plug
TTT-FEMALE-TC	Female Thermocouple Plug
TTT-SNGL-EXT-25	Single Thermocouple Extension Cable, 25 feet long
TTT-SNGL-EXT-50	Single Thermocouple Extension Cable, 50 feet long
TTT-SNGL-EXT-100	Single Thermocouple Extension Cable, 100 feet long
TTT-INDV-EXT-25	Thermocouple Extension Lead, 1 loom with individual cables, 25 feet long
TTT-INDV-EXT-50	Thermocouple Extension Lead, 1 loom with individual cables, 50 feet long
TTT-INDV-EXT-100	Thermocouple Extension Lead, 1 loom with individual cables, 100 feet long
TTT-BLOCK-EXT-25	Thermocouple Extension Lead, 1 loom with standard block setup, 25 feet long
TTT-BLOCK-EXT-50	Thermocouple Extension Lead, 1 loom with standard block setup, 50 feet long
TTT-BLOCK-EXT-100	Thermocouple Extension Lead, 1 loom with standard block setup, 100 feet long
TTT-INS-EXT-25	Insulated Extension Lead, 1 cable, 25 feet long
TTT-INS-EXT-50	Insulated Extension Lead, 1 cable, 50 feet long
TTT-TC-60-MAG-40	Thermocouple and Magnet Combo, 60 inches long thermocouple with 40 lb pull magnet
TTT-MAGTC-RED	Magnetic Thermocouple, red with insulated stainless steel cable
TTT-ROLL-TC	Rolling Thermocouple
TTT-QQ-TCWIRE-500	Brown QQ Thermocouple Wire, 500 feet of thermocouple wire per spool
TTT-REC-12	12-Point Digital Recorder
TTT-REC-24	24-Point Digital Recorder
TTT-EUROREC-12	12-Point Eurotherm Digital Recorder for Miller Proheat 35
TTT-TAU-UNIT	Thermocouple Attachment Unit, with battery and 110 volt plug to re-charge

\*\*\*CUSTOM SIZES ALWAYS AVAILABLE



# INDUCTION PRODUCTS ORDERING INFORMATION



## PROTECTIVE SLEEVES

PART NUMBER	DESCRIPTION
TTT-TUFSLV-30	Protective Sleeve made of TuffCoat material, 30 feet long
TTT-TUFSLV-50	Protective Sleeve made of TuffCoat material, 50 feet long
TTT-TUFSLV-80	Protective Sleeve made of TuffCoat material, 80 feet long
TTT-TUFSLV-140	Protective Sleeve made of TuffCoat material, 140 feet long
TTT-TUFSLV-160	Protective Sleeve made of TuffCoat material, 160 feet long

## GROMMETS AND MAGNETS

PART NUMBER	DESCRIPTION
TTT-GROM-4	Nickel Plated #4 Grommet
TTT-MAG-40	40 Pound Pull Magnet, 400°F temperature rating
TTT-MAG-60	60 Pound Pull Magnet, 400°F temperature rating

\*\*\*CUSTOM SIZES ALWAYS AVAILABLE