



TEX-4 SILICA FABRIC

1

PRODUCT & COMPANY IDENTIFICATION

Product Identifier:	TTT-TEX-4
Common Name:	Twill weave silica fabric
SDS Number:	
Revision Date:	05/04/2022
Supplier Details:	Thermal Tech & Temp Inc. 880 North Madison Street Crown Point, Indiana 46307
Contact:	Thermal Tech & Temp Inc. Office
Phone:	1.800.674.9284
Email:	info@thermaltechttemp.com sales@thermaltechttemp.com
Website:	www.thermaltechttemp.com

2

HAZARDS IDENTIFICATION

Classification of Substance:	This product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 190.1200)
GHS Label Elements, Including Precautionary Statements:	GHS Signal Word: None. GHS Hazard Pictograms: None. GHS Hazard Statements: The product does not meet the criteria for classification. GHS Precautionary Statements: Prevention: Observe good industrial hygiene practices. Use with adequate ventilation (mechanical or natural) Response: Wash hands after handling Storage: Avoid generation of dust Disposal: Dispose of waste and residues in accordance with local authority requirements.
Hazards not Otherwise Classified (HNOC) or not covered by GHS:	Emergency Overview: Breathing dust from this product may cause a scratchy throat, congestion, and slight coughing. Getting dust or fibers on the skin, or in the eyes may cause itching, rash, or redness. All symptoms are temporary. Fiber dust may cause temporary mechanical irritation.

3

COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Chemical Ingredients	
	%	Chemical Name
65997-17-3	>99.95%	Fibrous Glass, non respirable
N/A	<0.05%	Organic Surface Binder/Sizing

Fibrous Glass:

(65997-17-3)

Exposure Limits:

For this product only textile glass fibers (silicate type) produced in long, continuous filaments (no wool). Due to the manufacturing process used, these fibers have diameters greater than 3.5 micron and considered to be nonrespirable. (Definition of respirable fibers according to NIOSH: Fibers with a diameter lower than 3.5 microns).

4

FIRST AID MEASURES

Inhalation:

Move to fresh air. Call a physician if symptoms develop or persist.

Skin Contact:

Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. Seek medical attention if irritation persists or glass fiber becomes embedded.

Eye Contact:

Do not rub or scratch eyes. Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes with eyelids open.

Ingestion:

Rinse mouth with water and drink plenty of water.

5

FIRE FIGHTING MEASURES

Flash Point (Method Used):

Use standard firefighting procedures and consider the hazards of other involved materials.

Extinguishing Media:

All standard extinguishing media. Use an extinguishing agent suitable for the surrounding fire.

Special Fire Fighting Procedures:

No special procedures are expected to be necessary for this product.

Unusual Fire and Explosion Hazards:

No unusual fire or explosion hazards noted.

6

ACCIDENTAL RELEASE MEASURES

Keep unnecessary and unprotected personnel away. Avoid dust formation.

7

HANDLING AND STORAGE

Handling Precautions:

Avoid generation of dust. Eating, drinking, and smoking should be prohibited near the material.

Storage Requirements:

Warehouse storage should be in accordance with package directions if any. Material should be kept clean and dry.

Engineering Controls:	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limits.
Personal Protective Equipment:	Wear protective gloves or use protective cream, when necessary. Wear suitable protective clothing. When workers are facing airborne particulates/dust concentrations above the exposure limit they must use appropriate certified respirators. A properly fitted NIOSH approved disposable N 95 typer dust respirator or better is recommended. Consult with your company's local procedures for selection, training, inspection, and maintenance of respirators. Otherwise, consult NIOSH.

Appearance:	White
Physical States:	Solid
Specific Gravity or Density:	2.4
Boiling Point:	N/A
Vapor Pressure	N/A
Potential Hydrogenii:	N/A
Odor:	No odor
Solubility:	Negligible
Freezing or Melting Point:	> 1.472 degrees ° F
Vapor Density:	N/A

Chemical Stability:	No decomposition if stored and applied as directed.
Conditions to Avoid Identification:	Stable under recommended storage conditions.
Materials to Avoid Identification:	At contact with hydrofluoric acid (HF) tetrafluorasilane (SiF ₄) may be formed.
Hazardous Decomposition:	Stable under recommended storage conditions.
Hazardous Polymerization:	No data available.

Inhalation may cause coughing, nose and throat irritation, and sneezing. people with preexisting respiratory conditions may experience difficulty breathing, congestion, and chest tightness. Dust may cause mechanical irritation of the skin and eyes. Ingestion may cause transient irritation of the throat, stomach, and gastrointestinal tract. There are no known health effects from the long-term use or contact with non-respirable continuous filament fibers. Nonrespirable fibers cannot reach the deep lung because they have a diameter of greater than 3.5 micrometers. Fibers of this diameter cannot penetrate the narrow bending passages of the human respiratory tract to reach the lower regions of the lung and thus, have no possibility of causing serious pulmonary damage. Instead, they deposit on the surfaces of the upper respiratory tract, nose, and pharynx. These fibers are then cleared through normal physiological mechanisms. Products that are severely mechanically processed during manufacturing or use may contain a very small amount of respirable glass fiber-like fragments. Persistent respirable glass fibers are suspected to cause cancer. NIOSH defines "respirable fibers" as greater than 5 microns in length and less than 3 microns in diameter with an aspect ratio of $\geq 5:1$ (length to width ratio). The continuous glass fiberglass in the form supplied does not contain respirable fibers. Epidemiology studies: Two major studies in the US (performed by the University of Pittsburgh) and Europe (performed by the International Agency for Research on Cancer) showed no increase in lung cancer or respiratory disease among people working in production facilities procuring NONRESPIRABLE continuous filament fiberglass. An additional smaller study performed in Canada also did not show an association between exposure of workers to fiberglass and respiratory cancer.

12

ECOLOGICAL INFORMATION

No known significant effects or critical hazards.

13

DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14

TRANSPORT INFORMATION

These products are not classified as dangerous goods according to international transport regulations.

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Fibrous glass (65997-17-3) [n/a%] -No products found/all components are listed or exempted.

16

OTHER INFORMATION

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).