

# A TRAILER IN EVERY DRIVEWAY

AVAILABLE. AFFORDABLE.





# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 4" Aluminum Channel A-Frame Tongue
- 3" x 2" x 1/4" Aluminum Angle Main Frame
- 1.25" x 2" Aluminum Tube Top Rail
- 1.25" x 2" Aluminum Tube Uprights
- 2" A-Frame Coupler, Zinc Finished With Safety Chains
- 2,000 lb. Rated Top Wind Jack, Zinc Finish
- 3,500 lb. Rated EZ Lube Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- Silver Mod Wheels
- Aluminum Round Fender with Back
- Treated Wood Floor
- 72" W x 50" H Rear Ramp Gate
- LED Lighting Package



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
6x8AGW	638	2,352	15"	72" x 50"	Treated Wood
6x10AGW	696	2,294	15"	72" x 50"	Treated Wood
6x12AGW	771	2,219	15"	72" x 50"	Treated Wood

### OPTIONS/ ACCESSORIES

- AL-STC ALUMINUM SPARE TIRE MOUNT
- 818T JACK SAND FOOT
- 205X15ALUMINUM ALUMINUM WHEEL WITH 20515 TIRE

### REPLACEMENT PARTS

- |   |   |
|---|---|
| • 205X15SILVER TIRE & WHEEL               | • 496T 1.719 GREASE SEAL                            |
| • CPL2-BOLTON 2" A-FRAME COUPLER, BOLT-ON | • ALFENDER9X32 32" ALUMINUM FENDER WITH BACK        |
| • 639T CLASS II SAFETY CHAIN              | • 742 TOP WIND JACK, ZINC FINISH                    |
| • 3K8470EZ 84 X 70 EZ LUBE AXLE           | • ALLEDTAILLIGHT LED TAILLIGHT, ROADSIDE & CURBSIDE |
| • 504T LEAF SPRING                        | • 880T LED AMBER CLEARANCE LIGHT                    |
| • 545T REPLACEMENT WHEEL HUB              | • 881T LED RED CLEARANCE LIGHT                      |
| • 520T HUB DUST CAP                       | • 438T LED 3-LIGHT ID BAR                           |
| • 350T 1-3/8" SPINDLE KIT                 | • 834T LICENSE PLATE LIGHT                          |
| • 502T 1-3/8" BEARING KIT                 | • 841T LICENSE BRACKET                              |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 4" Aluminum Channel A-Frame Tongue
- 3" x 2" x 1/4" Aluminum Angle Main Frame
- 1.25" x 2.50 " Aluminum Tube Top Rail
- 1.25" x 2.50 " Aluminum Tube Uprights
- 2" A-Frame Coupler, Zinc Finished With Safety Chains
- 2,000 lb. Rated Top Wind Jack, Zinc Finish
- 3,500 lb. Rated EZ Lube Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- Silver Mod Wheels
- Aluminum Round Fender with Back
- Treated Wood Floor
- 79" W x 50" H Rear Ramp Gate
- LED Lighting Package



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
7x12AGW	798	2,192	15"	72" x 50"	Treated Wood

### OPTIONS/ ACCESSORIES

• AL-STC	ALUMINUM SPARE TIRE MOUNT
• 818T	JACK SAND FOOT
• 205X15ALUMINUM	ALUMINUM WHEEL WITH 20515 TIRE

### REPLACEMENT PARTS

• 205X15SILVER	TIRE & WHEEL	• 496T	1.719 GREASE SEAL
• CPL2-BOLTON	2" A-FRAME COUPLER, BOLT-ON	• ALFENDER9X32	32" ALUMINUM FENDER WITH BACK
• 639T	CLASS II SAFETY CHAIN	• 742	TOP WIND JACK, ZINC FINISH
• 3K9380EZ	84 X 70 EZ LUBE AXLE	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 504T	LEAF SPRING	• 880T	LED AMBER CLEARANCE LIGHT
• 545T	REPLACEMENT WHEEL HUB	• 881T	LED RED CLEARANCE LIGHT
• 520T	HUB DUST CAP	• 3BLIGHT-LED	LED 3-LIGHT ID BAR
• 350T	1-3/8" SPINDLE KIT	• 834T	LICENSE PLATE LIGHT
• 502T	1-3/8" BEARING KIT	• 841T	LICENSE BRACKET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 6" Aluminum Channel A-Frame Tongue
- 2" x 6" x 1/4" Aluminum Angle Main Frame
- 1-1/4" x 2-1/2" x 1/8" Aluminum Tube Uprights
- 2-5/16" A-Frame Coupler, Zinc Finish, with Safety Chains
- 2,000 lb. Rated Top Wind Jack, Zinc Finish
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- Silver Mod Wheels
- Aluminum Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Rear Ramp Gate
- LED Lighting Package



- 2 Brake Axles



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6X12AGW7K	1,040	5,960	15"	72" x 49"	Treated Wood
6X14AGW7K	1,190	5,810	15"	72" x 49"	Treated Wood
6X16AGW7K	1,340	5,660	15"	72" x 49"	Treated Wood

## OPTIONS/ ACCESSORIES

• AL-STC	ALUMINUM SPARE TIRE MOUNT	• 791	ALUMINUM TONGUE BOX
• 205X15SILVER	SPARE TIRE & WHEEL		
• 818T	JACK SAND FOOT		

## REPLACEMENT PARTS

• 205X15SILVER	TIRE & WHEEL	• 742	TOP WIND JACK, ZINC FINISH
• ALCPL2516	2-5/16" A-FRAME COUPLER ZINC PLATTED	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 640T	CLASS III SAFETY CHAIN	• 880T	LED CLEARANCE LIGHT (RED)
• 3K8874EZB	88 X 74 EZ LUBE BRAKE AXLE	• 881T	LED CLEARANCE LIGHT (AMBER)
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	LED 3-LIGHT ID BAR
• 545T	REPLACEMENT WHEEL HUB	• 834T	LICENSE PLATE LIGHT
• 657	EZ-LUBE HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• 701T	BREAKAWAY KIT COMPLETE
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• ALFENDER9X67	9X67 FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,000 LB. GVWR ALUMINUM FLOOR TRAILERS

## FEATURES:



- 3" X 3" X 3/16" Square Tube with Angle Braces
- 3.5" Dock Rail
- Front Bumper 1.5" x 2.5" x 1/4" Angle Uprights
- 2" Straight Coupler with Safety Chains
- 2,000 lb. Rated Swing Up Jack, Zinc Finish
- 2,000 lb. Rated Torsion Axle
- ST205/75R14 Radial Tires and Wheel Assemblies
- Silver Aluminum Wheels
- Aluminum Round Fender with Back
- Aluminum Plank Floor
- 74" W x 38 H" Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
6.5x10AGA2K	544	1,456	14"	74" W x 38 H"	Aluminum
6.5x12AGA2K	579	1,421	14"	74" W x 38 H"	Aluminum

### OPTIONS/ ACCESSORIES

- AL-STC ALUMINUM SPARE TIRE MOUNT

### REPLACEMENT PARTS

• 205RX14ALSILVER	TIRE & WHEEL	• 494T	1.25 GREASE SEAL
• COUPLER2X3-ZINC	2" COUPLER, BOLT-ON	• ALFENDER10X32	32" ALUMINUM FENDER WITH BACK
• 639T	CLASS II SAFETY CHAIN	• 980T	TOP WIND JACK, ZINC FINISH
• 2K9481EZ-TORSION	94 X 81 EZ LUBE TORSION AXLE	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 150T	REPLACEMENT WHEEL HUB	• 880T	LED AMBER CLEARANCE LIGHT
• 851T	EZ LUB DUST CAP	• 881T	LED RED CLEARANCE LIGHT
• 151T	1-1/16" SPINDLE KIT	• 438T	LED 3-LIGHT ID BAR
• 500T	1-1/16" BEARING KIT	• 834T	LICENSE PLATE LIGHT
		• 841T	LICENSE BRACKET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR ALUMINUM FLOOR TRAILERS

## FEATURES:



- 3" X 3" X 3/16" Stacked Square Tube with Angle Braces
- 3.5" Dock Rail
- 1" x 1.50" x 1/8" Tube Top Rail
- 1" x 1.50" x 1/8" Tube
- 2" Straight Coupler with Safety Chains
- 2,000 lb. Rated Swing Up Jack, Zinc Finish
- 3,500 lb. Rated Torsion Axle
- ST205/75R15 Radial Tires and Wheel Assemblies
- Black Accent Aluminum Wheels
- Aluminum Round Fender with Back
- Aluminum Plank Floor
- 74" W x 49 H" Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Floor Type
6.5x10AGA3K	638	2,352	15"	74" x 49"	Aluminum
6.5x12AGA3K	680	2,310	15"	74" x 49"	Aluminum

### OPTIONS/ ACCESSORIES

- AL-STC ALUMINUM SPARE TIRE MOUNT

### REPLACEMENT PARTS

• 205RX15ALBLK/SILV	TIRE & WHEEL	• ALFENDER10X32	32" ALUMINUM FENDER WITH BACK
• CPL2-BOLTON	2" A-FRAME COUPLER, BOLT-ON	• 980T	TOP WIND JACK, ZINC FINISH
• 639T	CLASS II SAFETY CHAIN	• ALLEDTAILLIGHT	LED TAILLIGHT, ROADSIDE & CURBSIDE
• 3K9481EZ-TORSION	94 X 81 EZ LUBE TORSION AXLE	• 880T	LED AMBER CLEARANCE LIGHT
• 545T	REPLACEMENT WHEEL HUB	• 881T	LED RED CLEARANCE LIGHT
• 851T	EZ LUB DUST CAP	• 438T	LED 3-LIGHT ID BAR
• 350T	1-3/8" SPINDLE KIT	• 834T	LICENSE PLATE LIGHT
• 502T	1-3/8" BEARING KIT	• 841T	LICENSE BRACKET
• 496T	1.719 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,000 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Treated Wood Floor
- 46" W x 38" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
4x6GW2K	350	1,650	12"	46" x 38"	Treated Wood
4x8GW2K	375	1,625	12"	46" x 38"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

### REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K6047	60 X 47.25 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,000 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- 4.80x12 Tire and Wheel Assemblies
- White Mod Wheels
- 24" Jeep Style Fender
- Treated Wood Floor
- 57" W x 38" H Rear Ramp Gate



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GW2K	400	1,600	12"	57" x 38"	Treated Wood

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 48012T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

## REPLACEMENT PARTS

• 48012T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 7240T	24" JEEP STYLE FENDER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,000 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x10LGW2K	700	1,300	13"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 175X13T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT		
• 500T	1-1/16" BEARING KIT		
• 494T	1.25 GREASE SEAL		
• 357T	30" FENDER W/BACK		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,000 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5X8SPW	550	1,450	13"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

### REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 357T	30" FENDER W/BACK		
• 494T	1.25 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,000 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 2" x 3" Straight Tube Tongue
- 2" x 2" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 1-7/8" Straight Coupler with Safety Chains
- 2,000 lb. Rated Idler Axle
- 2-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 30" Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GWHS2K	500	1,500	13"	57" x 49"	Treated Wood
5x10GW2KHS	750	1,250	13"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 863	SWING UP JACK

### REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 140T	1-7/8" COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 198T	1-7/8" COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 638T	CLASS I SAFETY CHAIN	• 841T	LICENSE BRACKET
• 2K7158	71 X 58.5 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 155T	1,250 LB. HUB KIT 5-HOLE	• 847T	GATE LATCH-COMplete
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 151T	1-1/16" SPINDLE KIT	• TONGUECOMPLETE48"	TONGUE
• 500T	1-1/16" BEARING KIT		
• 357T	30" FENDER W/BACK		
• 494T	1.25 GREASE SEAL		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,400 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 2" x 1/8" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST175x13 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x8GW13	600	1,800	13"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 175X13T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER

### REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMplete
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 496T	1.719 GREASE SEAL		
• 357T	30" FENDER W/BACK		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,400 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 3" Channel A-Frame Tongue
- 2" x 2" x 1/8" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST175x13 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x8GW2KPT	725	1,675	13"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 175X13T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 175X13T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 357T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILER

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x10GWPR	950	2,040	15"	63" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 1/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205X15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x8GWPTLED	900	2,090	15"	63" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 20551556T	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 175x13T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 20551556T	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x10GWPTLED	950	2,040	15"	63" x 49"	Treated Wood
5.5x12GWPTLED	970	2,020	15"	63" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GW	775	2,215	15"	57" x 49"	Treated Wood
5x10GW	800	2,115	15"	57" x 49"	Treated Wood
5x12GW	825	2,315	15"	57" x 49"	Treated Wood
5x14GW	850	2,190	15"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 800	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 861	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K7258	72 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8GWHS	800	2,190	15"	57" x 49"	Treated Wood
5x10GWHS	825	2,165	15"	57" x 49"	Treated Wood
5x12GWHS	850	2,140	15"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 800	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 861	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 200T	2" A-FRAME COUPLER	• 814T	TAIL LIGHT, CURB SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K7258	72 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GW	850	2,140	15"	72" x 49"	Treated Wood
6x12GW	875	2,115	15"	72" x 49"	Treated Wood
6x14GW	900	2,090	15"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 16" Mesh High Sides



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GWHS16	975	2,015	15"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 24" Mesh High Sides



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GWHS	875	2,115	15"	72" x 49"	Treated Wood
6x12GWHS	900	2,090	15"	72" x 49"	Treated Wood
6x14GWHS	975	2,015	15"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 57" W x 49" H Side Ramp Gate

### ATV MODEL

- Curbside Ramp



### RS Model

- (2) Sideload Ramps
- Curbside or Roadside Load



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x12GWATV	980	2,010	15"	72" x 49"	Treated Wood
6x12GWATVHS	975	2,015	15"	72" x 49"	Treated Wood
6x12GWRS	900	2,090	15"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 79" W x 49" H Rear Ramp Gate
- 57" W x 49" H Side Ramp Gate

### ATV MODEL

- Curbside Ramp



### RS Model

- (2) Sideload Ramps
- Curbside or Roadside Load



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
7x12GWATV	990	2,000	15"	79" x 49"	Treated Wood
7x12GWRS	950	2,040	15"	79" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K9380	93 X 80 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- 6" Front and Side Rib Panels
- Steel Round Fender with Back
- Treated Wood Floor
- 79" W x 49" H Rear Ramp Gate
- Mesh Tongue Box



COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
7x12GWPT	990	2,000	15"	79" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K9380	93 X 80 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS



## FEATURES:

- 3" Channel A-Frame Tongue
- 4" x 3" x 1/4" Angle Main Frame
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Removable Aluminum Tread Plate Fenders
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate

## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10CHGW	950	2,040	15"	72" x 49"	Treated Wood
6x12CHGW	975	2,015	15"	72" x 49"	Treated Wood

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874EZ DROP	93 X 80 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR TILT WOOD FLOOR TRAILER



- Manual Hydraulic Cylinder
- 10° Tilt Angle
- Knife Edge Rear Folding Ramps
- (6) Heavy Duty Tie Downs



## FEATURES:

- 3" Channel A-Frame Tongue
- 4" x 3" x 1/4" Angle Main Frame
- 12" High Front Bumper
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated EZ Lube Drop Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- (2) Fold Up Ramps
- Manual Tilt Cylinder

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x12CH-TILT	975	2,015	15"	NA	Treated Wood

### OPTIONS/ ACCESSORIES

• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 838T	3-LIGHT ID BAR
• 3K8874EZDROP	88 X 74.5 DROP AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10GWPTLED	950	2,040	15"	72" x 49"	Treated Wood
6x12GWPTLED	975	2,015	15"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K8874	88 X 74 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9320T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 1" x 2" Tube Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender
- Treated Wood Floor
- 57" W x 49" H Rear Ramp Gate
- 17" Solid Steel Sides



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5x8SSG	650	2,340	15"	57" x 49"	Treated Wood
5x10SSG	750	2,240	15"	57" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 813T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 814T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K7258	72 X 58 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9321T	32" FENDER W/O BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 1" x 2" Tube Top Rail
- 1.5" x 1.5" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender
- Treated Wood Floor
- 72" W x 49" H Rear Ramp Gate
- 17" Solid Steel Sides



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
6x10SSG	950	2,040	15"	72" x 49"	Treated Wood
6x12SSG	990	2,000	15"	72" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 815T	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 816T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 817-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 841T	LICENSE BRACKET
• 3K8874	88 X 74 IDLER AXLE	• BARRELHINGE-UTIL	BARREL HINGE
• 545T	REPLACEMENT WHEEL HUB	• 847T	GATE LATCH-COMPLETE
• 520T	HUB DUST CAP	• 819T	GATE LATCH SPRING & PIN
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9321T	32" FENDER W/O BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 2,990 LB. GVWR WOOD FLOOR TRAILERS

## FEATURES:



- 3" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2-3/8" Pipe Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- 63" W x 49" H Rear Ramp Gate
- Mesh Tongue Box
- LED Lighting



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp W x L	Floor Type
5.5x8SSGPTLED	930	2,060	15"	63" x 49"	Treated Wood
5.5x10SSGPTLED	950	2,040	15"	63" x 49"	Treated Wood
5.5x12SSGPTLED	970	2,020	15"	63" x 49"	Treated Wood

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• SPARETIREMOUNT-UTPT	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL		
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 415	TAIL LIGHT, ROAD SIDE
• 143T	2" A-FRAME COUPLER REPAIR KIT	• 416T	TAIL LIGHT, CURB SIDE
• 200T	2" A-FRAME COUPLER	• 417-2T	CLEARANCE LIGHT, AMBER
• 639T	CLASS II SAFETY CHAIN	• 438T	3-LIGHT ID BAR
• 3K7764	77 X 64 IDLER AXLE	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• BARRELHINGE-UTIL	BARREL HINGE
• 520T	HUB DUST CAP	• 847T	GATE LATCH-COMPLETE
• 350T	1-3/8" SPINDLE KIT	• 819T	GATE LATCH SPRING & PIN
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9321T	32" FENDER W/BACK SMOOTH		
• 741	TOP-WIND JACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
6x12GW1BRK	1,300	5,700	15"	72" x 49"	1
6x14GW1BRK	1,450	5,550	15"	72" x 49"	1
6x16GW1BRK	1,600	5,400	15"	72" x 49"	1
6x18GW1BRK	1,700	5,300	15"	72" x 49"	1
6x20GW1BRK	1,800	5,200	15"	72" x 49"	1

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874	88 X 74 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K8874B	88 X 74 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
6x12GW2BRK	1,350	5,650	15"	72" x 49"	2
6x14GW2BRK	1,500	5,500	15"	72" x 49"	2
6x16GW2BRK	1,650	5,350	15"	72" x 49"	2
6x18GW2BRK	1,750	5,250	15"	72" x 49"	2
6x20GW2BRK	1,850	5,150	15"	72" x 49"	2

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874B	88 X 74 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR HIGH SIDE MESH TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle
- 24" Mesh High Sides



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
6x12GWHS1BRK	1,400	5,600	24"	72" x 49"	1
6x14GWHS1BRK	1,650	5,350	24"	72" x 49"	1
6x16GWHS1BRK	1,700	5,300	24"	72" x 49"	1
6x18GWHS1BRK	1,800	5,200	24"	72" x 49"	1
6x20GWHS1BRK	1,900	5,100	24"	72" x 49"	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874	88 X 74 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K8874B	88 X 74 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR HIGH SIDE MESH TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 72" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles
- 24" Mesh High Sides



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
6x12GWHS2BRK	1,450	5,550	24"	72" x 49"	2
6x14GWHS2BRK	1,700	5,300	24"	72" x 49"	2
6x16GWHS2BRK	1,750	5,250	24"	72" x 49"	2
6x18GWHS2BRK	1,850	5,150	24"	72" x 49"	2
6x20GWHS2BRK	1,950	5,050	24"	72" x 49"	2

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 799	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 862	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K8874B	88 X 74 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x12GW1BRK	1,450	5,550	15"	79" x 49"	1
7x14GW1BRK	1,600	5,400	15"	79" x 49"	1
7x16GW1BRK	1,650	5,350	15"	79" x 49"	1
7x18GW1BRK	1,750	5,250	15"	79" x 49"	1
7x20GW1BRK	1,850	5,150	15"	79" x 49"	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.




# 7,000 LB. GVWR TANDEM WOOD FLOOR TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x12GW2BRK	1,500	5,500	15"	79" x 49"	2
7x14GW2BRK	1,650	5,350	15"	79" x 49"	2
7x16GW2BRK	1,700	5,300	15"	79" x 49"	2
7x18GW2BRK	1,800	5,200	15"	79" x 49"	2
7x20GW2BRK	1,900	5,100	15"	79" x 49"	2

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR HIGH SIDE MESH TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (1) Brake Axle
- 24" Mesh High Sides



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
7x12GWHS1BRK	1,525	5,475	24"	79" x 49"	1
7x14GWHS1BRK	1,650	5,350	24"	79" x 49"	1
7x16GWHS1BRK	1,725	5,275	24"	79" x 49"	1
7x18GWHS1BRK	1,825	5,175	24"	79" x 49"	1
7x20GWHS1BRK	2,050	4,950	24"	79" x 49"	1

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR HIGH SIDE MESH TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 2" x 3/16" Angle Main Frame
- 2" x 2" x 1/8" Angle Top Rail
- 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Round Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 79" W x 49" H Spring Assist Rear Ramp Gate
- LED Lighting Package



- (2) Brake Axles
- 24" Mesh High Sides



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Mesh Side Wall	Gate/Ramp WxL	Brake Axles
7x12GWHS2BRK	1,575	5,425	24"	79" x 49"	2
7x14GWHS2BRK	1,750	5,250	24"	79" x 49"	2
7x16GWHS2BRK	1,800	5,200	24"	79" x 49"	2
7x18GWHS2BRK	1,875	5,125	24"	79" x 49"	2
7x20GWHS2BRK	2,125	4,875	24"	79" x 49"	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 2051556T	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL	• GATESPRINGASSIST	GATE SPRING ASSIST SET
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Open Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Open Steel Floor
- 1 Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SFO1BRK	1,350	5,650	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	1
7x18SFO1BRK	1,425	5,575	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	1

### OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT

### REPLACEMENT PARTS

- |  |                                 |
|--|---------------------------------|
| • 2051556T TIRE & WHEEL                  | • 741 TOP-WIND JACK             |
| • 256T 2-5/16" A-FRAME COUPLER           | • 415T TAIL LIGHT, ROAD SIDE    |
| • 640T CLASS III SAFETY CHAIN            | • 416T TAIL LIGHT, CURB SIDE    |
| • 3K9380EZ 93 X 80 EZ LUBE AXLE          | • 417-2T CLEARANCE LIGHT, AMBER |
| • 3K9380EZB 93 X 80 EZ LUBE BRAKE AXLE   | • 438T 3-LIGHT ID BAR           |
| • 605T 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • 841T LICENSE BRACKET          |
| • 545T REPLACEMENT WHEEL HUB             | • 701T BREAKAWAY KIT COMPLETE   |
| • 851T EZ-LUBE HUB DUST CAP              |                                 |
| • 350T 1-3/8" SPINDLE KIT                |                                 |
| • 502T 1-3/8" BEARING KIT                |                                 |
| • 496T 1.719 GREASE SEAL                 |                                 |
| • FENDER9660-DIAPLT 66" FENDER W/BACK    |                                 |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Open Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Open Steel Floor
- 2 Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SFO2BRK	1,400	5,600	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	2
7x18SFO2BRK	1,475	5,525	Open Center Steel Diamond Plate	18"x 60" Slide-In Ramps	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380EZB	93 X 80 EZ LUBE BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 851T	EZ-LUBE HUB DUST CAP	• 438T	3-LIGHT ID BAR
• 350T	1-3/8" SPINDLE KIT	• 841T	LICENSE BRACKET
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• FENDER9660-DIAPLT	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Solid Steel Floor
- 1 Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SF1BRK	1,600	5,400	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	1
7x18SF1BRK	1,750	5,250	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380EZ	93 X 80 EZ LUBE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380EZB	93 X 80 EZ LUBE BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• 701T	BREAKAWAY KIT COMPLETE
• 851T	EZ-LUBE HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• FENDER9660-DIAPLT	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Steel Floor
- Electric Breakaway Kit w/ Charger
- LED Lighting Package



- 64" Extended Tongue
- Solid Steel Floor
- 2 Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Deck Style	Ramp	No. Brake Axles
7x15SF2BRK	1,650	5,350	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	2
7x18SF2BRK	1,800	5,200	Full Steel Diamond Plate	18"x 60" Slide-In Ramps	2

### OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT

### REPLACEMENT PARTS

- |  |                                 |
|--|---------------------------------|
| • 2051556T TIRE & WHEEL                  | • 741 TOP-WIND JACK             |
| • 256T 2-5/16" A-FRAME COUPLER           | • 415T TAIL LIGHT, ROAD SIDE    |
| • 640T CLASS III SAFETY CHAIN            | • 416T TAIL LIGHT, CURB SIDE    |
| • 3K9380EZB 93 X 80 EZ LUBE BRAKE AXLE   | • 417-2T CLEARANCE LIGHT, AMBER |
| • 605T 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • 438T 3-LIGHT ID BAR           |
| • 851T EZ-LUBE HUB DUST CAP              | • 841T LICENSE BRACKET          |
| • 350T 1-3/8" SPINDLE KIT                | • 701T BREAKAWAY KIT COMPLETE   |
| • 502T 1-3/8" BEARING KIT                |                                 |
| • 496T 1.719 GREASE SEAL                 |                                 |
| • FENDER9660-DIAPLT 66" FENDER W/BACK    |                                 |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 5" x 1/4" Angle Main Frame
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Idler Axle
- (1) 3,500 lb. Rated Brake Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 1 Brake Axle
- Slide-In Ramps



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
7x14CH1BRK	1,500	5,500	3" x 5" Angle	16"x 48" Slide-In Ramps	1
7x16CH1BRK	1,600	5,400	3" x 5" Angle	16"x 54" Slide-In Ramps	1
7x18CH1BRK	1,700	5,300	3" x 5" Angle	16"x 54" Slide-In Ramps	1

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• RAMPJACK	REAR STABILIZER JACK
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 3" x 5" x 1/4" Angle Main Frame
- Front Bumper 2" x 2" x 1/8" Angle Top Rail
- Front Bumper 2" x 2" x 1/8" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 2 Brake Axles
- Slide-In Ramps



## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
7x14CH2BRK	1,550	5,450	3" x 5" Angle	16"x 48" Slide-In Ramps	2
7x16CH2BRK	1,650	5,350	3" x 5" Angle	16"x 54" Slide-In Ramps	2
7x18CH2BRK	1,750	5,250	3" x 5" Angle	16"x 54" Slide-In Ramps	2

## OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER
• 2051556T	SPARE TIRE & WHEEL
• 812T	LIGHT PROTECTOR
• 818T	JACK SANDFOOT
• 820	JACK CASTER WHEEL

## REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• RAMPJACK	REAR STABILIZER JACK
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• 9660	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- Front Bumper 3" x 2" x 3/16" Angle Top Rail
- Front Bumper 2" x 2" Tube Uprights
- 2-5/16" A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- HD Steel Tread Plate Fenders
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 1 Brake Axle
- Slide-In Ramps



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
8.5X18CHFTSR1BRK	2,340	4,660	5" Channel	16"x 60" Slide-In Ramps	1
8.5X20CHFTSR1BRK	2,360	4,640	5" Channel	16"x 60" Slide-In Ramps	1

### OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |                  |                                   |                   |                              |
|------------------|-----------------------------------|-------------------|------------------------------|
| • 2051556T       | TIRE & WHEEL                      | • 5KTOPWINDJACK   | TOP-WIND JACK                |
| • 256T           | 2-5/16" A-FRAME COUPLER           | • 880T            | 3/4" CLEARANCE LIGHT (RED)   |
| • 640T           | CLASS III SAFETY CHAIN            | • 881T            | 3/4" CLEARANCE LIGHT (AMBER) |
| • 3K9380EZ       | 93 X 80 EZ LUBE AXLE              | • OVALLEDDECKOVER | TAIL LIGHT                   |
| • 3K9380EZB      | 93 X 80 EZ LUBE BRAKE AXLE        | • OVALLEDGROMMET  | TAIL LIGHT GROMMET           |
| • 605T           | 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • OVALLEDPIGTAIL  | TAIL LIGHT PLUG              |
| • 545T           | REPLACEMENT WHEEL HUB             | • 834T            | LICENSE LIGHT                |
| • 857T           | EZ-LUBE HUB DUST CAP              | • 841T            | LICENSE BRACKET              |
| • 350T           | 1-3/8" SPINDLE KIT                | • RAMPJACK        | REAR STABILIZER JACK         |
| • 502T           | 1-3/8" BEARING KIT                | • 701T            | BREAKAWAY KIT COMPLETE       |
| • 496T           | 1.719 GREASE SEAL                 |                   |                              |
| • FENDER-BH      | BUGGY HAULER FENDER               |                   |                              |
| • FENDER-BACK-BH | BUGGY HAULER FENDER BACK          |                   |                              |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR CAR HAULER TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- Front Bumper 3" x 2" x 3/16" Angle Top Rail
- Front Bumper 2" x 2" Tube Uprights
- 2-5/16" A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated EZ Lube Brake Axle
- (1) 3,500 lb. Rated EZ Lube Idler Axle
- 5-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- HD Steel Tread Plate Fenders
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- 2 Brake Axles
- Slide-In Ramps



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
8.5X18CHFTSR2BRK	2,340 lbs.	4,660	5" Channel	16"x 60" Slide-In Ramps	2
8.5X20CHFTSR2BRK	2,360 lbs.	4,640	5" Channel	16"x 60" Slide-In Ramps	2

### OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 2051556T SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |                  |                                   |                   |                              |
|------------------|-----------------------------------|-------------------|------------------------------|
| • 2051556T       | TIRE & WHEEL                      | • 880T            | 3/4" CLEARANCE LIGHT (RED)   |
| • 256T           | 2-5/16" A-FRAME COUPLER           | • 881T            | 3/4" CLEARANCE LIGHT (AMBER) |
| • 640T           | CLASS III SAFETY CHAIN            | • OVALLEDDECKOVER | TAIL LIGHT                   |
| • 3K9380EZB      | 93 X 80 EZ LUBE BRAKE AXLE        | • OVALLEDGROMMET  | TAIL LIGHT GROMMET           |
| • 605T           | 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • OVALLEDPIGTAIL  | TAIL LIGHT PLUG              |
| • 545T           | REPLACEMENT WHEEL HUB             | • 834T            | LICENSE LIGHT                |
| • 857T           | EZ-LUBE HUB DUST CAP              | • 841T            | LICENSE BRACKET              |
| • 350T           | 1-3/8" SPINDLE KIT                | • RAMPJACK        | REAR STABILIZER JACK         |
| • 502T           | 1-3/8" BEARING KIT                | • 701T            | BREAKAWAY KIT COMPLETE       |
| • 496T           | 1.719 GREASE SEAL                 |                   |                              |
| • 5KTOPWINDJACK  | TOP-WIND JACK                     |                   |                              |
| • FENDER-BH      | BUGGY HAULER FENDER               |                   |                              |
| • FENDER-BACK-BH | BUGGY HAULER FENDER BACK          |                   |                              |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR CAR HAULER TRAILERS



- 2 Brake Axles
- Slide-In Ramps



## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- Front Bumper 3" x 2" x 3/16" Angle Top Rail
- Front Bumper 2" x 2" Tube Uprights
- 2-5/16" A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axle
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- HD Steel Tread Plate Fenders
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (2) Rear Stabilizer Jacks
- LED Lighting Package

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Main Frame	Gate/Ramp WxL	No. Brake Axles
8.5X18CHFTSR10K	2,460 lbs.	7,530	5" Channel	16"x 60" Slide-In Ramps	2
8.5X20CHFTSR10K	2,600 lbs.	7,390	5" Channel	16"x 60" Slide-In Ramps	2

### OPTIONS/ ACCESSORIES

- 628 SPARE TIRE CARRIER
- 225x1568PTW SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |                  |                                   |                    |                              |
|------------------|-----------------------------------|--------------------|------------------------------|
| • 225x1568PTW    | TIRE & WHEEL                      | • 880T             | 3/4" CLEARANCE LIGHT (RED)   |
| • 256T           | 2-5/16" A-FRAME COUPLER           | • 881T             | 3/4" CLEARANCE LIGHT (AMBER) |
| • 640T           | CLASS III SAFETY CHAIN            | • OVALLEDDECKCOVER | TAIL LIGHT                   |
| • 5K9380EZB      | 93 X 80 EZ LUBE BRAKE AXLE        | • OVALLEDGROMMET   | TAIL LIGHT GROMMET           |
| • 605T           | 1,750 LB. DRUM LEFT & RIGHT 5-LUG | • OVALLEDPITAIL    | TAIL LIGHT PLUG              |
| • DUSTCAP5200-EZ | EZ-LUBE HUB DUST CAP              | • 834T             | LICENSE LIGHT                |
| • 350T           | 1-3/8" SPINDLE KIT                | • 841T             | LICENSE BRACKET              |
| • 502T           | 1-3/8" BEARING KIT                | • RAMPJACK         | REAR STABILIZER JACK         |
| • 496T           | 1.719 GREASE SEAL                 | • 701T             | BREAKAWAY KIT COMPLETE       |
| • 5KTOPWINDJACK  | TOP-WIND JACK                     |                    |                              |
| • FENDER-BH      | BUGGY HAULER FENDER               |                    |                              |
| • FENDER-BACK-BH | BUGGY HAULER FENDER BACK          |                    |                              |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE FLAT DECK TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (1) Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTSR1BRK	1,700	5,300	15"	16" x 60" Slide-In	1
7x18APFTSR1BRK	1,800	5,200	15"	16" x 60" Slide-In	1
7x20APFTSR1BRK	2,000	5,000	15"	16" x 60" Slide-In	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• RAMPJACK	REAR STABILIZER JACK
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE DOVE TAIL TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTSR2BRK	1,750	5,250	15"	16" x 60" Slide-In	2
7x18APFTSR2BRK	1,850	5,150	15"	16" x 60" Slide-In	2
7x20APFTSR2BRK	2,050	4,950	15"	16" x 60" Slide-In	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• RAMPJACK	REAR STABILIZER JACK
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE FLAT TAIL TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Idler Axle
- (1) 3,500 lb. Rated Brake Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-Up Ramps
- LED Lighting Package



- (1) Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTFR1BRK	1,700	5,300	15"	16" x 60" Fold-Up	1
7x18APFTFR1BRK	1,800	5,200	15"	16" x 60" Fold-Up	1
7x20APFTFR1BRK	2,000	5,000	15"	16" x 60" Fold-Up	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• 701T	BREAKAWAY KIT COMPLETE
• 520T	HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE FLAT DECK TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16APFTFR2BRK	1,750	5,250	15"	16" x 60" Fold-Up	2
7x18APFTFR2BRK	1,850	5,150	15"	16" x 60" Fold-Up	2
7x20APFTFR2BRK	2,050	4,950	15"	16" x 60" Fold-Up	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE DOVE TAIL TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (1) Brake Axle
- (2) Rear Stabilizer Jacks



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTSR1BRK	1,700	5,300	15"	16" x 60" Slide-In	1
7x18APDTSR1BRK	1,800	5,200	15"	16" x 60" Slide-In	1
7x20APDTSR1BRK	2,000	5,000	15"	16" x 60" Slide-In	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• RAMPJACK	REAR STABILIZER JACK
• 520T	HUB DUST CAP	• 701T	BREAKAWAY KIT COMPLETE
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE DOVE TAIL TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles

- (2) Rear Stabilizer Jacks



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTSR2BRK	1,750	5,250	15"	16" x 60" Slide-In	2
7x18APDTSR2BRK	1,850	5,150	15"	16" x 60" Slide-In	2
7x20APDTSR2BRK	2,050	4,950	15"	16" x 60" Slide-In	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• RAMPJACK	REAR STABILIZER JACK
• 502T	1-3/8" BEARING KIT	• 701T	BREAKAWAY KIT COMPLETE
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE DOVE TAIL TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (1) 3,500 lb. Rated Brake Axle
- (1) 3,500 lb. Rated Idler Axle
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (1) Brake Axle



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTR1BRK	1,700	5,300	15"	16" x 60" Fold-Up	1
7x18APDTR1BRK	1,800	5,200	15"	16" x 60" Fold-Up	1
7x20APDTR1BRK	2,000	5,000	15"	16" x 60" Fold-Up	1

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380	93 X 80 IDLER AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 3K9380B	93 X 80 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 841T	LICENSE BRACKET
• 545T	REPLACEMENT WHEEL HUB	• 701T	BREAKAWAY KIT COMPLETE
• 520T	HUB DUST CAP		
• 350T	1-3/8" SPINDLE KIT		
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR

## ALL PURPOSE DOVE TAIL TRAILERS

### FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Ramp Type	Brake Axles
7x16APDTR2BRK	1,750	5,250	15"	16" x 60" Fold-Up	2
7x18APDTR2BRK	1,850	5,150	15"	16" x 60" Fold-Up	2
7x20APDTR2BRK	2,050	4,950	15"	16" x 60" Fold-Up	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 798	MESH TONGUE BOX
• 2051556T	SPARE TIRE & WHEEL	• 797	STEEL TONGUE BOX
• 812T	LIGHT PROTECTOR		
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 2051556T	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN	• 416T	TAIL LIGHT, CURB SIDE
• 3K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 605T	1,750 LB. DRUM LEFT & RIGHT 5-LUG	• 438T	3-LIGHT ID BAR
• 520T	HUB DUST CAP	• 841T	LICENSE BRACKET
• 350T	1-3/8" SPINDLE KIT	• 701T	BREAKAWAY KIT COMPLETE
• 502T	1-3/8" BEARING KIT		
• 496T	1.719 GREASE SEAL		
• 9660T	66" FENDER W/BACK		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR TANDEM WOOD FLOOR TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Diamond Plate Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 78" W X 49" H Split Rear Gate Ramp
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Gate/Ramp WxL	Brake Axles
7x16HDLAND	2,200	7,790	15"	78" x 49"	2
7x18HDLAND	2,250	7,740	15"	78" x 49"	2
7x20HDLAND	2,880	7,110	15"	78" x 49"	2

### OPTIONS/ ACCESSORIES

• 628	SPARE TIRE CARRIER	• 870	LANDSCAPE BOX
• 225X1568PTW	SPARE TIRE & WHEEL	• 871	LANDSCAPE BOX W/LID
• 812T	LIGHT PROTECTOR	• 798	MESH TONGUE BOX
• 818T	JACK SANDFOOT	• 797	STEEL TONGUE BOX
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 741	TOP-WIND JACK
• 256T	2-5/16" A-FRAME COUPLER	• 415T	TAIL LIGHT, ROAD SIDE
• 640T	CLASS III SAFETY CHAIN W/CLEVIS HOOK	• 416T	TAIL LIGHT, CURB SIDE
• 5K9380B	93 X 80 BRAKE AXLE	• 417-2T	CLEARANCE LIGHT, AMBER
• 654T	HUB DUST CAP	• 438T	3-LIGHT ID BAR
• FENDER9660-DIAPLT	66" FENDER W/BACK	• 841T	LICENSE BRACKET
		• SPRINGLATCH-HD	HD GATE LATCH COMPLETE
		• 701T	BREAKAWAY KIT COMPLETE
		• GATESPRINGASSIST	GATE SPRING ASSIST SET

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 54" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x18HDEQFTSR	2,720	7,270	15"	Flat Bed	2
7x20HDEQFTSR	2,880	7,110	15"	Flat Bed	2

### OPTIONS/ ACCESSORIES

• 225X1568BPTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 225X1568BPTW	TIRE & WHEEL	• RAMPJACK	REAR STABILIZER JACK
• 256T	2-5/16" A-FRAME COUPLER	• 701T	BREAKAWAY KIT COMPLETE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE		
• 5K9380B	93 X 80 BRAKE AXLE		
• 654T	HUB DUST CAP		
• 9660T	66" FENDER W/BACK		
• 741	TOP-WIND JACK		
• 415T	TAIL LIGHT, ROAD SIDE		
• 416T	TAIL LIGHT, CURB SIDE		
• 417-2T	CLEARANCE LIGHT, AMBER		
• 438T	3-LIGHT ID BAR		
• 841T	LICENSE BRACKET		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 48" Slide-in Ramps
- (2) Rear Stabilizer Jacks
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x18HDEQDTSR	2,760	7,230	15"	Dove Tail	2
7x20HDEQDTSR	2,880	7,110	15"	Dove Tail	2

### OPTIONS/ ACCESSORIES

• 225X1568PTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• RAMPJACK	REAR STABILIZER JACK
• 256T	2-5/16" A-FRAME COUPLER	• 701T	BREAKAWAY KIT COMPLETE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE		
• 5K9380B	93 X 80 BRAKE AXLE		
• 654T	HUB DUST CAP		
• 9660T	66" FENDER W/BACK		
• 741	TOP-WIND JACK		
• 415T	TAIL LIGHT, ROAD SIDE		
• 416T	TAIL LIGHT, CURB SIDE		
• 417-2T	CLEARANCE LIGHT, AMBER		
• 438T	3-LIGHT ID BAR		
• 841T	LICENSE BRACKET		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-Up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x18HDEQFTFR	2,760	7,230	15"	Flat Bed	2
7x20HDEQFTFR	2,880	7,110	15"	Flat Bed	2

### OPTIONS/ ACCESSORIES

• 225X1568BPTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 225X1568BPTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K9380B	93 X 80 BRAKE AXLE
• 654T	HUB DUST CAP
• 9660T	66" FENDER W/BACK
• 741	TOP-WIND JACK
• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417-2T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

## FEATURES:



- 5" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-Up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x16HDEQDTR	2,560	7,430	15"	Dove Tail	2
7x18HDEQDTR	2,720	7,270	15"	Dove Tail	2
7x20HDEQDTR	2,880	7,110	15"	Dove Tail	2

### OPTIONS/ ACCESSORIES

• 225X1568PTW	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX
• 818T	JACK SANDFOOT		
• 820	JACK CASTER WHEEL		

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL
• 256T	2-5/16" A-FRAME COUPLER
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE
• 5K9380B	93 X 80 BRAKE AXLE
• 654T	HUB DUST CAP
• 9660T	66" FENDER W/BACK
• 741	TOP-WIND JACK
• 415T	TAIL LIGHT, ROAD SIDE
• 416T	TAIL LIGHT, CURB SIDE
• 417-2T	CLEARANCE LIGHT, AMBER
• 438T	3-LIGHT ID BAR
• 841T	LICENSE BRACKET
• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 12,000 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

## FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- Adjustable 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Tube Drop Leg Jack
- (2) 6,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x16HDEQDTFR12K	2,760	9,240	16"	2' Dove Tail	2
7x18HDEQDTFR12K	2,920	9,080	16"	2' Dove Tail	2
7x20HDEQDTFR12K	3,080	8,920	16"	2' Dove Tail	2

### OPTIONS/ ACCESSORIES

• 2351610P	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX

### REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• CPL256-ADJ	2-5/16" A-FRAME ADJUSTABLE COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417-2T	CLEARANCE LIGHT, AMBER
• 6K9379B	93 X 79 BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75	10X75 FENDER W/BACK	• 841T	LICENSE BRACKET
• 5KDROPLEGJACK	SQUARE TUBE DROP LEG JACK	• 701T	BREAKAWAY KIT COMPLETE
• 655T	HUB DUST CAP		



# 14,000 LB. GVWR HEAVY DUTY EQUIPMENT TRAILERS

## FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2.5" x 2.5" x 1/4" Angle Top Rail
- 2.5" x 2.5" x 1/4" Angle Uprights
- Adjustable 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Tube Drop Leg Jack
- (2) 7,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Steel Fender with Back
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" X 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tire Size	Deck Style	Brake Axles
7x16HDEQDTFR14K	2,830	11,170	16"	2' Dovetail	2
7x18HDEQDTFR14K	2,990	11,010	16"	2' Dovetail	2
7x20HDEQDTFR14K	3,150	10,850	16"	2' Dovetail	2

### OPTIONS/ ACCESSORIES

• 2351610P	SPARE TIRE & WHEEL	• 798	MESH TONGUE BOX
• 812T	LIGHT PROTECTOR	• 797	STEEL TONGUE BOX

### REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• CPL256-ADJ	2-5/16" A-FRAME ADJUSTABLE COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417-2T	CLEARANCE LIGHT, AMBER
• 7K9379EZB	93 X 79 EZ LUBE BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75	10X75 FENDER W/BACK	• 841T	LICENSE BRACKET
• 5KDROPLEGJACK	SQUARE TUBE DROP LEG JACK	• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 14,000 LB. GVWR TILT DECK TRAILERS

## FEATURES:



- 6" Channel A-Frame Tongue
- 4 " x 6" x 3/8" Angle Tilt Deck Frame
- Front Bumper 2.5" x 2.5" x 1/4" Angle Top Rail
- Front Bumper 2.5" x 2.5" x 1/4" Angle Uprights
- 2-5/16" Adjustable A-Frame Coupler w/ Safety Chains
- 5,000 lb. Rated Square Drop Leg Jack
- (2) 7,000 lb. Rated EZ Lube Torsion Brake Axles
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- (6) Chain Pockets
- (4) Heavy Duty D-Rings
- 11 Degree Tilt Angle
- Adjustable Hydraulic Tilt Dampener Cylinder
- Knife Edge
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Tilt Deck Length	Front Platform Length	Deck Width	Overall Width
7x20HDEQTILT14K	3,420	10,580	16'	4'	81"	102"
7X22HDEQTILT14K	3,600	10,400	16'	6'	81"	102"

### OPTIONS/ ACCESSORIES

- 2351610P SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |                      |                            |                  |                        |
|----------------------|----------------------------|------------------|------------------------|
| • 2351610P           | TIRE & WHEEL               | • OVALLEDPIGTAIL | TAIL LIGHT PLUG        |
| • CPL2516-ADJ-14K    | A-FRAME ADJUSTABLE COUPLER | • 880T           | CLEARANCE LIGHT, RED   |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN   | • 881T           | CLEARANCE LIGHT, AMBER |
| • 659                | DUST CAPE-7000# EZ LUBE    | • 438T           | 3-LIGHT ID BAR         |
| • 7K9379EZB-TORSION  | 93 X 79 EZ LUBE BRAKE AXLE | • 834T           | LICENSE LIGHT          |
| • 10KSIDEWINDJACK    | SIDE WIND JACK             | • 701T           | BREAKAWAY KIT COMPLETE |
| • OVALLEDDECKOVER    | TAIL LIGHT                 |                  |                        |
| • OVALLEDGROMMET     | TAIL LIGHT GROMMET         |                  |                        |



# 2,990 LB. GVWR LOBSTER DECK OVER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Axles
- 3-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 5/4" Treated Wood Floor
- (20) Chain Pockets
- LED Lighting Package



### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8x16DO-LOB	1,680	1,310	241"	102"	192"	97"

### OPTIONS/ ACCESSORIES

- 175X13T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

### REPLACEMENT PARTS

- |   |                                 |
|---|---------------------------------|
| • 175X13T TIRE & WHEEL                      | • 851T DUST CAP -EZ LUBE        |
| • 256T 2-5/16" A-FRAME COUPLER              | • 415T TAIL LIGHT, ROAD SIDE    |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 416T TAIL LIGHT, CURB SIDE    |
| • 3K8470EZ 84 X 70 EZ LUBE AXLE             | • 417-2T CLEARANCE LIGHT, AMBER |
| • 741 TOP-WIND JACK                         | • 438T 3-LIGHT ID BAR           |
| • 545T REPLACEMENT WHEEL HUB                | • 841T LICENSE BRACKET          |
| • 350T 1-3/8" SPINDLE KIT                   |                                 |
| • 502T 1-3/8" BEARING KIT                   |                                 |
| • 496T 1.719 GREASE SEAL                    |                                 |



# 5,000 LB. GVWR LOBSTER DECK OVER TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 4" Channel Main Frame
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated EZ Lube Brake Axles
- 3-Leaf Springs
- ST175X13 Tire and Wheel Assemblies
- White Mod Wheels
- 5/4" Treated Wood Floor
- Electric Breakaway Kit w/Charger
- 2" Rub Rail
- (20) Chain Pockets
- LED Lighting Package



- (2) Brake Axles

### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8x20DO-LOB	1,880	3,120	289"	102"	240"	97"

### OPTIONS/ ACCESSORIES

- 175X13T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

### REPLACEMENT PARTS

- |   |                                 |
|---|---------------------------------|
| • 175X13T TIRE & WHEEL                      | • 851T DUST CAP -EZ LUBE        |
| • 256T 2-5/16" A-FRAME COUPLER              | • 415T TAIL LIGHT, ROAD SIDE    |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 416T TAIL LIGHT, CURB SIDE    |
| • 3K8470EZB 84 X 70 EZ LUBE AXLE            | • 417-2T CLEARANCE LIGHT, AMBER |
| • 741 TOP-WIND JACK                         | • 438T 3-LIGHT ID BAR           |
| • 545T REPLACEMENT WHEEL HUB                | • 841T LICENSE BRACKET          |
| • 350T 1-3/8" SPINDLE KIT                   |                                 |
| • 502T 1-3/8" BEARING KIT                   |                                 |
| • 496T 1.719 GREASE SEAL                    |                                 |



# 7,000 LB. GVWR DECK OVER FLAT DECK TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 72" Slide-in Ramps
- LED Lighting Package



- (2) Brake Axles

### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16D07K	2,500	4,500	241"	102"	192"	97"
8.5x18D07K	2,660	4,340	265"	102"	216"	97"
8.5x20D07K	2,800	4,200	289"	102"	240"	97"

### OPTIONS/ ACCESSORIES

- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

### REPLACEMENT PARTS

- |   |                                 |
|---|---------------------------------|
| • 2051556T TIRE & WHEEL                     | • 415T TAIL LIGHT, ROAD SIDE    |
| • 256T 2-5/16" A-FRAME COUPLER              | • 416T TAIL LIGHT, CURB SIDE    |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 417-2T CLEARANCE LIGHT, AMBER |
| • 3K8470EZB 84 X 70 BRAKE AXLE EZ LUBE      | • 438T 3-LIGHT ID BAR           |
| • 741 TOP-WIND JACK                         | • 841T LICENSE BRACKET          |
| • 851T DUST CAP- EZ LUBE                    | • 701T BREAKAWAY KIT COMPLETE   |
| • 605T 1,750LB. DRUM LEFT + RIGHT - 5 LUG   |                                 |
| • 851T DUST CAP EZ LUBE                     |                                 |
| • 350T 1-3/8" SPINDLE KIT                   |                                 |
| • 502T 1-3/8" BEARING KIT                   |                                 |
| • 496T 1.719 GREASE SEAL                    |                                 |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 7,000 LB. GVWR DECK OVER DOVE TAIL TRAILERS

## FEATURES:



- 4" Channel A-Frame Tongue
- 5" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 2,000 lb. Rated Top Wind Jack
- (2) 3,500 lb. Rated Brake Axles
- 3-Leaf Springs
- ST205x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles
- Adjustable Couple Not Available on 7K Models.



## Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DODT7K	2,500	4,500	241"	102"	192"	97"
8.5x18DODT7K	2,660	4,340	265"	102"	216"	97"
8.5x20DODT7K	2,800	4,200	289"	102"	240"	97"

## OPTIONS/ ACCESSORIES

- 2051556T SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR
- 818T JACK SANDFOOT
- 820 JACK CASTER WHEEL

## REPLACEMENT PARTS

- |   |                                 |
|---|---------------------------------|
| • 2051556T TIRE & WHEEL                     | • 415T TAIL LIGHT, ROAD SIDE    |
| • 256T 2-5/16" A-FRAME COUPLER              | • 416T TAIL LIGHT, CURB SIDE    |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 417-2T CLEARANCE LIGHT, AMBER |
| • 3K8470EZB 84 X 70 BRAKE AXLE EZ LUBE      | • 438T 3-LIGHT ID BAR           |
| • 741 TOP-WIND JACK                         | • 841T LICENSE BRACKET          |
| • 605T 1,750LB. DRUM LEFT + RIGHT - 5 LUG   | • 701T BREAKAWAY KIT COMPLETE   |
| • 851T DUST CAP EZ LUBE                     |                                 |
| • 350T 1-3/8" SPINDLE KIT                   |                                 |
| • 502T 1-3/8" BEARING KIT                   |                                 |
| • 496T 1.719 GREASE SEAL                    |                                 |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR

## DECK OVER FLAT DECK TRAILERS

### FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Drop Leg Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 72" Slide-in Ramps
- LED Lighting Package



- (2) Brake Axles

### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DO10K	2,820	7,170	241"	102"	192"	97"
8.5x18DO10K	2,980	7,010	265"	102"	216"	97"
8.5x20DO10K	3,020	6,970	289"	102"	240"	97"

### OPTIONS/ ACCESSORIES

- 225X1568PTW SPARE TIRE & WHEEL
- 812T LIGHT PROTECTOR

### REPLACEMENT PARTS

- |   |                               |
|---|-------------------------------|
| • 225X1568PTW TIRE & WHEEL                  | • 701T BREAKAWAY KIT COMPLETE |
| • 256T 2-5/16" A-FRAME COUPLER              | • 880T CLEARANCE LIGHT RED    |
| • 640T CLASS III SAFETY CHAIN W/CLEVIS HOOK | • 881T CLEARANCE LIGHT AMBER  |
| • 5K7558B 75 X 58 BRAKE AXLE                | • 834T LICENSE LIGHT          |
| • 654T DUST CAP                             | • 841T LICENSE BRACKET        |
| • 5KDROPLEGJACK TOP-WIND JACK               | • 701T BREAKAWAY KIT COMPLETE |
| • OVALLEDDECKOVER TAIL LIGHT                |                               |
| • OVALLEDGROMMET TAIL LIGHT GROMMET         |                               |
| • OVALLEDPGTAIL TAIL LIGHT PLUG             |                               |
| • 417-2T CLEARANCE LIGHT, AMBER             |                               |
| • 834T LICENSE LIGHT                        |                               |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR DECK OVER DOVE TAIL TRAILERS

## FEATURES:



- 6" Channel A-Frame Tongue
- 6" Channel Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Square Drop Leg Jack
- (2) 5,200 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225x15 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x16DODT10K	2,820	7,170	241"	102"	192"	97"
8.5x18DODT10K	2,980	7,010	265"	102"	216"	97"
8.5x20DODT10K	3,020	6,970	289"	102"	240"	97"

### OPTIONS/ ACCESSORIES

- 225X1568PTW SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |                      |                          |        |                        |
|----------------------|--------------------------|--------|------------------------|
| • 225X1568PTW        | TIRE & WHEEL             | • 834T | LICENSE LIGH           |
| • 256T               | 2-5/16" A-FRAME COUPLER  | • 701T | BREAKAWAY KIT COMPLETE |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN | • 841T | LICENSE BRACKET        |
| • 5K7558B            | 75 X 58 BRAKE AXLE       |        |                        |
| • 654T               | DUST CAP                 |        |                        |
| • 5KDROPLEGJACK      | TOP-WIND JACK            |        |                        |
| • OVALLEDDECKOVER    | TAIL LIGHT               |        |                        |
| • OVALLEDGROMMET     | TAIL LIGHT GROMMET       |        |                        |
| • OVALLEDPIGTAIL     | TAIL LIGHT PLUG          |        |                        |
| • 438T               | 3-LIGHT ID BAR           |        |                        |
| • 880T               | CLEARANCE LIGHT RED      |        |                        |
| • 881T               | CLEARANCE LIGHT AMBER    |        |                        |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 12,000 LB. GVWR DECK OVER DOVE TAIL TRAILERS

## FEATURES:



- 12" I-Beam Tongue
- 12" I-Beam Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" Adjustable A-Frame Coupler Safety Chains
- 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 6,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x20DODT12K	3,100	8,900	313"	102"	240"	97"
8.5x24DODT12K	3,300	8,700	361"	102"	288"	97"

### OPTIONS/ ACCESSORIES

- 2351610P SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |  |                               |
|--|-------------------------------|
| • 2351610P TIRE & WHEEL                          | • 701T BREAKAWAY KIT COMPLETE |
| • CPL2516-ADJ 2-5/16" A-FRAME ADJUSTABLE COUPLER | • 834T LICENSE LIGHT          |
| • SAFETYCHAIN10K-14K EXTRA LARGE SAFETY CHAIN    | • 841T LICENSE BRACKET        |
| • 5K7558B 75 X 58 BRAKE AXLE                     |                               |
| • 655T DUST CAP                                  |                               |
| • 10KSIDEWINDJACK SIDE-WIND JACK                 |                               |
| • OVALLEDDECKOVER TAIL LIGHT                     |                               |
| • OVALLEDGROMMET TAIL LIGHT GROMMET              |                               |
| • OVALLEDPIGTAIL TAIL LIGHT PLUG                 |                               |
| • 438T 3-LIGHT ID BAR                            |                               |
| • 880T CLEARANCE LIGHT RED                       |                               |
| • 881T CLEARANCE LIGHT AMBER                     |                               |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 14,000 LB. GVWR DECK OVER DOVE TAIL TRAILERS

## FEATURES:



- 12" I-Beam Tongue
- 12" I-Beam Main Frame
- 2-1/2" x 2-1/2" x 1/4" Angle Top Rail
- 2-1/2" x 2-1/2" x 1/4" Angle Uprights
- 2-5/16" Adjustable A-Frame Coupler Safety Chains
- 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 7,000 lb. Rated EZ Lube Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles



### Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5x20DODT14K	3,400	10,600	313"	102"	240"	97"
8.5x24DODT14K	3,750	10,250	361"	102"	288"	97"

### OPTIONS/ ACCESSORIES

- 2351610P SPARE TIRE & WHEEL

### REPLACEMENT PARTS

- |                      |                                    |        |                        |
|----------------------|------------------------------------|--------|------------------------|
| • 2351610P           | TIRE & WHEEL                       | • 701T | BREAKAWAY KIT COMPLETE |
| • CPL2516-ADJ        | 2-5/16" A-FRAME ADJUSTABLE COUPLER | • 834T | LICENSE LIGHT          |
| • SAFETYCHAIN10K-14K | EXTRA LARGE SAFETY CHAIN           | • 841T | LICENSE BRACKET        |
| • 5K7558B            | 75 X 58 BRAKE AXLE                 |        |                        |
| • 659T               | DUST CAP-EZ LUBE                   |        |                        |
| • 10KSIDEWINDJACK    | SIDE-WIND JACK                     |        |                        |
| • OVALLEDDECKOVER    | TAIL LIGHT                         |        |                        |
| • OVALLEDGROMMET     | TAIL LIGHT GROMMET                 |        |                        |
| • OVALLEDPIGTAIL     | TAIL LIGHT PLUG                    |        |                        |
| • 438T               | 3-LIGHT ID BAR                     |        |                        |
| • 880T               | CLEARANCE LIGHT RED                |        |                        |
| • 881T               | CLEARANCE LIGHT AMBER              |        |                        |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 12,000 LB. GVWR GOOSENECK DOVE TAIL TRAILERS



- (2) Brake Axles



## FEATURES:



- 12" I-Beam Gooseneck Frame
- 12" I-Beam Main Frame
- 2-5/16" Gooseneck Coupler with Safety Chains
- (1) 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 6,000 lb. Rated Brake Axles
- LT235R16 Tire and Wheel Assemblies
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 5' Full Width Wood Dove Tail
- 16" x 60" Fold-up Ramps
- LED Lighting Package

## Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5X20GNDODT12K	3,650	8,350	338"	102"	240"	97"
8.5X25GNDODT12K	3,850	8,150	398"	102"	300"	97"

## OPTIONS/ ACCESSORIES

- 5' CENTER CONVERTIBLE ANGLE DOVE TAIL WITH (2) FLAT FOLD RAMPS
- 5' FULL WIDTH CONVERTIBLE ANGLE DOVE TAIL WITH FOLD UP RAMPS
- STEP ASSIST WITH HANDLE
- CHAIN BASKET

## REPLACEMENT PARTS

• 2351610P	TIRE & WHEEL	• 438T	3-LIGHT ID BAR
• CPLGN	GOOSENECK COUPLER	• 834T	LICENSE LIGHT
• SAFETYCH3/8X39	SAFETY CHAIN W/CLEVIS HOOK	• 841T	LICENSE BRACKET
• 6K7558B	75 X 58 EZ LUBE BRAKE AXLE	• 701T	BREAKAWAY KIT COMPLETE
• 10KSIDEWINDJACK	SIDE WIND JACK		
• 655T	DUST CAP-EZ LUBE		
• OVALLEDDECKOVER	TAIL LIGHT		
• OVALLEDGROMMET	TAIL LIGHT GROMMET		
• OVALLEDPIGTAIL	TAIL LIGHT PLUG		
• 880T	CLEARANCE LIGHT, RED		
• 881T	CLEARANCE LIGHT, AMBER		

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 14,000 LB. GVWR GOOSENECK DOVE TAIL TRAILERS



## FEATURES:



- 12" I-Beam Gooseneck Frame
- 12" I-Beam Main Frame
- 2-5/16" Gooseneck Coupler with Safety Chains
- (1) 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 7,000 lb. Rated EZ Lube Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Assemblies
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 5' Full Width Wood Dove Tail
- 16" x 60" Fold-up Ramps
- LED Lighting Package

- (2) Brake Axles



## Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5X20GNDODT14K	3,650	10,350	338"	102"	240"	97"
8.5X25GNDODT14K	3,850	10,150	398"	102"	300"	97"

## OPTIONS/ ACCESSORIES

- 5' FULL WIDTH ANGLE DOVE TAIL WITH FOLD UP RAMPS
- 5' CENTER CONVERTIBLE ANGLE DOVE TAIL WITH (2) FLAT FOLD RAMPS
- 5' FULL WIDTH CONVERTIBLE ANGLE DOVE TAIL WITH FOLD UP RAMPS
- STEP ASSIST WITH HANDLE
- CHAIN BASKET

## REPLACEMENT PARTS

- |                     |                            |        |                        |
|---------------------|----------------------------|--------|------------------------|
| • 2351610P          | TIRE & WHEEL               | • 438T | 3-LIGHT ID BAR         |
| • CPLGN             | GOOSENECK COUPLER          | • 834T | LICENSE LIGHT          |
| • SAFETYCH3/8-P7-39 | SAFETY CHAIN W/CLEVIS HOOK | • 841T | LICENSE BRACKET        |
| • 7K7558B           | 75 X 58 BRAKE AXLE         | • 701T | BREAKAWAY KIT COMPLETE |
| • 10KSIDEWINDJACK   | SIDE WIND JACK             |        |                        |
| • 659T              | DUST CAP-EZ LUBE           |        |                        |
| • OVALLEDDECKOVER   | TAIL LIGHT                 |        |                        |
| • OVALLEDGROMMET    | TAIL LIGHT GROMMET         |        |                        |
| • OVALLEDPIGTAIL    | TAIL LIGHT PLUG            |        |                        |
| • 880T              | CLEARANCE LIGHT, RED       |        |                        |
| • 881T              | CLEARANCE LIGHT, AMBER     |        |                        |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 20,000 LB. GVWR GOOSENECK DOVE TAIL TRAILERS

## FEATURES:



- 12" I-Beam Gooseneck Frame
- 12" I-Beam Main Frame
- 2-5/16" Gooseneck Coupler with Safety Chains
- (1) 10,000 lb. Rated Side Wind Drop Leg Jack
- (2) 10,000 lb. Rated Brake Axles
- 5-Leaf Springs
- LT235R16 Tire and Wheel Dually Assemblies
- White Mod Wheels
- Treated Wood Floor
- Electric Breakaway Kit w/ Charger
- 5' Full Width Wood Dove Tail
- 16" x 60" Fold-up Ramps
- LED Lighting Package



- (2) Brake Axles
- 20K Model with Rear Ramps



## Specifications

COT Part	Empty Weight (lbs.)	Payload Capacity (lbs.)	Length Overall	Width Overall	Deck Length	Deck Width
8.5X20GNDODT20K	4,650	15,350	338"	102"	240"	97"
8.5X25GNDODT20K	4,850	15,150	398"	102"	300"	97"

## OPTIONS/ ACCESSORIES

- 5' CENTER CONVERTIBLE ANGLE DOVE TAIL WITH (2) FLAT FOLD RAMPS
- 5' FULL WIDTH CONVERTIBLE ANGLE DOVE TAIL WITH FOLD UP RAMPS
- STEP ASSIST WITH HANDLE
- CHAIN BASKET

## REPLACEMENT PARTS

- |                     |                            |        |                        |
|---------------------|----------------------------|--------|------------------------|
| • 235X16108DWTW     | DUALLY TIRE & WHEEL        | • 438T | 3-LIGHT ID BAR         |
| • CPLGN             | GOOSENECK COUPLER          | • 834T | LICENSE LIGHT          |
| • SAFETYCH3/8-P7-39 | SAFETY CHAIN W/CLEVIS HOOK | • 841T | LICENSE BRACKET        |
| • 10K7447SPRUNG     | 74 X 47 BRAKE AXLE         | • 701T | BREAKAWAY KIT COMPLETE |
| • 10KSIDEWINDJACK   | SIDE WIND JACK             |        |                        |
| • OVALLEDDECKOVER   | TAIL LIGHT                 |        |                        |
| • OVALLEDGROMMET    | TAIL LIGHT GROMMET         |        |                        |
| • OVALLEDPIGTAIL    | TAIL LIGHT PLUG            |        |                        |
| • 881T              | CLEARANCE LIGHT, AMBER     |        |                        |
| • 880T              | CLEARANCE LIGHT, RED       |        |                        |

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 5,000 LB. GVWR LOW PROFILE DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 4" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- 5,000 lb. Rated Brake Axle
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 32" Jeep Style Steel Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Solid Steel Tongue Box
- 3" X 20" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x8DUMPLP5K	1,375	3,625	2.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x8DUMPLP5K	143"	79"	26"	44"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDBRKTKITLG
• TIEDOWN-LD	D-RINGS	SIDE BRACKETS
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT	

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• 640T	CLASS III SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K7254B	72 X 54.5 BRAKE AXLE	• 841T	LICENSE BRACKET
• FENDER9X32JEEP	9 x 32" JEEP STYLE FENDER	• 701T	BREAKAWAY KIT COMPLETE



# 5,000 LB. GVWR LOW PROFILE DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 4" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- 5,000 lb. Rated Brake Axle
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 32" Jeep Style Steel Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Solid Steel Tongue Box
- 3" X 20" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x10DUMPLP5K	1,490	3,510	2.8 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x10DUMPLP5K	167"	79"	26"	44"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDEBRKTITLG
• TIEDOWN-LD	D-RINGS	SIDE BRACKETS
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT	

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• 640T	CLASS III SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K7254B	72 X 54.5 BRAKE AXLE	• 841T	LICENSE BRACKET
• FENDER9X32JEEP	9 x 32" JEEP STYLE FENDER	• 701T	BREAKAWAY KIT COMPLETE



# 7,000 LB. GVWR LOW PROFILE DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-3,500 lb. Rated Brake Drop Axles
- 3-Leaf Springs
- ST205X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 66" Steel Diamond Plate Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (4) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x10DUMPLP7K	2,060	4,940	2.8 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x10DUMPLP7K	167"	79"	26"	44"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDEBRKTKITLG	SIDE BRACKETS
• TIEDOWN-LD	D-RINGS		
• DUMPRAMP	DUMP RAMPS		
• DUMPPOWERDOWN-5x10	POWER DOWN HYDRAULIC		
• DUMPCOMBOGATE5	COMBO GATE		
• DUMP-COMBOPKG5	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG		
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT		

### REPLACEMENT PARTS

• 205X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• 640T	CLASS III SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 3K7254B-DROP	72 X 54 4" DROP AXLE	• 841T	LICENSE BRACKET
• FENDER9660-DIA-NB	9 X 72" FENDER	• 701T	BREAKAWAY KIT COMPLETE



# 9,990 LB. GVWR LOW PROFILE DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 9" x 66" Steel Diamond Plate Fender
- 12 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (4) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
5x10DUMPLP10K	2,140	7,850	2.8 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
5x10DUMPLP10K	167"	79"	26"	44"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* SIDEBRKTITLG	SIDE BRACKETS
• TIEDOWN-LD	D-RINGS		
• DUMPRAMP	DUMP RAMPS		
• DUMPPOWERDOWN-5x10	POWER DOWN HYDRAULIC		
• DUMPCOMBOGATE5	COMBO GATE		
• DUMP-COMBOPKG5	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG		
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT		

### REPLACEMENT PARTS

• 205X1568PTW	TIRE & WHEEL	• 413T	TAIL LIGHT, ROAD SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 414T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	EXTRA LARGE SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K7254B-DROP	72 X 54 4" DROP AXLE	• 841T	LICENSE BRACKET
• FENDER9660-DIA-NB	9 x 72" FENDER	• 701T	BREAKAWAY KIT COMPLETE



# 7,000 LB. GVWR DECK OVER DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Axles
- 3-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x10DUMPDO7K	1,920	5,080	3.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x10DUMPDO7K	167"	76"	30"	48"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* 857	DUMP TARP
• TIEDOWN-LD	D-RINGS	* 860	DUMP TARP ROLLER
• DUMPRAMP	DUMP RAMPS	• SIDEBRKTITLG	SIDE BRACKETS
• DUMPPowerDOWN-6x10	POWER DOWN HYDRAULIC		

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, CURB SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, ROAD SIDE
• 604T	CLASS III SAFETY CHAIN	• 417T	CLEARANCE LIGHT, AMBER
• 5K5944B	59 X 44 BRAKE AXLE	• 438T	3-LIGHT ID BAR
		• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR DECK OVER DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x10DUMPDO10K	2,020	7,970	3.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x10DUMPDO10K	167"	76"	30"	48"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY
• DUMP-BATTCHARGER	BATTERY CHARGER	* 857 DUMP TARP
• TIEDOWN-LD	D-RINGS	* 860 DUMP TARP ROLLER
• DUMPRAMP	DUMP RAMPS	• SIDEBRKTKITLG SIDE BRACKETS
• DUMPPowerDOWN-6x10	POWER DOWN HYDRAULIC	

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, CURB SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, ROAD SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417T	CLEARANCE LIGHT, AMBER
• 5K5944B	59 X 44 BRAKE AXLE	• 438T	3-LIGHT ID BAR
		• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR LOW PROFILE DUMP TRAILER

## FEATURES:



- 4" Channel Tongue
- 5" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)-5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 3.5" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

### Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x10DUMPLP10K	2,350	7,640	3.3 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x10DUMPLP10K	173"	92"	26"	48"	18"

### OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* 857	DUMP TARP
• TIEDOWN-LD	D-RINGS	* 860	DUMP TARP ROLLER
• DUMPRAMP	DUMP RAMPS	• SIDBRKTKITLG	SIDE BRACKETS
• DUMPPOWERDOWN-6x10	POWER DOWN HYDRAULIC		
• DUMPCOMBOGATE6	COMBO GATE		
• DUMP-COMBOPKG6	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG		
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT		

### REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, CURB SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417T	CLEARANCE LIGHT, AMBER
• 5K8866B-DROP	85 X 65 4" DROP BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75-NB	10 x 75" FENDER	• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



# 9,990 LB. GVWR LOW PROFILE DUMP TRAILER

## FEATURES:



- 5" Channel Wrapped Tongue
- 6" Channel Main Frame
- Integrated Top Rail
- 2-5/16" A-Frame Coupler with Safety Chains
- 5,000 lb. Rated Top Wind Jack
- (2)- 5,000 lb. Rated Brake Drop Axles
- 5-Leaf Springs
- ST225X15 Tire and Wheel Assemblies
- White Mod Wheels
- 10" x 75" Steel Fender
- 11 Gauge Steel Floor
- 14 Gauge Steel Walls
- Electric Breakaway Kit with Charger
- Tarp Rail Standard
- (8) Chain Pockets
- Solid Steel Tongue Box
- 4" X 30" Hydraulic Cylinder
- 12v Hydraulic Pump with 20' Remote Control



- 2-Way Spreader / Tail Gate



- Spreader Gate



- Tail Gate

## Specifications

COT Part No.	Empty Weight (lbs.)	Payload Capacity (lbs.)	Volume Capacity	Hydraulic Operation	Tires
6x12DUMPLP10K	2,890	7,100	4 .0 Cubic Yards	Gravity Down	15"

Technical Specs.	Overall Length	Overall Width	Deck Height	Overall Height	Wall Height
6x12DUMPLP10K	191"	92"	30"	48"	18"

## OPTIONS/ACCESSORIES

• DUMP-BATTERY	BATTERY	* ACCESSORY ONLY	
• DUMP-BATTCHARGER	BATTERY CHARGER	* 857	DUMP TARP
• TIEDOWN-LD	D-RINGS	* 860	DUMP TARP ROLLER
• DUMPRAMP	DUMP RAMPS	• SIDBRKTKITLG	SIDE BRACKETS
• DUMPPOWERDOWN-6x12	POWER DOWN HYDRAULIC		
• DUMPCOMBOGATE6	COMBO GATE		
• DUMP-COMBOPKG6	COMBO GATE, SIDE MOUNT RAMP, (4) D-RINGS PKG		
• SPARETIREMOUNT-DUMP	SPARE TIRE MOUNT		

## REPLACEMENT PARTS

• 225X1568PTW	TIRE & WHEEL	• 415T	TAIL LIGHT, CURB SIDE
• 256T	2-5/16" A-FRAME COUPLER	• 416T	TAIL LIGHT, CURB SIDE
• SAFETYCHAIN10K-14K	SAFETY CHAIN EXTRA LARGE	• 417T	CLEARANCE LIGHT, AMBER
• 5K8866B-DROP	85 X 65 4" DROP BRAKE AXLE	• 438T	3-LIGHT ID BAR
• FENDER10X75-NB	10 x 75" FENDER	• 841T	LICENSE BRACKET
		• 701T	BREAKAWAY KIT COMPLETE

All trailers meet or exceed all government regulations and industry standards. Specifications are subject to change without notice.



## CTD SERIES: UPGRADES THAT THAT DELIVER MORE

The CTD Series is built for those who rely on their trailer every day. Enhanced structure and upgraded protection deliver added confidence on the job, with refined details that elevate everyday use.

### BUILD & STRUCTURE

#### 16" O.C. STEEL HAT POST WALL FRAMING

Steel hat posts spaced 16 inches on center increase wall rigidity, reduce flex, and reinforce the overall structure for more demanding use.

#### ENGINEERED STRUCTURAL PANEL FLOORS & WALLS

3/4" floor and 3/8" wall panels create a strong, stable structure that resists deformation under repeated use. Engineered for enhanced moisture resistance, these panels deliver more consistent performance than traditional wood products.

#### SLOPED V-NOSE FRONT PROFILE

Improves towing efficiency and stability while adding up to 18" of usable interior space for more efficient cargo storage and a streamlined, professional appearance.

#### ENHANCED DIAMOND PLATE TRIM

Provides expanded protection along the front and lower edges, helping defend against road debris and everyday wear while maintaining a clean, finished look over time.



### KEY FEATURES

#### CURBSIDE DOOR WITH RV LOCK + CAM BAR LOCK

Dual-lock system adds security while maintaining smooth, reliable operation. Standard on most sizes, with select compact models offering it as an option.

#### LED LIGHTING

Bright, efficient LED lights enhance visibility for safer travel and deliver long-lasting performance. Sealed design helps protect against moisture and road debris.

#### RADIAL TIRES

Provide a smoother ride and more stable towing.



ENCLOSED CARGO TRAILERS  
**CTD SERIES**



Available Exterior Colors  
\*Special Order



SPECIFICATIONS	CTD3K	CTD7K	CTD10K
Coupler	2"	2-5/16"	2-5/16"
Wiring Connector	4-Way Flat	7-Way Round	7-Way Round
Tongue	5'-6" W: 3" x 2" Tube; 7' W: 4" x 2" Tube	6" x 2" Tube	6" x 2" Tube
Frame	5'-6" W: 3" x 2" Tube; 7' W: 4" x 2" Tube	6" x 2" Tube	6" x 2" Tube
Crossmembers O.C.	16"	16"	16"
Roof Bows O.C.	24"	24"	24"
Roof	Galvalume	Galvalume	Galvalume
Profile	Sloped V-Nose	Sloped V-Nose	Sloped V-Nose
Stone Guard	Enhanced Wedge	Enhanced Wedge	Enhanced Wedge
Floor	3/4" ESP	3/4" ESP	3/4" ESP
Tie-Down Points	(4) 1K D-Rings	(4) 5K D-Rings; 6'W: (4) 1K D-Rings	(4) 5K D-Rings
Interior Height	5' W: 61"; 6'-7' W: 79"	6' W: 79"; 7'-8.5' W: 85"	85"
Walls	3/8" ESP	3/8" ESP	3/8" ESP
Wall Frame O.C.	16"	16"	16"
Exterior	.030" Aluminum, Semi-Screwless, Bonded	.030" Aluminum, Semi-Screwless, Bonded	.030" Aluminum, Semi-Screwless, Bonded
Sidewall Vents	Included	Included	Included
Suspension	Spring	Spring	Spring
Axle(s)	(1) 3,500 Lbs., 4" Drop	(2) 3,500 Lbs., 4" Drop	(2) 3,500 Lbs., 4" Drop
Brake Axle(s)	N/A	Electric Brakes	Electric Brakes
Breakaway Kit	N/A	Included	Included
Tires	15" Radial ST205/75R15	15" Radial ST205/75R15	15" Radial ST225/75R15
Wheels	Black Mod, 5 on 4-1/2"	Black Mod, 5 on 4-1/2"	Black Mod, 6 on 5-1/2"
Fenders	Diamond Plate	6'-7' W: Diamond Plate; 8.5' W: Smooth	Smooth
Interior Lights	(2) LED	(2) LED	(2) LED
Beavertail	N/A	Included on 20'+ L; All others N/A	Included on 20'+ L; All others N/A
Rear Door	5' W: Ramp; 6'-7' W: Ramp w/ Ext.	Ramp w/ Extension	Ramp w/ Extension
Curbside Door	36" W Door w/ RV and Cam Bar Latch (5' W Trailers have 32" W Door)	36" W Door w/ RV and Cam Bar Latch	36" W Door w/ RV and Cam Bar Latch

**AVAILABLE SIZES & CAPACITY**

SINGLE AXLE	5' x 8'	5' x 10'	6' x 10'	6' x 12'	7' x 12'
Item No.	<b>5X8CTD3K</b>	<b>5X10CTD3K</b>	<b>6X10CTD3K</b>	<b>6X12CTD3K</b>	<b>7X12CTD3K</b>
GVWR	<b>2,990 Lbs.</b>	<b>2,990 Lbs.</b>	<b>2,990 Lbs.</b>	<b>2,990 Lbs.</b>	<b>2,990 Lbs.</b>
Empty Weight	832 Lbs.	965 Lbs.	1,123 Lbs.	1,253 Lbs.	1,401 Lbs.
Payload Capacity	2,158 Lbs.	2,025 Lbs.	1,867 Lbs.	1,737 Lbs.	1,589 Lbs.
Overall W x L x H	79" x 131" x 78"	79" x 155" x 78"	91" x 168" x 103"	91" x 192" x 103"	102" x 192" x 103"
Interior W x L x H	57" x 110" x 60"	57" x 134" x 60"	68-1/2" x 134" x 79"	68-1/2" x 158" x 79"	79" x 158" x 79"
Rear Opening W x H	50" x 55"	50" x 55"	62" x 75"	62" x 75"	72" x 75"

TANDEM AXLE	6' x 12'	7' x 12'	7' x 14'	7' x 16'	8.5' x 16'	8.5' x 20'
Item No.	<b>6X12CTD7K</b>	<b>7X12CTD7K</b>	<b>7X14CTD7K</b>	<b>7X16CTD7K</b>	<b>85X16CTD7K</b>	<b>85X20CTD7K</b>
GVWR	<b>7,000 Lbs.</b>	<b>7,000 Lbs.</b>	<b>7,000 Lbs.</b>	<b>7,000 Lbs.</b>	<b>7,000 Lbs.</b>	<b>7,000 Lbs.</b>
Empty Weight	1,866 Lbs.	2,007 Lbs.	2,155 Lbs.	2,303 Lbs.	3,168 Lbs.	3,519 Lbs.
Payload Capacity	5,134 Lbs.	4,993 Lbs.	4,845 Lbs.	4,697 Lbs.	3,832 Lbs.	3,481 Lbs.
Overall W x L x H	91" x 192" x 103"	102" x 192" x 109"	102" x 216" x 109"	102" x 246" x 109"	102" x 246" x 109"	102" x 292" x 109"
Interior W x L x H	68-1/2" x 158" x 79"	79" x 158" x 85"	79" x 182" x 85"	79" x 206" x 85"	96"/82" x 205" x 85"	96"/82" x 253" x 85"
Rear Opening W x H	62" x 75"	72" x 81"	72" x 81"	72" x 81"	90" x 81"	90" x 81"

TANDEM AXLE	8.5' x 16'	8.5' x 20'	8.5' x 24'
Item No.	<b>85X16CTD10K</b>	<b>85X20CTD10K</b>	<b>85X24CTD10K</b>
GVWR	<b>9,990 Lbs.</b>	<b>9,990 Lbs.</b>	<b>9,990 Lbs.</b>
Empty Weight	3,168 Lbs.	3,519 Lbs.	3,805 Lbs.
Payload Capacity	6,822 Lbs.	6,471 Lbs.	6,185 Lbs.
Overall W x L x H	102" x 246" x 109"	102" x 292" x 109"	102" x 342" x 109"
Interior W x L x H	96"/82" x 205" x 85"	96"/82" x 253" x 85"	96"/82" x 301" x 85"
Rear Opening W x H	90" x 81"	90" x 81"	90" x 81"

