



# Powersports & Racing



**FREE SHIPPING ON ORDERS OF \$100 OR MORE**

**TO ORDER:** 1-800-956-5695 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | [www.amsoil.com](http://www.amsoil.com)

Free Shipping on orders of \$100 or more in the contiguous U.S.\*

**BECOME AN AMSOIL  
PREFERRED CUSTOMER FOR  
EVEN MORE GREAT BENEFITS:**



**Reduced Pricing**  
Save up to 25 percent on every order.



**Free Shipping**



**Special Offers**  
Preferred Customers receive exclusive promotions.



**Free Gear**  
Randomly receive free hats, shirts or other gear when you place an order.



**P.C. Points**  
Earn points on all purchases. Every 50 points earned is redeemable for \$1 off a future order.



**Referral Rewards**  
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at [www.amsoil.com/pc](http://www.amsoil.com/pc) today and use this referral number. ▼

Referral # **5387171**

\*Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at [www.amsoil.com/storefront/shippinginformation.aspx](http://www.amsoil.com/storefront/shippinginformation.aspx)



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit [www.amsoil.com/warranty.aspx](http://www.amsoil.com/warranty.aspx).

*Photo courtesy of ATV Illustrated*



# Product Index

Motorcycle oil	23
Briggs & Stratton® Synthetic 4T Racing Oil	25
ATV/UTV lubricants	27
Dirt bike lubricants	29
Marine lubricants	31
Snowmobile oil	33
Racing oil	34
Gear lube	35
Grease	37
Break-in oil and assembly lube	39
Suspension fluid	39
Racing transmission fluid	39
Formula 4-Stroke® Synthetic Scooter Oil	39
Ea® Racing Air Filters	41
Motorcycle Oil Filters	41
Fuel additives	43
Spray lubricants and protectants	44
Antifreeze & coolant	46
Brake fluid	46
Multi-Vehicle Synthetic Power Steering Fluid	47

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*



**RIDE HARD. RUN COOL.®**

After 250 hours (13,647 miles) of severe dyno testing, AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil protected against piston scuffing and wear for long engine life.

"I changed the engine oil on my Harley\* and the engine runs 20 to 40 degrees cooler than with the stock Harley."

– **Bud**  
Alabama





# V-Twin Motorcycles

There's nothing like jumping on a big V-twin and hearing that rumble. The fresh air and freedom to go anywhere you choose brings unmatched satisfaction. Nothing kills that feeling faster than a noisy transmission or an overheated bike. AMSOIL V-twin products are engineered to address the specific demands of V-twin motorcycles. Advanced synthetic technology protects your bike and the spirit of the American biker.

- **Resists** extreme heat, even in slow-moving parade or rally traffic on hot summer days
- **Retains** viscosity to deliver excellent wear protection
- **Delivers** the convenience of one lubricant for all three sumps



All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



“When racing, I’m always on the throttle and make very hard downshifts (probably worse than I should). I have yet to see this oil deteriorate on me, even when stressing a motor very hard. I couldn’t be happier with its performance so far this race season.”

– **Sean**  
Tea, S.D.



# Metric Motorcycles

You can't beat the freedom of climbing aboard your bike and hitting the road. Every ride brings a rush of adrenaline and another opportunity for adventure. But you don't want unreliable clutch feel or an overheated bike to ruin your ride. AMSOIL Synthetic Metric Motorcycle Oil is specifically engineered to meet the unique demands of metric bikes. Advanced synthetic technology protects your bike and your pursuit of freedom.

- **Fights** wear to maintain engine power
- **Delivers** smooth, confident shifts, helping you accelerate faster and ride more effectively
- **Cool**, clean performance



*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*

# Go Farther

Cross-country trips that take you far from home leave no time for breakdowns. AMSOIL Synthetic Metric Motorcycle Oil helps ensure a **safe, reliable ride** on your trip of a lifetime. It lets you go longer between oil changes while maximizing fuel economy, **saving you time and money.**

## Help Increase Engine Life

Made from full-synthetic media, AMSOIL Motorcycle Oil Filters trap and hold more contaminants than other filters. They last longer, stop smaller dirt particles and offer reduced restriction for maximum engine performance and protection.



*\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*





"I've been using this product in my Goldwing\* motorcycle since shortly after purchasing it brand new in 2012. I noticed right away a smoother gear shift. I love the longer oil change intervals while still providing new-oil protection."

– **LJ**  
Jacksonville, Fla.

# ATV/UTV

Your ATV or UTV provides the freedom to work your land and the performance to conquer tough terrain. You've invested thousands of dollars into your machine and the accessories needed to get the job done or get out front of your buddies on the trail. AMSOIL synthetic lubricants deliver upgraded performance and protection for hard-working, hard-riden ATVs and UTVs. Upgrading to AMSOIL performance lets you safely and confidently push your machine to the limit.

- **Outstanding** severe-service wear protection
- **Performs** in extreme heat and cold
- **Confidence** in clutch feel



*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*



### EASY AS 1-2-3

The easy-pack provides the solution to tricky lubricant installations. The durable, all-in-one package makes installation as easy as opening the package, inserting the nozzle into the fill hole and squeezing.




See page 27 to order.



### **AMSOIL delivers confident clutch feel.**

AMSOIL provides excellent clutch protection. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



*\*Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.*



# Dirt Bikes

It takes confidence to grab the holeshot during a race or get out in front of the pack on the trail – confidence that your bike will respond the way you want and confidence that you can push it to the limit without fear of breakdowns. AMSOIL synthetic lubricants are durable and reliable. They are designed to maximize the performance of both bike and rider.

- **Delivers** confidence in clutch feel
- **Superior** protection against gear wear
- **Outstanding** shear stability for long-lasting performance



*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*

# Marine

A successful day fishing or boating depends on the reliability of your boat's engine. Deposits and wear from high-rpm operation and all-day trolling can limit performance and even shorten engine life, especially in newer engines that run hotter and produce more power. AMSOIL synthetic lubricants are formulated to control harmful deposits and wear in outboards, inboards and personal watercraft. They protect your marine applications from breakdowns, ensuring you spend your valuable free time on the water, not at the marina waiting for your equipment to be repaired.

- **Excellent** wear protection for long engine life
- **Fights** deposits to ensure maximum engine power
- **Protects** against rust during storage



*All trademarks and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*



**John Gillespie**  
Host, Waters & Woods



## DUMP THE PUMP

The new AMSOIL Synthetic Marine Gear Lube easy-pack makes changing lower-unit gear lube easy. No more messy gear-lube pumps, and no more rigid conical bottles that waste half the fluid.



See page 31 to order.

“Been using this for years in my Arctic Cat\* snowmobiles with no issues. Zero valve cleaning in last couple sleds with over 5k miles.”

– **Harry**  
Virginia Beach





**Lincoln Lemieux**  
Scheuring Speed Sports



# Snowmobile

AMSOIL synthetic snowmobile oils are specially engineered for the increased demands of today's specialized engines. They flow quickly in extreme cold for easy starts and immediate protection of critical engine parts. They are designed with added detergency to keep exhaust power valves clean, and their synthetic base oils provide naturally tough film strength for maximum wear protection. Snowmobile manufacturers make snowmobile engines, not snowmobile oil. AMSOIL makes oil for the most advanced engines in the world. You have the freedom to choose.

- **Superior** deposit control
- **Advanced** cold-temperature performance
- **Excellent** wear protection
- **Excellent** for Polaris\*, Ski-Doo\* (E-TEC\*), Arctic Cat\* (C-TEC\*), Yamaha\* & more



*\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*

# How Does AMSOIL Synthetic Snowmobile Oil Stand Up?

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil was tested throughout a full riding season in the three top makes of snowmobiles. Each sled was added to the rental fleet of a different outfitter in the Eagle River, Wis., area and placed into real-world service. Typical riding conditions included frequent throttle bursts; all-day, aggressive riding and the general wear and tear endured by rental equipment. In all three makes, INTERCEPTOR completely prevented piston ring sticking, piston scuffing and exhaust power valve sticking, maximizing engine performance and life.

- **NO PISTON RING STICKING**
- **NO PISTON SCUFFING**

**Polaris® Indy 600**



**Arctic Cat® ZR 6000**  
(C-TEC® 600 engine)



**Ski-Doo® MXZX 600 TNT**  
(E-TEC® 600 engine)



*\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*



### **RUNS ON FREEDOM**

Don't let the powersports dealership bully you into buying the equipment manufacturer's brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at [amsoil.com/freedom](http://amsoil.com/freedom).



“AMSOIL products are the best on the market and definitely give us an added performance factor.”

– **Bryce Menzies**  
Professional Off-Road Driver




# Racing

Taking the checkered flag requires you to push your race vehicle to the limit. But the intense heat and high rpm of racing create conditions that can lead to costly breakdowns, ending a race as quickly as a wreck. AMSOIL synthetic lubricants are formulated to withstand the devastating effects of powerful racing vehicles. They help give you a competitive edge on race day.

- **Exceptional** protection in extreme conditions
- **Designed** to reduce friction for maximum horsepower
- **Withstand** the rigors of high-horsepower, high-torque engines

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.





"It's the freedom you feel when you're on the road. The sound of the engine. The freedom to go where you want. It's a time for you to think and really be one with yourself."

– **Dean Alexander**

AMSOIL Board Chair

See Dean's full story at  
[www.amsoil.com/enthusiast](http://www.amsoil.com/enthusiast).

All trademarks, names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

MCV



MCS



MSV



MVI



MVT



MVP



HDCK



## Synthetic V-Twin Motorcycle Oil

### ● 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson\*, Buell\* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCVQT	-EA	1 Quart	10.25	13.60
MCVQT	-CA	12 Quarts	116.90	161.45
MCV1G	-EA	1 Gallon	40.25	53.35
MCV1G	-CA	4 Gallons	153.30	211.55

### ● SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCSQT	-EA	1 Quart	11.15	14.70
MCSQT	-CA	12 Quarts	126.95	174.50

### ● 15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian\* and Victory\* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MSVQT	-EA	1 Quart	11.40	15.50
MSVQT	-CA	12 Quarts	129.95	184.45

### ● 20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MVIQT	-EA	1 Quart	10.15	13.50
MVIQT	-CA	12 Quarts	115.95	160.30

### ● Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MVTQT	-EA	1 Quart	11.50	15.65
MVTQT	-CA	12 Quarts	131.05	186.00

### ● Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MVPQT	-EA	1 Quart	10.20	13.95
MVPQT	-CA	12 Quarts	116.10	165.75

## V-Twin Oil Change Kit

Includes everything needed to perform an AMSOIL oil change on most 1999-2016 Harley-Davidson motorcycles, including (4) quarts of 20W-50 Synthetic V-Twin Motorcycle Oil (MCV), (1) chrome Ea® Motorcycle Oil Filter (EaOM134C) and (1) O-ring.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
HDCK	-EA	1 Kit	55.80	76.00



MCF



MCT



MFF

## Synthetic Metric Motorcycle Oil

### 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am\*, Honda\*, Yamaha\*, Kawasaki\*, Triumph\*, Suzuki\*, BMW\* and other motorcycle engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCFQT	-EA	1 Quart	10.25	13.60
MCFQT	-CA	12 Quarts	116.90	161.45
MCF1G	-EA	1 Gallon	40.25	53.30
MCF1G	-CA	4 Gallons	153.30	211.50

### 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCTQT	-EA	1 Quart	9.85	13.10
MCTQT	-CA	12 Quarts	112.35	155.55

### 15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati\*, BMW, KTM\*, Yamaha, Triumph and Royal Enfield\* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MFFQT	-EA	1 Quart	11.10	15.15
MFFQT	-CA	12 Quarts	126.75	180.15



\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



GBS2960



● **Briggs & Stratton Synthetic® 4T Racing Oil<sup>17</sup>**

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

- Designed to help racers elicit the most horsepower and longest life from their engines.
- Resists the elevated heat common to high-performance racing engines.
- Reduces energy loss due to friction.
- Provides strong anti-wear properties.
- Resists foam.
- Protects against the formation of corrosion between races and during longer storage periods.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GBS2960	-EA	1 Quart	11.25	15.95
GBS2960	-CA	12 Quarts	134.90	191.56



*\*\*See page 47 for Proposition 65 information for this product.*



“Makes our Arctic Cat\* four-wheeler run smooth, quiet and cool, just like all AMSOIL products. This is the only oil we will put in our ATV.”

– **Brbstafford**  
LaFollette, Tenn.

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

AUV40



AUV50



AUDT



AUFD



AFF



## Synthetic ATV/UTV Motor Oil

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUV40QT	-EA	1 Quart	9.80	13.90
AUV40QT	-CA	12 Quarts	111.55	165.15

### ● 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUV50QT	-EA	1 Quart	10.05	14.25
AUV50QT	-CA	12 Quarts	114.70	169.40

## ● Synthetic ATV/UTV Transmission and Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUDTQT	-EA	1 Quart	11.25	15.35
AUDTQT	-CA	12 Quarts	128.40	182.40
AUDTPK	-EA	1 Quart Easy-Pack	12.95	17.50
AUDTPK	-CA	12 Quart Easy-Packs	147.70	208.20

## ● Synthetic ATV/UTV Front Drive Fluid

Purpose-built for superior gear and bearing protection in Polaris® hubs and centralized Hilliard® clutches.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUFDQT	-EA	1 Quart	11.35	14.90
AUFDQT	-CA	12 Quarts	129.15	177.00

## ● Formula 4-Stroke® Power Sports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AFFQT	-EA	1 Quart	10.35	13.70
AFFQT	-CA	12 Quarts	118.00	162.70

## ATV/UTV Oil Change Kit

Contains everything needed to perform an oil change on most Polaris® UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
PK1	-EA	1 Kit	31.50	43.05
PK2	-EA	1 Kit	27.50	37.45
PK3	-EA	1 Kit	25.95	35.45

## Ben Grembowski

AMSOIL Mechanical Lab Technician



\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



### Synthetic Dirt Bike Oil

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

#### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DB40QT	-EA	1 Quart	10.10	14.30
DB40QT	-CA	12 Quarts	115.00	169.95

#### ● 10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DB50QT	-EA	1 Quart	10.85	15.35
DB50QT	-CA	12 Quarts	124.00	182.35

#### ● 10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DB60QT	-EA	1 Quart	11.15	15.70
DB60QT	-CA	12 Quarts	127.30	186.90

### ○ Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DBTFQT	-EA	1 Quart	8.70	12.45
DBTFQT	-CA	12 Quarts	98.95	147.75

“The KLR 650 came alive after I put this in it. Seems like tons more torque and smoother engine performance. The KTM\* is already a beast, and this made it into a demon on steroids.”

– **Rustdoc**  
Wichita Falls, Texas



"I use this in my work boat from April to December on Georgian Bay. I actually gained 3 psi of compression when I switched to AMSOIL. My boat gets used to haul tools/materials during the day, and for fishing/transport on weekends. AMSOIL keeps it running strong."

– **Aiden**  
Georgian Bay, Ontario

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

WCT



WCF



WCM



HPM



ATO



AGM



AIO



## Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications.

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
WCTQT	-EA	1 Quart	8.80	11.80
WCTQT	-CA	12 Quarts	100.05	139.60

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
WCFQT	-EA	1 Quart	9.50	12.65
WCFQT	-CA	12 Quarts	108.05	149.95

### ● 25W-40 (Synthetic Blend)<sup>23</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
WCMQT	-EA	1 Quart	7.25	10.10
WCMQT	-CA	12 Quarts	82.55	119.70

## ● HP Marine™ Synthetic 2-Stroke Oil<sup>13</sup>

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
HPMQT	-EA	1 Quart	8.30	11.20
HPMQT	-CA	12 Quarts	94.50	132.65
HPM1G	-EA	1 Gallon	32.45	43.70
HPM1G	-CA	4 Gallons	123.50	173.20

## ● Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil<sup>13</sup>

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ATOBC	-EA	(1) 8-oz. Bottle	4.20	5.70
ATOBC	-CA	(12) 8-oz. Bottles	47.75	66.60
ATOQT	-EA	1 Quart	11.35	14.95
ATOQT	-CA	12 Quarts	129.35	177.60

## ● Universal Synthetic Marine Gear Lube

Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.<sup>6</sup> Use in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AGMTB	-EA	(1) 10-oz. Tube	6.25	8.40
AGMTB	-CA	(6) 10-oz. Tubes	35.65	49.30
AGMQT	-EA	1 Quart	10.10	13.40
AGMQT	-CA	12 Quarts	115.15	159.30
AGMPK	-EA	1 Quart Easy-Pack	11.80	15.45
AGMPK	-CA	12 Quart Easy-Packs	134.30	183.95
AGM05	-EA	(1) 5-gal. Pail	186.65	254.55

## ● Synthetic 2-Stroke Injector Oil<sup>13</sup>

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIOQT	-EA	1 Quart	7.05	9.90
AIOQT	-CA	12 Quarts	80.50	117.10
AIO1G	-EA	1 Gallon	27.75	38.80
AIO1G	-CA	4 Gallons	105.65	153.45

## Marine Gear Lube Pump<sup>27</sup>

Eases installation and reduces mess when servicing lower units with quarts of AMSOIL Synthetic Marine Gear Lube.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
G3456	EA	1 gear lube pump	9.45	10.05

<sup>13,23,27</sup> See page 47 for Proposition 65 information for this product.

<sup>6</sup>Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



## MAXIMUM ENGINE LIFE & PERFORMANCE

AMSOIL INTERCEPTOR was used for a full riding season in Polaris\*, Ski-Doo\* and Arctic Cat\* rental sleds. After tearing down the engines, the results were clear: INTERCEPTOR completely prevented piston ring sticking, piston scuffing and exhaust power valve sticking. See page 18 for details.

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



AIT



## ● INTERCEPTOR® Synthetic 2-Stroke Oil<sup>13</sup>

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AITQT	-EA	1 Quart	9.30	12.40
AITQT	-CA	12 Quarts	105.85	147.20
AIT1G	-EA	1 Gallon	36.40	48.55
AIT1G	-CA	4 Gallons	138.60	192.55

AIO



## ● Synthetic 2-Stroke Injector Oil<sup>13</sup>

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIOQT	-EA	1 Quart	7.05	9.90
AIOQT	-CA	12 Quarts	80.50	117.10
AIO1G	-EA	1 Gallon	27.75	38.80
AIO1G	-CA	4 Gallons	105.65	153.45

TDR



## ● DOMINATOR® Synthetic 2-Stroke Racing Oil<sup>13</sup>

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard racing motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
TDRQT	-EA	1 Quart	9.75	12.95
TDRQT	-CA	12 Quarts	111.05	154.00
TDR1G	-EA	1 Gallon	38.25	50.85
TDR1G	-CA	4 Gallons	145.55	201.60

TCC



## ○ Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
TCCCN	-EA	(1) 16-oz. Bottle	8.50	11.65
TCCCN	-CA	(6) 16-oz. Bottles	48.40	68.80
TCC05	-EA	(1) 5-gal. Pail	191.00	259.50

AFF



## ● Formula 4-Stroke® Power Sports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AFFQT	-EA	1 Quart	10.35	13.70
AFFQT	-CA	12 Quarts	118.00	162.70

"Placed this in the wheeler and it works great.  
Seems to start easier in the cold weather."

– Pickle  
Pa.

<sup>13</sup>See page 47 for Proposition 65 information for this product.

RD20



RD30



RD50



RD60



DCO



## DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

### ● 5W-20<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD20QT	-EA	1 Quart	11.15	14.70
RD20QT	-CA	12 Quarts	127.30	174.75

### ● 10W-30<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD30QT	-EA	1 Quart	10.80	14.25
RD30QT	-CA	12 Quarts	123.05	169.35

### ● 15W-50<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD50QT	-EA	1 Quart	11.35	14.95
RD50QT	-CA	12 Quarts	129.35	177.45
RD501G	-EA	1 Gallon	44.60	58.65
RD501G	-CA	4 Gallons	169.90	232.85

### ● SAE 60<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD60QT	-EA	1 Quart	11.70	15.35
RD60QT	-CA	12 Quarts	133.25	182.55

### ● 20W-50 Synthetic Competition Diesel Oil


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DCOQT	-EA	1 Quart	9.25	12.45
DCOQT	-CA	12 Quarts	105.25	147.65
DCO1G	-EA	1 Gallon	36.20	48.70
DCO1G	-CA	4 Gallons	137.80	193.15

## DOMINATOR® Protects Better

DOMINATOR Competition Diesel Oil delivers **50% more** film thickness<sup>9</sup> to withstand high cylinder pressures and protect against wear.

### HIGH-TEMPERATURE/HIGH-SHEAR (HTHS) VISCOSITY

Higher = Better Wear Protection



<sup>9</sup>Compared to the 3.5 cP HTHS limit for SAE 15W-40.



<sup>17</sup>See page 47 for Proposition 65 information for this product.

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

SVG



SVT



SVO



SRN



SRT



## SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

### ● 75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SVGQT	-EA	1 Quart	13.90	18.05
SVGQT	-CA	12 Quarts	158.65	215.05
SVGPK	-EA	1 Quart Easy-Pack	13.90	18.05
SVGPK	-CA	12 Quart Easy-Packs	158.65	215.05
SVG05	-EA	(1) 5-gal. Pail	249.90	334.35

### ● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SVTQT	-EA	1 Quart	14.35	18.60
SVTQT	-CA	12 Quarts	163.80	221.70
SVTPK	-EA	1 Quart Easy-Pack	16.05	20.70
SVTPK	-CA	12 Quart Easy-Packs	183.30	246.75
SVT05	-EA	(1) 5-gal. Pail	258.60	345.40

### ● 75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SVOQT	-EA	1 Quart	15.55	20.10
SVOQT	-CA	12 Quarts	177.70	239.60
SVOPK	-EA	1 Quart Easy-Pack	15.55	20.10
SVOPK	-CA	12 Quart Easy-Packs	177.70	239.60
SVO05	-EA	(1) 5-gal. Pail	281.70	374.65

## SEVERE GEAR® EP Synthetic Racing Gear Lube

Engineered specifically for the demands of off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

### ● SAE 190<sup>17</sup>


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SRNQT	-EA	1 Quart	14.65	19.00
SRNQT	-CA	12 Quarts	167.15	226.20
SRN05	-EA	(1) 5-gal. Pail	273.30	364.30

### ● SAE 250<sup>17</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SRTQT	-EA	1 Quart	14.65	19.00
SRTQT	-CA	12 Quarts	167.15	226.25
SRT05	-EA	(1) 5-gal. Pail	273.30	364.35

## THINK DIFFERENTIALLY

The AMSOIL SEVERE GEAR easy-pack helps you access tough-to-reach fill holes. The flexible packaging makes gear lube installation cleaner and faster, and eliminates the need for a pump.



<sup>17</sup>See page 47 for Proposition 65 information for this product.



**Kenny Hawk**  
Hawk Designs

All trade-marked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

GRG

ADA



## ● Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

**Note:** AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ADATB	-EA	(1) 4-oz. Tube	7.30	9.40
ADATB	-CA	(12) 4-oz. Tubes	83.30	111.20

GLC



GLC3P



## DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GRGCR	-EA	(1) 14-oz. Cartridge	10.85	14.85
GRGCR	-CA	(10) 14-oz. Cartridges	105.70	143.40

GLCGN



## Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GLCCR	-EA	(1) 14-oz. Cartridge	6.70	9.35
GLCCR	-CA	(10) 14-oz. Cartridges	64.20	88.90
GLC3P	-EA	(3) 3-oz. Cartridges	8.40	11.40
GLC3P	-CA	(30) 3-oz. Cartridges	79.95	107.65
GLCGN	-EA	Grease Gun Kit	30.45	41.20

GWR



GWR3P



## Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GWRCR	-EA	(1) 14-oz. Cartridge	7.10	9.85
GWRCR	-CA	(10) 14-oz. Cartridges	68.15	94.05
GWR3P	-EA	(3) 3-oz. Cartridges	9.10	12.35
GWR3P	-CA	(30) 3-oz. Cartridges	86.65	116.40

GSP



G2039




## Spray Grease<sup>22</sup>

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GSPSC	-EA	(1) 10-oz. Spray Can	6.35	8.35
GSPSC	-CA	(12) 10-oz. Spray Cans	72.45	98.55

## Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL COST
Hand Pump	G2039	10.45	11.50
Flexible Pour Spout	G1230	0.70	0.80
Nozzle Dispenser Caps (6)	G1242	1.15	1.30



<sup>22</sup>See page 47 for Proposition 65 information for this product.

“Great product. No fouled plugs during break in, quick and steady power gains. 15 hours in and the oil still looks clean on the dipstick. Very pleased with product.”

– Benjamin  
Yuma, Ariz.



\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

EAL



### Assembly Lube<sup>17</sup>

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
EALTB	-EA	(1) 4-oz. Tube	7.65	9.80
EALTB	-CA	(12) 4-oz. Tubes	87.15	116.30

BRK



### Break-In Oil<sup>17</sup>

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BRKQT	-EA	1 Quart	6.80	9.40
BRKQT	-CA	12 Quarts	77.50	110.90

ART



### Super Shift<sup>®</sup> Synthetic Racing Transmission Fluid<sup>17</sup>

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ARTQT	-EA	1 Quart	11.15	14.70
ARTQT	-CA	12 Quarts	126.95	174.25

STL



### Shock Therapy<sup>®</sup> Suspension Fluid

Controls friction, heat, wear, foaming and scuffing in suspension components

#### Shock Therapy Suspension Fluid<sup>17</sup>

*Use in applications that demand quick rebounds under extreme temperatures.*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
STLQT	-EA	1 Quart	12.00	15.65
STLQT	-CA	12 Quarts	136.75	186.55
STL05	-EA	(1) 5-gal. Pail	222.60	299.20

STM



#### Shock Therapy Suspension Fluid<sup>17</sup>

*Use in applications that require more dampening and slower rebounds.*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
STMQT	-EA	1 Quart	11.75	15.45
STMQT	-CA	12 Quarts	134.00	183.10
STM05	-EA	(1) 5-gal. Pail	218.05	293.55

ASO



### Formula 4-Stroke<sup>®</sup> Synthetic Scooter Oil

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ASOQT	-EA	1 Quart	8.10	10.95
ASOQT	-CA	12 Quarts	92.30	129.75

<sup>17</sup>See page 47 for Proposition 65 information for this product.



All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, made by the Harley-Davidson products advertised here are developed by AMSOIL for use in the applications shown.





## More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



## Ea® Racing Air Filters

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.

## Ea® Pre-Filters

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.

## Motorcycle Oil Filters

Designed for motorcycles, ATVs and four-stroke personal watercraft, snowmobiles and outboard motors, stopping smaller dirt particles, offering less restriction, extending equipment and filter life and improving performance. Fluted for easy removal. Available in black or chrome (as available).



## Motorcycle Oil Filters


STOCK#	UNITS	P.C. PRICE	FULL COST
EaOM103	EA	14.00	17.45
EaOM103C	EA	18.00	22.30
EaOM109	EA	14.30	17.80
EaOM122	EA	14.85	18.55
EAOM133C	EA	18.10	22.60
EAOM134	EA	12.55	15.80
EAOM134C	EA	15.35	19.20
EAOM135	EA	13.15	16.50
EAOM135C	EA	16.00	20.05
EAOM136C	EA	14.65	18.45
EAOM138	EA	15.25	19.00

*Chrome filters designated with "C".*



### AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.<sup>x</sup>



Sea Foam

AMSOIL

<sup>x</sup>Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.



All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



### Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One oz. treats 2.5 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ASTCN	-EA	(1) 16-oz. Bottle	10.00	13.15
ASTCN	-CA	(6) 16-oz. Bottles	57.05	78.15

### Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance. Designed for an initial clean-up dose of 8 oz. per 6 gallons of gasoline, followed by 8 oz. per 12 gallons thereafter.

Motorcycles • Snowmobiles • Boats • UTVs/ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AQSCN	-EA	(1) 8-oz. Bottle	7.85	10.35
AQSCN	-CA	(6) 8-oz. Bottles	44.75	61.40
AQSQT	-EA	1 Quart	25.40	32.15
AQSQT	-CA	12 Quarts	290.15	384.35

### Motorcycle Octane Boost<sup>21</sup>

Increases octane in four-stroke air- or liquid-cooled motorcycles for maximum power and efficiency. Treats 4-6 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MOBCN	-EA	(1) 4-oz. Bottle	4.25	5.45
MOBCN	-CA	(12) 4-oz. Bottles	48.25	63.85

### DOMINATOR® Octane Boost<sup>21</sup>

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AOBBE	-EA	(1) 12-oz. Bottle	8.55	10.95
AOBBE	-CA	(6) 12-oz. Bottles	48.70	64.85

### Fluid Extraction Pump

STOCK#	WT.LBS.	P.C. PRICE	FULL COST
G2576	2.0	15.75	17.35

Aids in the removal of old fluids when servicing vehicles.



<sup>21</sup>See page 47 for Proposition 65 information for this product.



AMH



AMP



ACL



AMW



FOG



## Metal Protector

Displaces water, lubricates, penetrates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMPSC	-EA	(1) 8.75-oz. Spray Can	5.55	7.20
AMPSC	-CA	(12) 8.75-oz. Spray Cans	63.00	85.05
AMP4SC	-EA	(1) 4-oz. Spray Can	4.35	5.65
AMP4SC	-CA	(12) 4-oz. Spray Cans	49.35	66.15

## Heavy-Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMHSC	-EA	(1) 15-oz. Spray Can	9.45	13.10
AMHSC	-CA	(12) 15-oz. Spray Cans	107.75	155.55

## Chain Lube

Helps riders avoid the hassles of frequent reapplication and the stresses of worrying about chain durability. Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ACLSC	-EA	(1) 11-oz. Spray Can	8.70	11.45
ACLSC	-CA	(6) 11-oz. Spray Cans	49.50	67.85

## Miracle Wash® Waterless Wash & Wax

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMWSC	-EA	(1) 13-oz. Spray Can	8.20	10.55
AMWSC	-CA	(12) 13-oz. Spray Cans	93.25	125.30

## Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
FOGSC	-EA	(1) 12-oz. Aerosol Can	7.40	9.60
FOGSC	-CA	(6) 12-oz. Aerosol Cans	42.25	57.00

## ON- AND OFF-ROAD PROTECTION

- Outstanding protection against wear and corrosion
- Helps extend chain life
- Does not attract dirt
- Does not fling off
- Easy application
- Fast-drying

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



## Power Foam®

Improves starting and performance by cleaning dirty intake systems and spark plugs; freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
APFSC	-EA	(1) 18-oz. Spray Can	7.95	10.55
APFSC	-CA	(12) 18-oz. Spray Cans	90.75	124.75

## Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete, engines and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ADGSC	-EA	(1) 15-oz. Spray Can	14.25	18.15
ADGSC	-CA	(12) 15-oz. Spray Cans	162.55	216.15

## Silicone Spray<sup>26</sup>

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard, fiberglass. Also excellent for waterproofing leather products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ALSSP	-EA	(1) 10-oz. Spray Can	7.50	9.75
ALSSP	-CA	(12) 10-oz. Spray Cans	85.70	115.60

## Mudslinger

Provides a protective layer of armor against the accumulation of mud, dirt and snow on ATVs, UTVs and dirt bikes, easing clean-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMSSC	-EA	(1) 12-oz. Spray Can	8.00	10.50
AMSSC	-CA	(12) 12-oz. Spray Cans	91.35	124.20

## Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AEDSC	-EA	(1) 15-oz. Spray Can	6.90	9.00
AEDSC	-CA	(12) 15-oz. Spray Cans	78.75	106.65

## Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AGCSC	-EA	(1) 19-oz. Spray Can	3.70	4.85
AGCSC	-CA	(12) 19-oz. Spray Cans	42.25	56.35

<sup>26</sup>See page 47 for Proposition 65 information for this product.



## ○ Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ANT1G	-EA	1 Gallon	29.95	41.65
ANT1G	-CA	4 Gallons	114.05	164.85

## ● Passenger Car/Light Truck Antifreeze & Coolant<sup>12</sup>

Engineered to exceed original equipment manufacturer requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ANTPC1G	-EA	1 Gallon	15.20	23.50
ANTPC1G	-CA	4 Gallons	57.75	92.20

## DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RDCBCN	-EA	(1) 16-oz. Bottle	9.95	13.00
RDCBCN	-CA	(6) 16-oz. Bottles	56.65	77.20

## ○ Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIRBA	-EA	(1) 4-oz. Bottle	3.55	4.70
AIRBA	-CA	(12) 4-oz. Bottles	40.05	55.10

## DOT 3 & 4 Synthetic Brake Fluid<sup>11</sup>

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and power-sports applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BFLVCN	-EA	(1) 12-oz. Bottle	6.05	8.00
BFLVCN	-CA	(12) 12-oz. Bottles	69.10	94.25

## DOMINATOR® DOT 4 Synthetic Racing Brake Fluid<sup>10</sup>

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BFRCN	-EA	(1) 12-oz. Bottle	11.40	16.05
BFRCN	-CA	(12) 12-oz. Bottles	129.80	191.05

<sup>10,11,12</sup> See page 47 for Proposition 65 information for this product.

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



### Brake and Parts Cleaner

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BPCSC	-EA	(1) 19-oz. Spray Can	4.40	6.05
BPCSC	-CA	(12) 19-oz. Spray Cans	49.80	70.75

### Multi-Vehicle Synthetic Power Steering Fluid<sup>13</sup>

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
PSFCN	-EA	(1) 16-oz. Bottle	6.80	9.20
PSFCN	-CA	(12) 16-oz. Bottles	77.65	108.20

## CALIFORNIA PROPOSITION 65 WARNING STATEMENTS

- 10 ⚠️ WARNING:** This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 11 ⚠️ WARNING:** This product can expose you to 2-Methoxyethanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 13 ⚠️ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 17 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 21 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 22 ⚠️ WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 23 ⚠️ WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 24 ⚠️ WARNING:** This product can expose you to Trace Metals, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 26 ⚠️ WARNING:** This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- 27 ⚠️ WARNING:** This product can expose you to Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



ISO 9001/14001 REGISTERED

**AMSOIL INC.**  
One AMSOIL Center  
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

### Your Servicing **AMSOIL Dealer**

Use this referral number to save time and make ordering easier. Call 1-800-956-5695 or log in at [amsoil.com](http://amsoil.com).

**5387171**

Referral # \_\_\_\_\_

**AMSOIL also offers a full line of premium synthetic lubricants for automotive applications. See your servicing AMSOIL Dealer for more information.**



Minimum 10%  
Post-Consumer Fiber

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA  
© 2019, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.

U.S. G3511 9/19