# Disaster Relief 20' x 25' TARPS

Each Tarp Includes Two 100ft: 500lb Nylon Ropes

#### **TAA Compliant FEMA Specs**

- 8 mm Thickness
- Fire Rated At IAW Class A ASTM e84-24 Standard
- 100% Waterproof
- Reinforced Woven And Coated Polyethylene
- UV Rated 80% After 200 Hours ASTM
- 3 Ply Poly Material
- 1000 Strong Denier Fibers
- 10 x 10 Mesh Count Per Square Inch
- Grommets Approximately Every 36"
- Hems Reinforced With Rope
- Blue on Both Sides
- Arctic Temperature Flexibility
- 2 100ft, 500lb Nylon Ropes



755 Grand Boulevard Miramar Beach FL 32550 850-822-5322 Info@bluepalm.solutions https://bluepalm.solutions/

Box Dimensions - 22" x 18" x 3.15" Boxed Weight - 13.10 lbs Pallet - 40"x48"x56"h 48 units - 900 lbs Truck Load - 2,784 Units



#### **Portable Power Stations**

300W











1200W





All units are ideal for essentials like CPAP, Ventilator, Phones, Laptops, Fans and Appliances including Refrigerator. Run times vary depending on the unit and what's plugged in to it (how much power is being pulled) but digital meter calculates run time based on what's plugged in so the user can actually manage run time. For instance, the 1200w can be expected to run 18+ hours with a refrigerator, fan & phones but days with just a CPAP or similar devices. Recharge standard outlet, car lighter port (600&1200) or Solar (with solar panel)

GO/ON	300 Watt	600 Watt	1,200 Watt
BATTERY TYPE	LI-ION	LI-ION	LI-ION
BATTERY CAPACITY	315WH	576WH	1080WH
TOTAL POWER OUTPUT	300W	600W	1200W
DC INPUT	15V/6A	5-20V/5A	10-48V 6A (250W MAX)
AC OUTPUT	110V 300W	110V 600W	110V 1200W
AC OUTLETS	2	6	6
DC OUTPUT	9-12V 10A	12V 10A	12V 15A
QC 3.0 OUT	18V	18V	18V
PD FAST CHARGE OUTPUT	25W	100W	100W
USB-C OUTLET/S	1	2	2
USB-A OUTLET/S	2	2	4
DC CIGARETTE LIGHTER	EXTERNAL	1	2
DC 5.5X2.1	1	3	3
OPERATING TEMPERATURE	32°F-104°F	-4F-131°F	14°F-113°F
CHARGE TEMPERATURE	32°F-104°F	32°F-113°F	32°F-113°F
DIMENSIONS (INCHES)	13 3/4 X6 3/4 X 9 3/4	10 1/4 X 8 1/4 X 9 3/4	13 1/4 X 9 3/4 X 9 3/4
WEIGHT (LBS)	7.05	13.25	25.79
WARRANTY	2 YEAR	2 YEAR	2 YEAR
SOLAR CHARGING AVAIABLE	YES	YES	YES



### 180 watt Solar Panel





26.75" x 20.25" x 7.75" Folded in Carry Bag 7 lbs

26.75" x 60.75" x 2.5" Open

These Go/On 180 Watt Solar Panels are perfect for power outages, off-grid adventures, camping, or emergencies. They are made with high-efficiency Monocrystalline Solar Cells, which are more efficient than polycrystalline cells and have a longer life span. The panels are lightweight and durable, with a tempered glass front and an aluminum frame. They come with convenient carry bag and all the necessary cords and accessories for all of your devices, including an MC4 connector for easy connection to your solar charge controller. The panels also have a 12/24V 20A Digital Display Controller and built-in diode to prevent reverse current flow and overcharging of your battery. With a power output of 180 watts, these panels are capable of charging a 12V deep cycle battery in 4-6 hours. They are also waterproof and snowproof, making them ideal for use in any weather condition. MSRP \$600

## Disaster Relief 20' x 25' TARPS

### Each Tarp Includes Two 100ft : 500lb Nylon Cords

- 8 Mil Thickness
- Fire Rated At IAW Class A ASTM e84-11 Standard
- 100% Waterproof
- Reinforced Woven And Coated Polyethylene
- 80% After 200 Hours Per ASTM
- 3 Oz Per Square Yard
- 3 Ply Poly Material
- 1000 Strong Denier Fibers
- 10 x 10 Mesh Count Per Square Inch
- Grommets Approximately Every 36"
- Hems Reinforced With Rope
- Blue on Both Sides
- Arctic Temperature Flexibility
- 2 100ft, 500lb Nylon Cords



755 Grand Boulevard Miramar Beach FL 32550 850-822-5322 Info@bluepalm.solutions https://bluepalm.solutions/

Box Dimensions - 22" x 18" x 3" Boxed Weight - 13.25 lbs Pallet - 42"x48"x50" 56 units - 754 lbs Truck Load - 2,912 Units

