





## *Drive through Efficiency.....*

**Anuflex-145** Door Strips are the perfect solution for vehicular access problems. The see-through strips allow drivers to foresee any obstruction or danger right from their driving position. The flexibility of Anuflex Door Strips on contact with the vehicle or load, they open and slip pass with no interruption to travel. These door strip provides maximum traffic clearance. These are equally beneficial in very large openings or single doorways.




# Anuflex

Soft Curtain



## *Efficient Environmental Barrier*

**Anuflex** Curtain Door Strips and partitions provide a highly efficient barrier against draught, wind, noise, heat, cold, dust and fumes. They are also particularly suited for cool and freezer rooms, hygienic situations and other installations where minimal air transfer between adjoining areas is allow during traffic movements therefore dramatically reducing energy costs and providing a more comfortable working environment.



# maintains

**Humidity, Temperature and Hygiene**


*We have a solution to suit every doorway problem...*

*One big advantage you have in specifying **Anuflex Strip Door** is See through Safety & Better Work Area Lighting*

### **ANUFLEX CLEAR**

#### **Hand Free Walk Through**

Anuflex Strips being flat in shape and brilliantly transparent and Crystal clear in nature allow simple hand-free opening in both directions by pedestrians and trolley traffic. These strips open effortlessly with gentle push and close safely behind you, leaving your hands free to carry or to control a trolley. These strips are also ideal for noise sensitive area as they open and close silently.



### **ANUFLEX POLAR**

#### **Low Temperature Applications**

Anuflex Polar Curtain Strip material maintains flexibility at temperature as low as  $-40^{\circ}\text{C}$ . It improves shelf life without inhibiting product appeal, keeps warm moist air out, thus reducing moisture and frost build up and coil icing.


Under some conditions when Curtain strips are used in a cool or freezer room application there may be a tendency of the strips to curl at the bottom. It is usually caused by a chill factor of cold air circulation from the fan coil of the refrigeration unit which causes the Curtain inside face to contract.



### **ANUFLEX AMBER**

#### **Anti Insect Applications**


Anuflex Anti Amber Curtain Strip is glare reducing due to light amber color. Most flying insects perceive this light amber color as black and opaque. According to research, when Anti Insect Amber Anuflex is used in exterior opening, flying insects are no longer attracted to the lights located inside a facility.



## ANUFLEX SHEET

### Soft Clear Wall

SOFTWALL Partitions allow the industrial workplace maximum control over dust, noise and other hazards in laboratory and industries. They provide an economical and faster alternative to hardwall structures without compromising results. Each Softwall partition is custom made for your unique requirements and to your individual specifications.



Door Construction Code	Maximum Recommended Height	
W:T:O	Light Traffic Interior Door	Heavy Traffic Exterior Door
150:3:50	2500	
200:2:50	2500	
200:3:50	3500	2750
200:3:75		3000
200:3:100		3500
200:5:50	3500	3000
300:3:75	4000	3500
300:3:100	5000	4500
300:3:150		5500
300:5:75	5000	5000
300:5:100	6000	6500
300:5:150		7000

## SELECT YOUR DOOR

Beside information will help you to select your door. Based on the door height, the location and traffic type, different sizes of strip material are available in different overlap patterns. For interior doors apply minimum strip overlap, thickness, and width and for exterior doors apply maximum strip overlap, thickness and width.

The Width, Thickness and Overlap of the Curtain strips is determined by the application doorway size, traffic type and density together with the surrounding draught conditions. Our experienced advisors can quickly recommend the correct selection.




## USER INDUSTRIES

Food Processing Units	Bottling Plants
Dairy & Ice Cream Units	Pharmaceuticals
Cold Storage & Textile Mills	Automobile Industry
Hotels & Hospitals	Engineering Units
Printing Industry	Other Industries

### Important Design Standards for all Flexible Doors

To enhance the life of any impact operated flexible doors it is strongly recommended that, where mechanical or hand operated traffic is used, door should be approximately 10% higher than the size of equipment passing through the opening.

*Information contained herein is to the best of our knowledge and belief, accurate and reliable. We have a continuous program of Product Development and reserves the right to change specifications at any time without any notice.*



### Why You should specify Anuflex-145 Flexible Curtain ?

- ✓ See-through.
- ✓ Unlimited access by Vehicles and Pedestrians.
- ✓ Energy conservation.
- ✓ Increased efficiency on the shop floor.
- ✓ Effective reduction in heat, cold and humidity-loss, noise and dust transmission.
- ✓ Improved working environment.
- ✓ Prevents birds, flies etc. from entering the working area.
- ✓ Maintenance free, require occasional wash.
- ✓ High wear and tear resistance.
- ✓ Good impact strength at ambient and low temperature.
- ✓ Light in weight.
- ✓ Excellent self extinguishing property.
- ✓ Easy to install, no special labour and tools needed for installation.