
USE BY: MAR2021
550041164
BOTTLES 12 / 1qt
BOUTEILLES 12 / 946mL
AeroShell
Piston Engine Oil
Huile Pour Moteurs à Pistons
W100


N3230W
RAM
EZ-ROLL'R
PATENTED
PIPER


N3230W
GARMIN
ALT
CLIMB
DOWN
STALL WARNING
VOLTS 11.6
Basemap Land Database 4.00
Terrain Database 2.04
Airport Terrain Database 2.04
Obstacle Database Expired 01-FEB-2019
Aviation Database Expired 30-JAN-2020
NARCO MK 600 ESD
12 L50 12 L90
115.50 110.50
ACTIVE
STANDBY
VOL
1200
18-Month Carbon Monoxide Detector
QUANTUM EYE
DIMMER
LIGHTING
ON
OFF
MINUTE MINDER
30 00
AVIONICS MASTER
TURN & BANK
PITCH TRIM
PITOT HEAT
COM 1
COM 2
GPS
ALTERNATE STATIC AIR
THROTTLE PUSH OPEN
HSI
PFD
GAC29
RAM
EZ-ROLL'R


N3230W
1200
N3230W
30:00
DIMMER
LIGHTING
ON
EMRG
ALTERNATE STATIC AIR


N3230W
1200
3000


GARMIN
FUNC
CRSR
CLR
ENT
INC
TENTHS
ALR
DH
VS
MAN
nth Carbon Monoxide Detector
QUANTUM EYE
COLOR OF INNER CIRCLE INDICATES AIR QUALITY
NORMAL
CAUTION
DIMMER
ON
LIGHTING
OFF
MRG
FUEL LEFT TIP
FUEL LEFT MAIN
FUEL RIGHT MAIN
FUEL RIGHT TIP
OIL PRESS
OIL TEMP
FUEL PRESS
EGT
PIPER
FOR FLIGHT WITH THE DOOR REMOVED, SEE THE LIMITATIONS AND PROCEDURES SECTIONS OF THE AIRPLANE FLIGHT MANUAL


GMA 340
TEST
COM2
COM3
NAV1
NAV2
DME
ADF
COM2 MIC
COM3 MIC
COM 1/2
SPKR
CABIN AUDIO
PILOT
ICS ISOLATION
PA
CREW
SQ
VOL
PULL PASS VOL
COPILOT
ON
SBY
ALT
IDNT
OFF
VFR
0
1
2
3
4
5
6
7
GNS 430
RNG
MENU
CLR
ENT
DEFAULT NAV
GPS
PUSH CRSR
CDI
OBS
MSG
FPL
PROC
COM
NAV
STANDBY
ACTIVE
STANDBY
VOL
PULL TEST
PULL IDENT
DTA
BAR
INC
TENTHS
ALT
ALR
DH
VS
MAN
18-Month Carbon Monoxide Detector
QUANTUM EYE
NORMAL
DANGER
DIMMER
LIGHTING
ON
OFF
EMR
MINUTE MINDER


N3230W
GARMIN
26
STALL
WARNING
GARMIN
Shutting down in:
26
Press any key to continue
on battery power
UP
CLIMB
DOWN
AP
ALTITUDE
ALERTER
FIELD


GARMIN
100%
External Power Lost
Shutting down in:
18
Press any key to continue on battery power
MPH
KNOTS
AIRSPEED
NO PITCH INFORMATION
TURN COORDINATOR
2 MIN
L
R
GARMIN
97%
External Power Lost
Shutting down in:
18
Press any key to continue on battery power
STALL WARNING
UP
CLIMB
DOWN
GENERATOR
OUTPUT
FIELD
HDG
NAV
REV
OFF


TURN COORDINATOR
2 MIN
R
15A
15A
5A
10A
5A
5A
REPLACEMENT FUSES
PHONE
MIC
MODES
HDG
NAV
REV
CONDITION
VS
ALT
GENERATOR
OUTPUT
FIELD
FUEL PUMP
OFF
MASTER
STARTER
OFF
FUEL PUMP
ON
ON
L
ANTI COLL LIGHT
LIGHTS
NAV
ENGINE PRIMER
KOHLER CO
KOHLER, WIS


UP
DOWN
OFF
AP
ALTITUDE ALERTER
AP TEST
ALT. ALERTER OFF
AP
AVIONICS MASTER
TURN & BANK
PITCH TRIM
PITOT HEAT
ROTATING BEACON
ENG. GAGES
STALL WARNING
INST. LTS AUTO FLT
AV FAN
COM 1
COM 2
GPS
TXPNDR
ENC
SPKR AMP
LANDING LIGHTS
LANDING LIGHTS
OFF
BOTH
CARB HEAT PULL HOT
THROTTLE PUSH OPEN
ALTERNATE STATIC AIR
ALL CABIN VENTS AND STORM WINDOW MUST BE CLOSED
HEATER AND DEFROSTER MUST BE ON. PULL AFT TO OPEN


VOL
OFF
PULL TEST
VOL
PULL IDENT
STRATUS
BAT
ALT
EP
AUX
ON
ELT ON
RESET
5
HSI
5
PFD
5
GAD29
5
JPI
PITOT HEAT
SPKR AMP
THROTTLE PUSH OPEN
LANDING LIGHTS
MIXTURE PULL LEAN
3000


TIGER


N3230W
PIPER










Energizer








Six
Six


Six


Six








Six


Six


Six


N3230W
CERTIFICATE of INSURANCE




SIX OR LESS PASSENGER OPERATION
MAXIMUM BAGGAGE THIS COMPARTMENT 100 LBS.
SEVEN PASSENGER OPERATION
SEE LIMITATIONS SECTION OF
THE PILOTS OPERATING HANDBOOK
NO HEAVY OBJECTS
ON HAT SHELF





AVGAS 100LL 17 GAL CAP


AVGAS 100LL 25 GAL CAP


D
C
1


REMOVE BEFORE FLIGHT


Cherokee Six
N3230W


Cherokee Six
N3230W


Cherokee Six
N3230W


Cherokee Six
N3230W


Piper
Cherokee Six
N330W


Piper
260
Cherokee Six


Piper
260
N194M
N3229W


Piper
260




260
Piper
230W


Piper
N3230W






Piper
N323OW




260
Piper
N3230W


260
Piper
N3230W


Cherokee Six
Piper
N3230W


Cherokee Six
N3230W












N8312W




Six


MANUFACTURED BY
PIPER AIRCRAFT
CORPORATION
FLORIDA
MODEL
SERIAL NO.
PATENTS OF ALL MEMBERS


Six

Six

