

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

Table of Recent Results

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
3758/13	Maroota HVAS x 15	Office	3/01/2017						TSP	29		16/01/2017	16/01/2017
3758/14	Maroota HVAS x 15	Office	3/01/2017						PM 10	15		16/01/2017	16/01/2017
3758/15	Maroota HVAS x 15	Office	3/01/2017						PM 2.5	11		16/01/2017	16/01/2017
3729/1	Maroota Dusts x 3	D2 North East Corner	9/01/2017	32	1.4	1.4	<0.1	69	Insoluble Matter	1.4		16/01/2017	16/01/2017
3729/2	Maroota Dusts x 3	D3A Bundwall	9/01/2017	32	6.6	6.6	<0.1	66	Insoluble Matter	6.6	Bird Droppings	16/01/2017	16/01/2017
3729/3	Maroota Dusts x 3	D1 Gate	9/01/2017	32	1.2	0.8	0.4	73	Insoluble Matter	1.2		16/01/2017	16/01/2017
3842/1	Maroota HVAS	Office	9/01/2017						TSP	55		13/02/2017	22/02/2017
3842/2	Maroota HVAS	Office	9/01/2017						PM 10	24		13/02/2017	22/02/2017
3842/3	Maroota HVAS	Office	9/01/2017						PM 2.5	27		13/02/2017	22/02/2017
3842/4	Maroota HVAS	Office	15/01/2017						TSP	49		13/02/2017	22/02/2017
3842/5	Maroota HVAS	Office	15/01/2017						PM 10	23		13/02/2017	22/02/2017
3842/6	Maroota HVAS	Office	15/01/2017						PM 2.5	9		13/02/2017	22/02/2017
3842/7	Maroota HVAS	Office	21/01/2017						TSP	61		13/02/2017	22/02/2017
3842/8	Maroota HVAS	Office	21/01/2017						PM 10	31		13/02/2017	22/02/2017
3842/9	Maroota HVAS	Office	21/01/2017						PM 2.5	22		13/02/2017	22/02/2017
3842/10	Maroota HVAS	Office	2/02/2017						TSP	36		13/02/2017	22/02/2017
3842/11	Maroota HVAS	Office	2/02/2017						PM 10	16		13/02/2017	22/02/2017
3842/12	Maroota HVAS	Office	2/02/2017						PM 2.5	9		13/02/2017	22/02/2017
3809/1	Maroota Dusts x 3	D2 North East Corner	6/02/2017	28	1.7	1.3	0.4	38	Insoluble Matter	1.3		14/02/2017	22/02/2017
3809/2	Maroota Dusts x 3	D3A Bundwall	6/02/2017	28	1.5	1.4	0.1	40	Insoluble Matter	1.4		14/02/2017	22/02/2017
3809/3	Maroota Dusts x 3	D1 Gate	6/02/2017	28	1.1	0.9	0.2	41	Insoluble Matter	0.9		14/02/2017	22/02/2017
3953/1	Maroota HVAS	Office	8/02/2017						TSP	6		14/03/2017	20/03/2017
3953/2	Maroota HVAS	Office	8/02/2017						PM 10	3		14/03/2017	20/03/2017
3953/3	Maroota HVAS	Office	8/02/2017						PM 2.5	<2		14/03/2017	20/03/2017
3953/4	Maroota HVAS	Office	14/02/2017						TSP	19		16/03/2017	20/03/2017
3953/5	Maroota HVAS	Office	14/02/2017						PM 10	12		16/03/2017	20/03/2017
3953/6	Maroota HVAS	Office	14/02/2017						PM 2.5	2		16/03/2017	20/03/2017
3953/7	Maroota HVAS	Office	20/02/2017						TSP	25		16/03/2017	20/03/2017
3953/8	Maroota HVAS	Office	20/02/2017						PM 10	10		16/03/2017	20/03/2017
3953/9	Maroota HVAS	Office	20/02/2017						PM 2.5	8		16/03/2017	20/03/2017
3953/10	Maroota HVAS	Office	26/02/2017						TSP	12		16/03/2017	20/03/2017
3953/11	Maroota HVAS	Office	26/02/2017						PM 10	7		16/03/2017	20/03/2017
3953/12	Maroota HVAS	Office	26/02/2017						PM 2.5	2		16/03/2017	20/03/2017
3953/13	Maroota HVAS	Office	4/03/2017						TSP	9		16/03/2017	20/03/2017
3953/14	Maroota HVAS	Office	4/03/2017						PM 10	4		16/03/2017	20/03/2017
3953/15	Maroota HVAS	Office	4/03/2017						PM 2.5	2		16/03/2017	20/03/2017
3917/1	Maroota Dusts x 3	D2 North East Corner	8/03/2017	30	2	1.4	0.6	116	Insoluble Matter	1.4		16/03/2017	20/03/2017

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

Table of Recent Results

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
3917/2	Maroota Dusts x 3	D3A Bundwall	8/03/2017	30	1.4	1.1	0.3	109	Insoluble Matter	1.1		16/03/2017	20/03/2017
3917/3	Maroota Dusts x 3	D1 Gate	8/03/2017	30	4	3.3	0.7	114	Insoluble Matter	3.3		16/03/2017	20/03/2017
4156/1	Maroota HVAS	Office	10/03/2017						TSP	14		19/04/2017	19/04/2017
4156/2	Maroota HVAS	Office	10/03/2017						PM 10	12		19/04/2017	19/04/2017
4156/3	Maroota HVAS	Office	10/03/2017						PM 2.5	4		19/04/2017	19/04/2017
4156/4	Maroota HVAS	Office	16/03/2017						TSP	5		19/04/2017	19/04/2017
4156/5	Maroota HVAS	Office	16/03/2017						PM 10	<2		19/04/2017	19/04/2017
4156/6	Maroota HVAS	Office	16/03/2017						PM 2.5	2		19/04/2017	19/04/2017
4156/7	Maroota HVAS	Office	22/03/2017						TSP	5		19/04/2017	19/04/2017
4156/8	Maroota HVAS	Office	22/03/2017						PM 10	3		19/04/2017	19/04/2017
4156/9	Maroota HVAS	Office	22/03/2017						PM 2.5	<2		19/04/2017	19/04/2017
4156/10	Maroota HVAS	Office	28/03/2017						TSP	31		19/04/2017	19/04/2017
4156/11	Maroota HVAS	Office	28/03/2017						PM 10	21		19/04/2017	19/04/2017
4156/12	Maroota HVAS	Office	28/03/2017						PM 2.5	6		19/04/2017	19/04/2017
4156/13	Maroota HVAS	Office	3/04/2017						TSP	9	Insects	19/04/2017	19/04/2017
4156/14	Maroota HVAS	Office	3/04/2017						PM 10	4	Insects	19/04/2017	19/04/2017
4156/15	Maroota HVAS	Office	3/04/2017						PM 2.5	<2	Insects	19/04/2017	19/04/2017
3992/1	Maroota Dusts x 3	D2 North East Corner	6/04/2017	29	0.7	0.5	0.2	116	Insoluble Matter	0.7		19/04/2017	19/04/2017
3992/2	Maroota Dusts x 3	D3A Bundwall	6/04/2017	29	1.5	1.1	0.4	114	Insoluble Matter	1.5		19/04/2017	19/04/2017
3992/3	Maroota Dusts x 3	D1 Gate	6/04/2017	29	0.6	0.4	0.2	117	Insoluble Matter	0.6		19/04/2017	19/04/2017
4236/1	Maroota HVAS	Office	9/04/2017						TSP	16	Insects	16/05/2017	16/05/2017
4236/2	Maroota HVAS	Office	9/04/2017						PM 10	7	Droppings, Spider	16/05/2017	16/05/2017
4236/3	Maroota HVAS	Office	9/04/2017						PM 2.5	5		16/05/2017	16/05/2017
4236/4	Maroota HVAS	Office	15/04/2017						TSP	16		9/06/2017	9/06/2017
4236/5	Maroota HVAS	Office	15/04/2017						PM 10	10		9/06/2017	9/06/2017
4236/6	Maroota HVAS	Office	15/04/2017						PM 2.5	4		9/06/2017	9/06/2017
4236/7	Maroota HVAS	Office	21/04/2017						TSP	23		9/06/2017	9/06/2017
4236/8	Maroota HVAS	Office	21/04/2017						PM 10	10		9/06/2017	9/06/2017
4236/9	Maroota HVAS	Office	21/04/2017						PM 2.5	4		9/06/2017	9/06/2017
4236/10	Maroota HVAS	Office	27/04/2017						TSP	19		9/06/2017	9/06/2017
4236/11	Maroota HVAS	Office	27/04/2017						PM 10	9		9/06/2017	9/06/2017
4236/12	Maroota HVAS	Office	27/04/2017						PM 2.5	6		9/06/2017	9/06/2017
4236/13	Maroota HVAS	Office	3/05/2017						TSP	25		9/06/2017	9/06/2017
4236/14	Maroota HVAS	Office	3/05/2017						PM 10	12		9/06/2017	9/06/2017
4236/15	Maroota HVAS	Office	3/05/2017						PM 2.5	7		9/06/2017	9/06/2017
4223/1	Maroota Dusts x 3	D2 North East Corner	4/05/2017	28	1.7	1.3	0.4	15	Insoluble Matter	1.7		9/06/2017	9/06/2017
4223/2	Maroota Dusts x 3	D3A Bundwall	4/05/2017	28	2	1.4	0.6	15	Insoluble Matter	2		9/06/2017	9/06/2017

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

Table of Recent Results

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
4223/3	Maroota Dusts x 3	D1 Gate	4/05/2017	28	0.7	0.5	0.2	15	Insoluble Matter	0.7		9/06/2017	9/06/2017
4374/1	Maroota HVAS	Office	9/05/2017						TSP	25		9/06/2017	9/06/2017
4374/2	Maroota HVAS	Office	9/05/2017						PM 10	12		9/06/2017	9/06/2017
4374/3	Maroota HVAS	Office	9/05/2017						PM 2.5	7		9/06/2017	9/06/2017
4374/4	Maroota HVAS	Office	15/05/2017						TSP	34		9/06/2017	9/06/2017
4374/5	Maroota HVAS	Office	15/05/2017						PM 10	15		9/06/2017	9/06/2017
4374/6	Maroota HVAS	Office	15/05/2017						PM 2.5	10		9/06/2017	9/06/2017
4374/7	Maroota HVAS	Office	21/05/2017						TSP	14		9/06/2017	9/06/2017
4374/8	Maroota HVAS	Office	21/05/2017						PM 10	8		9/06/2017	9/06/2017
4374/9	Maroota HVAS	Office	21/05/2017						PM 2.5	5		9/06/2017	9/06/2017
4374/10	Maroota HVAS	Office	27/05/2017						TSP	19		9/06/2017	9/06/2017
4374/11	Maroota HVAS	Office	27/05/2017						PM 10	11		9/06/2017	9/06/2017
4374/12	Maroota HVAS	Office	27/05/2017						PM 2.5	6		9/06/2017	9/06/2017
4316/1	Maroota Dusts x 3	D2 North East Corner	1/06/2017	26	1.6	1.4	0.2	14	Insoluble Matter	1.6		13/06/2017	13/06/2017
4316/2	Maroota Dusts x 3	D3A Bundwall	1/06/2017	26	0.5	0.5	<0.1	18	Insoluble Matter	0.5	Minor Sand	13/06/2017	13/06/2017
4316/3	Maroota Dusts x 3	D1 Gate	1/06/2017	26	0.6	0.5	0.1	17	Insoluble Matter	0.6		13/06/2017	13/06/2017
4516/1	Maroota HVAS	Office	2/06/2017						TSP	31		10/07/2017	10/07/2017
4516/2	Maroota HVAS	Office	2/06/2017						PM 10	15		10/07/2017	10/07/2017
4516/3	Maroota HVAS	Office	2/06/2017						PM 2.5	6		10/07/2017	10/07/2017
4516/4	Maroota HVAS	Office	8/06/2017						TSP	7		10/07/2017	10/07/2017
4516/5	Maroota HVAS	Office	8/06/2017						PM 10	4		10/07/2017	10/07/2017
4516/6	Maroota HVAS	Office	8/06/2017						PM 2.5	<2		10/07/2017	10/07/2017
4516/7	Maroota HVAS	Office	14/06/2017						TSP	13		10/07/2017	10/07/2017
4516/8	Maroota HVAS	Office	14/06/2017						PM 10	2		10/07/2017	10/07/2017
4516/9	Maroota HVAS	Office	14/06/2017						PM 2.5	6		10/07/2017	10/07/2017
4516/10	Maroota HVAS	Office	20/06/2017						TSP	10		10/07/2017	10/07/2017
4516/11	Maroota HVAS	Office	20/06/2017						PM 10	6		10/07/2017	10/07/2017
4516/12	Maroota HVAS	Office	20/06/2017						PM 2.5	<2		10/07/2017	10/07/2017
4516/13	Maroota HVAS	Office	26/06/2017						TSP	16		10/07/2017	10/07/2017
4516/14	Maroota HVAS	Office	26/06/2017						PM 10	15		10/07/2017	10/07/2017
4516/15	Maroota HVAS	Office	26/06/2017						PM 2.5	7		10/07/2017	10/07/2017
4426/1	Maroota Dusts x 3	D2 North East Corner	29/06/2017	28	0.9	0.8	0.1	107	Insoluble Matter	0.9	Vegetation, Algae	10/07/2017	10/07/2017
4426/2	Maroota Dusts x 3	D3A Bundwall	29/06/2017	28	1.6	1.3	0.3	104	Insoluble Matter	1.6		10/07/2017	10/07/2017
4426/3	Maroota Dusts x 3	D1 Gate	29/06/2017	28	0.5	0.4	0.1	115	Insoluble Matter	0.5		10/07/2017	10/07/2017
4637/13	Maroota HVAS	Office	2/07/2017						TSP	10	Weather data from Station	4/08/2017	11/08/2017
4637/14	Maroota HVAS	Office	2/07/2017						PM 10	8	Weather data from Station	4/08/2017	11/08/2017
4637/15	Maroota HVAS	Office	2/07/2017						PM 2.5	5	Weather data from Station	4/08/2017	11/08/2017

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

Table of Recent Results

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
4637/1	Maroota HVAS	Office	8/07/2017						TSP	16	Weather data from Station	4/08/2017	11/08/2017
4637/2	Maroota HVAS	Office	8/07/2017						PM 10	8	Weather data from Station	4/08/2017	11/08/2017
4637/3	Maroota HVAS	Office	8/07/2017						PM 2.5	7	Weather data from Station	4/08/2017	11/08/2017
4637/4	Maroota HVAS	Office	14/07/2017						TSP	31	Weather data from Station	4/08/2017	11/08/2017
4637/5	Maroota HVAS	Office	14/07/2017						PM 10	6	Paper damaged	4/08/2017	11/08/2017
4637/6	Maroota HVAS	Office	14/07/2017						PM 2.5	11	Weather data from Station	4/08/2017	11/08/2017
4637/7	Maroota HVAS	Office	20/07/2017						TSP	29	Weather data from Station	4/08/2017	11/08/2017
4637/8	Maroota HVAS	Office	20/07/2017						PM 10	13	Weather data from Station	4/08/2017	11/08/2017
4637/9	Maroota HVAS	Office	20/07/2017						PM 2.5	13	Weather data from Station	4/08/2017	11/08/2017
4637/10	Maroota HVAS	Office	26/07/2017						TSP	48	Weather data from Station	4/08/2017	11/08/2017
4637/11	Maroota HVAS	Office	26/07/2017						PM 10	24	Weather data from Station	4/08/2017	11/08/2017
4637/12	Maroota HVAS	Office	26/07/2017						PM 2.5	31	Weather data from Station	4/08/2017	11/08/2017
4607/1	Maroota Dusts x 3	D2 North East Corner	27/07/2017	28	0.2	<0.1	0.2	<1	Insoluble Matter	0.2		4/08/2017	11/08/2017
4607/2	Maroota Dusts x 3	D3A Bundwall	27/07/2017	28	0.3	0.1	0.2	2	Insoluble Matter	0.3		4/08/2017	11/08/2017
4607/3	Maroota Dusts x 3	D1 Gate	27/07/2017	28	0.1	<0.1	0.1	<1	Insoluble Matter	0.1		4/08/2017	11/08/2017
4732/1	Maroota HVAS	Office	1/08/2017						TSP	21	Vegetation	5/09/2017	5/09/2017
4732/2	Maroota HVAS	Office	1/08/2017						PM 10	10		5/09/2017	5/09/2017
4732/3	Maroota HVAS	Office	1/08/2017						PM 2.5	9		5/09/2017	5/09/2017
4732/4	Maroota HVAS	Office	7/08/2017						TSP	43		5/09/2017	5/09/2017
4732/5	Maroota HVAS	Office	7/08/2017						PM 10	21		5/09/2017	5/09/2017
4732/6	Maroota HVAS	Office	7/08/2017						PM 2.5	26		5/09/2017	5/09/2017
4732/7	Maroota HVAS	Office	13/08/2017						TSP	25		5/09/2017	5/09/2017
4732/8	Maroota HVAS	Office	13/08/2017						PM 10	18		5/09/2017	5/09/2017
4732/9	Maroota HVAS	Office	13/08/2017						PM 2.5	15		5/09/2017	5/09/2017
4732/10	Maroota HVAS	Office	19/08/2017						TSP	37		5/09/2017	5/09/2017
4732/11	Maroota HVAS	Office	19/08/2017						PM 10	19		5/09/2017	5/09/2017
4732/12	Maroota HVAS	Office	19/08/2017						PM 2.5	20		5/09/2017	5/09/2017
4713/1	Maroota Dusts x 3	D2 North East Corner	24/08/2017	28	6.1	5.4	0.7	21	Insoluble Matter	6.1		5/09/2017	5/09/2017
4713/2	Maroota Dusts x 3	D3A Bundwall	24/08/2017	28	0.9	0.8	0.1	20	Insoluble Matter	0.9		5/09/2017	5/09/2017
4713/3	Maroota Dusts x 3	D1 Gate	24/08/2017	28	0.6	0.4	0.2	19	Insoluble Matter	0.6		5/09/2017	5/09/2017
4952/1	Maroota HVAS	Office	25/08/2017						TSP	24		26/10/2017	26/10/2017
4952/2	Maroota HVAS	Office	25/08/2017						PM 10	12		26/10/2017	26/10/2017
4952/3	Maroota HVAS	Office	25/08/2017						PM 2.5	7	Dust	26/10/2017	26/10/2017
4952/4	Maroota HVAS	Office	31/08/2017						TSP	44		26/10/2017	26/10/2017
4952/5	Maroota HVAS	Office	31/08/2017						PM 10	21		26/10/2017	26/10/2017
4952/6	Maroota HVAS	Office	31/08/2017						PM 2.5	20		26/10/2017	26/10/2017
4952/7	Maroota HVAS	Office	6/09/2017						TSP	46		26/10/2017	26/10/2017

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

Table of Recent Results

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
4952/8	Maroota HVAS	Office	6/09/2017						PM 10	13		26/10/2017	26/10/2017
4952/9	Maroota HVAS	Office	6/09/2017						PM 2.5	24		26/10/2017	26/10/2017
4952/10	Maroota HVAS	Office	12/09/2017						TSP	45		26/10/2017	26/10/2017
4952/11	Maroota HVAS	Office	12/09/2017						PM 10	25		26/10/2017	26/10/2017
4952/12	Maroota HVAS	Office	12/09/2017						PM 2.5	23		26/10/2017	26/10/2017
4952/13	Maroota HVAS	Office	18/09/2017						TSP	54		26/10/2017	26/10/2017
4952/14	Maroota HVAS	Office	18/09/2017						PM 10	23		26/10/2017	26/10/2017
4952/15	Maroota HVAS	Office	18/09/2017						PM 2.5	21		26/10/2017	26/10/2017
4793/1	Maroota Dusts x 3	D2 North East Corner	21/09/2017	28	0.9	0.7	0.2	2	Insoluble Matter	0.9		26/10/2017	26/10/2017
4793/2	Maroota Dusts x 3	D3A Bundwall	21/09/2017	28	0.4	0.5	<0.1	3	Insoluble Matter	0.4		26/10/2017	26/10/2017
4793/3	Maroota Dusts x 3	D1 Gate	21/09/2017	28	9.1	8.7	0.4	3	Insoluble Matter	9.1		26/10/2017	26/10/2017
4952/16	Maroota HVAS	Office	24/09/2017						TSP	81		26/10/2017	26/10/2017
4952/17	Maroota HVAS	Office	24/09/2017						PM 10	48		26/10/2017	26/10/2017
4952/18	Maroota HVAS	Office	24/09/2017						PM 2.5	54		26/10/2017	26/10/2017
4960/1	Maroota HVAS	Office	6/10/2017						TSP	65		26/10/2017	26/10/2017
4960/2	Maroota HVAS	Office	6/10/2017						PM 10	36		26/10/2017	26/10/2017
4960/3	Maroota HVAS	Office	6/10/2017						PM 2.5	26		26/10/2017	26/10/2017
4960/4	Maroota HVAS	Office	12/10/2017						TSP	63		26/10/2017	26/10/2017
4960/5	Maroota HVAS	Office	12/10/2017						PM 10	33		26/10/2017	26/10/2017
4960/6	Maroota HVAS	Office	12/10/2017						PM 2.5	33		26/10/2017	26/10/2017
4960/7	Maroota HVAS	Office	18/10/2017						TSP	42		26/10/2017	26/10/2017
4960/8	Maroota HVAS	Office	18/10/2017						PM 10	20		26/10/2017	26/10/2017
4960/9	Maroota HVAS	Office	18/10/2017						PM 2.5	13		26/10/2017	26/10/2017
4889/1	Maroota Dusts x 3	D2 North East Corner	19/10/2017	28	1.7	1.4	0.3	10	Insoluble Matter	1.7		26/10/2017	26/10/2017
4889/2	Maroota Dusts x 3	D3A Bundwall	19/10/2017	28	1.5	1.2	0.3	10	Insoluble Matter	1.5		26/10/2017	26/10/2017
4889/3	Maroota Dusts x 3	D1 Gate	19/10/2017	28	2	1.9	0.1	2	Insoluble Matter	2		26/10/2017	26/10/2017
5119/1	Maroota HVAS	Office	24/10/2017						TSP	31		23/11/2017	24/11/2017
5119/2	Maroota HVAS	Office	24/10/2017						PM 10	18		23/11/2017	24/11/2017
5119/3	Maroota HVAS	Office	24/10/2017						PM 2.5	16		23/11/2017	24/11/2017
5119/4	Maroota HVAS	Office	30/10/2017						TSP	74		23/11/2017	24/11/2017
5119/5	Maroota HVAS	Office	30/10/2017						PM 10	43		23/11/2017	24/11/2017
5119/6	Maroota HVAS	Office	30/10/2017						PM 2.5	47		23/11/2017	24/11/2017
5119/7	Maroota HVAS	Office	5/11/2017						TSP	9		23/11/2017	24/11/2017
5119/8	Maroota HVAS	Office	5/11/2017						PM 10	2		23/11/2017	24/11/2017
5119/9	Maroota HVAS	Office	5/11/2017						PM 2.5	<2		23/11/2017	24/11/2017
5119/10	Maroota HVAS	Office	11/11/2017						TSP	13		23/11/2017	24/11/2017
5119/11	Maroota HVAS	Office	11/11/2017						PM 10	5		23/11/2017	24/11/2017

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

Table of Recent Results

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
5119/12	Maroota HVAS	Office	11/11/2017						PM 2.5	<2		23/11/2017	24/11/2017
5063/1	Maroota Dusts x 3	D2 North East Corner	16/11/2017	28	1.6	1	0.6	76	Insoluble Matter	1.6		23/11/2017	24/11/2017
5063/2	Maroota Dusts x 3	D3A Bundwall	16/11/2017	28	4.8	4	0.8	82	Insoluble Matter	4.8	Insects	23/11/2017	24/11/2017
5063/3	Maroota Dusts x 3	D1 Gate	16/11/2017	28	2.9	2.8	0.1	13	Insoluble Matter	2.9		23/11/2017	24/11/2017
5228/1	Maroota HVAS	TSP	17/11/2017						TSP	20		21/12/2017	21/12/2017
5228/2	Maroota HVAS	PM 10	17/11/2017						PM 10	11		21/12/2017	21/12/2017
5228/3	Maroota HVAS	PM 2.5	17/11/2017						PM 2.5	7		21/12/2017	21/12/2017
5228/4	Maroota HVAS	TSP	23/11/2017						TSP	28		17/01/2018	17/01/2018
5228/5	Maroota HVAS	PM 10	23/11/2017						PM 10	15		17/01/2018	17/01/2018
5228/6	Maroota HVAS	PM 2.5	23/11/2017						PM 2.5	8		17/01/2018	17/01/2018
5228/7	Maroota HVAS	TSP	29/11/2017						TSP	12		17/01/2018	17/01/2018
5228/8	Maroota HVAS	PM 10	29/11/2017						PM 10	3		17/01/2018	17/01/2018
5228/9	Maroota HVAS	PM 2.5	29/11/2017						PM 2.5	<2		17/01/2018	17/01/2018
5228/10	Maroota HVAS	TSP	5/12/2017						TSP	14		17/01/2018	17/01/2018
5228/11	Maroota HVAS	PM 10	5/12/2017						PM 10	6		17/01/2018	17/01/2018
5228/12	Maroota HVAS	PM 2.5	5/12/2017						PM 2.5	4		17/01/2018	17/01/2018
5228/13	Maroota HVAS	TSP	11/12/2017						TSP	29		17/01/2018	17/01/2018
5228/14	Maroota HVAS	PM 10	11/12/2017						PM 10	18		17/01/2018	17/01/2018
5228/15	Maroota HVAS	PM 2.5	11/12/2017						PM 2.5	12		17/01/2018	17/01/2018
5169/1	Maroota Dusts x 3	D2 North East Corner	14/12/2017	28	2.8	2.2	0.6	34	Insoluble Matter	2.8		17/01/2018	17/01/2018
5169/2	Maroota Dusts x 3	D3A Bundwall	14/12/2017	28	1.3	0.7	0.6	36	Insoluble Matter	1.3		17/01/2018	17/01/2018
5169/3	Maroota Dusts x 3	D1 Gate	14/12/2017	28	1.5	1	0.5	41	Insoluble Matter	1.5		17/01/2018	17/01/2018
5337/1	Maroota HVAS	TSP	17/12/2017						TSP	34		17/01/2018	17/01/2018
5337/2	Maroota HVAS	PM 10	17/12/2017						PM 10	18		17/01/2018	17/01/2018
5337/3	Maroota HVAS	PM 2.5	17/12/2017						PM 2.5	8		17/01/2018	17/01/2018
5337/4	Maroota HVAS	TSP	23/12/2017						TSP	30		17/01/2018	17/01/2018
5337/5	Maroota HVAS	PM 10	23/12/2017						PM 10	16		17/01/2018	17/01/2018
5337/6	Maroota HVAS	PM 2.5	23/12/2017						PM 2.5	13		17/01/2018	17/01/2018
5337/7	Maroota HVAS	TSP	29/12/2017						TSP	34		17/01/2018	17/01/2018
5337/8	Maroota HVAS	PM 10	29/12/2017						PM 10	23		17/01/2018	17/01/2018
5337/9	Maroota HVAS	PM 2.5	29/12/2017						PM 2.5	17		17/01/2018	17/01/2018