

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
5337/10	Maroota HVAS	TSP	4/01/2018						TSP	23		17/01/2018	17/01/2018
5337/11	Maroota HVAS	PM 10	4/01/2018						PM 10	12		17/01/2018	17/01/2018
5337/12	Maroota HVAS	PM 2.5	4/01/2018						PM 2.5	5		17/01/2018	17/01/2018
5337/13	Maroota HVAS	TSP	10/01/2018						TSP	28		17/01/2018	17/01/2018
5337/14	Maroota HVAS	PM 10	10/01/2018						PM 10	21		17/01/2018	17/01/2018
5337/15	Maroota HVAS	PM 2.5	10/01/2018						PM 2.5	9		17/01/2018	17/01/2018
5279/1	Maroota Dusts x 3	D2 North East Corner	11/01/2018	28	2.4	1.7	0.7	42	Insoluble Matter	2.4		17/01/2018	17/01/2018
5279/2	Maroota Dusts x 3	D3A Bundwall	11/01/2018	28	3.6	2.4	1.2	44	Insoluble Matter	3.6		17/01/2018	17/01/2018
5279/3	Maroota Dusts x 3	D1 Gate	11/01/2018	28	2.5	1.5	1	47	Insoluble Matter	2.5		17/01/2018	17/01/2018
5417/1	Maroota HVAS	TSP	16/01/2018						TSP	49		14/02/2018	14/02/2018
5417/2	Maroota HVAS	PM 10	16/01/2018						PM 10	22		14/02/2018	14/02/2018
5417/3	Maroota HVAS	PM 2.5	16/01/2018						PM 2.5	11		14/02/2018	14/02/2018
5417/4	Maroota HVAS	TSP	22/01/2018						TSP	47		14/02/2018	14/02/2018
5417/5	Maroota HVAS	PM 10	22/01/2018						PM 10	23		14/02/2018	14/02/2018
5417/6	Maroota HVAS	PM 2.5	22/01/2018						PM 2.5	29		14/02/2018	14/02/2018
5417/7	Maroota HVAS	TSP	28/01/2018						TSP	22	Paper ran through 2 cycles	14/02/2018	14/02/2018
5417/8	Maroota HVAS	PM 10	28/01/2018						PM 10	13	Paper ran through 2 cycles	14/02/2018	14/02/2018
5417/9	Maroota HVAS	PM 2.5	28/01/2018						PM 2.5	7	Paper ran through 2 cycles	14/02/2018	14/02/2018
5356/1	Maroota Dusts x 3	D2 North East Corner	8/02/2018	28	3.5	3	0.5	8	Insoluble Matter	3.5	Vegetation	15/02/2018	15/02/2018
5356/2	Maroota Dusts x 3	D3A Bundwall	8/02/2018	28	1.5	1.1	0.4	9	Insoluble Matter	1.5	Insects	15/02/2018	15/02/2018
5356/3	Maroota Dusts x 3	D1 Gate	8/02/2018	28	1	0.8	0.2	9	Insoluble Matter	1	Algae	15/02/2018	15/02/2018
5454/1	Maroota Dusts x 3	D2 North East Corner	8/03/2018	28	2.7	2.3	0.4	100	Insoluble Matter	2.7	Dir, minor vegetation	19/03/2018	19/03/2018
5454/2	Maroota Dusts x 3	D3A Bundwall	8/03/2018	28	4	3.2	0.8	104	Insoluble Matter	4	Sand, algae	19/03/2018	19/03/2018
5454/3	Maroota Dusts x 3	D1 Gate	8/03/2018	28	1.7	1.2	0.5	106	Insoluble Matter	1.7	Direct, insects	19/03/2018	19/03/2018
5576/1	Maroota HVAS	TSP	9/02/2018						TSP	76		19/03/2018	19/03/2018
5576/2	Maroota HVAS	PM 10	9/02/2018						PM 10	41		19/03/2018	19/03/2018
5576/3	Maroota HVAS	PM 2.5	9/02/2018						PM 2.5	25	Paper Torn	19/03/2018	19/03/2018
5576/4	Maroota HVAS	TSP	15/02/2018						TSP	117		19/03/2018	19/03/2018
5576/5	Maroota HVAS	PM 10	15/02/2018						PM 10	59		19/03/2018	19/03/2018
5576/6	Maroota HVAS	PM 2.5	15/02/2018						PM 2.5	24		19/03/2018	19/03/2018
5576/7	Maroota HVAS	TSP	21/02/2018						TSP	26		19/03/2018	19/03/2018
5576/8	Maroota HVAS	PM 10	21/02/2018						PM 10	11		19/03/2018	19/03/2018
5576/9	Maroota HVAS	PM 2.5	21/02/2018						PM 2.5	6		19/03/2018	19/03/2018
5576/10	Maroota HVAS	TSP	27/02/2018						TSP	22		19/03/2018	19/03/2018
5576/11	Maroota HVAS	PM 10	27/02/2018						PM 10	14		19/03/2018	19/03/2018

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
5576/12	Maroota HVAS	PM 2.5	27/02/2018						PM 2.5	8		19/03/2018	19/03/2018
5576/13	Maroota HVAS	TSP	5/03/2018						TSP	43		19/03/2018	19/03/2018
5576/14	Maroota HVAS	PM 10	5/03/2018						PM 10	21		19/03/2018	19/03/2018
5576/15	Maroota HVAS	PM 2.5	5/03/2018						PM 2.5	3		19/03/2018	19/03/2018
5637/1	Maroota Dusts x 3	D2 North East Corner	5/04/2018	28	2.3	1.8	0.5	72	Insoluble Matter	2.3	Vegetation	16/04/2018	16/04/2018
5637/2	Maroota Dusts x 3	D3A Bundwall	5/04/2018	28	1.5	1	0.5	67	Insoluble Matter	1.5	Minor vegetation, insects	16/04/2018	16/04/2018
5637/3	Maroota Dusts x 3	D1 Gate	5/04/2018	28	1.1	0.8	0.3	70	Insoluble Matter	1.1	Minor dirt	16/04/2018	16/04/2018
5735/1	Maroota HVAS	TSP	11/03/2018						TSP	18		12/04/2018	16/04/2018
5735/2	Maroota HVAS	PM 10	11/03/2018						PM 10	11		12/04/2018	16/04/2018
5735/3	Maroota HVAS	PM 2.5	11/03/2018						PM 2.5	5		12/04/2018	16/04/2018
5735/4	Maroota HVAS	TSP	17/03/2018						TSP	54		12/04/2018	16/04/2018
5735/5	Maroota HVAS	PM 10	17/03/2018						PM 10	31		12/04/2018	16/04/2018
5735/6	Maroota HVAS	PM 2.5	17/03/2018						PM 2.5	18		12/04/2018	16/04/2018
5735/7	Maroota HVAS	TSP	23/03/2018						TSP	23		12/04/2018	16/04/2018
5735/8	Maroota HVAS	PM 10	23/03/2018						PM 10	12		12/04/2018	16/04/2018
5735/9	Maroota HVAS	PM 2.5	23/03/2018						PM 2.5	5		12/04/2018	16/04/2018
5735/10	Maroota HVAS	TSP	29/03/2018						TSP	39		12/04/2018	16/04/2018
5735/11	Maroota HVAS	PM 10	29/03/2018						PM 10	17		12/04/2018	16/04/2018
5735/12	Maroota HVAS	PM 2.5	29/03/2018						PM 2.5	22	Severely Torn/Damaged Paper	12/04/2018	16/04/2018
5735/13	Maroota HVAS	TSP	4/04/2018						TSP	22		12/04/2018	16/04/2018
5735/14	Maroota HVAS	PM 10	4/04/2018						PM 10	14		12/04/2018	16/04/2018
5735/15	Maroota HVAS	PM 2.5	4/04/2018						PM 2.5	8	Heavy ant infestation. Paper has ant spray on it	12/04/2018	16/04/2018
5804/1	Maroota Dusts x 3	D2 North East Corner	3/05/2018	28	2.3	1.9	0.4	14	Insoluble Matter	2.3	Mature trees above on resider	11/05/2018	22/05/2018
5804/2	Maroota Dusts x 3	D3A Bundwall	3/05/2018	28	0.8	0.7	0.1	16	Insoluble Matter	0.8		11/05/2018	22/05/2018
5804/3	Maroota Dusts x 3	D1 Gate	3/05/2018	28	1	0.9	0.1	18	Insoluble Matter	1		11/05/2018	22/05/2018
5893/1	Maroota HVAS	TSP	10/04/2018						TSP	46		11/05/2018	22/05/2018
5893/2	Maroota HVAS	PM 10	10/04/2018						PM 10	22		11/05/2018	22/05/2018
5893/3	Maroota HVAS	PM 2.5	10/04/2018						PM 2.5	9		11/05/2018	22/05/2018
5893/4	Maroota HVAS	TSP	16/04/2018						TSP	65		11/05/2018	22/05/2018
5893/5	Maroota HVAS	PM 10	16/04/2018						PM 10	26		11/05/2018	22/05/2018
5893/6	Maroota HVAS	PM 2.5	16/04/2018						PM 2.5	28		11/05/2018	22/05/2018
5893/7	Maroota HVAS	TSP	22/04/2018						TSP	22		11/05/2018	22/05/2018
5893/8	Maroota HVAS	PM 10	22/04/2018						PM 10	11		11/05/2018	22/05/2018
5893/9	Maroota HVAS	PM 2.5	22/04/2018						PM 2.5	7		11/05/2018	22/05/2018
5893/10	Maroota HVAS	TSP	28/04/2018						TSP	14		11/05/2018	22/05/2018
5893/11	Maroota HVAS	PM 10	28/04/2018						PM 10	8		11/05/2018	22/05/2018

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
5893/12	Maroota HVAS	PM 2.5	28/04/2018						PM 2.5	<2		11/05/2018	22/05/2018
5885/1	Maroota Dusts x 3	D2 North East Corner	31/05/2018	28	2.1	1.7	0.4	10	Insoluble Matter	2.1	Vegetation, insects, algae. Mature trees above on residential side	8/06/2018	14/06/2018
5885/2	Maroota Dusts x 3	D3A Bundwall	31/05/2018	28	0.5	0.4	0.1	11	Insoluble Matter	0.5		8/06/2018	14/06/2018
5885/3	Maroota Dusts x 3	D1 Gate	31/05/2018	28	1.3	0.9	0.4	10	Insoluble Matter	1.3		8/06/2018	14/06/2018
5970/1	Maroota HVAS	TSP	4/05/2018						TSP	57		7/06/2018	14/06/2018
5970/2	Maroota HVAS	PM 10	4/05/2018						PM 10	26		7/06/2018	14/06/2018
5970/3	Maroota HVAS	PM 2.5	4/05/2018						PM 2.5	28		7/06/2018	14/06/2018
5970/4	Maroota HVAS	TSP	10/05/2018						TSP	89		7/06/2018	14/06/2018
5970/5	Maroota HVAS	PM 10	10/05/2018						PM 10	46		7/06/2018	14/06/2018
5970/6	Maroota HVAS	PM 2.5	10/05/2018						PM 2.5	55		7/06/2018	14/06/2018
5970/7	Maroota HVAS	TSP	16/05/2018						TSP	39		7/06/2018	14/06/2018
5970/8	Maroota HVAS	PM 10	16/05/2018						PM 10	21		7/06/2018	14/06/2018
5970/9	Maroota HVAS	PM 2.5	16/05/2018						PM 2.5	14		7/06/2018	14/06/2018
5970/10	Maroota HVAS	TSP	22/05/2018						TSP	57		7/06/2018	14/06/2018
5970/11	Maroota HVAS	PM 10	22/05/2018						PM 10	30		7/06/2018	14/06/2018
5970/12	Maroota HVAS	PM 2.5	22/05/2018						PM 2.5	25		7/06/2018	14/06/2018
5970/13	Maroota HVAS	TSP	28/05/2018						TSP	56		7/06/2018	14/06/2018
5970/14	Maroota HVAS	PM 10	28/05/2018						PM 10	32		7/06/2018	14/06/2018
5970/15	Maroota HVAS	PM 2.5	28/05/2018						PM 2.5	21		7/06/2018	14/06/2018
6132	Maroota HVAS	TSP	3/06/2018						TSP	16		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 10	3/06/2018						PM 10	9		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 2.5	3/06/2018						PM 2.5	3		6/07/2018	6/07/2018
6132	Maroota HVAS	TSP	9/06/2018						TSP	9		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 10	9/06/2018						PM 10	9		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 2.5	9/06/2018						PM 2.5	5		6/07/2018	6/07/2018
6132	Maroota HVAS	TSP	15/06/2018						TSP	34		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 10	15/06/2018						PM 10	15		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 2.5	15/06/2018						PM 2.5	19		6/07/2018	6/07/2018
6132	Maroota HVAS	TSP	21/06/2018						TSP	20		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 10	21/06/2018						PM 10	9		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 2.5	21/06/2018						PM 2.5	3		6/07/2018	6/07/2018
6132	Maroota HVAS	TSP	27/06/2018						TSP	22		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 10	27/06/2018						PM 10	10		6/07/2018	6/07/2018
6132	Maroota HVAS	PM 2.5	27/06/2018						PM 2.5	6		6/07/2018	6/07/2018
6048	Maroota Dusts	D2 North East Corner	28/06/2018	28	0.7	0.5	0.2	43	Insoluble Matter	0.7	Minor dirt. Mature trees above on residential side	11/07/2018	11/07/2018
6048	Maroota Dusts	D3A Bundwall	28/06/2018	28	0.7	0.6	0.1	46	Insoluble Matter	0.7		11/07/2018	11/07/2018

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
6048	Maroota Dusts	D1 Gate	28/06/2018	28	0.6	0.6	<0.1	48	Insoluble Matter	0.6		11/07/2018	11/07/2018
6194	Maroota Dusts	D2 North East Corner	26/07/2018	28	0.7	0.4	0.3	15	Insoluble Matter	0.7	Vegetation, minor dust in funnel	3/08/2018	3/08/2018
6194	Maroota Dusts	D3A Bundwall	26/07/2018	28	0.3	0.3	<0.1	17	Insoluble Matter	0.3		3/08/2018	3/08/2018
6194	Maroota Dusts	D1 Gate	26/07/2018	28	0.9	0.8	0.1	16	Insoluble Matter	0.9	Minor sand	3/08/2018	3/08/2018
6237	Maroota HVAS	TSP	3/07/2018						TSP	16		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 10	3/07/2018						PM 10	10		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 2.5	3/07/2018						PM 2.5	6		1/08/2018	1/08/2018
6237	Maroota HVAS	TSP	9/07/2018						TSP	33		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 10	9/07/2018						PM 10	14		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 2.5	9/07/2018						PM 2.5	13		1/08/2018	1/08/2018
6237	Maroota HVAS	TSP	15/07/2018						TSP	6		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 10	15/07/2018						PM 10	6		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 2.5	15/07/2018						PM 2.5	6		1/08/2018	1/08/2018
6237	Maroota HVAS	TSP	21/07/2018						TSP	29		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 10	21/07/2018						PM 10	12		1/08/2018	1/08/2018
6237	Maroota HVAS	PM 2.5	21/07/2018						PM 2.5	8		1/08/2018	1/08/2018
6324	Maroota Dusts	D2 North East Corner	23/08/2018	28	0.7	0.5	0.2	2	Insoluble Matter	0.7	Vegetation	30/08/2018	30/08/2018
6324	Maroota Dusts	D3A Bundwall	23/08/2018	28	2.4	2.2	0.2	<1	Insoluble Matter	2.4	Dry, sand	30/08/2018	30/08/2018
6324	Maroota Dusts	D1 Gate	23/08/2018	28	1.8	1.6	0.2	<1	Insoluble Matter	1.8	Sand	30/08/2018	30/08/2018
6353	Maroota HVAS	TSP	27/07/2018						TSP	32		30/08/2018	30/08/2018
6353	Maroota HVAS	PM 10	27/07/2018						PM 10	20		30/08/2018	30/08/2018
6353	Maroota HVAS	PM 2.5	27/07/2018						PM 2.5	19		30/08/2018	30/08/2018
6353	Maroota HVAS	TSP	2/08/2018						TSP	38		30/08/2018	30/08/2018
6353	Maroota HVAS	PM 10	2/08/2018						PM 10	23		30/08/2018	30/08/2018
6353	Maroota HVAS	PM 2.5	2/08/2018						PM 2.5	7		30/08/2018	30/08/2018
6353	Maroota HVAS	TSP	8/08/2018						TSP	57	Power outage for 3 hours (12am-3am)	30/08/2018	30/08/2018
6353	Maroota HVAS	PM 10	8/08/2018						PM 10	24	Power outage for 3 hours (12am-3am)	30/08/2018	30/08/2018
6353	Maroota HVAS	PM 2.5	8/08/2018						PM 2.5	30	Power outage for 3 hours (12am-3am)	30/08/2018	30/08/2018
6353	Maroota HVAS	TSP	14/08/2018						TSP	48	Power outage for 8 hours (8am-4pm)	30/08/2018	30/08/2018
6353	Maroota HVAS	PM 10	14/08/2018						PM 10	20	Power outage for 8 hours (8am-4pm)	30/08/2018	30/08/2018
6353	Maroota HVAS	PM 2.5	14/08/2018						PM 2.5	18	Power outage for 8 hours (8am-4pm)	30/08/2018	30/08/2018
6353	Maroota HVAS	TSP	20/08/2018						TSP	31		30/08/2018	30/08/2018
6353	Maroota HVAS	PM 10	20/08/2018						PM 10	12		30/08/2018	30/08/2018

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
6353	Maroota HVAS	PM 2.5	20/08/2018						PM 2.5	17		30/08/2018	30/08/2018
6457/1	Maroota HVAS	TSP	26/08/2018						TSP	10		27/09/2018	28/09/2018
6457/2	Maroota HVAS	PM 10	26/08/2018						PM 10	6		27/09/2018	28/09/2018
6457/3	Maroota HVAS	PM 2.5	26/08/2018						PM 2.5	4		27/09/2018	28/09/2018
6457/4	Maroota HVAS	TSP	7/09/2018						TSP	10		27/09/2018	28/09/2018
6457/5	Maroota HVAS	PM 10	7/09/2018						PM 10	5		27/09/2018	28/09/2018
6457/6	Maroota HVAS	PM 2.5	7/09/2018						PM 2.5	5		27/09/2018	28/09/2018
6457/7	Maroota HVAS	TSP	13/09/2018						TSP	53		27/09/2018	28/09/2018
6457/8	Maroota HVAS	PM 10	13/09/2018						PM 10	29		27/09/2018	28/09/2018
6457/9	Maroota HVAS	PM 2.5	13/09/2018						PM 2.5	14		27/09/2018	28/09/2018
6457/10	Maroota HVAS	TSP	19/09/2018						TSP	21		27/09/2018	28/09/2018
6457/11	Maroota HVAS	PM 10	19/09/2018						PM 10	8		27/09/2018	28/09/2018
6457/12	Maroota HVAS	PM 2.5	19/09/2018						PM 2.5	11		27/09/2018	28/09/2018
6407/1	Maroota Dusts	D2 North East Corner	20/09/2018	28	3.3	2.8	0.5	25	Insoluble Matter	3.3	Minor vegetation and insects	28/09/2018	28/09/2018
6407/2	Maroota Dusts	D3A Bundwall	20/09/2018	28	1.2	0.7	0.5	28	Insoluble Matter	1.2	Insects	28/09/2018	28/09/2018
6407/3	Maroota Dusts	D1 Gate	20/09/2018	28	1.8	1.8	<0.1	28	Insoluble Matter	1.8	Minor insects, sand	28/09/2018	28/09/2018
6592/1	Maroota HVAS	TSP	25/09/2018						TSP	23		24/10/2018	24/10/2018
6592/2	Maroota HVAS	PM 10	25/09/2018						PM 10	21		24/10/2018	24/10/2018
6592/3	Maroota HVAS	PM 2.5	25/09/2018						PM 2.5	15		24/10/2018	24/10/2018
6592/4	Maroota HVAS	TSP	1/10/2018						TSP	32		24/10/2018	24/10/2018
6592/5	Maroota HVAS	PM 10	1/10/2018						PM 10	22		24/10/2018	24/10/2018
6592/6	Maroota HVAS	PM 2.5	1/10/2018						PM 2.5	17		24/10/2018	24/10/2018
6592/7	Maroota HVAS	TSP	7/10/2018						TSP	7		24/10/2018	24/10/2018
6592/8	Maroota HVAS	PM 10	7/10/2018						PM 10	3		24/10/2018	24/10/2018
6592/9	Maroota HVAS	PM 2.5	7/10/2018						PM 2.5	<2		24/10/2018	24/10/2018
6592/10	Maroota HVAS	TSP	13/10/2018						TSP	11		24/10/2018	24/10/2018
6592/11	Maroota HVAS	PM 10	13/10/2018						PM 10	7		24/10/2018	24/10/2018
6592/12	Maroota HVAS	PM 2.5	13/10/2018						PM 2.5	5		24/10/2018	24/10/2018
6495/1	Hodgson Maroota Dusts	D2 North East Corner	18/10/2018	28	2	1.6	0.4	116	Insoluble Matter	2	Full, minor algae	30/10/2018	11/11/2018
6495/2	Hodgson Maroota Dusts	D3A Bundwall	18/10/2018	28	1.3	0.8	0.5	115	Insoluble Matter	1.3	Full, very minor sand	30/10/2018	11/11/2018
6495/3	Hodgson Maroota Dusts	D1 Gate	18/10/2018	28	0.7	0.4	0.3	115	Insoluble Matter	0.7	Full, very minor sand	30/10/2018	11/11/2018
6668/1	Hodgson Maroota Dusts	D2 North East Corner	15/11/2018	28	3.2	2.5	0.7	29	Insoluble Matter	2	Full, minor algae	27/11/2018	27/11/2018
6668/2	Hodgson Maroota Dusts	D3A Bundwall	15/11/2018	28	2	1.4	0.6	34	Insoluble Matter	1.3	Full, very minor sand	27/11/2018	27/11/2018
6668/3	Hodgson Maroota Dusts	D1 Gate	15/11/2018	28	0.7	0.7	<0.1	33	Insoluble Matter	0.7	Full, very minor sand	27/11/2018	27/11/2018
6714/1	Maroota HVAS	TSP	19/10/2018						TSP	23	Minor algae	27/11/2018	27/11/2018
6714/2	Maroota HVAS	PM 10	19/10/2018						PM 10	13	Insects	27/11/2018	27/11/2018

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
6714/3	Maroota HVAS	PM 2.5	19/10/2018						PM 2.5	11	Minor sand	27/11/2018	27/11/2018
6714/4	Maroota HVAS	TSP	25/10/2018						TSP	37		20/11/2018	27/11/2018
6714/5	Maroota HVAS	PM 10	25/10/2018						PM 10	19		20/11/2018	27/11/2018
6714/6	Maroota HVAS	PM 2.5	25/10/2018						PM 2.5	8		20/11/2018	27/11/2018
6714/7	Maroota HVAS	TSP	31/10/2018						TSP	51		20/11/2018	27/11/2018
6714/8	Maroota HVAS	PM 10	31/10/2018						PM 10	30		20/11/2018	27/11/2018
6714/9	Maroota HVAS	PM 2.5	31/10/2018						PM 2.5	18		20/11/2018	27/11/2018
6714/10	Maroota HVAS	TSP	6/11/2018						TSP	73		20/11/2018	27/11/2018
6714/11	Maroota HVAS	PM 10	6/11/2018						PM 10	36		20/11/2018	27/11/2018
6714/12	Maroota HVAS	PM 2.5	6/11/2018						PM 2.5	39		20/11/2018	27/11/2018
6714/13	Maroota HVAS	TSP	12/11/2018						TSP	31		20/11/2018	27/11/2018
6714/14	Maroota HVAS	PM 10	12/11/2018						PM 10	18		20/11/2018	27/11/2018
6714/15	Maroota HVAS	PM 2.5	12/11/2018						PM 2.5	13		20/11/2018	27/11/2018
6843/1	Maroota HVAS	TSP	18/11/2018						TSP	14		18/12/2018	18/12/2018
6843/2	Maroota HVAS	PM 10	18/11/2018						PM 10	8		18/12/2018	18/12/2018
6843/3	Maroota HVAS	PM 2.5	18/11/2018						PM 2.5	5		18/12/2018	18/12/2018
6843/4	Maroota HVAS	TSP	24/11/2018						TSP	43		18/12/2018	18/12/2018
6843/5	Maroota HVAS	PM 10	24/11/2018						PM 10	17		18/12/2018	18/12/2018
6843/6	Maroota HVAS	PM 2.5	24/11/2018						PM 2.5	17		18/12/2018	18/12/2018
6843/7	Maroota HVAS	TSP	30/11/2018						TSP	26		18/12/2018	18/12/2018
6843/8	Maroota HVAS	PM 10	30/11/2018						PM 10	13		18/12/2018	18/12/2018
6843/9	Maroota HVAS	PM 2.5	30/11/2018						PM 2.5	8		18/12/2018	18/12/2018
6843/10	Maroota HVAS	TSP	6/12/2018						TSP	22		18/12/2018	18/12/2018
6843/11	Maroota HVAS	PM 10	6/12/2018						PM 10	12		18/12/2018	18/12/2018
6843/12	Maroota HVAS	PM 2.5	6/12/2018						PM 2.5	6		18/12/2018	18/12/2018
6843/13	Maroota HVAS	TSP	12/12/2018						TSP	25		18/12/2018	18/12/2018
6843/14	Maroota HVAS	PM 10	12/12/2018						PM 10	13		18/12/2018	18/12/2018
6843/15	Maroota HVAS	PM 2.5	12/12/2018						PM 2.5	4		18/12/2018	18/12/2018
6813/1	Hodgson Maroota Dusts	D2 North East Corner	13/12/2018	28	3	2.4	0.6	62	Insoluble Matter	3	Minor algae and vegetation	9/01/2019	17/01/2019
6813/2	Hodgson Maroota Dusts	D3A Bundwall	13/12/2018	28	2.8	2.1	0.7	56	Insoluble Matter	2.8	Minor Insects	9/01/2019	17/01/2019
6813/3	Hodgson Maroota Dusts	D1 Gate	13/12/2018	28	2.8	2.5	0.3	64	Insoluble Matter	2.8	Sand	9/01/2019	17/01/2019
6946/1	Maroota HVAS	TSP	18/12/2018						TSP	41		16/01/2019	17/01/2019
6946/2	Maroota HVAS	PM 10	18/12/2018						PM 10	20		16/01/2019	17/01/2019
6946/3	Maroota HVAS	PM 2.5	18/12/2018						PM 2.5	8		16/01/2019	17/01/2019
6946/4	Maroota HVAS	TSP	24/12/2018						TSP	56		16/01/2019	17/01/2019

Monitoring undertaken in accordance with Development Application number 267-11-99

Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days

**Table of Recent Results**

Reference	Description	Site Description	Sample Date	Number of Days	Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
					g/m2/month			mm in gauge					
6946/5	Maroota HVAS	PM 10	24/12/2018						PM 10	35		16/01/2019	17/01/2019
6946/6	Maroota HVAS	PM 2.5	24/12/2018						PM 2.5	24		16/01/2019	17/01/2019