

Monitoring undertaken in accordance with Development Application number 267-11-99					Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days								
<b>Table of Recent Results</b>					Insoluble Solids	Ash	Combustible Matter	Calculated Rain	TSP / PM 10 / PM 2.5	Particulates (µg/m3) / Insoluble Matter (g/m2/month)	Comments	Date Issued	Date Published
Reference	Description	Site Description	Sample Date	Number of Days	g/m2/month			mm in gauge					
10205/1	Hodgson Maroota - Dusts	D1 Gate	11/01/2021	35	1.4	1.1	0.3	115	Insoluble Matter	1.4		12/02/2021	12/02/2021
10205/2	Hodgson Maroota - Dusts	D3A Bundwall	11/01/2021	35	0.8	0.5	0.3	114	Insoluble Matter	0.8		12/02/2021	12/02/2021
10205/3	Hodgson Maroota - Dusts	D2 North East Corner	11/01/2021	35	0.7	0.3	0.4	115	Insoluble Matter	0.7		12/02/2021	12/02/2021
10252/10	Hodgson Maroota HVAS	TSP	06/01/2021						TSP	13		12/02/2021	12/02/2021
10252/11	Hodgson Maroota HVAS	PM 10	06/01/2021						PM 10	12		12/02/2021	12/02/2021
10252/12	Hodgson Maroota HVAS	PM 2.5	06/01/2021						PM 2.5	<2		12/02/2021	12/02/2021
10332/1	Hodgson Maroota - Dusts	D1 Gate	3/02/2021	23	0.7	0.4	0.3	52	Insoluble Matter	0.7		12/02/2021	12/02/2021
10332/2	Hodgson Maroota - Dusts	D3A Bundwall	3/02/2021	23	1.3	0.7	0.6	51	Insoluble Matter	1.3		12/02/2021	12/02/2021
10332/3	Hodgson Maroota - Dusts	D2 North East Corner	3/02/2021	23	1.5	0.7	0.8	44	Insoluble Matter	1.5		12/02/2021	12/02/2021
10437/1	Hodgson Maroota HVAS	TSP	12/01/2021						TSP	32		12/02/2021	15/02/2021
10437/2	Hodgson Maroota HVAS	PM 10	12/01/2021						PM 10	17		12/02/2021	15/02/2021
10437/3	Hodgson Maroota HVAS	PM 2.5	12/01/2021						PM 2.5	18		12/02/2021	15/02/2021
10437/4	Hodgson Maroota HVAS	TSP	18/01/2021						TSP	42		12/02/2021	15/02/2021
10437/5	Hodgson Maroota HVAS	PM 10	18/01/2021						PM 10	24		12/02/2021	15/02/2021
10437/6	Hodgson Maroota HVAS	PM 2.5	18/01/2021						PM 2.5	15		12/02/2021	15/02/2021
10437/7	Hodgson Maroota HVAS	TSP	24/01/2021						TSP	31		12/02/2021	15/02/2021
10437/8	Hodgson Maroota HVAS	PM 10	24/01/2021						PM 10	19		12/02/2021	15/02/2021
10437/9	Hodgson Maroota HVAS	PM 2.5	24/01/2021						PM 2.5	10		12/02/2021	15/02/2021
10437/10	Hodgson Maroota HVAS	TSP	30/01/2021						TSP	5		12/02/2021	15/02/2021
10437/11	Hodgson Maroota HVAS	PM 10	30/01/2021						PM 10	<2		12/02/2021	15/02/2021
10437/12	Hodgson Maroota HVAS	PM 2.5	30/01/2021						PM 2.5	<2		12/02/2021	15/02/2021
10529/1	Hodgson Maroota - Dusts	D1 Gate	03/03/2021	28	0.4	0.2	0.2	61	Insoluble Matter	0.4		16/03/2021	16/03/2021
10529/2	Hodgson Maroota - Dusts	D3A Bundwall	03/03/2021	28	0.2	0.1	0.1	62	Insoluble Matter	0.2		16/03/2021	16/03/2021
10529/3	Hodgson Maroota - Dusts	D2 North East Corner	03/03/2021	28	0.5	0.4	0.1	58	Insoluble Matter	0.5		16/03/2021	16/03/2021
10589/1	Hodgson Maroota HVAS	TSP	05/02/2021						TSP	25		12/03/2021	12/03/2021
10589/2	Hodgson Maroota HVAS	PM 10	05/02/2021						PM 10	17		12/03/2021	12/03/2021
10589/3	Hodgson Maroota HVAS	PM 2.5	05/02/2021						PM 2.5	6		12/03/2021	12/03/2021
10589/4	Hodgson Maroota HVAS	TSP	11/02/2021						TSP	<2		12/03/2021	12/03/2021
10589/5	Hodgson Maroota HVAS	PM 10	11/02/2021						PM 10	9		12/03/2021	12/03/2021
10589/6	Hodgson Maroota HVAS	PM 2.5	11/02/2021						PM 2.5	<2		12/03/2021	12/03/2021
10589/7	Hodgson Maroota HVAS	TSP	17/02/2021						TSP	<2		12/03/2021	12/03/2021
10589/8	Hodgson Maroota HVAS	PM 10	17/02/2021						PM 10	6		12/03/2021	12/03/2021
10589/9	Hodgson Maroota HVAS	PM 2.5	17/02/2021						PM 2.5	<2		12/03/2021	12/03/2021
10589/10	Hodgson Maroota HVAS	TSP	23/02/2021						TSP	<2		12/03/2021	12/03/2021
10589/11	Hodgson Maroota HVAS	PM 10	23/02/2021						PM 10	10		12/03/2021	12/03/2021
10589/12	Hodgson Maroota HVAS	PM 2.5	23/02/2021						PM 2.5	<2		12/03/2021	12/03/2021
10589/13	Hodgson Maroota HVAS	TSP	01/03/2021						TSP	<2		12/03/2021	12/03/2021
10589/14	Hodgson Maroota HVAS	PM 10	01/03/2021						PM 10	15		12/03/2021	12/03/2021
10589/15	Hodgson Maroota HVAS	PM 2.5	01/03/2021						PM 2.5	11		12/03/2021	12/03/2021
10589/16	Hodgson Maroota HVAS	TSP	07/03/2021						TSP	2		12/03/2021	12/03/2021
10589/17	Hodgson Maroota HVAS	PM 10	07/03/2021						PM 10	16		12/03/2021	12/03/2021
10589/18	Hodgson Maroota HVAS	PM 2.5	07/03/2021						PM 2.5	8		12/03/2021	12/03/2021
10755/1	Hodgson Maroota - Dusts	D1 Gate	08/04/2021	36	0.4	0.4	<0.1	115	Insoluble Matter	0.4		12/04/2021	19/04/2021
10755/2	Hodgson Maroota - Dusts	D3A Bundwall	08/04/2021	36	0.3	0.1	0.2	115	Insoluble Matter	0.3		12/04/2021	19/04/2021
10755/3	Hodgson Maroota - Dusts	D2 North East Corner	08/04/2021	36	0.8	0.5	0.3	114	Insoluble Matter	0.8		12/04/2021	19/04/2021
10793/1	Hodgson Maroota HVAS	TSP	13/03/2021						TSP	<2		15/04/2021	19/04/2021
10793/2	Hodgson Maroota HVAS	PM 10	13/03/2021						PM 10	6		15/04/2021	19/04/2021

Monitoring undertaken in accordance with Development Application number 267-11-99					Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days								
Table of Recent Results					Insoluble Solids	Ash	Combustible Matter	Calculated Rain		Particulates (µg/m3) / Insoluble Matter (g/m2/month)			
Reference	Description	Site Description	Sample Date	Number of Days	g/m2/month			mm in gauge	TSP / PM 10 / PM 2.5		Comments	Date Issued	Date Published
10793/3	Hodgson Maroota HVAS	PM 2.5	13/03/2021						PM 2.5	3		15/04/2021	19/04/2021
10793/4	Hodgson Maroota HVAS	TSP	16/03/2021						TSP	<2	TSP was turned off and didn't operate. It was shorting out the power. Electrician called.	15/04/2021	19/04/2021
10793/5	Hodgson Maroota HVAS	PM 10	16/03/2021						PM 10	6	Paper ran twice. No access due to flooding	15/04/2021	19/04/2021
10793/6	Hodgson Maroota HVAS	PM 2.5	16/03/2021						PM 2.5	<2	Paper ran twice. No access due to flooding	15/04/2021	19/04/2021
10793/7	Hodgson Maroota HVAS	PM 10	26/03/2021						PM 10	3		15/04/2021	19/04/2021
10793/8	Hodgson Maroota HVAS	PM 2.5	26/03/2021						PM 2.5	<2		15/04/2021	19/04/2021
10862/1	Hodgson Maroota - Dusts	D1 Gate	04/05/2021	26	1	0.6	0.4	8	Insoluble Matter	1		10/05/2021	10/05/2021
10862/2	Hodgson Maroota - Dusts	D3A Bundwall	04/05/2021	26	0.6	0.3	0.3	7	Insoluble Matter	0.6		10/05/2021	10/05/2021
10862/3	Hodgson Maroota - Dusts	D2 North East Corner	04/05/2021	26	1	0.6	0.4	6	Insoluble Matter	1		10/05/2021	10/05/2021
10947/1	Hodgson Maroota HVAS	PM 10	06/04/2021						PM 10	2		12/05/2021	21/05/2021
10947/2	Hodgson Maroota HVAS	PM 2.5	06/04/2021						PM 2.5	1		12/05/2021	21/05/2021
10947/3	Hodgson Maroota HVAS	PM 10	12/04/2021						PM 10	4		12/05/2021	21/05/2021
10947/4	Hodgson Maroota HVAS	PM 2.5	12/04/2021						PM 2.5	3		12/05/2021	21/05/2021
10947/5	Hodgson Maroota HVAS	PM 10	18/04/2021						PM 10	<2		12/05/2021	21/05/2021
10947/6	Hodgson Maroota HVAS	PM 2.5	18/02/2021						PM 2.5	<2		12/05/2021	21/05/2021
10947/7	Hodgson Maroota HVAS	PM 10	24/04/2021						PM 10	10		12/05/2021	21/05/2021
10947/8	Hodgson Maroota HVAS	PM 2.5	24/04/2021						PM 2.5	4		12/05/2021	21/05/2021
10947/9	Hodgson Maroota HVAS	PM 10	30/04/2021						PM 10	18	Back burning	12/05/2021	21/05/2021
10947/10	Hodgson Maroota HVAS	PM 2.5	30/04/2021						PM 2.5	12	Back burning	12/05/2021	21/05/2021
10956/1	Hodgson Maroota - Dusts	D1 Gate	02/06/2021	29	0.3	0.2	0.1	67	Insoluble Matter	0.3		8/06/2021	9/06/2021
10956/2	Hodgson Maroota - Dusts	D3A Bundwall	02/06/2021	29	0.2	0.2	<0.1	65	Insoluble Matter	0.2		8/06/2021	9/06/2021
10956/3	Hodgson Maroota - Dusts	D2 North East Corner	02/06/2021	29	0.6	0.4	0.2	57	Insoluble Matter	0.6		8/06/2021	9/06/2021
11069/1	Hodgson Maroota HVAS	PM10	06/05/2021						PM10	<2		9/06/2021	9/06/2021
11069/2	Hodgson Maroota HVAS	PM 2.5	06/05/2021						PM 2.5	<2		9/06/2021	9/06/2021
11069/3	Hodgson Maroota HVAS	PM 10	12/05/2021						PM 10	9	Paper ran through two cycles.	9/06/2021	9/06/2021
11069/4	Hodgson Maroota HVAS	PM 2.5	12/05/2021						PM 2.5	3	Paper ran through two cycles.	9/06/2021	9/06/2021
11069/5	Hodgson Maroota HVAS	PM 10	24/05/2021						PM 10	<2		9/06/2021	9/06/2021
11069/6	Hodgson Maroota HVAS	PM 2.5	24/05/2021						PM 2.5	<2		9/06/2021	9/06/2021
11137/1	Hodgson Maroota - Dusts	D1 Gate	2/07/2021	30	0.7	0.5	0.2	53	Insoluble Matter	0.7		22/07/2021	3/08/2021
11137/2	Hodgson Maroota - Dusts	D3A Bundwall	2/07/2021	30	0.3	0.2	0.1	51	Insoluble Matter	0.3		22/07/2021	3/08/2021
11137/3	Hodgson Maroota - Dusts	D2 North East Corner	2/07/2021	30	0.3	0.2	0.1	48	Insoluble Matter	0.3		22/07/2021	3/08/2021
11256/1	Hodgson Maroota HVAS	PM 10	30/05/2021							<2		22/07/2021	3/08/2021
11256/2	Hodgson Maroota HVAS	PM 2.5	30/05/2021							<2		22/07/2021	3/08/2021
11256/3	Hodgson Maroota HVAS	TSP	05/06/2021							3	Most likely due to faulty TSP HVAS	22/07/2021	3/08/2021
11256/4	Hodgson Maroota HVAS	PM 10	05/06/2021							<2		22/07/2021	3/08/2021
11256/5	Hodgson Maroota HVAS	PM 2.5	05/06/2021							<2		22/07/2021	3/08/2021
11256/6	Hodgson Maroota HVAS	TSP	11/06/2021							<2	Most likely due to faulty TSP HVAS	22/07/2021	3/08/2021
11256/7	Hodgson Maroota HVAS	PM 10	11/06/2021							<2		22/07/2021	3/08/2021
11256/8	Hodgson Maroota HVAS	PM 2.5	11/06/2021							<2		22/07/2021	3/08/2021

Monitoring undertaken in accordance with Development Application number 267-11-99					Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days								
Table of Recent Results					Insoluble Solids	Ash	Combustible Matter	Calculated Rain		Particulates (µg/m3) / Insoluble Matter (g/m2/month)			
Reference	Description	Site Description	Sample Date	Number of Days	g/m2/month			mm in gauge	TSP / PM 10 / PM 2.5		Comments	Date Issued	Date Published
11256/9	Hodgson Maroota HVAS	TSP	17/06/2021							2	Most likely due to faulty TSP HVAS	22/07/2021	3/08/2021
11256/10	Hodgson Maroota HVAS	PM 10	17/06/2021							<2		22/07/2021	3/08/2021
11256/11	Hodgson Maroota HVAS	PM 2.5	17/06/2021							<2		22/07/2021	3/08/2021
11256/12	Hodgson Maroota HVAS	TSP	23/06/2021							9	Neighbours burning off. TSP most likely faulty since mid-March electrical issue	22/07/2021	3/08/2021
11256/13	Hodgson Maroota HVAS	PM 10	23/06/2021							<2	Neighbours burning off.	22/07/2021	3/08/2021
11256/14	Hodgson Maroota HVAS	PM 2.5	23/06/2021							<2	Neighbours burning off.	22/07/2021	3/08/2021
11256/15	Hodgson Maroota HVAS	TSP	29/06/2021							8	Most likely due to faulty TSP HVAS	22/07/2021	3/08/2021
11256/16	Hodgson Maroota HVAS	PM 10	29/06/2021							2		22/07/2021	3/08/2021
11256/17	Hodgson Maroota HVAS	PM 2.5	29/06/2021							<2		22/07/2021	3/08/2021
11256/18	Hodgson Maroota HVAS	TSP	05/07/2021							20	Most likely due to faulty TSP HVAS	22/07/2021	3/08/2021
11256/19	Hodgson Maroota HVAS	PM 10	05/07/2021							13	Paper ran twice. 2nd Run date: 11/07/2021	22/07/2021	3/08/2021
11256/20	Hodgson Maroota HVAS	PM 2.5	05/07/2021							7		22/07/2021	3/08/2021
11256/21	Hodgson Maroota HVAS	TSP	11/07/2021							3	Most likely due to faulty TSP HVAS	22/07/2021	3/08/2021
11239/1	Hodgson Maroota - Dusts	D1 Gate	30/07/2021	28	0.7	0.7	<0.1	19	Insoluble Matter	0.7		13/08/2021	13/08/2021
11239/2	Hodgson Maroota - Dusts	D3A Bundwall	30/07/2021	28	0.4	0.2	0.2	15	Insoluble Matter	0.4		13/08/2021	13/08/2021
11239/3	Hodgson Maroota - Dusts	D2 North East Corner	30/07/2021	28	0.3	0.2	0.1	17	Insoluble Matter	0.3		13/08/2021	13/08/2021
11336/1	Hodgson Maroota HVAS	TSP	17/07/2021							18	Most likely due to faulty TSP HVAS	23/08/2021	25/08/2021
11336/2	Hodgson Maroota HVAS	PM 10	17/07/2021							29		23/08/2021	25/08/2021
11336/3	Hodgson Maroota HVAS	PM 2.5	17/07/2021							29	Most likely due to faulty TSP HVAS	23/08/2021	25/08/2021
11336/4	Hodgson Maroota HVAS	TSP	23/07/2021							13		23/08/2021	25/08/2021
11336/5	Hodgson Maroota HVAS	PM 10	23/07/2021							9		23/08/2021	25/08/2021
11336/6	Hodgson Maroota HVAS	PM 2.5	23/07/2021							4		23/08/2021	25/08/2021
11336/7	Hodgson Maroota HVAS	TSP	29/07/2021							17	Most likely due to faulty TSP HVAS	23/08/2021	25/08/2021
11336/8	Hodgson Maroota HVAS	PM 10	29/07/2021							8		23/08/2021	25/08/2021
11336/9	Hodgson Maroota HVAS	PM 2.5	29/07/2021							7		23/08/2021	25/08/2021
11336/10	Hodgson Maroota HVAS	TSP	04/08/2021							<2	TSP HVAS faulty. TSP recalibrated 10/08/21	23/08/2021	25/08/2021
11336/11	Hodgson Maroota HVAS	PM 10	04/08/2021							<2		23/08/2021	25/08/2021
11336/12	Hodgson Maroota HVAS	PM 2.5	04/08/2021							<2		23/08/2021	25/08/2021
11356/1	Hodgson Maroota - Dusts	D1 Gate	01/09/2021	33	1.1	0.9	0.2	63	Insoluble Matter	1.1		16/09/2021	21/09/2021
11356/2	Hodgson Maroota - Dusts	D3A Bundwall	01/09/2021	33	0.6	0.4	0.2	66	Insoluble Matter	0.6		16/09/2021	21/09/2021
11356/3	Hodgson Maroota - Dusts	D2 North East Corner	01/09/2021	33	0.9	0.5	0.4	54	Insoluble Matter	0.9		16/09/2021	21/09/2021
11536/1	Hodgson Maroota HVAS	TSP	10/08/2021							17		29/09/2021	29/09/2021
11536/2	Hodgson Maroota HVAS	PM 10	10/08/2021							10		29/09/2021	29/09/2021
11536/3	Hodgson Maroota HVAS	PM 2.5	10/08/2021							10		29/09/2021	29/09/2021
11536/4	Hodgson Maroota HVAS	TSP	16/08/2021							26		29/09/2021	29/09/2021
11536/5	Hodgson Maroota HVAS	PM 10	16/08/2021							17		29/09/2021	29/09/2021
11536/6	Hodgson Maroota HVAS	PM 2.5	16/08/2021							10		29/09/2021	29/09/2021

Monitoring undertaken in accordance with Development Application number 267-11-99					Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days								
Table of Recent Results					Insoluble Solids	Ash	Combustible Matter	Calculated Rain		Particulates (µg/m3) / Insoluble Matter (g/m2/month)			
Reference	Description	Site Description	Sample Date	Number of Days	g/m2/month			mm in gauge	TSP / PM 10 / PM 2.5		Comments	Date Issued	Date Published
11536/7	Hodgson Maroota HVAS	TSP	22/08/2021							18		29/09/2021	29/09/2021
11536/8	Hodgson Maroota HVAS	PM 10	22/08/2021							9		29/09/2021	29/09/2021
11536/9	Hodgson Maroota HVAS	PM 2.5	22/08/2021							8		29/09/2021	29/09/2021
11536/10	Hodgson Maroota HVAS	TSP	28/08/2021							13		29/09/2021	29/09/2021
11536/11	Hodgson Maroota HVAS	PM 10	28/08/2021							6		29/09/2021	29/09/2021
11536/12	Hodgson Maroota HVAS	PM 2.5	28/08/2021							5		29/09/2021	29/09/2021
11536/13	Hodgson Maroota HVAS	TSP	03/09/2021							31		29/09/2021	29/09/2021
11536/14	Hodgson Maroota HVAS	PM 10	03/09/2021							16		29/09/2021	29/09/2021
11536/15	Hodgson Maroota HVAS	PM 2.5	03/09/2021							7		29/09/2021	29/09/2021
11536/16	Hodgson Maroota HVAS	TSP	09/09/2021							22		29/09/2021	29/09/2021
11536/17	Hodgson Maroota HVAS	PM 10	09/09/2021							10		29/09/2021	29/09/2021
11536/18	Hodgson Maroota HVAS	PM 2.5	09/09/2021							9		29/09/2021	29/09/2021
11536/19	Hodgson Maroota HVAS	TSP	15/09/2021							13		29/09/2021	29/09/2021
11536/20	Hodgson Maroota HVAS	PM 10	15/09/2021							<2		29/09/2021	29/09/2021
11536/21	Hodgson Maroota HVAS	PM 2.5	15/09/2021							<2		29/09/2021	29/09/2021
11626/1	Hodgson Maroota - Dusts	D1 Gate	1/10/2021	30	2.2	1.9	0.3	25	Insoluble Matter	2.2		19/10/2021	19/10/2021
11626/2	Hodgson Maroota - Dusts	D3A Bundwall	1/10/2021	30	0.7	0.5	0.2	22	Insoluble Matter	0.7		19/10/2021	19/10/2021
11626/3	Hodgson Maroota - Dusts	D2 North East Corner	1/10/2021	[NT]	[NT]	[NT]	[NT]	[NT]	Insoluble Matter	[NT]	Bottle arrived broken	19/10/2021	19/10/2021
11637/1	Hodgson Maroota HVAS	TSP	21/09/2021							14		19/10/2021	19/10/2021
11637/2	Hodgson Maroota HVAS	PM 10	21/09/2021							8		19/10/2021	19/10/2021
11637/3	Hodgson Maroota HVAS	PM 2.5	21/09/2021							7		19/10/2021	19/10/2021
11637/4	Hodgson Maroota HVAS	TSP	27/09/2021							23		19/10/2021	19/10/2021
11637/5	Hodgson Maroota HVAS	PM 10	27/09/2021							9		19/10/2021	19/10/2021
11637/6	Hodgson Maroota HVAS	PM 2.5	27/09/2021							5		19/10/2021	19/10/2021
11637/7	Hodgson Maroota HVAS	TSP	03/10/2021							13		19/10/2021	19/10/2021
11637/8	Hodgson Maroota HVAS	PM 10	03/10/2021							3		19/10/2021	19/10/2021
11637/9	Hodgson Maroota HVAS	PM 2.5	03/10/2021							3		19/10/2021	19/10/2021
11637/10	Hodgson Maroota HVAS	TSP	09/10/2021							73	Back burning in and around Glenorie	19/10/2021	19/10/2021
11637/11	Hodgson Maroota HVAS	PM 10	09/10/2021							48	Back burning in and around Glenorie	19/10/2021	19/10/2021
11637/12	Hodgson Maroota HVAS	PM 2.5	09/10/2021							37	Back burning in and around Glenorie	19/10/2021	19/10/2021
11813/1	Hodgson Maroota HVAS	TSP	15/10/2021							16		23/11/2021	29/11/2021
11813/2	Hodgson Maroota HVAS	PM 10	15/10/2021							7		23/11/2021	29/11/2021
11813/3	Hodgson Maroota HVAS	PM 2.5	15/10/2021							6		23/11/2021	29/11/2021
11813/4	Hodgson Maroota HVAS	TSP	21/10/2021							4		23/11/2021	29/11/2021
11813/5	Hodgson Maroota HVAS	PM 10	21/10/2021							<2		23/11/2021	29/11/2021
11813/6	Hodgson Maroota HVAS	PM 2.5	21/10/2021							<2		23/11/2021	29/11/2021
11813/7	Hodgson Maroota HVAS	TSP	27/10/2021							21		23/11/2021	29/11/2021
11813/8	Hodgson Maroota HVAS	PM 10	27/10/2021							9		23/11/2021	29/11/2021
11813/9	Hodgson Maroota HVAS	PM 2.5	27/10/2021							4		23/11/2021	29/11/2021
11813/10	Hodgson Maroota HVAS	TSP	02/11/2021							35		23/11/2021	29/11/2021
11813/11	Hodgson Maroota HVAS	PM 10	02/11/2021							12		23/11/2021	29/11/2021
11813/12	Hodgson Maroota HVAS	PM 2.5	02/11/2021							5		23/11/2021	29/11/2021
11813/13	Hodgson Maroota HVAS	TSP	08/11/2021							3		23/11/2021	29/11/2021
11813/14	Hodgson Maroota HVAS	PM 10	08/11/2021							<2		23/11/2021	29/11/2021
11813/15	Hodgson Maroota HVAS	PM 2.5	08/11/2021							<2		23/11/2021	29/11/2021

Monitoring undertaken in accordance with Development Application number 267-11-99					Monitoring Frequency required by DA: Insoluble Solids: every 30 days ± 2 days. Particulates: Every 6 days								
Table of Recent Results					Insoluble Solids	Ash	Combustible Matter	Calculated Rain		Particulates (µg/m3) / Insoluble Matter (g/m2/month)			
Reference	Description	Site Description	Sample Date	Number of Days	g/m2/month			mm in gauge	TSP / PM 10 / PM 2.5		Comments	Date Issued	Date Published
11813/16	Hodgson Maroota HVAS	TSP	14/11/2021							15		23/11/2021	29/11/2021
11813/17	Hodgson Maroota HVAS	PM 10	14/11/2021							6		23/11/2021	29/11/2021
11813/18	Hodgson Maroota HVAS	PM 2.5	14/11/2021							<2		23/11/2021	29/11/2021
11817/1	Hodgson Maroota - Dusts	D1 Gate	1/11/2021	31	1.4	1.2	0.2	50	Insoluble Matter	1.4		23/11/2021	29/11/2021
11817/2	Hodgson Maroota - Dusts	D3A Bundwall	1/11/2021	31	0.8	0.4	0.4	38	Insoluble Matter	0.8		23/11/2021	29/11/2021
11817/3	Hodgson Maroota - Dusts	D2 North East Corner	1/11/2021	31	1.4	0.9	0.5	41	Insoluble Matter	1.4		23/11/2021	29/11/2021
12030/1	Hodgson Maroota - Dusts	D1 Gate	01/12/2021	30	24.7	23.1	1.6	116	Insoluble Matter	24.7	Particulate and deposited matter	21/12/2021	21/12/2021
12030/2	Hodgson Maroota - Dusts	D3A Bundwall	01/12/2021	30	1	0.6	0.4	114	Insoluble Matter	1	Particulate and deposited matter	21/12/2021	21/12/2021
12030/3	Hodgson Maroota - Dusts	D2 North East Corner	01/12/2021	30	1.4	0.8	0.6	115	Insoluble Matter	1.4	Particulate and deposited matter	21/12/2021	21/12/2021
12113/1	Hodgson Maroota HVAS	TSP	20/11/2021							17		12/01/2022	14/01/2022
12113/2	Hodgson Maroota HVAS	PM 10	20/11/2021							8		12/01/2022	14/01/2022
12113/3	Hodgson Maroota HVAS	PM 2.5	20/11/2021							<2		12/01/2022	14/01/2022
12113/4	Hodgson Maroota HVAS	TSP	26/11/2021							5		12/01/2022	14/01/2022
12113/5	Hodgson Maroota HVAS	PM 10	26/11/2021							2		12/01/2022	14/01/2022
12113/6	Hodgson Maroota HVAS	PM 2.5	26/11/2021							<2		12/01/2022	14/01/2022
12113/7	Hodgson Maroota HVAS	TSP	02/12/2021							21		12/01/2022	14/01/2022
12113/8	Hodgson Maroota HVAS	PM 10	02/12/2021							11		12/01/2022	14/01/2022
12113/9	Hodgson Maroota HVAS	PM 2.5	02/12/2021							7		12/01/2022	14/01/2022
12113/10	Hodgson Maroota HVAS	TSP	08/12/2021							14		12/01/2022	14/01/2022
12113/11	Hodgson Maroota HVAS	PM 10	08/12/2021							8		12/01/2022	14/01/2022
12113/12	Hodgson Maroota HVAS	PM 2.5	08/12/2021							<2		12/01/2022	14/01/2022
12113/13	Hodgson Maroota HVAS	TSP	14/12/2021							30		12/01/2022	14/01/2022
12113/14	Hodgson Maroota HVAS	PM 10	14/12/2021							14		12/01/2022	14/01/2022
12113/15	Hodgson Maroota HVAS	PM 2.5	14/12/2021							7		12/01/2022	14/01/2022
12113/16	Hodgson Maroota HVAS	TSP	20/12/2021							33	A little smokey from backburning.	12/01/2022	14/01/2022
12113/17	Hodgson Maroota HVAS	PM 10	20/12/2021							14	A little smokey from backburning.	12/01/2022	14/01/2022
12113/18	Hodgson Maroota HVAS	PM 2.5	20/12/2021							8	A little smokey from backburning.	12/01/2022	14/01/2022
12113/19	Hodgson Maroota HVAS	TSP	26/12/2021							19	Paper ran twice.	12/01/2022	14/01/2022
12113/20	Hodgson Maroota HVAS	PM 10	26/12/2021							11	Paper ran twice.	12/01/2022	14/01/2022
12113/21	Hodgson Maroota HVAS	PM 2.5	26/12/2021							6	Paper ran twice.	12/01/2022	14/01/2022