

Reserve Analysis Report

Sunridge at Avon II

1050 W Beaver Creek Blvd
Avon, CO 81620

Level III Study without Site Inspection

Fiscal Year End Date: September 30, 2026



Phone: 858-764-1895

brian@mccafferyreserveconsulting.com
www.mccafferyreserveconsulting.com

Sections of This Report

Section

1 Preface

Written description of a reserve study and the figures in the report

Includes glossary, preparer qualifications, and calculation description

2-7 Executive Summary

Summarizes key findings of the report. Includes development description and lists the projected balance and percent funded. Summarizes the funding plans

Includes funding plans bar graph

2-8 Percent Funded

Describes percent funded calculation and funding levels

Includes current percent funded chart and 30 year percent funded projection chart

2-9 30 Year Projections

Includes 30 year projection charts for annual expenses and reserve balance projections for each of the 3 funding plans

2-10 Category Significance

Includes category percentage column charts for fully funded balance and annual depreciation

2-11 Theoretical 30 Year Funding Plan

Lists details of each of the 3 funding plans (current, recommended, and threshold) over the next 30 years

Charts of the figures in this table are located in the 30 year projections

2-12 Future Percent Funded

Includes table and chart of percent funded for various levels of funding over the next 15 years

3 Component Summary & Component Significance

Lists all components included in the study in table form

Shows Depreciation and Fully Funded Balance Significance including quick glance graph

These figures are the basis for all other calculations in the study

4 Annual Expenses by Component

Lists all projected expenses for each component over the next 30 years in table form

5 Component Details

Lists details of each individual component

Includes notes and pictures of selected components if site inspection was conducted

Preface

A reserve study is a detailed report that assists common interest developments (CID) in planning for long-term common area repair and replacement expenses. These common areas differ for every development. They can include streets, roofs, recreational facilities and many other items.

A reserve study estimates the costs of common area repairs and replacements over a 30 year period. Each component is given a useful life, remaining life, and estimated cost. A reserve study then calculates the funds necessary to cover these expenses by creating funding plans.

The Big Picture - What are the significant figures to look at in the report?

- **The Component List** – What are our reserve components and when will they need maintenance

Every reserve study must start with a list of the components. The component summary contains the list of all the components, their useful and remaining lives, and their estimated costs. These numbers are the building blocks for most of the figures in the study.

- **Percent Funded** - What is our current financial standing

Probably the most important number in a reserve study is percent funded. It's almost like a credit score for an association. It tells them the current strength of their reserve fund.

Over 70% = Well Funded Between 30-70% = Fairly Funded Below 30% = Poorly Funded

The lower your percent funded the higher the risk of a special assessment. A low percent funded also increases the likelihood of deferred maintenance which can cause declining property values.

- **Funding Plans** - How much do we need to save for the future

The next important part of the study is the theoretical 30 year funding plans. The study contains 3 funding plans. It projects what the percent funded will be over the next 30 years if the CID follows each of these plans.

Current Funding Plan – This plan is based on what the association is currently contributing to its reserve fund. This information is supplied by the board or management

Recommended Funding Plan – This is McCaffery's recommendation, if a CID follows the recommended plan they should end up well funded and near the 100% funded level.

5% Threshold Funding Plan - The threshold funding plan is a 30 year cash flow plan that calculates the minimum amount a CID should contribute so their reserve balance won't fall below 5% funded and cause the need for a special assessment. The percent funded will at some point fall into poorly funded levels but will never drop below 5%. If a CID has a funding plan that is below this threshold plan they should also plan on a future special assessment and/or a deferred maintenance. (Following this plan does carry higher risk of a special assessment if a component fails early or costs more than expected)

Why Should a Reserve Study be performed?

Certain states, such as California, require that reserve studies be completed and updated annually and that the board of directors inform owners of the reserve status with their annual budget. In addition, the board of directors of a common interest development (CID) has a legal and fiduciary duty to maintain the community in a good state of repair. Property Values are directly affected by the level of maintenance and upkeep of the common area components. Reserve studies create a maintenance plan, which keeps a development in good condition, therefore increasing property appreciation and value. The amount of funds in the reserve account also greatly affects property values. Reserve studies inform CID's how much they should have in their reserve account, which eliminates costly special assessments. Over time each member of a CID should contribute their fair share to the reserve account so when expenses arise the required funds are available. Reserve Studies help board members fulfill their fiduciary duty and also help avoid litigation against an association.

Where do Component Repair/Replacement Cost Estimates Come From?

The most accurate cost source is actual bids from contractors or to look at contracts from when the repair/replacement was last performed. In most cases bids or contracts are not available so unit costs for similar work done in the same local area are used. In addition, it is helpful to talk to local vendors who have knowledge of the work and can help with a cost estimate. A third source is to use construction cost estimators such as RS Means. Many times the entire quantity of a component will not need to be replaced or repaired all at once. An example of this is concrete sidewalks. All sidewalks should never have to be replaced, but some sections may experience cracking. In this case an allowance can be created for their partial replacement.

The cost source number for each component is provided in the component summary and details. An explanation of each follows:

1. **Local Historical Cost** – Cost based on bids for similar work done in same area.
2. **McCaffery Estimate** – Estimate or Allowance made by McCaffery Staff Member.
3. **Board/Manager Direction** – Cost estimate provided by board member or property manager.
4. **Bid/Contract** – Bid came from actual bid or contract.
5. **Cost Manual** – Cost came from estimating manual.
6. **Previous Study** – Cost came from previous reserve study.

Glossary of Terms:

Common Utilities – Water, Gas, Sewer, and Electrical components that the association is responsible for maintaining. These components are typically long-life components that have a useful life beyond 30 years. Since it's not possible to see these components during inspection due to access, their cost and remaining life is difficult to estimate. Older associations or associations that know of issues with utilities may consider contacting outside expertise and/or MRC if they want full replacement included in their study. We typically include an allowance for repairs to common utilities

Contingency – An allowance for miscellaneous components, unpredictable expenses and/or costs that were higher than expected. (5% of total current cost unless directed otherwise)

Current Budgeted Reserve Assessment – Amount currently being deposited into reserve account. Provided by Property Manager or Board Member.

Depreciation This Year – Amount that should be saved for component during current year. Provided for each component and summed for all components. If the association is 100% funded this is the amount they should contribute to the reserve fund annually. $= (\text{Total Current Cost} / \text{Normal Useful Life})$

Depreciation Percent – A components percentage of the total depreciation of all components. $= (\text{Component Depreciation} / \text{Total Depreciation of all components})$

Fully Funded Balance – The total depreciation over the life of the component. In other words, the amount that should have been saved during the life of the component. Provided for each component and summed for all components $= ((\text{Useful Life} - \text{Remaining Life}) * \text{Depreciation This Year})$

Full Funded Balance Percent – A component's percentage of the total fully funded balance of all components. $= (\text{Component FFB} / \text{Total FFB of all Components})$

Monthly Contribution – The amount that should be allocated to each component using the recommended funding plan. $= ((\text{Component Depreciation} / \text{Total Depreciation}) * \text{Recommended Monthly Funding})$

Life Remaining Percent – The percentage of life that a component has remaining $= (\text{Remaining Live} / \text{Useful Life})$

Normal Useful Life – Typical useable life for a component.

Percent Funded – The percentage of the fully funded balance that the CID has in reserve fund. $(\text{Projected Balance} / \text{Fully Funded Balance})$

Projected Balance – Projected balance at fiscal year end with current funding plan. Calculated using current reserve balance, remaining contributions to reserves before year-end, and planned expenses before year-end. Supplied by board or management.

Recommended Reserve Contribution – Recommended amount that the CID should allocate into reserves to offset future expenses.

Remaining Life – Expected remaining useable life of component. (0 year remaining life means the component will be serviced in the upcoming fiscal year)

Replacement Year – Year that component is projected to be replaced or repaired.

Total Cost – Total cost to replace or repair component in today's dollars. $=(\text{Quantity} \times \text{Unit Cost})$

Total Future Cost - Current cost adjusted to future cost taking into account inflation and replacement year. $=(\text{Current Cost} * (1 + \text{inflation rate})^{(\text{Replacement Year} - \text{Present Year})})$

Threshold Reserve Contribution – Reserve contribution that should be allocated into reserves to keep reserve balance above a minimum amount during the next 30 years. (Minimum amount is 5% funded unless otherwise noted)

Under Funded – Amount association is short of fully funded balance; also known as a deficit. $=(\text{Fully Funded Balance} - \text{Projected Balance})$

Unit Cost – Cost per Unit.

Unit of Measure – Unit used to measure component. (Explanations shown below)

SF – Square Feet

SY – Square Yard

LF – Linear Feet

Each – Per Single Unit

Lump Sum - Total cost for component

Allowance – Allowance for component repair or replacement

Contract – Cost obtained from actual contract or bid

Useful Life – Time in years component is expected to last.

What Procedures were used for calculation and establishment of reserves?

In this study the fully funded reserve balance for a component at a given time was computed using the component method. Using the component method the fully funded reserve balance equals the current cost of replacement or repair multiplied by the number of years the component has been in service divided by the useful life of the component.

For example if the cost of a boiler is \$10,000, the useful life is 10 years and the remaining life is 3 years. The recommended reserve balance would be:

$$\$10,000 \times ((10-3)/10) = \$7,000.$$

Preparer Qualifications

Brian McCaffery, President and founder of McCaffery Reserve Consulting, earned his Bachelor of Science Degree in Architectural Engineering from the University of Colorado in Boulder. His degree program included coursework in Building Exterior, Lighting, Electrical Systems, Heating Ventilating and Air Conditioning, Concrete and Steel Design, Civil Engineering, Structural Engineering, and Estimating. He has worked in the Building Construction/Architectural Engineering industry for 25 years and has been performing reserve studies for the past 20 years. During his professional career, Brian has worked for multiple companies that perform reserve studies. He has performed over 15,000 reserve studies throughout the state of California and the United States. Brian is a certified Reserve Specialist, designated by the Community Associations Institute (CAI). The Reserve Specialist designation is awarded to experienced, qualified reserve specialists, who through years of specialized experience, can help ensure that your community association prepares its reserve budget as accurately as possible. Brian also has a permit to perform reserve studies in the state of Nevada (Reserve study permit #9).

McCaffery understands that most homeowners, board members, and property managers can have a difficult time understanding all the numbers in a reserve study. That is why we make it a priority to make our report easy for anyone to understand. The layout of this report is set up with graphs, explanations and figures to make it easy to follow. If you read though the full report you should have a good understanding of the numbers and calculations. We strive to make sure our studies are second to none in the industry. The important figures are summarized in the executive summary and the supporting graphs and figures give a full explanation of how the findings were derived. Further descriptions are provided in the descriptions section.

For more useful information on reserve studies please visit:

www.mccafferyreserveconsulting.com

One Page Description of how we come up with the Numbers in this Report

The numbers in this report start with the components listed in the component summary.

1. Every component is given a useful life, remaining life, and an estimated cost

We will use a boiler as an example. This boiler is expected to last 10 years and has been in use for 7 years. The estimated cost is \$10,000.

Component	Useful Life	Remaining Life	Cost
Boiler	10	3	\$10,000

2. The fully funded balance is calculated

Fully Funded Balance = (Useful life-Remaining Life)/Useful Life * Cost

$$(10-3)/10 * \$10,000 = \$7,000$$

The fully funded balance is then summed for all components and this is the total fully funded balance for the development.

3. Fully Funded Balance is then compared to the actual projected year-end balance that the development has saved for reserves

This is called the percent funded. For our example let's say the development had \$5,000 saved for their boiler. Their percent funded would be:

$$\text{Percent Funded} = \text{Projected Year End Reserve Balance} / \text{Fully Funded Balance}$$
$$\$5,000 / \$7,000 = 71\%$$

4. Next expenses are projected for each component for the next 30 years using the useful and remaining lives

This information is shown in the annual expenses by component section. Inflation is included in these figures.

5. Using the projected expenses for the next 30 years the funding plans are created

Funding plans are created so that the development has enough money to offset their projected expenses for the next 30 years.

We try to create funding plans that have a uniform contribution over a 30 year period with a slight increase over time for inflation.

Executive Summary

Sunridge at Avon II

This is a Homeowners Association with 198 Condominium Units.

The common area components include: asphalt, landscape, and building exterior.

This is a level III annual update, the last site inspection was performed in 2025

Reserve Fund Balance at Fiscal Year End


Fully Funded Reserve Balance	\$ 1,907,169
Projected Balance September 30, 2026	\$ 571,000
Under Funded (Deficiency in Reserve Funding)	\$ 1,336,169
Deficiency in Reserve Funding Per Unit	\$ 6,748.33
Percent Funded	29.9%



5 Year Percent Funded Projection	2027	2028	2029	2030	2031
	36%	42%	47%	51%	55%

Funding Plans

	Annually	Monthly	Per Unit Monthly
Depreciation of Components in 2026	\$ 189,561	\$ 15,797	\$ 79.78
Budgeted Reserve Contribution 2026	\$ 163,922	\$ 13,660	\$ 68.99
5% Threshold Reserve Contribution for 2027	\$ 210,000	\$ 17,500	\$ 88.38
Recommended Reserve Contribution for 2027	\$ 240,000	\$ 20,000	\$ 101.01



Percent Funded

Percent Funded is probably the most important number in a reserve study

Your current percent funded is:

$$\frac{\text{Year End Balance}}{\text{Fully Funded Balance}} = \frac{\$ 571,000}{\$ 1,907,169}$$


= **30%**

Above 70% = Well Funded

Between 30% and 70% = Fairly Funded

Below 30% = Poorly Funded


The higher your percent funded, the lower the risk of special assessments and deferred maintenance.



If you follow one of the 3 funding plans in this reserve study this is what your percent funded may look like over the next 30 years. Anytime the Current line drops below 0% a special assessment is likely.


Current Reserve Contribution 2025
5% Threshold Reserve Contribution for 2027
Recommended Reserve Contribution for 2027

	Annually	Monthly	Per Unit Monthly
Current Reserve Contribution 2025	\$ 163,922	\$ 13,660	\$ 68.99
5% Threshold Reserve Contribution for 2027	\$ 210,000	\$ 17,500	\$ 88.38
Recommended Reserve Contribution for 2027	\$ 240,000	\$ 20,000	\$ 101.01




30 Year Projections

Reserve expenses will vary from year to year. A reserve study predicts these expenses and offsets them by creating a uniform funding plan that increases slightly over time to keep up with inflation.




The green 100% funded shaded area shows the ideal balance over the next 30 years. It increases over time due to inflation and depreciation of your components. The 100% funded area will drop after years with large expenses. The recommend funding plan will keep you well funded. The threshold plan will approach \$0 dollars, following this plan has a higher risk of special assessments or deferred maintenance.



Category Significance

This chart breaks down the total fully funded balance for each category


Roofing	Fully Funded Balance	\$ 923,036	=	48%
Total	Fully Funded Balance	\$ 1,907,169		



This chart breaks down the total annual depreciation for each category

Roofing	Annual Depreciation	\$ 36,303	=	19%
Total	Annual Depreciation	\$ 189,561		

This chart may differ from the chart above because it does not account for remaining life



Theoretical 30 Year Funding Plans

Sunridge at Avon II

Above 70% = Well Funded
 Between 30% and 70% = Fairly Funded
 Below 30% = Poorly Funded
(Low Risk of Special Assessment)
 (Higher Risk of Special Assessment)

Interest Rate	1.5%
Annual Inflation Rate	3.0%
Annual Funding Increase	3.0%

Year End	Annual Expenses	Fully Funded Balance	Current Funding Plan			Recommended Funding Plan			5% Threshold Funding Plan		
			Contribution	Balance	% Funded	Contribution	Balance	% Funded	Contribution	Balance	% Funded
2026	\$ -	\$ 1,907,169	\$ 163,922	\$ 571,000	30%	\$ -	\$ 571,000	30%	\$ -	\$ 571,000	30%
2027	\$ -	\$ 2,159,632	\$ 195,000	\$ 774,565	36%	\$ 240,000	\$ 819,565	38%	\$ 210,000	\$ 789,565	37%
2028	\$ -	\$ 2,425,527	\$ 222,000	\$ 1,008,183	42%	\$ 247,200	\$ 1,079,058	44%	\$ 216,300	\$ 1,017,708	42%
2029	\$ 27,865	\$ 2,675,296	\$ 250,000	\$ 1,245,442	47%	\$ 254,616	\$ 1,321,996	49%	\$ 222,789	\$ 1,227,899	46%
2030	\$ 46,709	\$ 2,918,392	\$ 257,500	\$ 1,474,915	51%	\$ 262,254	\$ 1,557,372	53%	\$ 229,473	\$ 1,429,081	49%
2031	\$ -	\$ 3,225,697	\$ 265,225	\$ 1,762,263	55%	\$ 270,122	\$ 1,850,854	57%	\$ 236,357	\$ 1,686,874	52%
2032	\$ -	\$ 3,548,814	\$ 273,182	\$ 2,061,879	58%	\$ 278,226	\$ 2,156,843	61%	\$ 243,448	\$ 1,955,625	55%
2033	\$ 16,603	\$ 3,870,459	\$ 281,377	\$ 2,357,581	61%	\$ 286,573	\$ 2,459,165	64%	\$ 250,751	\$ 2,219,107	57%
2034	\$ 744,227	\$ 3,421,821	\$ 289,819	\$ 1,938,536	57%	\$ 295,170	\$ 2,046,995	60%	\$ 258,274	\$ 1,766,440	52%
2035	\$ 426,661	\$ 3,310,376	\$ 298,513	\$ 1,839,466	56%	\$ 304,025	\$ 1,955,063	59%	\$ 266,022	\$ 1,632,297	49%
2036	\$ 983,747	\$ 2,600,520	\$ 307,468	\$ 1,190,780	46%	\$ 313,146	\$ 1,313,788	51%	\$ 274,002	\$ 947,037	36%
2037	\$ 260,928	\$ 2,658,739	\$ 316,693	\$ 1,264,406	48%	\$ 322,540	\$ 1,395,107	52%	\$ 282,222	\$ 982,537	37%
2038	\$ 59,169	\$ 2,944,779	\$ 326,193	\$ 1,550,396	53%	\$ 332,216	\$ 1,689,081	57%	\$ 290,689	\$ 1,228,795	42%
2039	\$ -	\$ 3,311,499	\$ 335,979	\$ 1,909,631	58%	\$ 342,183	\$ 2,056,599	62%	\$ 299,410	\$ 1,546,637	47%
2040	\$ -	\$ 3,697,572	\$ 346,058	\$ 2,284,334	62%	\$ 352,448	\$ 2,439,896	66%	\$ 308,392	\$ 1,878,228	51%
2041	\$ 39,728	\$ 4,060,864	\$ 356,440	\$ 2,635,311	65%	\$ 363,022	\$ 2,799,788	69%	\$ 317,644	\$ 2,184,318	54%
2042	\$ 1,176,460	\$ 3,214,538	\$ 367,133	\$ 1,865,514	58%	\$ 373,912	\$ 2,039,237	63%	\$ 327,173	\$ 1,367,795	43%
2043	\$ -	\$ 3,624,290	\$ 378,147	\$ 2,271,645	63%	\$ 385,130	\$ 2,454,955	68%	\$ 336,988	\$ 1,725,301	48%
2044	\$ 122,575	\$ 3,923,169	\$ 389,492	\$ 2,572,636	66%	\$ 396,683	\$ 2,765,888	71%	\$ 347,098	\$ 1,975,703	50%
2045	\$ 23,672	\$ 4,347,659	\$ 401,177	\$ 2,988,730	69%	\$ 408,584	\$ 3,192,288	73%	\$ 357,511	\$ 2,339,177	54%
2046	\$ 74,954	\$ 4,739,395	\$ 413,212	\$ 3,371,819	71%	\$ 420,841	\$ 3,586,060	76%	\$ 368,236	\$ 2,667,547	56%
2047	\$ 22,324	\$ 5,210,074	\$ 425,608	\$ 3,825,681	73%	\$ 433,467	\$ 4,050,994	78%	\$ 379,283	\$ 3,064,520	59%
2048	\$ -	\$ 5,729,595	\$ 438,377	\$ 4,321,443	75%	\$ 446,471	\$ 4,558,230	80%	\$ 390,662	\$ 3,501,150	61%
2049	\$ 26,643	\$ 6,246,784	\$ 451,528	\$ 4,811,149	77%	\$ 459,865	\$ 5,059,824	81%	\$ 402,382	\$ 3,929,406	63%
2050	\$ 1,194,267	\$ 5,527,927	\$ 465,074	\$ 4,154,123	75%	\$ 473,661	\$ 4,415,116	80%	\$ 414,453	\$ 3,208,533	58%
2051	\$ 3,473,578	\$ 2,333,990	\$ 479,026	\$ 1,221,883	52%	\$ 487,871	\$ 1,495,636	64%	\$ 426,887	\$ 209,971	9%
2052	\$ -	\$ 2,812,816	\$ 493,397	\$ 1,733,608	62%	\$ 502,507	\$ 2,020,577	72%	\$ 439,693	\$ 652,813	23%
2053	\$ 56,643	\$ 3,257,011	\$ 508,199	\$ 2,211,168	68%	\$ 517,582	\$ 2,511,825	77%	\$ 452,884	\$ 1,058,847	33%
2054	\$ 94,949	\$ 3,685,736	\$ 523,444	\$ 2,672,831	73%	\$ 533,109	\$ 2,987,662	81%	\$ 466,471	\$ 1,446,251	39%
2055	\$ -	\$ 4,243,022	\$ 539,148	\$ 3,252,071	77%	\$ 549,103	\$ 3,581,580	84%	\$ 480,465	\$ 1,948,410	46%
2056	\$ -	\$ 4,830,427	\$ 555,322	\$ 3,856,174	80%	\$ 565,576	\$ 4,200,879	87%	\$ 494,879	\$ 2,472,515	51%

Note: All future projections are theoretical. The estimated lives and costs of components will likely change over time depending on factors such as inflation rates and levels of maintenance. Reserve analysis should be performed annually to account for these factors.

Future Percent Funded


This table and chart shows where your percent funded will be over the next 15 years starting with different levels of funding. Keep in mind all figures assume a 3% annual increase in funding to keep up with inflation.

Above 70% = Well Funded
(Low Risk of Special Assessment)

Between 30% and 70% = Fairly Funded


Below 30% = Poorly Funded
(Higher Risk of Special Assessment)

Funding Plan	Reserve Contribution 2027	Percent Funded														
		2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040
110% Recommended	\$ 264,000	30%	39%	47%	52%	57%	61%	65%	68%	66%	67%	62%	65%	70%	74%	78%
Recommended	\$ 240,000	30%	38%	44%	49%	53%	57%	61%	64%	60%	59%	51%	52%	57%	62%	66%
90% Recommended	\$ 216,000	30%	37%	42%	47%	50%	53%	56%	59%	53%	51%	39%	40%	45%	50%	54%
80% Recommended	\$ 192,000	30%	36%	40%	44%	46%	49%	52%	54%	47%	43%	28%	28%	32%	37%	42%
70% Recommended	\$ 168,000	30%	35%	38%	41%	43%	45%	47%	49%	40%	36%	17%	15%	20%	25%	30%
60% Recommended	\$ 144,000	30%	34%	36%	38%	39%	41%	43%	44%	34%	28%	5%	3%	7%	13%	17%



Note: All future projections are theoretical. The estimated lives and costs of components will likely change over time depending on factors such as inflation rates and levels of maintenance. Reserve analysis should be performed annually to account for these factors.

Components are mapped below according to their percent of the total annual depreciation and are color coded by category



Component Summary
Sunridge at Avon II

Category Component	Approx. Quantity	Unit of Measure	Useful Life	Remaining Life	Unit Cost	Total Cost	Cost Source
Roofing							
Shingled Roofs	195000	SF	50	24	\$ 8.24	\$ 1,606,800	1
Gutters	1	Allowance	36	15	\$ 150,000	\$ 150,000	1
						\$ 1,756,800	
Painting							
Building Exterior	198	Each	8	7	\$ 2,060	\$ 407,880	1
Wood Replacements	1	Allowance	8	7	\$ 164,800	\$ 164,800	1
						\$ 572,680	
Asphalt							
Slurry Seal & Repair East	45000	SF	4	2	\$ 0.31	\$ 13,905	1
Slurry Seal & Repair West	105000	SF	4	3	\$ 0.31	\$ 32,445	1
Overlay & Replace East	45000	SF	25	10	\$ 3.09	\$ 139,050	1
Overlay & Replace West	105000	SF	25	8	\$ 3.09	\$ 324,450	1
Concrete Repairs	1	Allowance	8	3	\$ 10,300	\$ 10,300	1
						\$ 520,150	
Landscaping							
Irrigation & Landscape	1	Allowance	6	2	\$ 12,360	\$ 12,360	1
Tree Trimming		Included in Operating Budget					3
						\$ 12,360	
Lighting							
Building Fixtures	1	Allowance	22	10	\$ 41,200	\$ 41,200	1
Street Lights	15	Each	25	9	\$ 1,442	\$ 21,630	1
						\$ 62,830	
Miscellaneous							
Fire Alarm Upgrade	18	Bldgs	22	17	\$ 4,120	\$ 74,160	1
Water Meters	198	Each	15	9	\$ 515	\$ 101,970	1
Decking & Stairs	18	Bldgs	24	9	\$ 35,020	\$ 630,360	1
Common Plumbing		Included in Operating Budget					3
Common Utilities Replace (long life component, visual inspection not possible, unpredictable life and cost, see preface)							
						\$ 806,490	
Contingency							
5%							1

TOTALS**\$ 3,731,310**

Notes: Any other items not listed are included in operating budget.

Component Significance

This table makes it easy to see what components are the most significant

Category Component	Fully Funded Balance			Depreciation This Year			Monthly Contribution
	\$ Amount	%	Quick Glance Graph	\$ Amount	%	Quick Glance Graph	
Roofing							
Shingled Roofs	\$ 835,536	43.81%		\$ 32,136	16.95%		\$ 3,390.57
Gutters	\$ 87,500	4.59%		\$ 4,167	2.20%		\$ 439.61
	\$ 923,036	48.40%		\$ 36,303	19.15%		\$ 3,830.18
Painting							
Building Exterior	\$ 50,985	2.67%		\$ 50,985	26.90%		\$ 5,379.26
Wood Replacements	\$ 20,600	1.08%		\$ 20,600	10.87%		\$ 2,173.44
	\$ 71,585	3.75%		\$ 71,585	37.76%		\$ 7,552.70
Asphalt							
Slurry Seal & Repair East	\$ 6,953	0.36%		\$ 3,476	1.83%		\$ 366.77
Slurry Seal & Repair West	\$ 8,111	0.43%		\$ 8,111	4.28%		\$ 855.79
Overlay & Replace East	\$ 83,430	4.37%		\$ 5,562	2.93%		\$ 586.83
Overlay & Replace West	\$ 220,626	11.57%		\$ 12,978	6.85%		\$ 1,369.27
Concrete Repairs	\$ 6,438	0.34%		\$ 1,288	0.68%		\$ 135.84
	\$ 325,557	17.07%		\$ 31,415	16.57%		\$ 3,314.50
Landscaping							
Irrigation & Landscape	\$ 8,240	0.43%		\$ 2,060	1.09%		\$ 217.34
Tree Trimming		0.00%					
	\$ 8,240	0.43%		\$ 2,060	1.09%		\$ 217.34
Lighting							
Building Fixtures	\$ 22,473	1.18%		\$ 1,873	0.99%		\$ 197.59
Street Lights	\$ 13,843	0.73%		\$ 865	0.46%		\$ 91.28
	\$ 36,316	1.90%		\$ 2,738	1.44%		\$ 288.87
Miscellaneous							
Fire Alarm Upgrade	\$ 16,855	0.88%		\$ 3,371	1.78%		\$ 355.65
Water Meters	\$ 40,788	2.14%		\$ 6,798	3.59%		\$ 717.24
Decking & Stairs	\$ 393,975	20.66%		\$ 26,265	13.86%		\$ 2,771.14
Common Plumbing							
Common Utilities Replace (long life coi							
	\$ 451,618	23.68%		\$ 36,434	19.22%		\$ 3,844.03
Contingency							
5%	\$ 90,818	4.76%		\$ 9,027	4.76%		\$ 952.38
	\$1,907,169	100.00%	100%	\$ 189,561	100%	100%	\$ 20,000

Annual Expenses by Component

	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036
Roofing										
Shingled Roofs	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Gutters	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Painting										
Building Exterior	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 501,641	\$ -	\$ -
Wood Replacements	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 202,683	\$ -	\$ -
Asphalt										
Slurry Seal & Repair East	\$ -	\$ -	\$ 14,752	\$ -	\$ -	\$ -	\$ 16,603	\$ -	\$ -	\$ -
Slurry Seal & Repair West	\$ -	\$ -	\$ -	\$ 35,454	\$ -	\$ -	\$ -	\$ 39,903	\$ -	\$ -
Overlay & Replace East	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Overlay & Replace West	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 411,004	\$ -
Concrete Repairs	\$ -	\$ -	\$ -	\$ 11,255	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Landscaping										
Irrigation & Landscape	\$ -	\$ -	\$ 13,113	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 15,657	\$ -
Tree Trimming	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Lighting										
Building Fixtures	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Street Lights	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 28,222

Annual Expenses by Component

	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036
Miscellaneous										
Fire Alarm Upgrade	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Water Meters	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 133,048
Decking & Stairs	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 822,477
Common Plumbing	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Common Utilities Replace (long life compor	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Totals	\$ -	\$ -	\$ 27,865	\$ 46,709	\$ -	\$ -	\$ 16,603	\$ 744,227	\$ 426,661	\$ 983,747

Annual Expenses by Component

	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047
Roofing											
Shingled Roofs	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Gutters	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 233,695	\$ -	\$ -	\$ -	\$ -	\$ -
Painting											
Building Exterior	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 635,464	\$ -	\$ -	\$ -	\$ -	\$ -
Wood Replacements	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 256,753	\$ -	\$ -	\$ -	\$ -	\$ -
Asphalt											
Slurry Seal & Repair East	\$ 18,687	\$ -	\$ -	\$ -	\$ 21,033	\$ -	\$ -	\$ -	\$ 23,672	\$ -	\$ -
Slurry Seal & Repair West	\$ -	\$ 44,911	\$ -	\$ -	\$ -	\$ 50,548	\$ -	\$ -	\$ -	\$ 56,893	\$ -
Overlay & Replace East	\$ 186,872	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Overlay & Replace West	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Concrete Repairs	\$ -	\$ 14,258	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 18,061	\$ -
Landscaping											
Irrigation & Landscape	\$ -	\$ -	\$ -	\$ -	\$ 18,696	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 22,324
Tree Trimming	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Lighting											
Building Fixtures	\$ 55,369	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Street Lights	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

Annual Expenses by Component

	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047
Miscellaneous											
Fire Alarm Upgrade	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 122,575	\$ -	\$ -	\$ -
Water Meters	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Decking & Stairs	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Common Plumbing	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Common Utilities Replace (l	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Totals	\$ 260,928	\$ 59,169	\$ -	\$ -	\$ 39,728	\$ 1,176,460	\$ -	\$ 122,575	\$ 23,672	\$ 74,954	\$ 22,324

Annual Expenses by Component

	2048	2049	2050	2051	2052	2053	2054	2055	2056
Roofing									
Shingled Roofs	\$ -	\$ -	\$ -	\$ 3,266,294	\$ -	\$ -	\$ -	\$ -	\$ -
Gutters	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Painting									
Building Exterior	\$ -	\$ -	\$ 804,986	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Wood Replacements	\$ -	\$ -	\$ 325,247	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Asphalt									
Slurry Seal & Repair East	\$ -	\$ 26,643	\$ -	\$ -	\$ -	\$ 29,987	\$ -	\$ -	\$ -
Slurry Seal & Repair West	\$ -	\$ -	\$ 64,033	\$ -	\$ -	\$ -	\$ 72,070	\$ -	\$ -
Overlay & Replace East	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Overlay & Replace West	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Concrete Repairs	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 22,879	\$ -	\$ -
Landscaping									
Irrigation & Landscape	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 26,655	\$ -	\$ -	\$ -
Tree Trimming	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Lighting									
Building Fixtures	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Street Lights	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

Annual Expenses by Component

	2048	2049	2050	2051	2052	2053	2054	2055	2056
Miscellaneous									
Fire Alarm Upgrade	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Water Meters	\$ -	\$ -	\$ -	\$ 207,284	\$ -	\$ -	\$ -	\$ -	\$ -
Decking & Stairs	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Common Plumbing	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Common Utilities Replace (l	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Totals	\$ -	\$ 26,643	\$ 1,194,267	\$ 3,473,578	\$ -	\$ 56,643	\$ 94,949	\$ -	\$ -

Component Details

Roofing

Shingled Roofs & Gutters

Approximate Component Quantity	-	195000	Estimated Current Unit Cost	\$	8.24
Unit of Measure	-	SF	Estimated Total Current Cost	\$	1,606,800
Normal Useful Life (Years)	-	50	Estimated Total Future Cost	\$	3,266,294
Estimated Remaining Useful Life (Years)	-	24	Fully Funded Balance	\$	835,536
Estimated Replacement Year	-	2051	Depreciation This Year	\$	32,136
Cost Source	-	1	Monthly Contribution	\$	3,390.57
Depreciation Percent	-	16.95%	Fully Funded Balance Percent		43.81%
Life Remaining Percent	-	48%			

Painting

Building Exterior

Approximate Component Quantity	-	198	Estimated Current Unit Cost	\$	2,060.00
Unit of Measure	-	Each	Estimated Total Current Cost	\$	407,880
Normal Useful Life (Years)	-	8	Estimated Total Future Cost	\$	501,641
Estimated Remaining Useful Life (Years)	-	7	Fully Funded Balance	\$	50,985
Estimated Replacement Year	-	2034	Depreciation This Year	\$	50,985
Cost Source	-	1	Monthly Contribution	\$	5,379.26
Depreciation Percent	-	26.90%	Fully Funded Balance Percent		2.67%
Life Remaining Percent	-	88%			

Painting

Wood Replacements

Approximate Component Quantity	-	1	Estimated Current Unit Cost	\$	164,800.00
Unit of Measure	-	Allowance	Estimated Total Current Cost	\$	164,800
Normal Useful Life (Years)	-	8	Estimated Total Future Cost	\$	202,683
Estimated Remaining Useful Life (Years)	-	7	Fully Funded Balance	\$	20,600
Estimated Replacement Year	-	2034	Depreciation This Year	\$	20,600
Cost Source	-	1	Monthly Contribution	\$	2,173.44
Depreciation Percent	-	10.87%	Fully Funded Balance Percent		1.08%
Life Remaining Percent	-	88%			

Asphalt

Slurry Seal & Repair East

Approximate Component Quantity	-	45000	Estimated Current Unit Cost	\$	0.31
Unit of Measure	-	SF	Estimated Total Current Cost	\$	13,905
Normal Useful Life (Years)	-	4	Estimated Total Future Cost	\$	14,752
Estimated Remaining Useful Life (Years)	-	2	Fully Funded Balance	\$	6,953
Estimated Replacement Year	-	2029	Depreciation This Year	\$	3,476
Cost Source	-	1	Monthly Contribution	\$	366.77
Depreciation Percent	-	1.83%	Fully Funded Balance Percent		0.36%
Life Remaining Percent	-	50%			

Asphalt

Slurry Seal & Repair West

Approximate Component Quantity	-	105000	Estimated Current Unit Cost	\$	0.31
Unit of Measure	-	SF	Estimated Total Current Cost	\$	32,445
Normal Useful Life (Years)	-	4	Estimated Total Future Cost	\$	35,454
Estimated Remaining Useful Life (Years)	-	3	Fully Funded Balance	\$	8,111
Estimated Replacement Year	-	2030	Depreciation This Year	\$	8,111
Cost Source	-	1	Monthly Contribution	\$	855.79
Depreciation Percent	-	4.28%	Fully Funded Balance Percent		0.43%
Life Remaining Percent	-	75%			

Asphalt**Overlay & Replace East**

Approximate Component Quantity	-	45000	Estimated Current Unit Cost	\$	3.09
Unit of Measure	-	SF	Estimated Total Current Cost	\$	139,050
Normal Useful Life (Years)	-	25	Estimated Total Future Cost	\$	186,872
Estimated Remaining Useful Life (Years)	-	10	Fully Funded Balance	\$	83,430
Estimated Replacement Year	-	2037	Depreciation This Year	\$	5,562
Cost Source	-	1	Monthly Contribution	\$	586.83
Depreciation Percent	-	2.93%	Fully Funded Balance Percent		4.37%
Life Remaining Percent	-	 40%			

Asphalt**Overlay & Replace West**

Approximate Component Quantity	-	105000	Estimated Current Unit Cost	\$	3.09
Unit of Measure	-	SF	Estimated Total Current Cost	\$	324,450
Normal Useful Life (Years)	-	25	Estimated Total Future Cost	\$	411,004
Estimated Remaining Useful Life (Years)	-	8	Fully Funded Balance	\$	220,626
Estimated Replacement Year	-	2035	Depreciation This Year	\$	12,978
Cost Source	-	1	Monthly Contribution	\$	1,369.27
Depreciation Percent	-	6.85%	Fully Funded Balance Percent		11.57%
Life Remaining Percent	-	 32%			

Asphalt**Concrete Repairs**

Approximate Component Quantity	-	1	Estimated Current Unit Cost	\$	10,300.00
Unit of Measure	-	Allowance	Estimated Total Current Cost	\$	10,300
Normal Useful Life (Years)	-	8	Estimated Total Future Cost	\$	11,255
Estimated Remaining Useful Life (Years)	-	3	Fully Funded Balance	\$	6,438
Estimated Replacement Year	-	2030	Depreciation This Year	\$	1,288
Cost Source	-	1	Monthly Contribution	\$	135.84
Depreciation Percent	-	0.68%	Fully Funded Balance Percent		0.34%
Life Remaining Percent	-	 38%			

Landscaping**Irrigation & Landscape**

Approximate Component Quantity	-	1	Estimated Current Unit Cost	\$	12,360.00
Unit of Measure	-	Allowance	Estimated Total Current Cost	\$	12,360
Normal Useful Life (Years)	-	6	Estimated Total Future Cost	\$	13,113
Estimated Remaining Useful Life (Years)	-	2	Fully Funded Balance	\$	8,240
Estimated Replacement Year	-	2029	Depreciation This Year	\$	2,060
Cost Source	-	1	Monthly Contribution	\$	217.34
Depreciation Percent	-	1.09%	Fully Funded Balance Percent		0.43%
Life Remaining Percent	-	 33%			

Lighting**Building Fixtures**

Approximate Component Quantity	-	1	Estimated Current Unit Cost	\$	41,200.00
Unit of Measure	-	Allowance	Estimated Total Current Cost	\$	41,200
Normal Useful Life (Years)	-	22	Estimated Total Future Cost	\$	55,369
Estimated Remaining Useful Life (Years)	-	10	Fully Funded Balance	\$	22,473
Estimated Replacement Year	-	2037	Depreciation This Year	\$	1,873
Cost Source	-	1	Monthly Contribution	\$	197.59
Depreciation Percent	-	0.99%	Fully Funded Balance Percent		1.18%
Life Remaining Percent	-	 45%			

Lighting**Street Lights**

Approximate Component Quantity	- 15	Estimated Current Unit Cost	\$ 1,442.00
Unit of Measure	- Each	Estimated Total Current Cost	\$ 21,630
Normal Useful Life (Years)	- 25	Estimated Total Future Cost	\$ 28,222
Estimated Remaining Useful Life (Years)	- 9	Fully Funded Balance	\$ 13,843
Estimated Replacement Year	- 2036	Depreciation This Year	\$ 865
Cost Source	- 1	Monthly Contribution	\$ 91.28
Depreciation Percent	- 0.46%	Fully Funded Balance Percent	0.73%
Life Remaining Percent	-  36%		

Miscellaneous**Fire Alarm Upgrade**

Approximate Component Quantity	- 18	Estimated Current Unit Cost	\$ 4,120.00
Unit of Measure	- Bldgs	Estimated Total Current Cost	\$ 74,160
Normal Useful Life (Years)	- 22	Estimated Total Future Cost	\$ 122,575
Estimated Remaining Useful Life (Years)	- 17	Fully Funded Balance	\$ 16,855
Estimated Replacement Year	- 2044	Depreciation This Year	\$ 3,371
Cost Source	- 1	Monthly Contribution	\$ 355.65
Depreciation Percent	- 1.78%	Fully Funded Balance Percent	0.88%
Life Remaining Percent	-  77%		

Miscellaneous**Water Meters**

Approximate Component Quantity	- 198	Estimated Current Unit Cost	\$ 515.00
Unit of Measure	- Each	Estimated Total Current Cost	\$ 101,970
Normal Useful Life (Years)	- 15	Estimated Total Future Cost	\$ 133,048
Estimated Remaining Useful Life (Years)	- 9	Fully Funded Balance	\$ 40,788
Estimated Replacement Year	- 2036	Depreciation This Year	\$ 6,798
Cost Source	- 1	Monthly Contribution	\$ 717.24
Depreciation Percent	- 3.59%	Fully Funded Balance Percent	2.14%
Life Remaining Percent	-  60%		

Miscellaneous**Decking & Stairs**

Approximate Component Quantity	- 18	Estimated Current Unit Cost	\$ 35,020.00
Unit of Measure	- Bldgs	Estimated Total Current Cost	\$ 630,360
Normal Useful Life (Years)	- 24	Estimated Total Future Cost	\$ 822,477
Estimated Remaining Useful Life (Years)	- 9	Fully Funded Balance	\$ 393,975
Estimated Replacement Year	- 2036	Depreciation This Year	\$ 26,265
Cost Source	- 1	Monthly Contribution	\$ 2,771.14
Depreciation Percent	- 13.86%	Fully Funded Balance Percent	20.66%
Life Remaining Percent	-  38%		