



Lightingfactorydirect.us

info@lightingfactorydirect.us

Lowest Price Customized Innovative

1



Introduction

Inner Cover

2



Pendants

Page No.4-7

3



Semi Flush

Page No.7-9

4



Ceiling Fan

Page No.10-18

5



Vanity

Page No.19-31

11



Recessed

Page No.48-49


12



Cylinder

Page No.49

13



Linear

Page No.50-51

14



Bulbs

Page No.52-53

15



Panel Light

Page No.54-56

6



Wall Sconces

Page No.31-34

7



Outdoor

Page No.32-39

8



Undercabinet

Page No.40-43

9



Track

Page No.44

10



Portable

Page No.45-47

Table of Contents

16



with Sensor

Page No.57-59

17



Chandelier

Page No.60-61

18



Ceiling Fan

Page No.62-63

19



LED modules

Page No.64-70

20



Tree & Flower

Page No.71




Pendant



Mini Pendants code MPaa-XYF-FN



MP stands for Mini Pendant
 aa: for glass shape style, in numbers from 01-99
 X denotes light source, 1 for LED, 2 for CFL,
 3 for Incandescent bulb.
 YY represents the Max. wattage for the fixture.
 The two ending letters means metal finish color. BN-
 Brushed Nickel (standard), CH-Chrome, OB-Oil Bronze,
 PB-Polished Brass, AB-Antique Brass, BK-Black, BR-
 Brown, RD-Red, WH-White.
 MP01-109BN, indicates a mini pendant, with 9W Led mod
 ule, brushed nickel finish and a glass shape and color 01.



Classic single light canopy with adjustable nozzle

Beautiful hand-crafted glass mini pendants can be used for bar, island or dining application in both residential and commercial settings. Trendy coding system provides a simple and traceable system for customers or consumers to order. All the code mentioned in the source booked is for reference, and the vendor can use different light sources, different finishes. For instant, you can order MP01-109OB for 01 style pendant or MP01-230BN for a another model with CFL 30W and brushed nickel finish.

<p>aa: 04 MP04-360BN W:3-3/4**H10" 1*E26*60W BN/ Amaretto Red/</p>	<p>aa: 03 MP03-109BN W:3-3/4**H10" 1*E26*60W BN/ Crimson</p>	<p>aa: 02 MP02-215BN W:3-3/4**H10" 1*E26*60W BN/ Cobalt</p>	<p>aa: 01 MP10-109OB W:3-3/4**H10" 1*E26*60W BN/ Frosted WH</p>
--	--	---	---

* 48" silver cord standard. Other cord suspension available on request. Please inquire for quotation.

<p>aa: 09 MP09-109BN 4-3/4**11" 9W/3000K/800LM</p>	<p>aa: 08 MP08-109BN: W4-1/2**H6-1/2" 1*E26*60W BN Glass: Coffee</p>	<p>aa: 07 MP07-109BN W4-1/2**6-1/2** 1*E26*60W BN/ collton red</p>	<p>aa: 06 MP06-109BN W4-1/2**6-1/2** 1*E26*60W BN/ amaretto</p>	<p>aa: 05 MP05-109BN W4-1/2**6-1/2** 1*E26*60W BN/crimson</p>	<p>aa: 10 MP10-109BN W4-1/2**6-1/2** 1*E26*60W BN/art deco</p>
---	--	--	---	---	--

* 48" silver cord standard. Other cord suspension available on request. Please inquire for quotation.



aa: 13
MP13-109BN
W4"H9"
9W/3000K/800LM
BN/ Chrome glass



aa: 11
MP11-109BN
W3-1/2"H9"
9W/3000K/800LM
BN/ White

Classic single light canopy with adjustable nozzle



* 48" silver cord standard. Other cord suspension available on request. Please inquire for quotation.

2



Pendant



aa: 12
MP12-109BN
W:4"H14"
9W/3000K/800LM
BN/ Cream



aa: 14
MP14-109BN
W:4"H14"
9W/3000K/800LM
BN/ Wh Opal



aa: 15
MP15-360BN
W:5"H11"
1*E26*60W
BN / Clear Translucent Outer Glass



aa: 16
MP16-360BN
W:4"H7"
1*E26*60W
BN / Clear Translucent Outer Glass, White Glass Inner



aa: 18
MP18-360BN
W:3-3/4"H10"
1*E26*60W
BN / Cobalt Blue



aa: 18C
MP18C-360BN
W:3-3/4"H10"
1*E26*60W
BN / Crimson



aa: 18B
MP18B-109BN
W:3-3/4"H10"
1*E26*60W
BN / Amaretto Red



aa: 17
MP17-360BN
W:3-3/4"H10"
1*E26*60W
BN / Frosted White



2



Pendant



aa: 23
MP23-213BN
5-1/2" x3.4"
E12 Max13W CFL
BN / 3D glass



aa: 22
MP22-213BN
5-1/2" x3.4"
E12 Max13W CFL
BN / 3D glass



aa: 21
MP21-213BN
3.2" * H6.8"
E12 Max13W CFL
BN / 3D glass



aa: 20
MP20-213BN
W2.4" * H7.8",
E12 Max13W CFL
BN / 3D glass

aa: 24
MP24-213BN:
D4" * H7.8
E12 Max13W CFL
BN / 3D glass

aa: 25
MP25-360BN
W:5"*H9-1/2"
1"E26*60W
BN /Clear Trans-
lucent Outer

aa: 26
MP26-360BN
W:5"*H7"
1"E26*60W
BN / White Opal

aa: 27
MP27-360BN
W:5"*H45"
1"E26*60W
BN / White Opal

aa: 28
MP28-360BN
W:7-1/2"*H41"
1"E26*60W
BN / Wh Etched Glass

aa: 29
MP29-360BN
W:5-1/5"*H7-1/2"
1"E26*60W
BN / White Opal

aa: 30
MP30-360BN
W:5"*H12"
1"E26*60W
BN / White Opal

* 48" silver cord standard. Other cord sus-
pension available on request. Please inquire
for quotation.



Classic single lite canopy with adjustable nozzle

Classic Deco Pendants can be used for bar, island or dining table application. Trendy coding system provides a simple and traceable system for customers or consumer to order. All the code mentioned in the source booked is for reference and the vendor can use different light sources, different finishes. For instance, you can order PD01-113BN for 01 style pendant with 13 watt LED light source or PD01-230OB for another model with Max.CFL 30W and oil brown color finish.

Pendants code PDaa-YYY

PD stands for Pendant light.

aa for glass shape style, in numbers from 01-99.

X denotes light source, 1 for LED, 2 for CFL,

3 for Incandescent bulb.

YY represents the Max. wattage for the fixture.

The two ending letters means metal finish color. BN-Brushed Nickel (standard), CH-Chrome, OB-Oil Bronze, PB-Polished Brass, AB-Antique Brass, BK-Black, BR-Brown, RD-Red, WH-White.

PD01-113BN, indicates a pendant, with 13W Led module, brass nickel finish and a glass shape on the right style.

aa: 01
PD01-113BN
D:16"*H12"
13W/3000K/900LM
BN / Clear

aa: 02
PD02-113BK
D:12"*H9"
13W/3000K/900LM
BK metal



* The standard wire for PD fixture is 48 inch long unless other specified by buyer.

2



Pendant



aa: 03
PD03-113W
D:12"*H9"
13W/3000K/900LM
White metal



aa: 04
PD04-360W
W:12"*H49"
1"E26*60W
BN/WH Opal



aa: 05
PD05-113BN
D:12"*H9"
13W/3000K/900LM



aa: 06
PD06-360BK/BN/BR/RD/WH
W:16"*H11"
1"E26*60W
BK/BN/BR/RD/WH



* 48" silver cord standard. Other cord suspension available on request. Please inquire for quotation.



Semi Flush



Semi Flushmount Code SFaa-YYY



SF indicates Semi Flush Fixture.

aa for fixture style, in numbers from 01-99.

X denotes light source, 1 for LED, 2 for CFL, 3 for Incandescent bulb.

YY represents the Max. wattage for the fixture.

The two ending letters means metal finish color. BN-Brushed Nickel (standard), CH-Chrome, OB-Oil Bronze, PB-Polished Brass, AB-Antique Brass, BK-Black, BR-Brown, RD-Red, WH-White.

SF01-130BN, indicates a Semi Flushmount fixture with 30W LED light source, brushed nickel finish and a glass shape on the below.



aa: 01
SF01-360BN
W12"H5-1/2"
2*Max.60W

Semi Flush Mount Ceiling can be used for living, bedroom, hallway applications. Trendy coding system provides a simple and traceable system for customers or consumers to order. All the code mentioned in the source booked is for reference, and the vendor can use different light sources, different finishes. For instant, you can order SF01-130BN for 01 style pendant with 30W LED or SF01-213OB for a another model with CFL 13W and oil brown color finish.

<p>aa: 02 SF02-360BN/CH W15-1/2" *H12" 3*E26*60W BN / Wh Opal</p>	<p>aa: 03 SF03-360BN W:16"*H13 3*E26*60W BN / Wh Opal</p>	<p>aa: 05 SF05-360N W:15"*H20" 3*E26*60W BN/CH ALABASTER</p>
	<p>aa: 04 SF04-360BN W:12"*H13" 2*E26*60W BN / Wh Opal</p>	
	<p>aa: 04B SF04B-360BN W:16"*H13-3/4" 2*E26*60W BN / Wh Opal</p>	



aa: 06
SF06-360CH
W:15"*H9.5"
3*E26*60W
BN White Acrylic

3



Semi Flush



aa: 07
SF07-360BN
W:16-1/2"*H25-1/2"
aa: 07B
SF07B-360BBN
W:24"*H18-3/4"
aa: 07C
SF07C-360CBN
W:28"*H28"
:3*E26*60W
BN/OB Alabaster glass




aa: 08
SF08-360OB
W:16-1/2"*H25-1/2"
3*E26*60W
BN/OB Wh opal



aa: 09
SF09-360BN
W:15"*H9.5"
3*E26*60W
BN / Linen Fabric



Flushmount



INSIDE VIEW

- aa: 01
- SM01-112BN
- SM01-112WH
- SM01-112BK
- SM01-112CH
- 5-1/2" x12"

Surface mount ceiling lights

Surface Mount Ceiling can be used for multiple residential and commercial applications. Trendy coding system provides a simple and traceable system for customers or consumers to order. All the codes mentioned in the source book is for reference, and the vendor can use different light sources, different finishes. For instant, you can order SM10901WH for 01 style surface mount at 9W LED. WH means white, BK for black,

Surface Mount Fixture code SMaaYYY

SM stands for Surface Mount Fixture.
aa for fixture style from 01 to 99.

X denotes light source, 1 for LED, 2 for CFL, 3 for Incandescent bulb.
YY represents for wattage

The two ending letters means metal finish color. BN-Brushed Nickel (standard), OB-Oil Bronze, PB-Polished Brass, BK-Black, WH-White.

MP01-109BN, indicates a surface mount with 9W Led module, brushed nickel finish and a fixture style as the right one.



INSIDE VIEW

- aa: 02
- SM02-112BN
- SM02-112WH
- SM02-112BK
- SM02-112CH
- D:7-2/5"*1-
- D:1/4",950LM
- 2700/3000/
- 4000/5000K



- aa: 02B
- SM02B-112BN
- SM02B-112WH
- SM102B-112BK
- SM02B-112CH
- D6"*1-1/4"
- 840LM, 2700K



- aa: 03
- SM03-110WH
- D:7-3/4"*H3/4
- 840LM, 3000K



- aa: 04
- SM04-108WH
- D:5 3/4"*H3/4
- 840LM, 3000K



- aa: 05
- SM05-115WH
- 7-7/8"*1-1/4", 950LM,
- SM05B-112WH
- 6-1/4"*1-1/4",840LM
- 2700/3000/4000/5000K



- aa: 06
- SM06-115WH
- D5-1/2"*1-1/4", 840LM,
- SM06B-115WH
- D7-3/5"*1-1/4,950LM
- SM06C-115WH
- D12"*1-1/4", 1100LM
- 2700/3000/4000/5000K



- aa: 07
- SM07-108WH
- D:5-3/4"*H1-1/4"
- 650LM, 3000K



- aa: 08
- SM08-106WH
- D:5 3/4"*H1-1/4"
- 450LM, 3000K



ADA aa: 11
 SM11-120BN/WH/OB
 D:11"*H2-1/5"
 1000LM, 20W
 2700/3000/4000/5000K



ADA aa: 55
 SM55-120BN/WH/OB
 D11 "*H3.5".
 1200LM, 15W
 2700/3000/4000/5000K

aa: 55B
 SM55B-120BN/WH/OB
 D9 "*3.125"H.
 800LM, 11W
 2700/3000/4000/5000K

aa: 55C
 SM55C-120BN/WH/OB
 D7 "*2.75"H.
 650LM, 8W
 2700/3000/4000/5000K



Flushmount



ADA aa: 12
 SM12012BN/WH/OB
 D:11"*H2-1/5"
 1000LM, 20W
 2700/3000/4000/5000K



aa: 13
 SM13-115BN/WH/OB
 D:11"*5"
 800LM, 15W
 2700/3000/4000/5000K

aa: 13A
 SM13A-120BN/WH/OB
 D:13"*5"
 1200LM, 20W
 2700/3000/4000/5000K

aa: 13B
 SM13B-123BN/WH/OB
 D:15"*5"
 1400LM, 23W
 2700/3000/4000/5000K

aa: 13C
 SM13C-128BN/WH/OB
 D:11"*5"
 1600LM, 28W
 2700/3000/4000/5000K



ADA aa: 14
 SM14-120BN/WH/OB
 D:13"*3"
 1000LM, 20W
 2700/3000/4000/5000K



aa: 15
 SM15-120BN/WH/OB
 D:13"*7"
 1400LM, 20W
 2700/3000/4000/5000K

aa: 15A
 SM15A-120BN/WH/OB
 D:15"*7-1/2"
 14610LM, 23W
 2700/3000/4000/5000K



Flushmount



Also suitable for wall mounted.



ADA aa: 16
SM16-123BN/WH/OB
D:17"*H4"
1600LM, 23W
2700/3000/4000/5000K



ADA aa: 17
SM17-115BN/WH/OB
D:10"*H3-1/2"
1000LM, 15W
2700/3000/4000/5000K



aa: 18
SM18-115BN/WH/OB
D:11-1/4"*H4-1/2"
1050LM, 15W
2700/3000/4000/5000K

aa: 19
SM19-115BN/WH/OB
D:11-1/4"*H4-1/2"
1050LM, 15W
2700/3000/4000/5000K



aa: 20
SM20-115BN/WH/OB
D:11"*H2-1/5"
1050LM, 15W
2700/3000/4000/5000K



aa: 24
SM24-120BN/WH/OB
D:14"*H9"
1400LM, 20W
2700/3000/4000/5000K

ADA aa: 21
SM21-115BN/WH/OB
D:12"*H3"
1050LM, 15W
2700/3000/4000/5000K

ADA aa: 22
SM22-123BN/WH/OB
D:14"*H3"
1610LM, 23W
2700/3000/4000/5000K

ADA aa: 23
SM23-128BN/WH/OB
D:16"*H4"
2000LM, 28W
2700/3000/4000/5000K

aa: 24B
SM24B-123BN/WH/OB
D:16"*H10"
1610LM, 23W
2700/3000/4000/5000K

aa: 24C
SM24C-128BN/WH/OB
D:18"*H10"
2000LM, 28W
2700/3000/4000/5000K



Also suitable for wall mounted.



aa: 26B
SM26B-120BN/WH/OB
D:13"*H3-1/2"
1500LM, 20W
2700/3000/4000/5000K



aa: 26C
SM26C-123BN/WH/OB
D:15"*H3-1/2"
1080LM, 23W
2700/3000/4000/5000K



aa: 25
SM25-120BN/WH/OB
D:11"*H4"
1400LM, 20W
2700/3000/4000/5000K



aa: 25B
SM25B-135BN/WH/OB
D:19"*H4"
2400LM, 35W
2700/3000/4000/5000K



aa: 26
SM26-115BN/WH/OB
D:11"*H2-1/5"
1050LM, 15W
2700/3000/4000/5000K



aa:27
SM27-115BN/WH/OB
11"*3-1/2"
850LM, 15W
2700/3000/4000/5000K
(Dia. 13" also available with aa:27B)

aa: 28
SM28-115BN/WH/OB
D:11"*2-1/5"
1050LM, 15W
2700/3000/4000/5000K
(Dia. 13" also available with aa:28B)



aa: 29 (29B)
SM29-115 (SM29-123)
D:11"*3"(D:14-3/4"*3")
1050LM, 15W(1610LM,23W)
2700/3000/4000/5000K

aa: 30
SM30-109BN/WH/OB
D 6"*7"
500LM, 9W
2700/3000/4000/5000K

aa: 30B
SM30B-109BN/WH/OB
D 6"*7"
500LM, 9W, with a chain
2700/3000/4000/5000K

Inside View



aa: 31
SM31-110BN/WH/OB
D 7-1/2"*5"
700LM, 10W
2700/3000/4000/5000K

4



Flushmount



4



Flushmount



aa: 32
SM32-145BN/OB
Oval:32-1/2"L*18"W*4-1/4"H Oval Shape
3600LM, 45W
2700/3000/4000/5000K,



aa: 33 SM13533BN/OB L51"*W11"H4" 2500LM, 35W 2700/3000/4000/5000K	aa: 33B SM17033BBN/OB L51"*W17"H4" 5000LM, 70W 2700/3000/4000/5000K
---	---



aa: 34
SM34-135BN/OB
L48"*W10"*H4"
3000LM, 35W
2700/3000/4000/5000K



aa: 35
SM35-360BNA
D:7"*H4-1/2"
1"E26*60W
BN/ORB/WH
A: Alabaster glass

aa: 35
SM35-360BNW
D:7"*H4-1/2"
1"E26*60W
BN/OB/WH
W: Opal White glass



aa: 35B SM35B-260BNA D:9"*H5-1/4" 2"E26*60W BN/OB/WH A: Alabaster glass
aa: 35C SM35C-360NA D:9"*H5-1/4" 2"E26*60W BN/OB/WH A: Alabaster glass

aa: 35B SM35B-360BNW D:9"*H5-1/4" 2"E26*60W BN/OB/WH W: Opal White glass
aa: 35C SM35C-360BNW D:9"*H5-1/4" 2"E26*60W BN/OB/WH W: Opal White glass



Flushmount



Also suitable for wall mounted.



ADA aa: 36 SM36-360OBW
D:9"*H5-1/4", 2"E26*60W.

aa:36B SM36B-360BNW
D14"*H3-1/2, 2"E26*60W
BN/OB/WH **ADA**



ADA aa: 37 -SM37-360BNW/
D:12"*H4, 2"E26*60W

ADA aa: 37C -SM37C-360BNW
D16"*H4, 3"E26*60W

ADA aa: 36C SM36C-360BNW
D16"*H4, 2"E26*60W
BN?OB/WH

ADA aa:36D SM36D-360BNW
D18"*H4", 4"E26*60W
BN/OB/WH

ADA aa: 37B SM37B-360BNW
D16"*H4/D16" 2"E26*60W/Opal Glass

ADA aa:37D -360BNW
D20"*H4-1/2", 4"E26*60W
BN, Opal glass



aa:38 SM38-360BNW
D11"*H4-1/2", 2"E26*60W
BN/OB/WH

aa:38B SM38B-360BNW
D13"*H5", 2"E26*60W
BN/OB/WH

aa:38C SM38C-360BNW
D15"*H4-1/2", 3"E26*60W
BN/OB/WH, Opal glass



aa:39 SM39-360OBW
D11"*H5-1/2", 2"E26*60W
BN/OB/WH

aa:39B SM39B-360OBW
D13"*H6", 2"E26*60W

aa:39C SM39C-360OBW
D15"*H4-1/2", 3"E26*60W
BN/OB/WH, Opal glass



aa:40B SM40B-360BNW
D11"*H5-1/2"
2*E26*60W
BN/OB/WH, Opal



aa:41 SM41-360BNW
D11"*H5-1/2"
2*E26*60W
BN/OB/WH, Opal

aa:40B SM40B-360BNW
D13"*H6"
2*E26*60W
BN/OB/WH, Opal

aa:40C SM40C-360BNW
D15"*H6-1/2"
3*E26*60W
BN/OB/WH, Opal

aa:41B SM41B-360BNW
D13"*H6"
2*E26*60W
BN/OB/WH, Opal

aa:41C SM41C-360BNW
D15"*H6-1/2"
3*E26*60W
BN/OB/WH, Opal



aa:42 SM42-360BNW
D11"*H5-1/2"
2*E26*60W
BN/OB/WH, Opal



aa:43 SM40-360BNW
D11"*H5-1/2"
2*E26*60W
BN/OB/WH, Opal

aa:42B SM42B-360BNW
D13"*H6"
2*E26*60W
BN/OB/WH, Opal

aa:40C SM40C-360BNW
D15"*H6-1/2"
3*E26*60W
BN/OB/WH, Opal

aa:43B SM43B-360BNW
D13"*H6"
2*E26*60W
BN/OB/WH, Opal

aa:40C SM43C-360BNW
D15"*H6-1/2"
3*E26*60W
BN/OB/WH, Opal



aa: 44, SM44-360BN
D:12"*H5"
2*E26*60W
Finish: BN/OB/WH, Linen Fabric
(Dia.14" or 16" also available
with aa:45B, 458C)



aa: 45, SM45-360OBW
D:11"*H4"
2*E26*60W
Finish: BN/OB/WH Opal
(Dia.13" or 15" also available
with aa:45B, 458C)



aa: 46, SM46-360BNW
D:14-1/2"*H5"
2*E26*60W
Finish: BN/OB/WH Opal
(Dia.17" or 20" also available
with aa:46B, 46C)



aa: 47, SM47-360BNW
D:12"*H4"
2*E26*60W
Finish : BN/ORB/WH Opal
(Dia.14" or 16" also available
with aa:47B, 47C)



aa: 48, SM48-360BNW
D:12"*H4"
2*E26*60W
Finish: BN/OB/WH Opal
(Dia.14" or 16" also available
with aa:48B, 48C)



aa: 49, SM49-360OBA
D:12"*H4"
2*E26*60W
Finish: BN/OB/WH Alabaster
(Dia.14" or 16" also available
with aa:49B, 49C)

Flushmount



Also suitable for wall mounted.



aa:50 SM50-360BNW
D12"*H4"
2*E26*60W
BN/OB/WH, Opal



aa:51 SM51-360BNW
D9"*H3-1/2"
2*E26*60W
BN/OB/WH, Opal

aa:50B SM50B-360BNW
D13"*H4-1/2"
2*E26*60W
BN/OB/WH, Opal

aa:50C SM50C-360BNW
D15"*H5"
3*E26*60W
BN/OB/WH, Opal

aa:51B SM51B-360BNW
D11"*H3-1/2"
2*E26*60W
BN/OB/WH, Opal



aa:51C SM51C-360BNW
D13"*H4"
3*E26*60W
BN/OB/WH, Opal



aa: 52, SM52-360BNW
D:13"H4-3/5"
2*E26*60W
Finish : BN/ORB/WH
(Dia.15" or 17" also available with
aa:52B, 52C)



aa: 53, SM53-360OBB
D:13"H4-3"/
2*E26*60W
Finish : BN/ORB/WH
(Dia.15" or 17" also available
with aa:53B & 53C)

Flushmount



aa: 54, SM54-360BNW
D12-1/2"H4.5"
2*E26*60W
Finish : BN/ORB/WH
(Dia.14" or 16" also available
with aa:54B, 54C)



aa: 55, SM55-360W
D11"*H3"
2*E26*60W
Glass: OPAL ACRYLIC
BN/OB/WH
(Dia.14" or 16" also available
with aa:55B, 55C)



aa: 56, SM56-360W
D:11"*H3"
2*E26*60W
Glass: OPAL ACRYLIC
BN/OB/WH
(Dia.14" or 16" also available
with aa:56B, 56C)



aa: 57, SM57-460OB
D:7"*H3"
2*G9*60W
Finish : BN/ORB/WH
(Dia.9" or 11" also available
with aa:57B, 57C)



aa: 58, SM58-460OBA
SQ:7"*3"
2*G9*60W/
Finish : BN/ORB/WH
(SQ .9"*3" or 11"*3" also available
with aa:58B, 58C) 57C)





Flushmount



aa: 60
SM60-360BN
D:10-1/4"*H4-1/2"
2*E26*60W
Finish : BN/ORB/WH



aa: 61
SM61-360BN
D:10-1/2"*H4
2*E26*60W
Finish : BN/ORB/WH



aa: 62
SM62-360BN
D:12"*H4"
2*E26*60W
Finish : BN/ORB/WH



aa: 63
SM63-360BN
D:12"*H4"
2*E26*60W
Finish : BN/ORB/WH



aa: 64
SM64-360W
D:11"*H3-1/4"
2*E26*60W
Finish : BN/ORB/WH
Glass: OPAL ACRYLIC



aa: 65 /65B
SM65-360BN/
SM65B-360BN
D:13"*H9"/ D:13"*H9"
2*E26*60W/2*E36*60W
Finish : BN/ORB/WH



aa: 66
SM66-360W
D:10-1/2"*H4-1/2"
2*E26*60W
Finish : BN/ORB/WH
Glass: OPAL White

Vanity Sconce Code VSaa-XXX



VS indicates Vanity Sconce fixtures.

aa for glass shape style in numbers from 01-999.

X denotes light source, 1 for LED, 2 for CFL, 3 for Incandescent bulb and 4 for other light sources q for quantity of lamp, if x is 1, then will be eliminated.

YY stands for wattage

The two ending letters means metal finish color. BN-Brushed Nickel (standard), CH-Chrome, OB-Oil Bronze, PB-Polished Brass, AB-Antique Brass, BK-Black, BR-Brown, RD-Red, WH-White.

VS01-122BN, indicates a Vanity Sconce fixture with 22W LED light source, brushed nickel finish and a glass shape on the 01 style one.

Trendy coding system provides a simple and traceable system for customers to order. The buyer may use different light sources, different finishes for their specified fixtures. For instant, you can order SM01-122BN for 01 style vanity sconce. with 22 LED at brushed nickel finish, and the buyer can customize it to SM01-4T5BN, indicated T5 light source at brushed nickel finish.



Also suitable for horizontal mounted.



aa: 02 VS02-118BN
L24"W6"EXT4"
18W 1000LM 120V 3000K
Finish : BN/ORB/WH Opal



aa: 01; VS01-122BN
L22-1/2"W3-1/2"EXT3-1/2"
22W 1100LM 120V 3000K
Finish : BN/ORB/WH Opal



aa: 03 VS03-123BN
L37-1/2"W6"EXT4"
23W 1200LM 120V 3000K
Finish : BN/ORB/WH



aa: 03B VS03B-128BN
L37-1/2"W6"EXT4"
28W 1500LM 120V 3000K
Finish : BN/ORB/WH



aa: 04, VS04-124BN
L24"W5"EXT4"
24W1680LM 120V 3000K
Finish : BN/ORB/WH Opal
(36" & 48" long also available with aa:04B & aa:04C)



aa: 05 VS05-115BN
L14-1/2"W4"EXT3-1/2"
15W800LM 120V 3000K
Finish : BN/ORB/WH Opal
(18" & 27" long also available with aa:05B or 05C)



aa: 06 VS06-122BN
L25"W5"EXT4"
22W1100LM 120V 3000K
Finish : BN/OB Opal
(36" or 48" long also available with aa:06B or 06C)



aa: 07, VS07-120BN
L24-3/4"W4-1/2"EXT4-3/4"
20W1100LM 120V 3000K
Finish : BN/ORB/WH Opal
(36" or 48" long also available with aa:07B or 07C)



aa: 08, VS08-124BN
L8"W6"EXT4"
18W1260LM 120V 3000K
Finish : BN/ORB/WH Opal
(25",36" or 48" long also available with aa:08B, 08C or 08D)

Vanity Sconces



Also suitable for horizontal mounted.



Vanity Sconces



ADA aa: 09, VS09-118BN
L18"W6"EXT4"
//24"*6"*4"//36"*6"*4"//48"*6"*4"
10W1260LM 120V 3000K
Finish : BN/ORB/WH
(24", 36" or 48" long also available
with aa:09B, 09C or 09D)



ADA aa: 10, VS10-218BN
L25"W6"EXT4"
2*T8*17W 120V 3000K
Finish : BN/ORB/WH
(25" or 36" also available with aa:10B or 10C)



aa: 11 VS11-124BN
W25"*H4-1/2" EXT4-1/2"
1*T5*24W
Finish : BN/ORB/WH



aa: 12 VS12-139BN
W36"*H4-1/2" EXT4-1/2"
1*T5*39W
Finish : BN/ORB/WH



aa: 13 VS13-108BN
L4-1/2"H10-1/2"EXT6-3/4
8W560LM
Finish : BN/ORB/WH



aa: 14 VS14-115BN
L12"H8-3/4"EXT7"
15W1050LM
Finish : BN/ORB/WH



aa: 15 VS15-120BN
L19-1/2"H8-3/4"EXT7"
20W2100LM
Finish : BN/ORB/WH



aa: 16 VS16-139BN
W36"H4-1/2" EXT4-1/2"
1*T5*39W



aa: 17 VS17-3100BN
W24"H7" EXT6"
3*E26*100W
Finish : BN/ORB/WH



aa: 18 VS18-3100BN
W5"*H7" EXT6"
1*E26*100W
Finish : BN/ORB/WH



aa: 19 VS19-3100BN
W24"*H7" EXT6"
3*E26*100W
Finish : BN/ORB/WH



aa: 20 VS20-3100BN
W4-1/2"*H7" EXT5-1/2"
1*E26*100W
Finish : BN/ORB/WH



aa: 21 VS21-3100BN
W32"*H8" EXT6"
4*E26*100W
Finish : BN/ORB/WH



aa: 22 VS22-3100BN
W13"*H8" EXT6"
2*E26*100W
Finish : BN/ORB/WH



aa: 23 VS23-3100BN
W23"*H8" EXT6"
3*E26*100W
Finish : BN/ORB/WH



aa: 24 VS24-3100BN
W5"*H7" EXT6"
1*E26*100W
Finish : BN/ORB/WH



aa: 25 VS25-3100BN
W30"*H7" EXT6"
4*E26*100W
Finish : BN/ORB/WH



↑ aa: 26 VS26-3100BN
W18"*H7"*6" for above
2*E26*100W
Finish : BN/ORB/WH

aa: 28 VS28-3100BN
W20"*H8" EXT6"
3*E26*100W for below
Finish : BN/ORB/WH
↓



↑ aa: 27 VS27-3100BN
W24"*H7"*6" for above
3*E26*100W
Finish : BN/ORB/WH

aa: 29 VS29-3100BN
W36"*H8" *6"
5*E26*100W for below
Finish : BN/ORB/WH
↓



Vanity
Sconces





Vanity Sconces



aa: 30 VS30-3100BN
W12"*H8" *6"
2*E26*100W
Finish : BN/ORB/WH



aa: 31 VS31-3100BN
W36"*H8" *6"
4*E26*100W
Finish : BN/ORB/WH



aa: 32 VS32-450BN
W19"*H7-1/2" *5"
3*G9*50W
Finish : BN/ORB/WH



aa: 33 VS33-450BN
W25"*H7-1/2" *5"
4*G9*50W
Finish : BN/ORB/WH



aa: 34 VS34-450BN
W13"*H7-1/2" *5"
2*G9*50W
Finish : BN/ORB/WH



aa: 35 VS35-450BN
W31"*H7-1/2" *5"
5*G9*50W
Finish : BN/ORB/WH



aa: 36 VS36-3100OB
W5-1/2"*H15-1/4" *6-1/4"
1*E26*100W
Finish : BN/ORB/WH



aa: 37 VS37-450OB
W25-3/4"*H10-1/2" *5-1/2"
4*E26*100W
Finish : BN/ORB/WH



aa: 38 VS38-450OB
W15-1/4"*H10-1/2" *5-1/2"
2*E26*100W
Finish : BN/ORB/WH



aa: 39 VS39-450OB
W25-3/4"*H10-1/2" *5-1/2"
3*E26*100W
Finish : BN/ORB/WH



aa: 40 VS40-35100BN
W5"*H8-3/4" *7"
1*E26*100W
Finish : BN/ORB/WH



aa: 41 VS41-3100BN
W27"*H8-3/4" *7"
4*E26*100W
Finish : BN/ORB/WH



aa: 42 VS42-3100BN
W15"*H8-3/4" *7"
2*E26*100W
Finish : BN/ORB/WH



aa: 43 VS43-3100BN
W21"*H8-3/4" *7"
3*E26*100W
Finish : BN/ORB/WH



aa: 44 VS44-3100BN
W24"*H6-3/4" *7-1/8"
3*E26*100W
Finish : BN/ORB/WH



aa: 45 VS45-3100BN
W5-1/2"*H7-3/4" *7-1/8"
1*E26*100W
Finish : BN/ORB/WH



aa: 46 VS46-3100BN
W17"*H6-3/4" *7-1/8"
2*E26*100W
Finish : BN/ORB/WH



aa: 47 VS47-3100BN
W30"*H6-3/4" *7-1/8"
4*E26*100W
Finish : BN/ORB/WH



aa: 48 VS48-3100BN
W5-1/2"*H7-3/4" *7-1/8"
1*E26*100W
Finish : BN/ORB/WH



aa: 49 VS49-3100BN
W30"*H6-3/4" *7-1/8"
4*E26*100W
Finish : BN/ORB/WH



aa: 50 VS50-3100BN
W17"*H6-3/4" *7-1/8"
4*E26*100W
Finish : BN/ORB/WH



aa: 51 VS51-3100BN
W17"*H6-3/4" *7-1/8"
3*E26*100W
Finish : BN/ORB/WH



aa: 52 VS52-3100BN
W5"*H9" *7"
1*E26*100W
Finish : BN/ORB/WH



aa: 53 VS53-3100BN
W30"*H9" *7"
4*E26*100W
Finish : BN/ORB/WH



Vanity
Sconces






Vanity
Sconces



aa: 54 VS54-3100BN
W16"*H9" *7"
2*E26*100W
Finish : CH Glass: White Opal



aa: 55 VS55-3100BN
W24"*H9" *7"
3*E26*100W
Finish : CH Glass: White Opal



aa: 56 VS56-3100BN
W20-1/2"*H5-1/2" *6-1/2"
2*E26*100W
Finish : Brushed Nickel Glass: White Opal



aa: 57 VS57-3100BN
W34-1/2"*H5-1/2" *6-1/2"
4*E26*100W
Finish : Brushed Nickel Glass: White Opal



aa: 58 VS58-3100OB
W11"*H5-1/2" *6-1/2"
1*E26*100W
Finish : OIL BROWN Glass: White Opal



aa: 59 VS59-3100OB
W27-1/2"*H5-1/2" *6-1/2"
3*E26*100W
Finish : OIL BROWN Glass: White Opal



aa: 60 VS60-3100BN
W4-3/4"*H8-1/2" *7-1/2"
1*E26*100W
Brushed Nickel Frosted Glass



aa: 61 VS61-3100BN
W24"*H7-3/4" *10"
4*E26*100W
Brushed Nickel Frosted Glass



aa: 62 VS62-3100BN
W11-1/2"*H7-3/4" *7-1/2"
2*E26*100W
Brushed Nickel Frosted Glass



aa: 63 VS63-3100BN
W16-1/2"*H7-3/4" *8-3/4"
3*E26*100W
Brushed Nickel Frosted Glass



aa: 64 VS64-3100BN
W12"*H6" *4"
1*E26*100W
Silver / White Glass



aa: 65 VS65-3100BN
W48"*H6" *4"
4*E26*100W
Silver / White Glass



aa: 66 VS66-3100BN
W24"*H6" *4"
2*E26*100W
Silver / White Glass



aa: 67 VS67-3100BN
W36"*H6" *4"
3*E26*100W
Silver / White Glass



aa: 68 VS68-3100BN
W5-3/4"*H11" *5-1/2"
1*E26*100W
BN/ White Opal



aa: 69 VS69-3100BN
W31"*H11" *5"
4*E26*100W
BN/ White Opal



aa: 70 VS70-3100BN
W15"*H11" *5"
2*E26*100W
BN/ White Opal



aa: 71 VS71-3100BN
W22"*H11" *5"
3*E26*100W
BN/ White Opal



aa: 72 VS72-3100BN
W5-3/8"*H7-1/4"/7-5/8"
1*E26*100W
BN/ White

aa: 73 VS73-3100BN
W12-1/2"*H6-1/2"/7-5/8"
2*E26*100W
BN/ White

Vanity
Sconces



aa: 74 VS74-3100BN
W26-1/2"*H6-1/2" *7-5/8"
4*E26*100W
BN/ White



aa: 75 VS75-3100BN
W29-1/2"*H6-1/2" *7-5/8"
3*E26*100W
BN/ White



aa: 76 VS76-3100BN
W5-3/8"*H7-1/4"/7-5/8"
1*E26*100W
OB / Amber Glass



aa: 77 VS77-3100BN
Size:W26-1/2"*H6-1/2" *7-5/8"
4*E26*100W
OB / Amber Glass



aa: 78 VS78-3100BN
W12-1/2"*H6-1/2" *7-5/8"
2*E26*100W
OB / Amber Glass



aa: 79 VS79-3100BN
W29-1/2"*H6-1/2" *7-5/8"
3*E26*100W
OB / Amber Glass



aa: 80 VS80-3100BN
W12-1/2"*H6-1/2" *7-5/8"
2*E26*100W
BN/ Alabaster



aa: 81 VS81-3100BN
W29-1/2"*H6-1/2" *7-5/8"
3*E26*100W
BN/ Alabaster



Vanity Sconces



aa: 82 VS82-3100BN
W30"*H7-1/2" *6-1/2"
4*E26*100W
BN/ Alabaster



aa: 83 VS83-3100OB
W24"*H7-1/2" *6-1/2"
3*E26*100W
OB/ Alabaster



aa: 84 VS84-3100OB
W15"*H7-1/2" *6-1/2"
2*E26*100W
OB/ Alabaster



aa: 85 VS85-3100OB
W30"*H7-1/2" *6-1/2"
4*E26*100W
OB/ Alabaster



aa: 85 VS85-3100BN
W5-5/8"*H9" *6-3/8"
1*E26*100W
BN/ Alabaster



aa: 86 VS86-3100OB
W23-1/2"*H9" *6-3/8"
3*E26*100W
OB/ Alabaster



aa: 87 VS87-3100BN
W32-1/2"*H9" *6-3/8"
4*E26*100W
BN/ Alabaster



aa: 88 VS88-3100BN
W5-1/2"*H8-5/8" *7-1/2"
1*E26*100W
BN/ Alabaster



aa: 89 VS89-3100OB
W24"*H8-5/8" *7-1/2"
3*E26*100W
OB/ Alabaster



aa: 90 VS90-3100BN
W30"*H8-5/8" *7-1/2"
4*E26*100W
BN/ Alabaster



aa: 91 VS91-3100BN
W5-1/2"*H9" *8-1/2"
1*E26*100W
BN/ Alabaster



aa: 92 VS92-3100BN
W32"*H8-1/2" *7"
4*E26*100W
BN/ Alabaster



aa: 93 VS93-3100BN
W16"*H8-1/2" *7"
2*E26*100W
OB/ Alabaster



aa: 94 VS94-3100BN
W24"*H8-1/2" *7"
3*E26*100W
BN/ Alabaster



aa: 95 VS95-3100BN
W30-1/2"*H10" *7"
4*E26*100W
BN/ Alabaster



aa: 96 VS96-3100BN
W6-1/2"*H10" *7"
1*E26*100W
OB/ FROSTED



aa: 97 VS97-3100BN
W15-1/2"*H10" *7"
2*E26*100W
OB/ FROSTED



aa: 98 VS98-3100BN
W15-1/2"*H10" *7"
3*E26*100W
BN/ FROSTED



aa: 99 VS99-3100BN
W24"*H8-1/2" *6"
3*E26*100W
BN/ WH OPAL



aa: 100 VS100-3100BN
W33-1/2"*H8-1/2" *6"
4*E26*100W
BN/ WH OPAL



aa: 101 VS101-3100BN
W18-3/4"*H8-3/4" *5"
3*E26*100W
BN/ FROSTED



aa: 102 VS102-3100BN
W25-5/8"*H8-3/4" *5"
4*E26*100W
BN/ FROSTED



aa: 103 VS103-3100BN
W17-1/2"*H9" *6"
3*E26*100W
BN/ WH OPAL



aa: 104 VS104-3100BN
W21-1/2"*H7-1/2" *6-1/2"
3*E26*100W
OB / ALABASTER



aa: 105 VS105-3100BN
W5"*H8-1/2" *6"
1*E26*100W
BN/ WH



aa: 106 VS106-3100BN
W18"*H8-1/2" *6"
3*E26*100W
BN/ WH



aa: 107 VS107-3100BN
W31-1/4"*H7-1/2" *6-1/4"
4*E26*100W
BN/ WH OPAL



Vanity
Sconces





Vanity
Sconces



aa: 108 VS108-3100BN
W14-1/4"*H7-1/2" *6-1/4"
2*E26*100W
BN/ WH OPAL



aa: 109 VS109-3100BN
W22"*H7-1/2" *6-1/4"
3*E26*100W
BN/ WH OPAL



aa: 110 VS110-3100BN
W25-1/2"*H7-1/2" *5-1/2"
3*E26*100W
BN/ WH OPAL




aa: 111 VS111-3100BN
W34-1/2"*H7-1/2" *5-1/2"
4*E26*100W
BN/ WH OPAL



aa: 112 VS112-3100BN
W32"*H8" *7"
4*E26*100W
BN/ WH OPAL



aa: 113 VS113-3100BN
W24"*H8" *7"
4*E26*100W
BN/ WH OPAL



aa: 114 VS114-3100BN
W33-1/2"*H8-1/2" *6"
4*E26*100W
BN/ WH OPAL




aa: 115 VS115-3100BN
W24"*H8-1/2" *6"
3*E26*100W
BN/ WH OPAL



aa: 116 VS116-3100BN
W24"*H8-1/2" *6"
3*E26*100W
BN/ WH OPAL



aa: 117 VS117-3100BN
W22"*H10" *5-1/2"
3*E26*100W
BN/ WH OPAL



aa: 118 VS118-3100BN
W33-1/2"*H8-1/2" *6"
4*E26*100W
BN/ WH OPAL



aa: 119 VS119-3100BN
W31"*H10" *5-1/2"
4*E26*100W
BN/ WH OPAL



aa: 120 VS120-3100BN
W25"*H7-1/4" *7-1/2"
3*E26*100W
BN/ WH OPAL



aa: 121 VS121-3100BN
W31"*H7-1/4" *7-1/2"
4*E26*100W
BN/ WH OPAL



aa: 122 VS122-3100BN
W11-3/4"*H9" *6"
2*E26*100W
BN/ WH OPAL



Vanity
Sconces



aa: 123 VS123-3100BN
W4-1/4"*H10" *6"
1*E26*100W
BN/ WH OPAL



aa: 124 VS124-3100BN
W11-3/4"*H9" *6"
4*E26*100W
BN/ WH OPAL



aa: 125 VS125-3100BN
W20"*H9" *6"
3*E26*100W
BN/ WH OPAL



aa: 126 VS126-3100BN
W13"*H9-1/2" *6"
2*E26*100W
BN/ WH + CLEAR



aa: 127 VS127-3100BN
:W22"*H9-1/2" *6"
3*E26*100W
OB/ WH + CLEAR



aa: 128 VS128-3100BN
W31"*H9-1/2" *6"
4*E26*100W
BN/ WH + CLEAR



aa: 129 VS129-3100BN
W24"*H7-3/4" *6-1/2"
3*E26*100W
OB/ AMBER



aa: 130 VS130-3100BN
W5-1/4"*H12" *8"
1*E26*100W
OB/ AMBER



aa: 131 VS131-3100BN
W14-1/2"*H7-3/4" *6-1/2"
2*E26*100W
BN/ WH OPAL



aa: 132 VS132-3100BN
W33-3/4"*H7-3/4" *6-1/2"
4*E26*100W
OB/ AMBER



aa: 133 VS133-3100BN
W4-1/2"*H10-3/4" *7"
1*E26*100W
BN/ FROSTED



aa: 134 VS134-3100BN
Size:W24"*H89-1/4" *6"
3*E26*100W
OB/ AMBER

5



Vanity Sconces



aa: 135 VS135-3100BN
W4-1/2"*H10-3/4" *7"
1*E26*100W
OB/ AMBER



aa: 136 VS136-3100BN
W34"*H9-1/4" *6"
4*E26*100W
OB/ AMBER



aa: 137 VS137-3100BN
W14-1/4"*H9-1/4" *6"
2*E26*100W
OB/ AMBER



aa: 138 VS138-3100BN
W6-1/2"*H11-1/2"/8-1/4"
2*E26*100W
BN/ WH+CLEAR



aa: 139 VS139-3100BN
W32-1/2"*H7-3/8" *7-1/2"
4*E26*100W
BN/ WH+CLEAR



aa: 140 VS140-3100BN
W14-1/2"*H7-3/8" *7-1/2"
2*E26*100W
BN/ WH+CLEAR



aa: 141 VS141-3100BN
W23-1/2"*H7-3/8" *7-1/2"
3*E26*100W
BN/ WH+CLEAR



aa: 142 VS142-3100BN
W32-1/2"*H7-3/8" *7-1/2"
4*E26*100W
OB/ WH+CLEAR



aa: 143 VS143-3100BN
W14-1/2"*H7-3/8" *7-1/2"
2*E26*100W
OB/ WH+CLEAR



aa: 144 VS144-3100BN
W48"*H4-1/4" *1-1/2"
8*E26*100W
BN/ WH



aa: 145 VS145-3100BN
W18"*H4-1/4" *1-1/2"
3*E26*100W
BN/ WH



aa: 146 VS146-3100BN
W24"*H4-1/4" *1-1/2"
4*E26*100W
BN/ WH



aa: 147 VS147-3100BN
W36"*H4-1/4" *1-1/2"
6*E26*100W
BN/ WH



Vanity
Sconces




aa: 148 VS148-3100BN
W18"*H4-1/4" *1-1/2"
3*E26*100W
BN/ WH



aa: 149 VS149-3100BN
Size:W24"*H4-1/4" *1-1/2"
4*E26*100W
BN/ WH



aa: 150 VS150-3100BN
W48"*H4-1/4" *1-1/2"
8*E26*100W
BN/ WH



aa: 151 VS151-3100BN
W36"*H4-1/4" *1-1/2"
6*E26*100W
BN/ WH



Wall Sconce Code WSaaXY

WS indicates Wall Sconce
 aa for glass shape style in numbers from 01-99.
 X denotes light source, 1 for LED, 2 for CFL, 3 for Incandescent bulb.
 YY represents the Max. wattage for the fixture.
 The two ending letters means metal finish color. BN-Brushed Nickel (standard), CH-Chrome, OB-Oil Bronze, PB-Polished Brass, AB-Antique Brass, BK-Black, BR-Brown, RD-Red, WH-White.
 WS01-113BN, indicates a Vanity Sconce fixture with 13W LED light source, brushed nickel finish and a glass shape on the 01 style one.



ADA
 aa: 01 WS01-112BN
 L:12"H6"EXT3"
 12W/3000k/840LM
 BN/ WH



ADA
 aa: 02 WS02-112BN
 L:12"H6"EXT3"
 12W/3000k/840LM
 BN/ WH



Wall Sconces can be used for living, bedroom, hallway applications. Trendy coding system provides a simple and traceable system for customers to order. The buyer can use different light sources, different finishes. For instant, you can order WS01-113BN for 01 style wall sconce with 13W LED at brushed nickel finish rim and white glass or WS01-213BNA for 2 socket Max. CFS 13W bulbs at brushed nickel rim and alabaster glass.



ADA
 aa: 03 WS03-109BN
 W8"H8-1/4"EXT3-1/2"
 9W/3000k/400LM
 BN/ WH



ADA
 aa: 04 WS04-112OB
 W5"H9"EXT3-1/2"
 12W/3000k/500LM
 aa:04B WS04B-115OB
 W6"H10"EXT3-1/2"
 15W/3000k/550LM
 OB/ Amber



ADA
 aa: 05 WS05-114BN
 W6"H10"EXT3-1/2"
 14W/3000k/1000LM
 BN/ WH



ADA
 aa: 06 WS06-114BN
 W6"H10"EXT3-1/2"
 14W/3000k/1000LM
 BN/ WH



ADA
 aa: 07 WS07-115BN
 W7"H10"EXT4"
 15W/3000k/1050LM
 BN/ WH



aa: 08 WS08-113BN
 W12"H15"EXT11"
 13W/3000k/900LM
 BK/ WH



ADA
 aa: 09 WS09-360BN
 W7-1/2"H11"EXT4"
 1"E26*60W Max.
 BN/CH /White LINEN



ADA
 aa: 11 WS11-360BN
 W16"H11"EXT 7"
 2"E26*60WMax.
 BN/CH /White LINEN



ADA
 aa: 12 WS12-360BN
 W11"H14-1/4"//3-1/4"
 2"E26*60WMax.
 BN/CH /White LINEN



aa: 13 WS13-109BN
 W 4:H18"EXT5"
 9W/3000K/300LM
 BK



Wall Sconces



ADA

aa: 14 WS14-360BN
W5-1/2"H14-1/4"/3-1/4"
1"E26*60W Max.
BN/CH /White FABRIC



ADA

aa: 15 WS15-360BN
W9-1/2"H10-1/2"*4"
2"E26*60W
BN/CH /Acrylic



ADA

aa: 16 WS16-360OB
W"7-1/2H18"EXT4"
2"E26*60W
BN/ORB Glass:
White/Terra cloth



ADA

aa: 17 WS17-360OB
W12-1/2"H18"EXT4"
2"E26*60W
BN/ORB Glass:
White/Terra cloth



ADA

aa: 18 WS18-360OB
W9"H23"EXT4"
1"E26*60W
BN/ORB black
mesh&trim



ADA

aa: 19 WS19-360OB
W8-1/4"H14"EXT4"
1"E26*60W
BN/ORB Opal glass
with clear edge trim



ADA

aa: 20 WS20-360OB
W10"H15"EXT4"
1"E26*60W
BN/ORB Opal glass
with clear edge trim



ADA

aa: 21 WS21-360OB
W15-1/2"H10"3-1/4"
1"E26*60W
BN/ORB Frosted
glass with clear edge



ADA

aa: 22 WS22-360OB
W7-1/2"H13"EXT4"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 23 WS23-360OB
W7"H12-1/2"/3-3/4"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 24 WS24-360OB
W12"H7"EXT4"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 25 WS25-360OB
W8"H9-1/2"D3-1/2"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 26 WS26-360OB
W8"H9-1/2"D3-1/2"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 27 WS27-360OB
W8"H9-1/2"D3-1/2"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 28 WS28-360OB
W14"H11-3/8"3-1/8"
1"E26*60W
BN/ORB Frosted
glass



ADA

aa: 29 WS29-360OB
W4-1/2"H13-1/2"D4"
1"E26*60W
BN/ORB
Frosted glass



ADA

aa: 30 WS30-360OB
W4-1/2"H9-1/2"D4-3/4"
1"E26*60W
BN/ORB
Clear glass

Also suitable for horizontal mounted.



ADA

aa: 31 WS31-360BN
W4-3/4"H20-1/2"
EXT4-1/4"
1"E26*60W
BN/ORB
Clear glass



ADA

aa: 32 WS32-360BN
W4-3/4"H20-1/2"
*EXT4"
1"E26*60W
BN/ORB
Clear glass



ADA

aa: 32 WS32-360BN
:L30"H4" *EXT4"
L42"H4" *EXT4"
L54"H4" *EXT4"
1"E26*60W
BN/ORB Clear



ADA

aa: 32 WS32-360BN
W5-3/4"H19-1/4"
*EXT4"
1"E26*60W
BN/ORB
Clear glass



ADA

aa: 33 WS33-360BN
W4-1/4"H15-1/4"
*EXT4"
1"E26*60W
BN/ORB
Clear glass



ADA

aa: 34 WS34-360BN
W4-1/4"H15-1/4"
*EXT4"
1"E26*60W
BN/ORB
Clear glass



ADA

aa: 35 WS35-360BN
4-1/2"H13-1/2"
*EXT4"
1"E26*60W
BN/ORB
Clear glass



Wall Sconces



ADA aa:36 WS36-360BN
W11-1/2"H10-3/4"
EXT3-1/2"
2"E26*60W
BN/ORB Clear glass



ADA aa:37 WS37-360BN
W11"H10" *EXT4
2"E26*60W
BN/ORB Clear glass



ADA aa:38 WS38-360BN
W12-7/8"H10-3/4"
EXT3-3/4"
2"E26*60W
BN/ORB Clear glass



ADA aa:39 WS39-360BN
W11"H10" *EXT4"
2"E26*60W
BN/ORB Clear glass



ADA aa:40 WS40-360BN
W16"H8-1/4"
*EXT4-3/4"
2"E26*60W
BN/ORB Clear glass



ADA aa:41 WS41-360BN
12"H6-1/2"EXT3-1/2"
1"E26*60W
BN/ORB Clear glass



ADA aa:42 WS42-360BN
W12-3/4"H6-1/2"
*EXT4"
1"E26*60W
BN/ORB Clear glass



ADA aa:43 WS43-360BN
W8"H8-1/4" *EXT4"
1"E26*60W
BN/ORB Clear glass



ADA aa:44 WS44-360BN
W12"H6-1/2"
*EXT3-1/2"
1"E26*60W
BN/ORB Clear glass



ADA aa:45 WS45-360BN
W12"H6" *EXT6"
1"E26*60W
BN/ORB Clear glass
or Amber glass



ADA aa:46 WS46-360BN
W12"H6" *EXT6"
1"E26*60W
BN/ORB Alabaster
glass



ADA aa:47 WS47-360BN
W4-1/2"H13-1/2"
*EXT4"
1"E26*60W
BN/CH White Opal



aa:48 WS48-360BN
W5"H12" *EXT4"
1"E26*60W
BN/White Opal /
Tuscan Scavo



ADA aa:49 WS49-360BN
W5"H17-3/4"
1"E26*60W
BN/CH White Opal



aa:50 WS50-360BN
W7-1/2"H14-1/2"
*EXT3-1/4
1"E26*60W
BN/CH Frosted



aa:51 WS51-360BN
W4-1/4"H8-1/4"
*EXT6-1/4"
1"E26*60W
BN/ Etched Opal



aa:52 WS52-360BN
W4-1/2"H11-1/2"
*EXT4"
1"E26*60W
BN/ CH White Opal



ADA aa:53 WS53-360BN
W7-1/2"H12"
*EXT3-5/8"
1"E26*60W
BN/ OB White Opal



aa:54 WS54-360BN
W8-3/4"H10-1/2"
*EXT4"
1"E26*60W
BN/ White Opal

Outdoor Sconce Code OLaa-YYY

OL indicates Outdoor Light Fixture.

aa for fixture style in numbers from 01-99.

X denotes light source, 1 for LED, 2 for CFL, 3 for Incandescent bulb.

YY represents the Max. wattage for the fixture.

The two ending letters means metal finish color. BN-Brushed Nickel (standard), CH-Chrome, OB-Oil Bronze, PB-Polished Brass, AB-Antique Brass, BK-Black, BR-Brown, RD-Red, WH-White.

OL01-360OB, indicates a Outdoor Light fixture with 1 x 60W bulb at oil brown finish and a fixture style of aa.01.



aa: 01 OL01-360BK
W7**H13**EXT9"
1*E26*60W
Finish : BK Seedy glass



7



Outdoor



Trendy coding system provides a simple and traceable system for customers to order. The buyer can use different light sources, different finishes. For instant, you can order OL01-360OB for 01 style outdoor fixture with x 60W bulb at oil brown finish and seedy glass. OL01-115OBW for 15 LED light source with old brown finish and opal white glass.



aa: 02 OL02-360BK
W9**H22" *EXT13"
1*E26*60W
Finish : BK Seedy glass



aa: 03 OL03-360OB
W5**H12" *EXT4.5"
1*E26*60W
Finish : OB Frosty glass



aa: 04 OL04-360BK
W9**H19" *EXT11"
1*E26*60W
Finish : BK Seedy glass



<p>aa: 05 OL05-112BK W12**H11-1/8**15-3/8" 12W/3000K/800LM BK/WS Metal</p>	<p>aa: 06 OL06-112WH W6**H8**EXT4" 12W/3000K/600 (14" high also available with aa:06B)</p>	<p>aa: 07 OL07-109BK W4-1/2**H8-1/2**5-3/4" 9W/3000K/600LM BK/WH/ORB</p>	<p>aa: 08 OL08-109BK W8-1/2**H5**4" 9W/3000K/400LM BK/WH/ORB</p>	<p>aa: 08 OL08-109BK W8-1/2**H5**4" 9W/3000K/400LM BK/WH/ORB</p>
<p>aa: 09 OL09-115BK 8-1/2**12**5" 15W/3000K/800LM BK/ORB/WH</p>	<p>aa: 10 OL10-115OB 8-3/5**4-5/8" 12W/3000K/700LM BK/ORB/</p>	<p>aa: 11 OL11-115BK 11**6-1/2**4-1/2" 15W/3000K/800LM BK/ORB/WH</p>	<p>aa: 12 OL12-115BK 9-1/2**4-1/2" 15W/3000K/800LM BK/ORB/WH</p>	



Outdoor



aa: 13 OL13-115BK
7**10**4"
15W/3K/4K/5K/800L
BN/OB WH Opal



aa: 14 OL14-120BK
6**18**4"
15W/3K/4K/5K/1000L
BN/OB WH Opal
aa 14B OL14B-123BK
6**24**4" at 1500LM
aa 14C OL14C-128BK
6**30**4" at 2000LM



aa: 15 OL15-113BK
6**13-1/4**7"
13W/3K/4K/5K/600L
BN/OB WH Opal
with dust to dawn
sensor



aa: 16 OL16-109WH
W5**H6-1/8**4-7/8
9W/3K/5K/400L
WH/BK/BN



aa: 17 OL17-108BK
4-1/2**12**6"
8.5W/3K/500LM
BN



aa: 18 OL18-112BK
:6**11-1/2**7"
12W/3K/400LM
OB/BK White glass



aa: 19 OL19-115OB
19**11.5**9.5"
15W/3K/900LM
OB/BK White glass
with dust to dawn sensor



aa: 20 OL20-115OB
6**10-1/2**4-1/2"
15W/4K/5K/1050LM
OB/BK frosted glass
aa:20B OL20B-125OB
7-1/2**13**5-1/8"
25W/4K/5K/1600LM



aa: 21 OL21-112OB
2**6**4"
12W/3K/5K/840LM
OB/BK?WH
White glass



aa: 22 OL22-124OB
2**8**4"
24W/3K/5k/1680LM
OB/BK/WH/BZ



aa: 23 OL23-115OB
4**8**6"
15W/3K/5k/1100LM
OB/BK/WH/BZ



aa: 24 OL24-130OB
4**12**6"
30W/3K/5k/2100LM
OB/BK/WH/BZ



aa: 25 OL25-3100OB
W9**H22" *EXT13"
1*E26*100W
BK SEEDY GLASS



aa: 26 OL26-360BZ
W6**H11**EXT7-1/2"
1*E26*60W
BZ SEEDY GLASS



aa: 27 OL27-360BN
W8**H12**EXT10"
1*E26*60W
BN SEEDY GLASS



aa: 28 OL28-3100BN
W11**H7"
1*E26*100W
BN SEEDY GLASS



aa: 29 OL29-3100BN
W10**H18**EXT6-1/4"
2*E26*100W
BN/ORB WH Acrylic
aa:29B OL29B-3100BN
W10**H24**EXT6-1/4"
2*E26*100W



aa: 30 OL30-3100BN
W10**H14**EXT6-1/4"
2*E26*100W
BN/ORB WH Acrylic
aa:30B OL30B-3100BN
W10**H18**EXT6-1/4"
2*E26*100W
aa:30C OL30C-3100BN
W10**H14**EXT6-1/4"
2*E26*100W

aa: 31 OL31-3100BN
W10**H18**EXT6-1/4"
2*E26*100W
BN/ORB WH Acrylic
aa:30B OL30B-3100BN
W11-3/4**H13**XT6-3/4"
2*E26*100W
aa:30C OL30C-3100BN
W8**H16" *EXT6"
2*E26*100W
aa:31D OL31D-3100BN
W11-3/4**H13**XT6-3/4"
2*E26*100W
aa:31 OL31E-3100BN
W8**H16**EXT6"
2*E26*100W



aa: 32 OL32-360BN
W10**H14**EXT6-1/4"
2*E26*60W
BN/ORB WH Acrylic

aa:32B OL32B-360BN
W10**H18**EXT6-1/4"
2*E26*60W

aa:32C OL32C-360BN
W10**H24**EXT6-1/4"
2*E26*60W



Outdoor



aa: 33 OL33-360BN
W10**H14**EXT6-1/4"
2"E26*60W
BN/ORB WH Acrylic
aa:33B OL33B-360BN
W10**H18**EXT6-1/4"
2"E26*60W
aa:33C OL33C-360BN
W10**H24**EXT6-1/4"
2"E26*60W



aa: 34 OL34-360BN
W10**H14**EXT6-1/4"
2"E26*60W
BN/ORB WH Acrylic
aa:34B OL34B-360BN
W10**H18**EXT6-1/4"
2"E26*60W
aa:34C OL34C-360BN
W10**H24**EXT6-1/4"
2"E26*60W



aa: 35 OL35-360BKN
W9-3/8**H10-1/4"
EXT4"
1"E26*60W **ADA**
BN/ORB/BK
White Acrylic



aa: 36 OL36-360BZ
W9-3/8**H10-1/4"
*EXT4"
1"E26*60W **ADA**
BN/ORB/BZ
White Acrylic



aa: 37 OL37-360BK
W9-3/8**H10-1/4"
*EXT4"
1"E26*60W **ADA**
BN/ORB/BK
White Acrylic



aa: 38 OL38-360BN
W9-3/8**H10-1/4"
*EXT4"
1"E26*60W **ADA**
BN/ORB/BK
White Acrylic



aa: 39 OL39-360OB
W6**H12-1/4"
*EXT8"
1"E26*60W
BN/ORB/BK



aa: 40 OL40-360BK
W6-1/2**H9-1/8"
*EXT4-7/8"
1"E26*60W
BK/WH Frosted glass



aa: 41 OL41-360BK
W6-1/2**H9-7/8"
*EXT4-7/8"
1"E26*60W
BK/WH Frosted glass



aa: 42 OL42-360BK
W6-1/2**H9-7/8"
*EXT4-7/8"
1"E26*60W
BK/WH Frosted glass



aa: 43 OL43-360BK
W5-1/2**H11"
*EXT5-1/2"
1"E26*60W
BK/SI Frosted glass



aa: 44 OL44-360BN
W11-1/2**H10-3/4"
*EXT3-1/2"
1"E26*60W
BK/OB/WH
Wh Acrylic



aa: 45 OL45-360OB
W7-1/4**H9-1/4**8-1/8"
1"E26*60W
BK/OB/ Frosted Amber
aa: 45B OL45B-360OB
W8-7/8**H12-3/4" *EXT10"
1"E26*60W
aa: 45C OL45C-360OB
W8-7/8**H12-3/4" *EXT10"

aa: 46 OL46-360BN
W9**H14**EXT10"
1"E26*60W
BK/BZ Marbled white
aa:46B OL46B-360BN
W6-1/2**H9**EXT8-1/8"
1"E26*60W
aa:46C OL46C-360BN
W9**H14**EXT10"
2"E26*60W



aa: 47 OL47-360BN
W6**H7-1/2" EXT6"
1"E26*60W
BK/ORB
White marbled glass



aa: 48 OL48-360BN
W9**H10" *EXT4"
2"E26*60W
BK/ORB
White marbled glass



aa: 49 OL49-360BN
W9**L9**H5-1/2"
2"E26*60W
BK/ORB
White marbled glass



aa: 50 OL50-360BN
W7.2**H10**EXT4"
1"E26*60W
BK/ORB
White marbled glass



aa: 51 OL51-360BZ
W6.15**H10" *EXT7-1/3"
1"E26*60W
BK/BZ White Opal
aa: 51B OL51B-360OB
W6.15**H12-1/2**EXT9-1/2"
1"E26*60W
aa: 51C OL51C-360OB
W6.15**H14-1/2"
EXT10-1/2"



aa: 52 OL52-360BN
W7**H12-12**EXT7-3/4"
1"E26*60W
BN/ORB
White Opal



Outdoor



aa: 53 OL53-360OB
W5-5/8"H9-1/2"D6-3/4"
1"E26*60W
ORB White Opal



aa: 54 OL54-360OB
W5-1/8"H13-1/2"D6-1/4"
1"E26*60W
ORB White Opal



aa: 55 OL55-360OB
W5-1/8"H13-1/2"
*EXT6-1/4"
1"E26*60W
ORB White Opal



aa: 56 OL56-360OB
W6-1/4"H14-1/4"
*EXT7-1/2"
1"E26*60W
OB/BK/WH
white Opal



aa: 57 OL57-360OB
W6-1/2"H12-1/4"
*EXT7-3/4"
1"E26*60W
OB/BN white acrylic



aa: 58 OL58-360OB
W8-1/2"H14-3/4"
*EXT4-3/4
1"E26*60W
OB/BK white opal



aa: 59 OL59-360OB
W9-1/2"H19"
*EXT9-3/4"
1"E26*60W
OB/BK white opal



aa: 60 OL60-360BN
W7-1/2"H15-3/4"
*EXT9-3/4"
1"E26*60W
OB/BN white opal



aa: 61 OL61-360BN
W9-1/2"H7-3/4"
*EXT4-1/2"
1"E26*60W
OB/BK/WH opal



aa: 62 OL61-360BZ
W5-3/4"H8"
*EXT4-1/2"
1"E26*60W
OB/BZ opal



aa: 63 OL63-360WH
W8"H12"EXT5-3/4"
1"E26*60W
WH/BK FROSTEDI



aa: 64 OL64-360WH
W6-1/4"H10"
*EXT3-3/4"
1"E26*60W
WH/BK FROSTED



aa: 65 OL65-360BK
W6-1/4"H10"
*EXT3-3/4"
1"E26*60W
WH/BK FROSTED



aa: 66 OL66-360BK
W9"H4"
1"E26*60W
WH/BK FROSTED



aa: 67 OL67-360BK
W11"H5"
1"E26*60W
WH/BK FROSTED



aa: 68 OL68-360BZ
Size:W9"H8"EXT4"
1"E26*60W
BZ/BK marbled white



aa: 69 OL69-360WH
W6-1/2"H10"
*EXT5"
1"E26*60W
WH/BK
frosted white



aa: 70 OL70-360BK
W6-1/2"H10"
*EXT5"
1"E26*60W
WH/BK
frosted white



aa: 71 OL71-360BK
W10-1/2"H6-1/2"
*EXT5"
1"E26*60W
WH/BK
frosted white



aa: 71 OL71-360OB
W4-1/2"H8"EXT6"
1"E26*60W
OB/BN/BK
frosted glass



Outdoor



aa:72 OL72-360OB
W5-1/2**H10"
*EXT6-1/2"
1*E26*60W
OB/BN/BK
frosted glass



aa:73 OL73-360OB
W4-1/2**H11-1/4"
*EXT6-1/2"
1*E26*60W
OB/BN/BK
frosted glass



aa:74 OL74-360OB
W6**H7-1/4**EXT6"
1*E26*60W
OB/BK
frosted glass



aa:75 OL75-360OB
W6**H7-1/4" *EXT6"
1*E26*60W
OB/BK
frosted glass



aa:76 OL76-360OB
W8**H11**EXT8-7/8"
1*E26*60W
OB frosted glass



aa:77 OL77-360OB
W8**H11**EXT8-7/8"
1*E26*60W
OB/ frosted glass



aa:78 OL78-360OB
W6**H6-1/2"
*EXT6-3/4"
1*E26*60W
OB/BK/WH
white opal



aa:79 OL79-360OB
W4-1/2**H5-3/4"
*EXT5-1/2"
1*E26*60W
OB/BK/WH
Clear glass



aa:80 OL80-360WH
W4-1/2**H8-1/2"
*EXT6"
1*E26*60W
WH/BK?SA
White Opal



aa:81 OL81-360WH
:W4-1/2**H7-1/2"
*EXT6"
1*E26*60W
WH/BK?SA
Clear Jelly Jar



aa:82 OL82-360OB
W11**H7-1/4"
1*E26*60W
BK/OB
CLEAR BELED



aa:83 OL83-360OB
W10-1/4**H5-1/2"
1*E26*60W
BN /White Acrylic
aa:83B OL83B-360OB
W14-1/4**H5-1/2"



aa:84 OL84-360OB
W8-1/4**H5-3/4"
1*E26*60W
BK/OB FROSTED
aa:84B OL84B-360OB
W10-1/4**H5-3/4"



aa:85 OL85-360OB
W4-3/8**H12"
EXT7-1/2"
1*E26*60W
BK/BZ/WH
OPTIONAL BAFFLE



aa:86 OL86-360OB
W4-3/8**H7-1/4"
*EXT7-1/2"
1*E26*60W
BK/BZ/WH
OPTIONAL BAFFLE



aa:87 OL87-360OB
Size:W4-3/8**H7"
*EXT7-1/4"
1*E26*60W
BK/BZ/WH
OPTIONAL BAFFLE



aa:88 OL88-360BK
W10**H5-1/4"
1*E26*60W
BK/WH
Marbled glass



aa:89 OL89-360WH
W10**H5-1/4"
1*E26*60W
BK/WH
frosted glass



aa:90 OL90-360WH
W3-3/4**D5-1/4"
1*E26*60W
BK/WH/BZ frosted glass
aa:90B OL90B-360WH
W13-3/4**D5-1/4"



aa:91 OL91-360WH
Size:W13-3/4**D5-1/4"
1*E26*60W
BK/WH/BZ frosted glass

Undercabinet Code UCaa-YYY

UC indicates undercabinet Light.
 aa stands for the fixture style in numbers from 01-99.
 X represents for light source, 1 for LED, 2 for CFL, 3 for Incandescent, 4 for others.
 YY stands for wattage
 The two ending letters means metal finish color. BN-Brushed Nickel (standard), BK-Black, BR-Brown, WH-White. UL01-113BK, indicates an undercabinet light with LED 13W. at black finish and acrylic diffuser of style No.01.




Trendy coding system provides a simple and traceable system for customers to order. The buyer can use different light sources, different finishes. For instant, you can order UC01-4T5W for 01 style under cabinet with T5 tube light source at white finish instead of UC01-113BK, for LED 13W. at black powder paint finish and an acrylic diffuser of style No.01.



Undercabinet



aa: 01 UC01-115BK
 L17-1/2"W2"T2/3"
 10W/3000K/650LM
 BK/WH/Acrylic



Clip with magnetic pices Clip with wooden screw



Occupancy Sensor

20W pwoer

40W pwoer



aa: 02 UC01-108BK
 12"*3-1/2"*1"
 8W/3000K/400LM
 WH/BN/ORB



aa: 02C UC01-111BK
 24"*3-1/2"*1"
 11W/3000K/600LM
 WH/BN/ORB
 aa:02B UC02B-115BK
 33"*3-1/2"*1"
 15W/3000K/500LM

aa: 02E UC01-122BK
 42"*3-1/2"*1"
 22W/3000K/1300LM
 WH/BN/ORB



aa: 03 UC36004BK
 D:3 1/2"*Thickness 0.31"
 3W/2700-6500K/250LM
 24VDC input BN finish



aa: 04 UC04-LL/lumen/wattage/CRI/DRIVER



Undercabinet series 04 is LED 5" family that has a code like UC04-12L440-830-MV, standing for 12 inch at 440 lumen, 5W, CRI>80, 3000K with wide range voltage input. The detailed numbers can be referred to the chart below.



Undercabinet



Length, lumen & Wattage	CRI & CCT	Driver
12L440 - 12" 440 lumen, 5W	830 - CRI>80, 3000K	MV - 120-277V 1200 - 120V dimmable
18L720 - 18" 720 lumen, 8W	835 - CRI>80, 3500K	
21L800 - 21" 800 lumen, 8.5W	840 - CRI>80, 4000K	
24L880 - 24" 880 lumen, 9W	850 - CRI>80, 5000K	
33L1320 - 33" 1320 lumen, 13W	930 - CRI>90, 3000K	
34L1320 - 34" 1320 lumen, 13W	935 - CRI>90, 3500K	
42L1600 - 42" 1600 lumen, 16W	940 - CRI>90, 4000K	
46L1760 - 46" 1760 lumen, 17W	950 - CRI>90, 5000K	

aa: 05 UC05-LL/lumen/wattage/CRI/DRIVER

Undercabinet series 05 is LED 3.5" family that has a code like UC05-12L440-830-MV, standing for 12 inch at 440 lumen, 5W, CRI>80, 3000K with wide range voltage input. The detailed numbers can be referred to the chart below.



Length, lumen & Wattage	CRI & CCT	Driver
12L440 - 12" 440 lumen, 5W	830 - CRI>80, 3000K	MV - 120-277V 1200 - 120V dimmable
18L720 - 18" 720 lumen, 8W	835 - CRI>80, 3500K	
21L800 - 21" 800 lumen, 8.5W	840 - CRI>80, 4000K	
24L880 - 24" 880 lumen, 9W	850 - CRI>80, 5000K	
33L1320 - 33" 1320 lumen, 13W	930 - CRI>90, 3000K	
34L1320 - 34" 1320 lumen, 13W	935 - CRI>90, 3500K	
42L1600 - 42" 1600 lumen, 16W	940 - CRI>90, 4000K	
46L1760 - 46" 1760 lumen, 17W	950 - CRI>90, 5000K	

aa: 06 UC06-LL-LUMEN-WATTAGE-CRI-DRIVER



Undercabinet series 06 is T8 style family that has a code like UL06-18L720-830-ivi v, standing for 18 inch at 720 lumen, 8W, CRI>80, 3000K with wide range voltage input. The detailed numbers can be referred to the chart below.



Undercabinet



Length, lumen & Wattage	CRI & CCT	Driver
18L720 - 18" 720 lumen, 8W	830 - CRI>80, 3000K	MV - 120-277V 120D - 120V dimmable
24L880 - 24" 880 lumen, 9W	835 - CRI>80, 3500K	
36L1440 - 36" 1440 lumen, 16W	840 - CRI>80, 4000K	
48L1760 - 48" 1760 lumen, 17W	850 - CRI>80, 5000K	
	930 - CRI>90, 3000K	
	935 - CRI>90, 3500K	
	940 - CRI>90, 4000K	
	950 - CRI>90, 5000K	



Model	Dimensions(mm)	Mains voltage	Output voltage	Max. module Wattage
PS24-6	45x33x23.6	100V AC-240V AC	DC 24V±1.2V	6 W
PS24-12	70x50x26.8	100V AC-240V AC	DC 24V±1.2V	12 W
PS24-24	96x43.7x27.8	100V AC-240V AC	DC 24V±1.2V	24 W
PS24-36	96x43.7x27.8	100V AC-240V AC	DC 24V±1.2V	36 W
PS12-6	45x33x23.6	100V AC-240V AC	DC 24V±1.2V	6 W
PS12-12	70x50x26.8	100V AC-240V AC	DC 24V±1.2V	12 W
PS12-24	96x43.7x27.8	100V AC-240V AC	DC 24V±1.2V	24 W





aa: 07 UC07- 103BN/CHAMPaa: 08T UC08T- 103BN/ CHAMP

W4"*Thickness 1/5"
3W/2700-6500K/210LM
24VDC input
BN/Champagne finish

W:4"*Thickness 1/5"
3W/2700-6500K/210LM
24VDC input BN/Chanp finish
Touchable dimmer

aa: 09 UC09-L/C/wattage

Undercabinet series 09 has a code like UL09-12-2800-05, standing for 12 inch at 2800K and 440 lumen, with 24VDC voltage input. The detailed numbers can be referred.

aa:09 UC09- 12-2700-05
aa:09B UC09B-20-4500-08
aa:09C UC09C-40-6500-15
D:4"*Thickness 1/2"
5-15W/2700-6500K/210LM
24VDC input



PLASTIC CONNECTOR




used to connect the lamps.

CABLE CONNECTOR



used to connect the lamps.

CORNER CONNECTOR



a right-angle connector to connect the lamps.

CORNER CONNECTOR




Used to connect the lamps in the corner

TOUCH DIMMER



used to be dimmerable touch.

4/8 WAY SPLITTER



used to drive many lamps with one transformer.

PIR SENSOR



moving sensor over long distance:



Undercabinet





9

Track Light (TKaa-XYX)



TK indicates Track Spot Lights.

aa stands for track light style in numbers from 01-99.

X represents for light source, 1 for LED, 2 for CFL, 3 for Incandescent, 4 for others.

YY stands for wattage max. for each light.

The two ending letters means metal finish color. BN-Brushed Nickel (standard), BK-Black, WH-White. TL01-108BN, indicates a track light with LED 13W. at brushed nickel finish of style No.01.



Track Light



aa: 01 TK01-118BN
L48"*W3.75"*H2.25"*E 6.5
3*18W/3000K/800LM 120V LED
48 inch track included



aa: 02 TK02-115BN
L:24"*5"*5"
3*15W/3000K/600LM 120V LED
BN/WH/ORB
48 inch track included



aa: 03 TK03-118BN
L:32"*5"*5"
3*18W/3K/800LM 120V LED
BN/WH/ORB
32 inch track included



aa: 04 TK04-110BN
L48"*W3.75"*H2.25"*E 6.5
120V 3*10W GU10 MR16 LED
48 inch track included



aa: 01 TL01-223OB
W 13" x H 26"
CFL 23W E26
Fabric linen and metal

aa: 02 TL02-223DB 13" x H 26"
FL02-223DB 13"W x 58"H
CFL 23W E26
Fabric linen and metal, dark brown
* 3 Bedroom set Combo is available



FL02-223DB

TL02-223DB

aa: 04 TL04-223OB
W 16" x H 21"
CFL 23W E26
oil brown, brass copper or brass
nickel, Fabric linen and metal

Table Lamp (TL01-YYY)
Floor Lamp (FL01-YYY)

Indicates portable lamp.
aa stands for lamp style in numbers from 01-99
X represents for light source, 1 for LED, 2 for
CFL, 3 for Incandescent, 4 for others.
YY stands for wattage max. for each light.
The two ending letters means metal finish color
BN-Brushed Nickel (standard), CH-Chrome,
OB-Oil Bronze, PB-Polished Brass, AB-Antique
Brass, BK-Black, BR-Brown, RD-Red, WH-
White. TL01-223OB, indicates a table lamp with
E26 Max.23W. at fabric linen finish style
No.01.



aa: 03 TL03-223OB
w 15" x H 29.5"
CFL 23W E26
Venetian brown
Fabric linen and metal



Portable





Portable



aa: 05 TL05-223BN
W 14.5" x H 19"
CFL 23W E26
brass nickel, Fabric
linen, electroplated
glass and metal



aa: 06 TL06-223OB
W 17" x H 26"
CFL 23W E26
Oil Brown, Fabric
linen and metal



aa: 06 TL06-223OB
W 15" x 25"
CFL 23W E26
Oil Brown Fabric linen,
electroplated
glass and metal



aa: 06 TL06-223OB
W 16.2" x H 21"
CFL 23W E26
Oil Brown glass and
metal



aa: 07 TL07-223BN
L12" x W 6.5" x H 18"
CFL 23W E26
Brushed Nickel Fabric
linen and metal



Portable



aa: 08 TL08-223BN
W 14.5" x H 20-28"
CFL 23W E26
Brass Nickel Fabric linen



aa: 09 TL09-223BN
W15" x 25"
CFL 23W E26
Brass Nickel Fabric linen



aa: 10 TL10-223BN
W15" x 25.5"
CFL 23W E26
Brass Nickel Fabric liner



aa: 11 TL11-223OB
W15" x 26"
CFL 23W E26
Oil Brown Fabric linen



aa: 10 M01-213BN
W13.5" x 23"
CFL 13W E26
Brass Nickel



aa: 12 TL12-223OB
W16" x 26.5"
CFL 23W E26
Oil Brown Fabric linen



Downlight



Down Light (DLaa-YYY)

Indicates downlight Lights including surface mount or recessed mount as well as commercial ones. aa stands for downlight style in numbers from 01-99.


X represents for light source, 1 for LED, 2 for CFL, 3 for Incandescent, 4 for others.

YY stands for wattage max. for each light.


The two ending letters means metal finish color. WH-White, OB-Oil Bronze, .TL01-108BN, indicates a track light with LED 13W. at brushed nickel finish of style No.01.



aa: 01 DL01-118WH
120 VAC 50/60 HZ, 18W 1200LM
Dimmable recessed mount with plug
aa: 01B DL01B-112WH
120 VAC 50/60 HZ, 12W 800LM



aa: 02 DL02-112WH
120 VAC 50/60 HZ, 12W 800LM



aa: 03 DL03-112WH
120 V 12W 850LM
2700K/3000K



aa: 04 DL04-110WH
120 V 12W 800LM
3000K/4000K





aa: 05 DL05-108WH
120 V 6W 650LM
3000K/4000K




aa: 06 DL06-112WH
120 V 12W 850LM
3000K/4000K




aa: 07 DL07-110WH
10W, 3000K, 120V, 790LM,
dimmmable, surface mount
with E26/GU24 base




aa: 10 DL10-112WH
12W/2700-4000K/1000LM
with J-box, patented



aa: 08 DL08-115WH
D:5.7" x H 1-1/4"
10W/2700-4000K/650LM
Surface mount w. J-box



aa: 09 DL09-115WH
D:7-1/4" x H 1-9/10"
12W/2700-4000K/800LM
Surface mount w. J-box



aa: 11 DL11-108WH
8W/2700-4000K/650LM
with J-box, patented

