INFORMED CONSENT FOR PHILIPS ZOOM TOOTH WHITENING TREATMENT VIA THE SMILE SHOP LLC

INTRODUCTION

The Smile Shop LLC has determined that you are eligible for teeth whitening using 14% hydrogen peroxide. This information has been given to you so that I can make an informed decision about having your teeth whitened. You may take as much time as you wish to make your decision about signing this informed consent form.

DESCRIPTION OF THE PROCEDURE

Zoom in-office tooth whitening is a procedure designed to lighten the color of your teeth using a combination of a hydrogen peroxide gel and a specially designed visible/ultraviolet lamp. The Zoom treatment involves using the gel and lamp in conjunction with each other to produce maximum whitening results in the shortest possible time. During the procedure, the whitening gel will be applied to your teeth and your teeth will be exposed to the light from the Zoom lamp for three (3), 15-minute sessions. There is an optional fourth session for those with dark stains. During the entire treatment, a plastic retractor will be placed in your mouth to help keep it open and the soft tissues of your mouth (i.e., my lips, gums, cheeks and tongue) will be covered to ensure they are not exposed to either the gel or light. You will be provided a visible/ultraviolet light filter for your eyes. After the treatment is completed, the retractor and all gel and tissue coverings will be removed from your mouth. Before and after the treatment, the shade of my upperfront teeth will be assessed and recorded.

ALTERNATIVE TREATMENTS

I understand I may decide not to have the Zoom treatment at all. However, should I decide to undergo the treatment, I understand there are alternative treatments for whitening my teeth for which, The Smile Shop LLC, can provide me with. These treatments include: Whitening Toothpastes/Gels, Take-Home Whitening Kits, Porcelain Crowns, Veneers or Composites.

COST

I understand that the cost of my Zoom treatment is available at a basic fee of \$200. This fee is not covered by any dental or medical insurance. I understand that I am solely responsible to make payment before services are rendered.

RISKS OF CONSENT FOR TREATMENT

I understand that:

- Existing issues should be treated before undergoing a whitening procedure.
- Results will vary or regress due to a variety of circumstances.
- Zoom whitening treatments are not intended to lighten artificial teeth, caps, crowns, veneers or porcelain, composite or other restorative materials, and that these types of restorations may need to be replaced at my expense to match my newly whitening teeth.
- Darkly stained yellow or yellow-brown teeth frequently achieve better results than people with gray or bluish-gray teeth.
- Teeth with multiple colorations, bands, splotches or spots due to tetracycline use or fluorosis do not whiten as well, may whiten unevenly, may require additional whitening, or may not whiten at all
- Previous orthodontic treatments may cause teeth to whiten unevenly if any resin from the treatment was not properly removed from the teeth, either due to residual resin remaining on the teeth or over polishing upon removal.
- Those with porcelain fused to metal crowns, amalgams, lingual bars or implants may feel excessive heat.
- Teeth with many fillings or cavities may not lighten and are usually best treated with other non-Whitening alternatives.
- The Zoom Lamp emits ultraviolet radiation (UVA) and all materials used in the isolation process, when properly used as directed, will block any exposures of soft tissues to this light.
- It is recommended that those currently treated for a serious illness or disorder (e.g. immune compromised, AIDS, etc) should consult a medical doctor before use.
- Zoom treatment is not recommended for pregnant or lactating women.

I understand that the results of my Zoom treatment cannot be guaranteed. I understand that some of the potential complications of this treatment include, but are not limited to:

Tooth Sensitivity/Pain – During the first 24 to 48 hours after Zoom treatment, some patients can experience some tooth sensitivity or pain. This is normal and is usually mild, but it can be worse in susceptible individuals. Normally, tooth sensitivity or pain following a Zoom treatment subsides within 24 to 48 hours, but in rare cases can persist for longer periods of time in susceptible individuals. People with existing sensitivity, recession, exposed dentin, exposed root surfaces, untreated caries, recently cracked teeth, abfractions, oral tissue injury, open cavities, leaking fillings, or other dental conditions that cause sensitivity or allow penetration of the gel into the tooth may find that those conditions increase or prolong tooth sensitivity or pain after Zoom treatment.

Gum/Lip/Cheek Inflammation/Burn – Improper isolation during the whitening procedure may cause or result in (i) inflammation of your gums, lips or cheek margins due to exposure of a small area of those tissues to the whitening gel or the ultraviolet light, (ii) the burning of gingiva, swollen lips due to UV light coming into contact with soft tissue, or (iii) chemical burn due to whitening gel coming into contact with soft tissue. The inflammation or burn is usually temporary and will subside in a few days, but may persist longer and may result in significant pain or discomfort, depending on the degree to which the soft tissues were exposed to the gel or ultraviolet light.

Cavities or Leaking Fillings – Most dental whitening is indicated for the outside of the teeth, except for patients who have already undergone a root canal procedure. If any open cavities or fillings that are leaking and allowing gel to penetrate the tooth are present, significant pain could result. I understand that if my teeth have these conditions, I should have my cavities filled or my fillings redone before undergoing the Zoom treatment.

Cervical Abrasion/Erosion – These are conditions which affect the roots of the teeth when the gums recede and they are characterized by grooves, notches and/or depressions, that appear darker than the rest of the teeth, where the teeth meet the gums. These areas appear darker because they lack the enamel that covers the rest of the teeth. Even if these areas are not currently sensitive, they can allow the whitening gel to penetrate the teeth, causing sensitivity. I understand that if cervical abrasion/ erosion exists on my teeth, these areas will be covered with dental dam prior to my Zoom treatment. Relapse – After the Zoom treatment, it is natural for the teeth that underwent the Zoom treatment to regress somewhat in their shading after treatment. This is natural and should be very gradual, but it can be accelerated by exposing the teeth to various staining agents. Treatment usually involves wearing a take-home tray or repeating the Zoom treatment

The safety, efficacy, potential complications and risks of Zoom treatment can be explained to me by my dentist and I understand that more information on this will be provided to me upon my request. Since it is impossible to state every complication that may occur as a result of Zoom treatment, the list of complications in this form is incomplete.

The basic procedures of Zoom treatment and the advantages and disadvantages, risks and known possible complications of alternative treatments have been explained to me by my dentist and my dentist has answered all my questions to my satisfaction.

SIGNATURES

By signing this document in the space provided I indicate that I have read this informed consent (or it has been read to me), I fully understand the entire document and the possible risks, complications and benefits that can result from the Zoom treatment, and that I give my permission for the Zoom treatment to be performed on me.

PATIENT'S SIGNATURE/DATE	
RDH/RDA SIGNATURE/DATE	