







Legend

Development Envelope

Vegetation Type

CL


Cleared

T3

Tall closed shrubland to low sparse shrubland of *Acacia rostellifera*, *Melaleuca cardiophylla*, *Melaleuca huegelii* subsp. *huegelii*, *Melaleuca systema*, *Olearia* sp. Kennedy Range (G. Byrne 66) over low sedgeland of *Lepidosperma calcicola* on flats of grey-brown sandy loam.

W1

Mid open to closed mallee forest of *Eucalyptus obtusiflora* subsp. *dongarraensis* and *Eucalyptus oraria* over mid to tall sparse shrubland of *Melaleuca cardiophylla* and *Melaleuca huegelii* subsp. *huegelii*, with occasional *Acacia rostellifera* and *Melaleuca lanceolata* on slopes of grey sand



Legend

Development Envelope

Vegetation Type

CL

Cleared

H8


Tall to mid open shrubland of *Acacia rostellifera*, *Melaleuca cardiophylla*, *Melaleuca huegelii* subsp. *huegelii* and *Santalum acuminatum* over low sparse shrubland of *Melaleuca systema* over low open sedgeland of *Gahnia* sp. South West (K.L. Wilson & K. Frank K LW 9266) on grey clayey sand in swales between dunes

T2

Tall closed shrubland of *Melaleuca cardiophylla* and/or *Melaleuca huegelii* subsp. *huegelii* on slopes of grey-brown sandy loam

W1

Mid open to closed mallee forest of *Eucalyptus obtusiflora* subsp. *dongarraensis* and *Eucalyptus oraria* over mid to tall sparse shrubland of *Melaleuca cardiophylla* and *Melaleuca huegelii* subsp. *huegelii*, with occasional *Acacia rostellifera* and *Melaleuca lanceolata* on slopes of grey sand



Legend

Development Envelope

Vegetation Type

CL

Cleared

H8

Tall to mid open shrubland of *Acacia rostellifera*, *Melaleuca cardiophylla*, *Melaleuca huegelii* subsp. *huegelii* and *Santalum acuminatum* over low sparse shrubland of *Melaleuca systema* over low open sedgeland of *Gahnia* sp. South West (K.L. Wilson & K. Frank K LW 9266) on grey clayey sand in swales between dunes

T2

Tall closed shrubland of *Melaleuca cardiophylla* and/or *Melaleuca huegelii* subsp. *huegelii* on slopes of grey-brown sandy loam

W1

Mid open to closed mallee forest of *Eucalyptus obtusiflora* subsp. *dongarraensis* and *Eucalyptus oraria* over mid to tall sparse shrubland of *Melaleuca cardiophylla* and *Melaleuca huegelii* subsp. *huegelii*, with occasional *Acacia rostellifera* and *Melaleuca lanceolata* on slopes of grey sand



