



# MICROCONSULT, INC.

MICROBIOLOGICAL & ANALYTICAL TESTING LABORATORY

3218 Commander Dr., Suite 100, Carrollton, TX 75006 ~ Phone: 972.250.2902 ~ Toll Free: 888.231.7002 ~ Fax: 972.250.2903 ~ www.microconsultinc.com

## Certificate of Analysis

**Customer Name:** Shilala LLC  
**Product Name:** Shilajit  
**Lot Number:** LOT\_001R  
**Lab Number:** CL000922  
**Analysis Date:** February 03, 2023  
**Analyst Name:** Yingxi Mao, Lucy Zheng  
**Methods:** CAM 176, CAM 216, CAM 85  
**Equipment Type:** ICP, Ion Chromatography  
**Sample Types:** Finished Product, Filled Unit

### Sample Identification and Results

Active	Test Results
Copper	9.2 ppm
Cadmium	<0.1 ppm
Mercury	0.01 ppm
Arsenic	0.3 ppm
Selenium	<2.5 ppm
Chromium	4.1 ppm
Molybdenum	<2.5 ppm
Calcium	2.4%
Lead	0.8 ppm
Iron	992.8 ppm
Cobalt	<2.5 ppm

Completed By

Date

2/3/23


Reviewed By

Date

2/3/23

*The results stated above are provided with the most accurate method available. However, the test method has not been validated as stability-indicating to current USP and ICH guidelines for this product. Method validations are the responsibility of the manufacturer for each product.*

Form Q013B



# MICROCONSULT, INC.

MICROBIOLOGICAL & ANALYTICAL TESTING LABORATORY

3218 Commander Dr., Suite 100, Carrollton, TX 75006 ~ Phone: 972.250.2902 ~ Toll Free: 888.231.7002 ~ Fax: 972.250.2903 ~ www.microconsultinc.com

## Certificate of Analysis

Zinc	25.6 ppm
Manganese	85.2 ppm
Sodium	612.2 ppm
Potassium	8.2%
Phosphorus	2173.1 ppm
Boron	99.0 ppm
Silicon	468.5 ppm
Iodine	0.6081 ppm
Magnesium	1.2%

Completed By

2/3/23

Date

Reviewed By

2/3/23

Date

*The results stated above are provided with the most accurate method available. However, the test method has not been validated as stability-indicating to current USP and ICH guidelines for this product. Method validations are the responsibility of the manufacturer for each product.*

Form Q013B