
CONSCIOUS CARE & SUPPORT




Week One


**Awareness Based Calming and De-escalation Skills
Offered by A Mindful Supporter**




To Consistently Deliver Optimal Support




A View of Anxiety



Toward A More Complete Understanding of the Hierarchy of Unmet Needs







**Physical and
Emotional Well-being**

**Toward A More Complete
Understanding
of the Hierarchy of Unmet Needs**


Awareness-based calming and de-escalation skills offered by mindful, emotionally self-regulated and kind supporters





Mindful Emotional Self Regulation

The main way we can consciously access the emotional brain is through self awareness*, i.e. becoming mindful. Mindfulness increases connections in the medial pre-frontal cortex. This reduces anxiety for the Supporter and the Person Supported.



LeDoux, J. (2013). Emotion circuits in the brain. *Journal of Neuroscience* 33(9), 3815-3823

Examples of CCS Tools to Enhance Self and Others' Mindful Emotional Self Regulation

- Bilateral, Biomeridian Awareness Based Calming (BB-ABC) e.g. Rocking, Butterfly Hugs, Hand Activation
- Calming others by calming oneself – emotional contagion and mirror neurons
- B-FIT Mindfulness (the essential tool to initiate Conscious Care and Support)

All Tools must be practised during times of calm.

Bilateral, Bio-Meridian Awareness Based Calming (BB-ABC)



Bilateral, Biomeridian Awareness Based Calming (BB-ABC)

- **Butterfly Hug**
- **Collar Bone Activation**
- **Hand Activation**

All Tools must be practised during times of calm.

BB ABC Calming Interventions

BB-ABC Exercise # 1: Butterfly Hug:

The butterfly hug can be readily taught for self-administration to the vast majority of children, youth and adults we support. Supporters can model this simple practice at any time of the day and thereby help influence others to start the practice.

- Fold arms across the chest so that the left hand rests on the right bicep and the right hand rests on the left bicep.

BB-ABC Exercise # 1: Butterfly Hug: *(cont'd)*

- Raise one hand and apply pressure on one bicep (thus activating the brain), then the other. Alternate at a rate of one activation per second. Both the individual and the supporter count out loud: “1,000 Here; 2,000 Here,” up to 10,000 and start over. “Here” is an essential label to keep both you and the individual mindful in each moment of activation.

BB-ABC Exercise # 1: Butterfly Hug: *(cont'd)*

- As the person supported activates, model and label the exact behaviour.
- Whenever you (the supporter) are not talking, silently and mindfully intend calm.
- Continue for up to five minutes. If agitation or difficult feelings continue, introduce other parts of the Behaviour Support Plan and return to the most suitable BB-ABC exercise.

BB-ABC Exercise # 2: Collar Bone Activation

- Using the three middle fingers on each hand, alternate from left side to right side each second, activating the “sensitive” acupressure point of the collar bone region approximately one inch from the top of the collar bone.
- Refer to Exercise #1 for instructions about timing, role modeling, intentions and affirmations.

BB-ABC Exercise # 3: Hand BB Activation by Supporter

- As appropriate, you (the supporter) hold the individual's hands. Your thumb activates the "sensitive" space between the thumb and index finger of the individual's hand.
- Activate this region in each hand following the timing, role modeling and intentions as described in instructions for Exercise #1.
- For all exercises remind the recipient to notice how it feels by labeling "here" or blinking if nonverbal. This teaches mindfulness and activation of brain-calming circuits, (e.g., the medial prefrontal cortex).

Other Examples of CCS Tools to Enhance Self and Others' Mindful Emotional Self Regulation

- Sensory Assessment and Addressing Any Dysregulation
- Activities of Bouncing and Balancing
- Activities of Self-Awareness
 - Eye Spy Games
 - Mindful Walking
 - Mindful Movement
 - Mindful Breathing

Calming Others by Calming Oneself



Calming Others by Calming Oneself

- **Emotional Contagion**
Calm begets Calm. Fear begets Fear.
- **Neuroception**
- **Mirror Neuron Activation**

B-FIT Mindfulness

(the essential tool to initiate
Conscious Care and Support)



How to Escape from the 'Dog Eat Dog' World

- If you can always be cheerful, ignoring aches and pains;
- If you can resist complaining and boring people with your troubles;
- If you can understand when your loved ones are too busy to give you any time;
- If you can take criticism and blame without resentment;
- If you can relax without alcohol;

...Then You Are Probably

The Family Dog!



Our Human Predicament and Potential


We human folks are different from other animals with whom we share this planet.

This is because we have the potential to be conscious. This is to know that we are here and as a result can make choices that your average dog likely can't.

Become aware that you are listening to me right now.
Let's call this being somewhat more conscious.

Mindful Emotional Self Regulation


The main way we can consciously access the emotional brain is through self awareness*, i.e. becoming mindful. Mindfulness increases connections in the medial pre-frontal cortex. This reduces anxiety for the Supporter and the Person Supported.



(*Research reference: J. LeDoux, "Emotion Circuits in the Brain", Journal of Neuroscience 33, no. 9 (2013) 3815-23)


B-FIT MINDFULNESS IS...

Being Ahh-llowing* of and Paying Attention:



*Ahh-llowing is to be subjectively/internally accepting of what B-FIT is doing moment by moment. It starts as an intended 'let it be' attitude of one's inner world with a simultaneous passionate commitment to change objective/outside reality as useful.

Comprehensive Anxiety Reduction



TOWARD A MORE COMPLETE UNDERSTANDING OF HOW TO SUPPORT INDIVIDUALS WITH AUTISM AND OTHER DEVELOPMENTAL DISABILITIES

The theory and practice on which Conscious Care and Support is based, has been well investigated and in some cases extensively evaluated. Some of the main Recommended References and Resources are:

- Azah, V. (2016). Conscious Classrooms Pilot Project Evaluation Report (reference www.centreforconsciouscare.ca to request a copy).
- Behavior Analyst Certification Board. (2017). Professional and Ethical Compliance Code for Behavior Analysts. Retrieved from <https://bacb.com/wp-content/uploads/2017/05/170525-compliance-code-english.pdf>
- Bluestone, J. (2005). The Fabric of Autism: Weaving the Threads into a Cogent Theory. Seattle, Washington: Sapphire Enterprises.
- Bock, K., & Stauth, C. (2008). Healing the New Childhood Epidemics: Autism, ADHD, Asthma & Allergies. New York, NY: Ballantine Books.
- Boroson, B. (2011). Autism Spectrum Disorders in the Mainstream Classroom. New York, NY: Scholastic Inc.
- Corbett, Blythe and Simon D. (2014). Adolescence, Stress and Cortisol in ASD.
- Eagleman, D. (2015). The Brain. Pantheon.
- Doidge, N. (2015). The Brain's Way of Healing. Viking.
- Hamlin, T. (2015). Autism and the Stress Effect: A 4-step lifestyle approach to transform your child's health, happiness and vitality. Philadelphia, PA: Jessica Kingsley Publishers. (Reference www.thecenterfordiscovery.org).
- Haydicky, J., & Wiener, J. (2013). Promoting Social and Emotional Competence Through Mindfulness. Retrieved from <https://www.ldatschool.ca/mental-health-well-being/section-title-promoting-social-and-emotional-competence-through-mindfulness/>
- Herbert, M. (2012). The Autism Revolution: Whole-Body Strategies. New York, NY: Ballantine Books
- Jepson, B. (2007). Changing the Course of Autism. Boulder, CO: Sentient Publications.
- Laake, D., & Compart, P. (2013). The ADHD and Autism Nutritional Supplement Handbook: The Cutting-edge Biomedical Approach to Treating the Underlying Deficiencies and Symptoms of ADHD and Autism. Beverly, MA: Fair Winds Press.
- Marks, P., & Marks, G. (2014). Conscious Care and Support: for Individuals with Autism and Other Developmental Disabilities. Toronto, ON: Inclusion Press.
- MacFabe, D. F., Cain, N. E., Boon, F., Ossenkopp, K. P., & Cain, D. P. The Kilee Patchell-Evans Autism Research Group.
- Packer, L.E., Pruitt, S.K.,(2010). Challenging Kids, Challenged Teachers: Teaching Students with Tourette's, Bipolar Disorder, Executive Dysfunction, OCD, ADHD, and More. Woodbine House.
- Putnam, S. K., Lopata, C., Thomeer, M.L., Volker, M.A., Rodgers, J.D., (2015). Institute for Autism Research, Canisius College. Lower functioning children with ASD exhibit significantly higher cortisol and anxiety than higher functioning children with ASD.
- Ratey, J., & Johnson, C. (1997). Shadow Syndromes. New York, NY: Pantheon Books.
- Sherman, Jessica (2016). Raising Resilience. I.C. Publishing.
- Siegel, Dan (2007). The Mindful Brain. Norton.
- Smith, Hannah, Sengmuller (2014). ASD The Complete Autism Spectrum Disorder Health and Diet Guide. Robert Rose Inc.
- van der Kolk, B. A. (2014). The Body Keeps the Score. New York, NY: Viking.