



ESTD. 1924

SKILSAW

STAY TRUE

2019 Jobsite Catalog



THE FIRST AND ONLY CORDLESS WORM DRIVE SAW



TRUEHVL™
HIGH VOLTAGE LITHIUM



Worm Drive Gearing
The only cordless saw with worm drive gearing. Legendary power to go anywhere.



Powered by TRUEHVL™
The battery platform designed to power worm drive



All Magnesium Construction
Delivers jobsite durability and performance

7-1/4 IN. TRUEHVL™ CORDLESS WORM DRIVE SAW
SPTH 77 M

The first and only cordless Worm Drive saw gives you legendary SKILSAW power to go anywhere. Powered by the TRUEHVL™ battery, designed specifically for our legendary Worm Drive saw. The brushless motor responds to challenging applications by boosting power and torque, and all-magnesium construction makes it lightweight and tough. Get all the power you need, from the ONLY cordless Worm Drive saw.

BRUSHLESS

Ideal for Framing


Capacities

2-3/8 in. (60.33 mm) Max cut at 90°
1-15/16 in. (49.21 mm) Max cut at 45°
1-11/16 in. (42.86 mm) Max cut at 53°

Specifications

Ratings: 48V, 5.0Ah, 240Wh
Brushless motor
no 5,800/min
Magnesium guards, foot plate, housings
Bare Tool Weight: 11.09 lbs. (5.03 Kg) without battery, blade, wrench, and vacuum adapter
Battery Weight: 4.25 lbs. (1.93 Kg)





TRUEHVL™ LITHIUM ION BATTERY
SPTH 15



Specifications
Ratings: 48V, 5.0Ah, 240Wh



Stay Cool™ Battery Technology
Each cell is wrapped with a temperature controlling material that keeps cells cool to provide better performance



Innovative Battery Design
Distinct arrangement of cells evenly distributes heat to extend run time



Intelligent Power Management System
Monitors and optimizes each cell to maximize power, performance and run time

TRUEHVL™ QUICK CHARGER
SPTH 14



Specifications
Ratings: 120V, 60Hz
Maximum input power: 380W



Quick Charge Time
From zero to full charge in only 1 hour



Fan Cooled Charging
Prevents the battery from overheating



Charging Indicators
Displays the charging status



CORDLESS WORM DRIVE

Available Options



SPTH77M-22
2 Battery Kit, Diablo Blade



SPTH77M-21
2 Battery Kit, SKILSAW Blade



SPTH77M-12
1 Battery Kit, Diablo Blade



SPTH77M-11
1 Battery Kit, SKILSAW Blade



SPTH77M-02
Bare Tool, Diablo Blade



SPTH77M-01
Bare Tool, SKILSAW Blade



SPTH15
TRUEHVL™ Lithium Ion Battery



SPTH14
TRUEHVL™ Quick Charger





THE LEGEND. REBORN.™



7-1/4 IN. LIGHTWEIGHT MAGNESIUM WORM DRIVE SPT 77 WML-22

The latest and lightest Worm Drive continues the long tradition of SKILSAW® quality, rugged durability and consistently exceptional cutting performance. Weighing in at just 11.5 lbs., it's 4 lbs. less than it's predecessor and the lightest worm drive saw on the market. The rugged magnesium housing stays strong but keeps the motor cooler, giving you powerful performance job after job. Legendary SKILSAW Worm Drive technology meets our best-in-class Dual-Field™ motor, invented specifically for saws.

- **Lightest Weight Magnesium Design**
Reduces user fatigue and dissipates motor heat
- **Powerful Dual-Field™ Motor**
Increases cooling and extends tool life
- **Cut Ready™ Depth-of-Cut System**
Assists with quick and accurate depth measurements

Ideal for Framing




Capacities	Specifications	Includes
2-3/8 In. (60.3 mm) Max cut at 90° 1-15/16 In. (49.2 mm) Max cut at 45° 1-11/16 In. (42.8 mm) Max cut at 53°	Ratings: 15A, 120V≈ 60 Hz, n ₀ 5,300/min Magnesium guards, foot plate, housings	24-tooth DIABLO® Carbide Blade, Multi-function Wrench (stored in foot)

7-1/4 IN. ALUMINUM WORM DRIVE SPT 77 W-22



Ideal for Forming

Capacities	Specifications	Includes
2-13/32 In. (61.1 mm) Max cut at 90° 1-31/32 In. (50.0 mm) Max cut at 45° 1-3/4 In. (44.4 mm) Max cut at 51°	Ratings: 15A, 120V≈ 60 Hz, n ₀ 5,300/min Aluminum upper guard and housings, steel foot plate, magnesium lower guard	24-tooth DIABLO® Carbide Blade, Multi-function wrench (stored in foot)




- **Powerful Dual-Field™ Motor**
Increases cooling and extends tool life
- **Cut Ready™ Depth-of-Cut System**
Assists with quick and accurate depth measurements
- **Durable Steel Foot Construction**
Stands up to jobsite demands

8-1/4 IN. ALUMINUM WORM DRIVE SPT 78 W-22



Ideal for Higher Capacity Forming

Capacities	Specifications	Includes
2-7/8 In. (73 mm) Max cut at 90° 2-1/4 In. (57 mm) Max cut at 45° 1-1/2 In. (38 mm) Max cut at 60°	Ratings: 15A, 120V≈ 60 Hz, n ₀ 4,700/min Aluminum guards and housings, steel foot plate	24-tooth DIABLO® Carbide Blade, Multi-function Wrench (stored in foot)

- **Extended 60 Degree Bevel**
Adds capacity for a wider variety of cuts
- **Powerful Dual-Field™ Motor**
Increases cooling and extends tool life
- **Worm Drive Durability**
Combines Worm Drive gearing with all metal components for job-site durability





THE LEGEND IS NOW LARGER THAN LIFE




10-1/4 IN. MAGNESIUM SAWSQUATCH™ WORM DRIVE SPT 70 WM-22

A larger than life saw for one and done clean cuts through 4x in one pass, our SKILSAW® Worm Drive brings the same legendary power and relentless performance to all the big jobs. Powered by our Worm Drive Dual-Field™ motor, it's built to be relentless, so you can be too. Equal parts guts, grit, and power provide balance and precision to knock out big cuts fast and clean. And a Diablo® blade is included so it's ready to work hard, right out of the box.

**Impressive Depth-of-Cut**
Cuts 4X in one pass and tackles LVL, glulam, pine and PSL

**Powerful Dual-Field™ Motor**
Increases torque with a larger motor for big cuts

**Worm Drive Durability**
Combines Worm Drive gearing with all metal components for job-site durability

Ideal for 4X One Pass Cutting


Capacities	Specifications	Includes
3-11/16 In. (93.6 mm) Max cut at 90° 2-3/4 In. (69.8 mm) Max cut at 45° 2-1/2 In. (63.5 mm) Max cut at 51°	Ratings: 15A, 120V~ 60 Hz, n ₀ 4,700/min Magnesium guards, foot plate and gear housing	40-tooth DIABLO® Carbide Blade, Multi-function Wrench (stored in foot), Multi-position Handle




16-5/16 IN. MAGNESIUM SUPER SAWSQUATCH™ WORM DRIVE SAW SPT 70 V-11

Super Sawsquatch™ is the new boss. The biggest worm drive saw on Earth tears through whatever you throw at it. This beast of a saw boasts a 6-1/4 In. cutting capacity to power through 6x in one easy cut. The magnesium, die-cast foot plate guarantees true, square cuts every time. With lightweight, durable magnesium construction, brass worm drive gearing, and our 15 AMP Dual-Field™ motor and an electric brake that quickly stops the blade, everything about this saw is built to be relentless. The included 16-5/16 In. SKILSAW blade makes perfect cuts right out of the box. Super Sawsquatch -- are you ready for this monster?

**Impressive Depth-of-Cut**
To power through material up to 6-1/4 In.

**Worm Drive Gearing with Electric Brake**
Delivers relentless power for the biggest jobs

**Magnesium Die-Cast Footplate**
Ensures true cuts everytime

Ideal for 6X One Pass Cutting

Capacities	Specifications	Includes
6-1/4 In. (156 mm) Max cut at 90° 4-5/16 In. (109 mm) Max cut at 45°	Ratings: 15A, 120V~ 60 Hz, n ₀ 2,500/min Magnesium guards, foot plate and gear housing Dust Port Diameter: 1-7/8 In.	32-Tooth SKILSAW® Carbide Blade, with 1" Round Arbor, Adjustable Auxiliary Handle, Multi-function Wrench (stored in foot), Saw Stand




MAKE IMPOSSIBLE CUTS, POSSIBLE



16 IN. WORM DRIVE SAWSQUATCH™ CARPENTRY CHAINSAW

SPT 55-11

Backed by legendary Worm Drive gearing, the 16 In. Sawsquatch™ Carpentry Chainsaw combines power and durability for extraordinary productivity. Our 15 AMP Dual-Field™ motor keeps cool on the job, letting you tackle even the most difficult jobs. The full house chain provides precision, giving you cleaner, accurate cuts in a fraction of the time. Featuring magnesium built construction, this chainsaw delivers a lightweight design – allowing for maximum control and efficient handling. The impossible is possible with SKILSAW.



14-1/4 In. Depth of Cut
Powers through material in one pass



Worm Drive Gearing with Electric Brake
Delivers relentless power and proven durability



Full House Chain
Provides fast and accurate cuts with unmatched precision

Ideal for Accurate Large Capacity Cutting

Capacities (0° angle of attack)

14-1/4 In. (362mm) Depth of cut at 0°
8-3/4 In. (222mm) Depth of cut at 45°
5-1/2 In. (138mm) Depth of cut at 60°

Specifications

Ratings: 15A, 120VAC, 60 Hz, n, 6,300/min
Chain: 56 Tooth Full House, Bar Length: 16 in. (406mm)

Includes

SPT55 16 In. Worm Drive Sawsquatch™ Carpentry Chainsaw, SKILSAW 56T Full House Chain, 16 In. Guide Bar, Auxiliary Handle, Saw Stand, Chain Sheath






LEFT BLADE CUTTING **SIDEWINDER™** **SOUTHPAW™**



7-1/4 IN. MAGNESIUM LEFT BLADE SIDEWINDER™ CIRCULAR SAW SPT 67 M8-01

Introducing SOUTHPAW™, the only All-Magnesium Left Blade SIDEWINDER™ Circular Saw. Made specifically for our saws and for pros like you, SKILSAW's best-in-class 15 Amp Dual-Field™ motor increases cooling and extends tool life. Rugged all-magnesium construction reduces weight and goes even further to dissipate motor heat. See it all: with your blade located on the left, you have improved blade and cut-line visibility for improved accuracy. Plus, with 56° precision beveling capacity, you get the added capacity for a wider variety of cuts. Now you're set up for all-day success. Count on legendary SKILSAW® durability and performance to get the job done.

- **Left Blade Sidewinder™**
Improves blade and cut line accuracy and visibility
- **All Magnesium Construction**
Reduces user fatigue and adds durability
- **Powerful Dual-Field™ Motor**
Increases cooling and extends tool life

Ideal for Cut-line Visibility




Capacities	Specifications	Includes
2-7/16 In. (62 mm) Max cut at 90° 1-7/8 In. (47 mm) Max cut at 45° 1-1/2 In. (38 mm) Max cut at 56°	Ratings: 15A, 120V≈ 60 Hz, n ₀ 5,300/min Magnesium guards & foot plate, resin housings	24-tooth DIABLO® Carbide Blade, Multi-function Wrench (stored in foot)

7-1/4 IN. MAGNESIUM SIDEWINDER™ CIRCULAR SAW SPT 67 WM-22



Ideal for Framing / Forming

Capacities	Specifications	Includes
2-7/16 In. (62 mm) Max cut at 90° 1-7/8 In. (47 mm) Max cut at 45° 1-1/2 In. (38 mm) Max cut at 56°	Ratings: 15A, 120V≈ 60 Hz, n ₀ 5,300/min Magnesium guards, magnesium foot plate, magnesium housing	24-tooth DIABLO® Carbide Blade, Multi-function Wrench (stored in foot)




- **All Magnesium Construction**
Reduces user fatigue and adds durability
- **Powerful Dual-Field™ Motor**
Increases cooling and extends tool life
- **Best-In-Class Torque**
Improves productivity by increasing speed of cut

7-1/4 IN. MAGNESIUM SIDEWINDER™ CIRCULAR SAW WITH BRAKE SPT 67 WMB-22



Ideal for Framing / Forming

Capacities	Specifications	Includes
2-7/16 In. (62 mm) Max cut at 90° 1-7/8 In. (47 mm) Max cut at 45° 1-1/2 In. (38 mm) Max cut at 56°	Ratings: 15A, 120V≈ 60 Hz, n ₀ 5,300/min Magnesium guards, magnesium foot plate, magnesium housing	24-tooth DIABLO® Carbide Blade, Multi-function Wrench (stored in foot)

- **Electric Convenience Brake**
Helps make repetitive cuts faster
- **All Magnesium Construction**
Reduces user fatigue and adds durability
- **Powerful Dual-Field™ Motor**
Increases cooling and extends tool life



SIDEWINDER™ FOR FIBER CEMENT



Unique Dust Collection Design
Channels silica dust away from the tool motor for longer life



Sealed Bearings And Dust-Resistant Switch
Protects the saw from silica dust for longer life



No-Mard Cord Sleeve
Keeps cord and hose out of the way

7-1/4 IN. SIDEWINDER™ CIRCULAR SAW FOR FIBER CEMENT SPT 67 FMD-22

Now you can power through stacks of fiber cement while the silica dust is funneled away from the tool motor for longer life. This SIDEWINDER™ has a blade guard extension and dust channel to funnel dust into the included vacuum hose to be collected by your jobsite vac. We've even added sealed motor bearings and a dust resistant switch to help keep this saw running job after job. Big job or small—this SIDEWINDER will leave all other circular saws in the dust.

Ideal for Fiber Cement

Capacities

2-7/16 In. (62 mm) Max cut at 90°
1-7/8 In. (47 mm) Max cut at 45°
1-1/2 In. (38 mm) Max cut at 56°

Specifications

Ratings: 15A, 120V~ 60 Hz, n₀ 5,300/min
Magnesium guards, magnesium foot plate

Includes

4-tooth Diablo® PolyCrystalline, Diamond Tipped Fiber Cement HARDIEBLADE™, 8 ft. Vacuum Hose with Nylon Sleeve, 1.5 In., 2.5 In. and 38.5mm Vacuum Hose Adapters, Multi-function Wrench (stored in foot)



WORM DRIVE FOR METAL

METAL, MEET YOUR MATCH



OUTLAW

8 IN. OUTLAW™ WORM DRIVE FOR METAL

SPT 78 MMC-22

It's the saw made for those who rewrite the rules. OUTLAW™ changes the game because it has the strength and guts to tackle whatever is thrown its way with its Worm Drive gearing customized for metal. The blade window gives you the visibility to make true cuts. This saw also comes with the largest available chip tray so you can stay productive. OUTLAW is the newest character in the SKILSAW legend that started nearly a century ago.



Worm Drive Gearing Optimized For Metal
Balances torque and speed to cut through metal



Only Left-Blade Saw Built With Sight Window
Adds visibility to make accurate cuts



Largest Available Chip Tray
Holds 33% more for improved productivity

Ideal For Metal Fabrication

Depth of Cut
2-3/4 In. (70 mm) Max Cut at 90°

Specifications
Ratings: 15A, 120V≈ 60 Hz, n₀ 3,900/min
Magnesium Guards & Housings, Stainless Steel Foot, Resin Handles

Includes
42-Tooth DIABLO® CERMET Carbide Blade, Wrench (stored in foot)



12 IN. DRY CUT SAW*

SPT 62 MTC-22

Nobody has to tell you or your tools to go above and beyond everyday. It's just part of the job. It's why SKILSAW built a 12 In. Dry Cut Saw to cut like a 14 In. With an impressive 4-1/2 in. cutting capacity in a compact frame, you can handle big jobs and move easily from shop to site. The powerful 15 amp motor and no load 1500 RPM cut faster and cleaner than a chop saw—no deburring needed. And with soft-start, you'll get a motor that runs smoother and longer for more cuts. Add to that the included SKILSAW Carbide blade, and you've got a serious metal machine.



Compact Portable Frame Weighing Only 38.2 lbs.
Lightweight portability perfect for the shop or jobsite



Professional 15 Amp Motor With Large Cutting Capacity
Stands up to jobsite applications



Saw Features Cermet-Tipped Blade Technology
For weld ready and faster cuts than abrasive chop saws

Ideal For Thick Gauge Metal



Capacities
4.53 In. (115 mm) Max cut @ 90° for round pipe
3.94 In. (100 mm) Max cut @ 90° for square stock
3.15 In. x 6.22 In. (80 mm x 158 mm) Max cut @ 90° for rectangular stock

Specifications
Ratings: 15A, 120V≈ 60 Hz, n₀ 1,500/min
Aluminum guards & base, resin housing & handles

Includes
60-tooth DIABLO® CERMET Carbide Blade, Wrench (stored in foot)



CONQUER CONCRETE



7 IN. MEDUSAW™ WORM DRIVE FOR CONCRETE

SPT 79-00

MEDUSAW™ is the world's first fully integrated saw designed specifically for scoring and cutting concrete accurately. This one's got our legendary SKILSAW worm drive power train, plus a unique Cut-Ready™ adjustable plunge lock and a pivoting pointer for unmatched precision and convenience. Used wet or dry, the dual integrated dust management system takes dust out of your way. It's all part of the performance legend that is SKILSAW.



First Worm Drive Concrete Saw
Delivers a complete concrete cutting system with worm drive power and durability



Cut-Ready™ Adjustable Plunge Lock
Quickly and easily sets straight plunge cuts




Wet/Dry Dust Management System With GFCI Protection
Controls dust for cleaner cuts and longer tool life

Ideal For Concrete/Masonry

• Decorative • New Scoring • Control Joints

Capacities	Specifications	Includes
2 In. (50.8 mm) Max cut at 90°	Ratings: 15A, 120V~ 60 Hz, n _o 4,700/min Aluminum guards, foot plate, housings	GFCI, Vacuum Adapter with Clamp (fits 1-7/8 In. and 2-1/2 In. hoses), Water Feed Assembly



7 IN. MEDUSAW™ WALK BEHIND WORM DRIVE FOR CONCRETE

SPT 79 A-10

Stand up to big jobs with the only worm drive walk behind concrete saw. Cutting long control joints is simple with the new integrated handle that adjusts to your height and folds easily for transport and storage. Our legendary SKILSAW® worm drive power and a pivoting pointer deliver unmatched precision and convenience. Used wet or dry, the integrated dust management system controls dust for cleaner cuts. A two finger trigger reduces user fatigue and improves control. The all metal components featuring rust-resistant brackets and fasteners protect from corrosion for longer life. Armed with the MEDUSAW Walk Behind, you'll power through the toughest concrete jobs standing up. You can always count on SKILSAW.



Worm Drive Concrete Saw
Delivers a complete concrete cutting system with worm drive power and durability



Adjustable Handle
Extends to optimal height and folds for easy transport



Wet/Dry Dust Management System With GFCI Protection
Controls dust for cleaner cuts and longer tool life


Ideal For Concrete/Masonry

• New Scoring • Control Joints • Joint Repair • Cleanout

Capacities	Specifications	Includes
2 In. (50.8 mm) Max cut at 90°	Ratings: 15A, 120V~ 60 Hz, n _o 5,100/min Aluminum guards, foot plate, housings	GFCI, Carry Bag, Triple Size Vacuum Adapter with Clamp (fits 3.5 cm, 1-7/8 In. and 2-1/2 In. hoses), Water Feed Assembly, Auxiliary Handle, Multi-Function Tool (stored on foot)



WHEN THE WORK STACKS UP, LET IT RIP



10 IN. PORTABLE WORM DRIVE TABLE SAW

SPT 70 WT-22

We're bringing something to the table that pros have wanted for a while—the world's first Worm Drive table saw specifically designed for ripping. With the power and torque to tackle difficult cuts, bogging down is a thing of the past. The impressive 3-1/2 inch depth of cut and 24-1/4 inch rip capacity are big enough to rip plywood sheets in half. It also features our best-in-class Dual-Field™ motor and soft start technology for a saw that runs cooler and lasts longer. Without sacrificing legendary SKILSAW durability, you get a compact and portable saw that will be the talk of the jobsite. Welcome to the next chapter in the Worm Drive legacy.



Built With Legendary Worm Drive Gearing
Maximum torque for ripping applications



3-1/2 In. Depth-of-Cut, 25 In. Rip Capacity
Tackles sheets of plywood and 4x for increased productivity



Powerful Dual-Field™ Motor
Increases torque with a larger motor for big cuts

Ideal for Ripping

Capacities

3-1/2 In. (89 mm) Max cut at 90°
2-3 In. (58 mm) Max cut at 45°
25 In. Max rip capacity on right side of the blade

Specifications

Ratings: 15A, 120V~ 60 Hz, n₀ 5,300/min
All-metal roll cage design, die cast aluminum table top and side extension

Includes

30-tooth DIABLO® Carbide Blade for rip cutting, Miter Gauge, Self-aligning Fence, Smart Guard system including anti-kick back device, Insert Plate, Push Stick, Wrench



10 IN. HEAVY DUTY WORM DRIVE TABLE SAW WITH STAND

SPT 99-12

The 10-inch Heavy Duty Worm Drive Table Saw is the latest addition to SKILSAW's tablesaw lineup. SKILSAW's legendary Worm Drive power train delivers superior torque, an aggressive 3 1/2-inch depth of cut, and 30 1/2-inch rip capacity. Tear through plywood and slice 4x with ease and precision. The rack and pinion system makes fence adjustments quickly and smoothly for accurate cuts. SKILSAW's patented Dual-Field™ Motor runs cooler so it can work harder, longer. The rugged stand delivers dependable stability, and the sixteen inch wheels easily takes stairs and rolls over uneven surfaces to where you need to set up and let it rip.



3-1/2 In. Depth of Cut and 30-1/2 In. Rip Capacity
Cuts through 4X for increased productivity



Precision Rack and Pinion Fence System
Makes fence adjustments quickly and smoothly for accurate cuts



Rugged Rolling Stand with 16 In. Wheels
Delivers unsurpassed mobility over stairs and rough job-site surfaces

Ideal for Job-Sites

Capacities

3-1/2 In. (89 mm) Depth of cut at 90°
2-1/4 In. (58 mm) Depth of cut at 45°
30-1/2 In. Max Rip capacity on right side of the blade
16-1/2 In. Max Rip to Left of Blade

Specifications

Ratings: 15A, 120V~ 60 Hz, n₀ 5,000/min
Steel roll-cage design, die cast table top and side extension

Includes

30-Tooth DIABLO® Carbide Blade for rip cutting, Miter Gauge, Smart Guard system including anti-kick back device, Dust Elbow, Insert Plate, Push Stick, Wrench, Rip Fence



A MIGHTIER MITER SAW



12 IN. WORM DRIVE DUAL BEVEL SLIDING MITER SAW

SPT 88-01

Backed by legendary Worm Drive gearing, the 12 In. Dual Bevel Sliding Miter Saw combines dependable quality and lightweight portability into one powerful tool. The time-tested Worm Drive provides relentless power with a 15 AMP Dual-Field motor that keeps cool on the job, increasing longevity and work efficiency. Dual bevel capabilities allow for both left and right cuts, paired with adjustable bevel stops and 4 x 14 cross cut capacities to let you handle any joints on the jobsite. This saw is the lightest in its class - making for easy transportation. Feel the might, with SKILSAW.

Ideal for Accuracy and Portability

Capacities

Max. Miter Angle: 60° right, 50° left
Max. Bevel Angle: 48° right and left
Miter Detents: 0°, 15°, 22.5°, 31.6°, 45° right and left,
60° right, 50° left
Bevel Stops: 0°, 22.5°, 33.9°, 45°, 48° left and right

Specifications

Ratings: 15A, 120V≈ 60 Hz, n_g 4,000/min
Arbor: 1 in. Diameter, Tool Weight: 51lbs.,
Blade Diameter: 12 in.

Includes

SKILSAW® 60 Tooth Carbide Blade, Left and Right
Crown Stops with Fastening Knobs, Dust Bag, Dust
Elbow, 2-size Allen Wrench, Miter Lock Knob, Clamp



Worm Drive Gearing with Electric Brake

Delivers relentless power and
proven durability



Lightweight

Lightest-in-class weight, easy
transportation



Shadow Light

LED light casts a shadow to accurately
align with the cutline



DEMOLISH VIBRATION




BUZZKILL™
TECHNOLOGY



15 AMP HEAVY DUTY RECIPROCATING SAW SPT 44-10

The new SKILSAW® 15 AMP Heavy Duty Reciprocating Saw delivers rugged, dependable performance unlike any recip saw you've used before. Patented Buzzkill™ Technology stops vibration dead in its tracks. The full-frame, linear counterbalance stops vibration at the source, instead of moving it around and shifting it to the user, as other saws do. The 15 Amp motor powers through the most demanding work, while Constant Response™ Electronics sense the load and immediately increase the power when you need it. That means comfortable, controlled cuts that don't wear on you or your tool. The 15Amp Heavy Duty Reciprocating Saw joins the performance legend that is SKILSAW.

**Tough 15 AMP Motor**
Provides more power for all applications

**Patented Buzzkill™ Technology**
Delivers best in class in-line vibration suppression

**Constant Response Electronics**
Supplies consistent power for the toughest cuts

Ideal for Demolition


Capacities 1-1/4 In. (32 mm) Stroke length	Specifications Ratings: 15A, 120V≈ 60 Hz, n _o 0-2900 SPM	Includes 15 Amp Heavy Duty Reciprocating Saw, Carrying Case
--	---	---





BUZZKILL™
TECHNOLOGY

13 AMP RECIPROCATING SAW SPT 44 A-00

The new SKILSAW® 13 AMP Reciprocating Saw joins the legendary SKILSAW lineup to outperform any recip you've tried before. This saw features patented Buzzkill™ Technology, stopping vibration dead in its tracks and suppressing vibration up to 35% better than the competition. That means comfortable, controlled cuts that won't wear out you or your tool. You'll feel the difference with the first pull of the trigger. 13 Amps of SKILSAW power quickly shreds through even the toughest materials. The variable-speed trigger puts you in control, no matter what you're cutting. Grab the new SKILSAW 13 AMP Reciprocating Saw with Buzzkill™ Technology that demolishes more than just vibration.

**Tough 13 AMP Motor**
Provides power for all applications

**Patented Buzzkill™ Technology**
Delivers best in class in-line vibration suppression


**Variable Speed Trigger**
Controls tool speed for cutting specialized materials

Ideal for Demolition


Capacities 1-1/8 In. (28 mm) Stroke length	Specifications Ratings: 13A, 120V≈ 60 Hz, n _o 0-2800 SPM	Includes 13 Amp Reciprocating Saw
--	---	---

BLADES AND ACCESSORIES


WOODWOODWOODWOODWOODWOODWOODMETALMETAL




75924 - 7-1/4 IN. x 24T Framing Saw Blade
Arbor: 5/8" round and 13/16" diamond knockout
Kerf: 1.8mm
Compatibility: SPT67WL, SPT67WMB, SPT67M8, SPT77W, SPT77WML, SPTH77M




75940 - 7-1/4 IN. x 40T Framing Saw Blade
Arbor: 5/8" round and 13/16" diamond knockout
Kerf: 1.8mm
Compatibility: SPT67WL, SPT67WMB, SPT67M8, SPT77W, SPT77WML, SPTH77M




76924 - 7-1/4 IN. x 24T Worm Drive Framing Saw Blade
Arbor: 13/16" diamond knockout
Kerf: 1.8mm
Compatibility: SPT77W, SPT77WML, SPTH77M




76824 - 8-1/4 IN. x 24T Worm Drive Framing Saw Blade
Arbor: 13/16" diamond knockout
Kerf: 2.05mm
Compatibility: SPT78W




75240 - 10 IN. x 40T Table Saw Blade
Arbor: 5/8" round Kerf: 2.15mm
Compatibility: SPT70WT, SPT99




76240 - 10-1/4 IN. x 40T Worm Drive Saw Blade
Arbor: 13/16" diamond knockout
Kerf: 2.15mm
Compatibility: SPT70WM



SPT1000 - 16-5/16 IN. x 32T Saw Blade
Arbor: 1" round Kerf: 2.4mm
Compatibility: SPT70V-11



SK842 - 8 IN. x 42T Dry Cut Metal Blade
Arbor: 5/8" round Kerf: 1.9mm
Compatibility: SPT78MMC



SK1260 - 12 IN. x 60T Dry Cut Metal Blade
Arbor: 1" round Kerf: 2.7mm
Compatibility: SPT62MTC

WOOD WITH NAILS



SPT2004-05 - 6 IN. Wood w/Nails Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10



SPT2005-05 - 9 IN. Wood w/Nails Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10

METAL



SPT2007-05 - 6 IN. Metal Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10



SPT2008-05 - 9 IN. Metal Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10

TABLE SAW ACCESSORIES



SPTA70WT-ST Table Saw Stand
Compatibility: SPT70WT



SPTA70WT-DD Dado Insert
Compatibility: SPT70WT



SPT00A Dado Insert
Compatibility: SPT99



SPT00C Zero Clearance Insert
Compatibility: SPT70WT & SPT99



SPT00B Rear Outfeed
Compatibility: SPT99

CHAINSAW ACCESSORIES



SPT1500 16" Full House Chain and Bar
Compatibility: SPT55-11



SPT1501 16" Full House Chain
Compatibility: SPT55-11

MISCELLANEOUS ACCESSORIES



95104L Cord Assembly
Compatibility: HD77, HD77M, HD5825, HD5860, MAG77LT, SHD77, SHD77M, SPT55, SPT70WM, SPT70V, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT78MMC



80111 Worm Drive Oil
Compatibility: SHD77, SHD77M, HD77, HD77M, HD5825, HD5860, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT70WM, SPT70WT, MAG77LT, SPT78MMC, SPT79, SPT79A, SPT99, SPT70V



WDHK01 Saw Hook
Compatibility: SHD77, SHD77M, HD77, HD77-02, HD5825, HD5860, SPT78W, SPT70WM



13896 Adjustable Rip Fence
Compatibility: SPT67WL, SPT67WM, SPT67WMB, SPT67FMD, SPT67M8, SPT77WML, SPT78W, SPT78MMC, SPT70WM, SPT77W, SPT77WM



95105L Switch Kit
Compatibility: SDH77, SDH77M, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT70WM, SPT79, MAG77LT



95111L Brush & Cap Assembly
Compatibility: SHD77, SHD77M, HD77, HD77-02, HD5825, HD5860, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT70WM, MAG77LT, SPT70V

DIABLO BLADE REFERENCE CHART

Tool Model #	Diablo Blade Model #	Tool Model #	Diablo Blade Model #
SPT67WM-22	D0724X	SPT77W-22	D0724D
SPT67M8-01	D0724X	SPT77WML-22	D0724X
SPT67WMB-22	D0724X	SPT78W-22	D0824X
SPT67FMD-22	D0704DH	SPT70WM-22	D1040W
SPT70WT-22	D1030	SPT78MMC-22	D0842CF
SPT99-12	D1030	SPT62MTC-22	D1260F
		SPH77M-02/-12/-22	D0724X

OUR MOTORS ARE BUILT FOR SAWS


+ Dual Copper Windings

Increases copper surface area by 40% to keep the motor cool


+ Dependable Motor

Cooler running motor tackles the most difficult cuts

SKILSAW Dual-Field™ Motor
OURS RUN COOLER



THEIRS RUN HOT
Don't trust just any motor



SKILSAW Stay True™ Guarantee

Cut for 180 days. If you're not satisfied, we'll give you your money back. We stand behind our motors, we call it our Stay True™ Guarantee.